



Sunnyside Cogeneration Associates

P.O. Box 10, East Carbon, Utah 84520 • (801) 888-4476 • Fax (801) 888-2538

January 3, 2018

Allan Moore
Solid Waste Program Manager
195 North 1950 West
Salt Lake City, Utah 84116

RE: Sunnyside Cogeneration Associates (SCA)
SCA #2 Ash Landfill
CCR Annual Ground Water Report

Dear Mr. Moore:

Please find attached SCA's CCR Annual Ground Water Report. Monitoring wells MW-8, MW-9, MW-10 and MW-11, were sampled on March 15, 2017 and November 14, 2017, in accordance with Federal regulations under 40CFR 257 and State regulations under R315-319.

Water samples were collected at MW-8 only, since MW-9, MW-10 and MW-11 were dry wells. The sampling results from MW-8 were well below the established permit protection levels for all constituents for detection monitoring, Appendix III of Part 257 and R315-319.

Enclosures:

Table 1:

CCR Ground Water Analysis for year 2017

Table 2:

CCR Monitoring Well Parameters for year 2017

SCA #2 Ash Landfill
CCR Annual Ground Water Report
Page 2:

If you have any questions regarding the sampling activities or this report, please contact Rusty Netz or myself at (435) 888-4476.

Thank You,



Gerald Hascall
Agent for
Sunnyside Cogeneration Associates

Cc: Rusty Netz
Scott Carlson
Plant File

CCR Monitoring Wells

Legend
Wells



Google Earth

© 2014 Google

500 ft

TABLE 1

Sunnyside Cogeneration Associates Facility SCA #2 CCR Ash Landfill Groundwater Compliance Sampling

First half of 2017
Sampling Date: March 15, 2017

Sample Location	Field Parameters				Metals(mg/l)					
	Temp. (C)	pH (S.U.)	SC (umhos)	Boron	Calcium	Chloride	Fluoride	pH	Sulfate	TDS
Permit Background Values	N.A.	N.A.	N.A.	0.35	422	251	0.6	7.2	6743	11013
Permit Protection Levels	N.A.	N.A.	N.A.	0.46	510.70	394.2	1.42	7.98	7988	12659
MW-8	13.6	8.00	9987	0.35	449	363	0.4	7.2	7550	11500
MW-9	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW
MW-10	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW
MW-11	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW

NW= No water present in well
NA= Non-Applicable
ND=NoN-Detect

TABLE 1

Sunnyside Cogeneration Associates Facility SCA #2 CCR Ash Landfill Groundwater Compliance Sampling

Second half of 2017
Sampling Date: November 14, 2017

Sample Location	Field Parameters				Metals(mg/l)					
	Temp. (C)	pH (S.U.)	SC (umhos)	Boron	Calcium	Chloride	Fluoride	pH	Sulfate	TDS
Permit Background Values	N.A.	N.A.	N.A.	0.35	422	251	0.6	7.2	6743	11013
Permit Protection Levels	N.A.	N.A.	N.A.	0.46	510.70	394.2	1.42	7.98	7988	12659
MW-8	12.6	7.06	9712	0.42	443	314	0.4	7.2	6700	8700
MW-9	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW
MW-10	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW
MW-11	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW

NW= No water present in well
NA= Non-Applicable
ND=NoN-Detect

TABLE 2

Sunnyside Cogeneration Associates Facility SCA #2 CCR Ash Landfill Groundwater Compliance Sampling First Half 2017

Date:	March 15, 2017
GROUND WATER WELLS:	
Casing Diameter (inches)	2
Casing Type:	PVC

LOCATION	Monitoring Well	Personnel	Weather	Static Water Level (ft.)	Total Well Depth (ft.)	Calculated Purge Volume (gals.)	Purge Method	Purge Volume (gals.)	Field Parameters		
									Temp. (C)	pH (su)	SC (um)
SCA #2 Ash Landfill	MW-8	R. Netz	Cloudy	17.2	50.0	15.74	PUMP	15.0	13.6	8.00	9987
SCA #2 Ash Landfill	MW-9	R. Netz	Cloudy	NW	50.0	NW	NW	NW	NW	NW	NW
SCA #2 Ash Landfill	MW-10	R. Netz	Cloudy	NW	50.0	NW	NW	NW	NW	NW	NW
SCA #2 Ash Landfill	MW-11	R. Netz	Cloudy	NW	65.0	NW	NW	NW	NW	NW	NW

Purge volume (gallons) = ((well depth-static water level)/25) x (casing dia.)² x3
 NW- NO Water Present in well
 NS-No Sample Taken

TABLE 2

Sunnyside Cogeneration Associates Facility SCA #2 CCR Ash Landfill Groundwater Compliance Sampling Second Half 2017

Date: November 14, 2017
GROUND WATER WELLS:
 Casing Diameter (inches) 2
 Casing Type: PVC

LOCATION	Monitoring Well	Personnel	Weather	Static Water Level (ft.)	Total Well Depth (ft.)	Calculated Purge Volume (gals.)	Purge Method	Purge Volume (gals.)	Field Parameters		
									Temp. (C)	pH (su)	SC (um)
SCA #2 Ash Landfill	MW-8	R. Netz	cool/dry	18.25	50.0	15.24	PUMP	15.1	12.6	7.06	9712
SCA #2 Ash Landfill	MW-9	R. Netz	cool/dry	NW	50.0	NW	NW	NW	NW	NW	NW
SCA #2 Ash Landfill	MW-10	R. Netz	cool/dry	NW	50.0	NW	NW	NW	NW	NW	NW
SCA #2 Ash Landfill	MW-11	R. Netz	cool/dry	NW	65.0	NW	NW	NW	NW	NW	NW

Purge volume (gallons) = ((well depth-static water level)/25) x (casing dia.)² x 3
 NW- NO Water Present in well
 NS=No Sample Taken



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O: (801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Sunnyside Cogeneration
Rusty Netz
P.O. Box 10
East Carbon, UT 84520

PO#: _____
Receipt: **3/16/17 9:45 @ 13.6 °C**
Date Reported: **5/9/2017**
Project Name: **CCR Ash Landfill #2**

Sample ID: **MW-8**

Matrix: **Wastewater**

Date Sampled: **3/15/17 0:00**

Sampled By: **Client**

Lab ID: **17C0597-01**

Parameter	Result	Units	Minimum Reporting Limit	Method	Preparation Date/Time	Analysis Date/Time	Flag(s)
Inorganic							
Alkalinity - Bicarbonate (as CaCO3)	412	mg/L	1.0	SM 2320 B	3/20/17	3/20/17	
Alkalinity - Carbonate (as CaCO3)	ND	mg/L	1.0	SM 2320 B	3/20/17	3/20/17	
Alkalinity - Hydroxide (as CaCO3)	ND	mg/L	1.0	SM 2320 B	3/20/17	3/20/17	
Alkalinity - Total (as CaCO3)	412	mg/L	1.0	SM 2320 B	3/20/17	3/20/17	
Chloride	363	mg/L	10	EPA 300.0	3/16/17	3/16/17	
Fluoride	0.4	mg/L	0.1	EPA 300.0	3/16/17	3/16/17	
pH	7.2	pH Units	0.1	SM 4500 H-B	3/16/17 15:40	3/16/17 15:40	SPH
Sulfate	7550	mg/L	100	EPA 300.0	3/16/17	3/16/17	
Total Dissolved Solids (TDS)	11500	mg/L	20	SM 2540 C	3/21/17	3/21/17	
Metals							
Antimony, Total	ND	mg/L	0.0050	EPA 200.8	3/20/17	3/21/17	
Arsenic, Total	0.0122	mg/L	0.0050	EPA 200.8	3/20/17	3/21/17	
Barium, Total	0.010	mg/L	0.005	EPA 200.7	3/18/17	3/18/17	
Beryllium, Total	ND	mg/L	0.0050	EPA 200.8	3/20/17	3/21/17	
Boron, Total	0.35	mg/L	0.05	EPA 200.7	3/18/17	3/18/17	
Cadmium, Total	ND	mg/L	0.0020	EPA 200.8	3/20/17	3/21/17	
Calcium, Total	449	mg/L	0.2	EPA 200.7	3/18/17	3/18/17	
Chromium, Total	0.0018	mg/L	0.0005	EPA 200.8	3/20/17	3/20/17	
Cobalt, Total	0.0014	mg/L	0.0005	EPA 200.8	3/20/17	3/20/17	
Copper, Total	0.0087	mg/L	0.0010	EPA 200.8	3/20/17	3/20/17	
Lead, Total	ND	mg/L	0.0005	EPA 200.8	3/20/17	3/20/17	
Lithium, Total	1.11	mg/L	0.005	EPA 200.7	3/18/17	3/18/17	
Magnesium, Total	1090	mg/L	0.2	EPA 200.7	3/18/17	3/18/17	
Mercury, Total	ND	mg/L	0.0002	EPA 245.1	3/20/17	3/21/17	
Molybdenum, Total	ND	mg/L	0.0050	EPA 200.8	3/20/17	3/21/17	
Potassium, Total	21.6	mg/L	0.5	EPA 200.7	3/18/17	3/18/17	
Selenium, Total	0.215	mg/L	0.0050	EPA 200.8	3/20/17	3/21/17	
Silver, Total	ND	mg/L	0.005	EPA 200.8	3/20/17	3/21/17	
Sodium, Total	1520	mg/L	0.5	EPA 200.7	3/18/17	3/18/17	
Thallium, Total	ND	mg/L	0.0002	EPA 200.8	3/20/17	3/20/17	
Zinc, Total	0.01	mg/L	0.01	EPA 200.7	3/18/17	3/18/17	
Radiochemistry							
Radium-226	1.6	pCi/L		EPA 903.1	5/3/17	5/3/17	SL-17
Radium-226 LLD	0.24	pCi/L		EPA 903.1	5/3/17	5/3/17	SL-17
Radium-226 Variance	0.18	pCi/L		EPA 903.1	5/3/17	5/3/17	SL-17
Radium-228	0.76	pCi/L		EPA 904.0	5/2/17	5/2/17	SL-17
Radium-228 LLD	0.29	pCi/L		EPA 904.0	5/2/17	5/2/17	SL-17
Radium-228 Variance	0.32	pCi/L		EPA 904.0	5/2/17	5/2/17	SL-17



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O: (801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Sunnyside Cogeneration
Rusty Netz
P.O. Box 10
East Carbon, UT 84520

PO#:
Receipt: **3/16/17 9:45 @ 13.6 °C**
Date Reported: 5/9/2017
Project Name: **CCR Ash Landfill #2**

Report Footnotes

Abbreviations

ND = Not detected at the corresponding Minimum Reporting Limit (MRL).
1 mg/L = one milligram per liter or 1 mg/kg = one milligram per kilogram = 1 part per million.
1 ug/L = one microgram per liter or 1 ug/kg = one microgram per kilogram = 1 part per billion.
1 ng/L = one nanogram per liter or 1 ng/kg = one nanogram per kilogram = 1 part per trillion.

Flag Descriptions

HB = Recovery for this parameter exceeded the upper acceptance limit. Associated sample(s) were all non-detect and therefore accepted and reported for this parameter.
NR = No analyte requiring this QC element is included in this analytical bracket.
SL-17 = Analysis performed by ACZ Laboratories, 2773 Downhill Drive, Steamboat Springs, CO 80487.
SPH = Sample submitted past method specified holding time.

CHEMTECH - FORD ANALYTICAL LABORATORY

CHAIN OF CUSTODY

COMPANY: SCA
 ADDRESS: _____
 CITY/STATE/ZIP: _____
 PHONE #: Rusty Netz FAX: _____
 CONTACT: _____ PROJECT: CCR Ash Landfill #2
 EMAIL: _____

BILLING ADDRESS: _____
 BILLING CITY/STATE/ZIP: _____
 PURCHASE ORDER #: _____
 TURNAROUND REQUIRED: _____



COS97

Lab Use Only	CLIENT SAMPLE INFORMATION				
	LOCATION / IDENTIFICATION	DATE	TIME	MATRIX	Field Residual Chlorine
01	MW-8	3/15/17			
2					
3					
4					
5					
6					
7					
8					
9					
10					

TESTS REQUESTED										Bacteria			
										Total Coliforms - E. coli (Enumerated)	Total Coliforms - E. coli (Enumerated)	APC (Plate Count)	E. Coli Only

ON ICE NOT ON ICE Temp (C): 13.6

Samples received outside the EPA recommended temperature range of 0-6 C may be rejected.

Special Instructions: _____

Requested by (signature): Rusty Netz Date/Time: 3/15/17/1200 Received by (signature): _____ Date/Time: 3/16/17 9:45

Relinquished by (signature): _____ Date/Time: _____ Received by (signature): _____ Date/Time: _____

CHEMTECH-FORD
 9632 South 500 West
 Sandy, UT 84070

801.262.7289 PHONE
 888.792.0093 FAX
 www.chemtechford.com

Payment Terms are net 30 days OAC. 1.5% interest charge per month (18% per annum). Client agrees to pay collection costs and attorney's fees.

7786 5815 9356



CHEMTECH FORD LABORATORIES
Sample Receipt

Work Order # C0597



Delivery Method:

- UPS
- USPS
- FedEx
- Chemtech Courier
- Walk-in
- Customer Courier

Receiving Temperature 13.6 °C

Sample #	Container	Chemtech Lot # or Preservative	Preservation Status				Misc Volume (cc/mL)	Comments
			Number of Subsamples	Preserved by Client/Third Party	Preserved in Receiving/Laboratory	Filtered in Field by Client		
01	R(1-Z)							
	A 1/2							
	M	706						

Sample Condition
(check if yes)

- Custody Seals
- Containers Intact
- COC/labels Agree
- Preservation Confirmed
- Received on Ice
- Correct Container(s)
- Sufficient Sample Volume
- Headspace Present (VOC)
- Temperature Blank
- Received within Holding Time

Plastic Containers

- A- Plastic Unpreserved
- B- Miscellaneous Plastic
- C- Cyanide Qt (NaOH)
- E- Coliform/Ecol/RPC
- F- Sulfide Qt (Zn Acetate)
- L- Mercury 1631
- M- Metals Pint (HNO3)
- N- Nutrient Pint (H2SO4)
- R- Radiological (HNO3)
- S- Sludge Cups/Tubs
- Q- Plastic Bag

Glass Containers

- D- 625 (Na2S2O3)
- G- Glass Unpreserved
- H- HAAs (NH4Cl)
- J- 508/515/525 (Na2SO3)
- K- 515-3 Herbicides
- O- Oil & Grease (HCl)
- P- Phenols (H2SO4)
- T- TOC/TOX (H3PO4)
- U- 531 (MCAA, Na2S2O3)
- V- 524/THMs (Ascorbic Acid)
- W- 8260 VOC (1:1 HCl)
- X- Vial Unpreserved
- Y- 624/504 (Na2S2O3)
- Z- Miscellaneous Glass



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O: (801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Sunnyside Cogeneration
Rusty Netz
P.O. Box 10
East Carbon, UT 84520

PO#: _____
Receipt: 11/15/17 9:20 @ 7.3 °C
Date Reported: 12/18/2017
Project Name: [none]

Sample ID: MW-8

Matrix: Wastewater

Lab ID: 17K0754-01

Date Sampled: 11/14/17 8:30

Sampled By: Client

	Result	Units	Minimum Reporting Limit	Method	Preparation Date/Time	Analysis Date/Time	Flag(s)
Inorganic							
Alkalinity - Bicarbonate (as CaCO3)	398	mg/L	1.0	SM 2320 B	11/20/17	11/20/17	
Alkalinity - Carbonate (as CaCO3)	ND	mg/L	1.0	SM 2320 B	11/20/17	11/20/17	
Alkalinity - Hydroxide (as CaCO3)	ND	mg/L	1.0	SM 2320 B	11/20/17	11/20/17	
Alkalinity - Total (as CaCO3)	398	mg/L	1.0	SM 2320 B	11/20/17	11/20/17	
Chloride	314	mg/L	10	EPA 300.0	11/15/17	11/15/17	
Fluoride	0.4	mg/L	0.1	EPA 300.0	11/15/17	11/15/17	
pH	7.2	pH Units	0.1	SM 4500 H-B	11/15/17 19:00	11/15/17 19:00	SPH
Sulfate	6700	mg/L	200	EPA 300.0	11/15/17	11/15/17	
Total Dissolved Solids (TDS)	8700	mg/L	500	SM 2540 C	11/20/17	11/20/17	
Metals							
Antimony, Total	ND	mg/L	0.0005	EPA 200.8	11/16/17	11/16/17	
Arsenic, Total	0.0079	mg/L	0.0005	EPA 200.8	11/16/17	11/16/17	
Barium, Total	ND	mg/L	0.050	EPA 200.7	11/16/17	11/16/17	
Beryllium, Total	ND	mg/L	0.0005	EPA 200.8	11/16/17	11/16/17	
Boron, Total	0.42	mg/L	0.50	EPA 200.7	11/16/17	11/16/17	
Cadmium, Total	ND	mg/L	0.0002	EPA 200.8	11/16/17	11/16/17	
Calcium, Total	443	mg/L	2.0	EPA 200.7	11/16/17	11/16/17	
Chromium, Total	0.0135	mg/L	0.0005	EPA 200.8	11/16/17	11/16/17	
Cobalt, Total	0.0015	mg/L	0.0005	EPA 200.8	11/16/17	11/16/17	
Copper, Total	0.0114	mg/L	0.0010	EPA 200.8	11/16/17	11/16/17	
Lead, Total	ND	mg/L	0.0005	EPA 200.8	11/16/17	11/16/17	
Lithium, Total	0.972	mg/L	0.050	EPA 200.7	11/16/17	11/16/17	
Magnesium, Total	932	mg/L	2.0	EPA 200.7	11/16/17	11/16/17	
Mercury, Total	0.0021	mg/L	0.0002	EPA 245.1	11/20/17	11/21/17	
Molybdenum, Total	0.0021	mg/L	0.0005	EPA 200.8	11/16/17	11/16/17	
Potassium, Total	20.1	mg/L	5.0	EPA 200.7	11/16/17	11/16/17	
Selenium, Total	0.111	mg/L	0.0005	EPA 200.8	11/16/17	11/16/17	
Silver, Total	0.003	mg/L	0.0005	EPA 200.8	11/16/17	11/16/17	
Sodium, Total	1500	mg/L	5.0	EPA 200.7	11/16/17	11/16/17	
Thallium, Total	ND	mg/L	0.0002	EPA 200.8	11/16/17	11/16/17	
Zinc, Total	ND	mg/L	0.01	EPA 200.7	11/16/17	11/20/17	
Radiochemistry							
Radium-226	1.3	pCi/L		EPA 903.1	12/13/17	12/13/17	SL-17
Radium-226 LLD	0.12	pCi/L		EPA 903.1	12/13/17	12/13/17	SL-17
Radium-226 Variance	0.15	pCi/L		EPA 903.1	12/13/17	12/13/17	SL-17
Radium-228	1.2	pCi/L		EPA 904.0	12/6/17	12/6/17	SL-17
Radium-228 LLD	0.29	pCi/L		EPA 904.0	12/6/17	12/6/17	SL-17

Project Name: [none]

CtF WO#: 17K0754



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Sunnyside Cogeneration
Rusty Netz
P.O. Box 10
East Carbon, UT 84520

PO#:
Receipt: 11/15/17 9:20 @ 7.3 °C
Date Reported: 12/18/2017
Project Name: [none]

Sample ID: MW-8 (cont.)

Matrix: Wastewater

Lab ID: 17K0754-01

Date Sampled: 11/14/17 8:30

Sampled By: Client

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Radiochemistry (cont.)							
Radium-228 Variance	0.34	pCi/L		EPA 904.0	12/6/17	12/6/17	SL-17



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O: (801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Sunnyside Cogeneration
Rusty Netz
P.O. Box 10
East Carbon, UT 84520

PO#:
Receipt: 11/15/17 9:20 @ 7.3 °C
Date Reported: 12/18/2017
Project Name: [none]

Report Footnotes

Abbreviations

ND = Not detected at the corresponding Minimum Reporting Limit (MRL).

1 mg/L = one milligram per liter or 1 mg/kg = one milligram per kilogram = 1 part per million.

1 ug/L = one microgram per liter or 1 ug/kg = one microgram per kilogram = 1 part per billion.

1 ng/L = one nanogram per liter or 1 ng/kg = one nanogram per kilogram = 1 part per trillion.

Flag Descriptions

HB = Recovery for this parameter exceeded the upper acceptance limit. Associated sample(s) were all non-detect and therefore accepted and reported for this parameter.

SL-17 = Analysis performed by ACZ Laboratories, 2773 Downhill Drive, Steamboat Springs, CO 80487.

SPH = Sample submitted past method specified holding time.

CHEMTECH - FORD ANALYTICAL LABORATORY

CHAIN OF CUSTODY

COMPANY: SCA
 ADDRESS: #12 Ash Landfill
 CITY/STATE/ZIP: CCR Sample
 PHONE #: _____
 CONTACT: _____
 EMAIL: _____

BILLING ADDRESS: _____
 BILLING CITY/STATE/ZIP: _____
 PURCHASE ORDER #: _____



TURNAROUND REQUIRED: _____

* Expedient turnaround subject to additional charge

K0754

Lab Use Only	CLIENT SAMPLE INFORMATION					
	LOCATION / IDENTIFICATION	DATE	TIME	MATRIX	Field Residual Chlorine	
-01	MW-8	11/14/17	830			
2						
3						
4						
5						
6						
7						
8						
9						
10						

TESTS REQUESTED										Bacteria	
* per history is project. Am 11/15/17										Total Coliform - E. coli Present/Absent	
										Total Coliform - E. coli Enumerated	
										IPC (Plate Count)	
										E. coli Only	

Sampled by (print) _____ Sampled by (signature) _____

Special Instructions: _____

ON ICE NOT ON ICE Temp (C°): 7.3

Samples received outside the EPA recommended temperature range of 0-6 C° may be rejected.

Requested by (signature) [Signature] Date/Time 11/14/17 12:00

Received by (signature) Annette Mills Date/Time 11/15/17 9:20

CHEMTECH-FORD
 9532 South 500 West
 Sandy, UT 84070

801 262 7299 PHONE
 866 792 0093 FAX
 www.chemtechford.com

Payment Terms are net 30 days; OAC 1.5% interest charge per month; 18% per annum. Client agrees to pay collection costs and attorney's fees.

7707 4517 1874

Work Order # K0754

CHEMTECH FORD LABORATORIES
Sample Receipt



Delivery Method:

- UPS USPS
 FedEx Chemtech Courier
 Walk-In Customer Courier

Receiving Temperature 7.3°C

Sample #	Container	Chemtech Lot # or Preservative	Number of Subsamples	Preserved by Client/Field Party	Sample ID # (Receiving Laboratory)	Placed in Field by Client	Misc Volume (oz/ml)	Comments
01	R(1-2) A1/2 M	785						

Sample Condition (check if yes)
<input type="checkbox"/> Custody Seals
<input checked="" type="checkbox"/> Containers Intact
<input checked="" type="checkbox"/> COC/Labels Agree
<input checked="" type="checkbox"/> Preservation Confirmed
<input checked="" type="checkbox"/> Received on Ice
<input checked="" type="checkbox"/> Correct Container(s)
<input checked="" type="checkbox"/> Sufficient Sample Volume
<input type="checkbox"/> Headspace Present (VOC)
<input type="checkbox"/> Temperature Blank
<input checked="" type="checkbox"/> Received within Holding Time

Plastic Containers
A- Plastic Unpreserved
B- Miscellaneous Plastic
C- Cyanide Qt (NaOH)
E- Coliform/Ecol/HPC
F- Sulfide Qt (Zn Acetate)
L- Mercury 1631
M- Metal Pint (HNO3)
N- Nutrient Pint (H2SO4)
R- Radiological (HNO3)
S- Skudge Cups/Tube
Q- Plastic Bag

Glass Containers
D- 625 (Na2S2O3)
G- Glass Unpreserved
H- HAAs (NH4Cl)
J- 508/515/525 (Na2SO3)
K- 515.3 Herbicides
O- Oil & Grease (HCl)
P- Phenols (H2SO4)
T- TOC/TOX (H3PO4)
U- 531 (MCAA, Na2S2O3)
V- 524/THMs (Ascorbic Acid)
W- 8260 VOC (1:1 HCl)
X- Vial Unpreserved
Y- 624/504 (Na2S2O3)
Z- Miscellaneous Glass