CISTACEAE – ROCKROSE FAMILY

Plant: herbs and shrubs

Stem:

Root:

<u>Leaves:</u> usually small, simple, entire, alternate or opposite (sometimes both), or sometimes whorled; no stipules

Flowers: perfect, regular (actinomorphic); sepals mostly 5, outer 2 narrower (sometimes lacking) and shorter than the inner 3; petals 5, sometimes 3 or rarely none, usually distinct, sometimes falling early, or petals lacking completely; stamens separate and often numerous, tending to be irregular in number; ovary superior, 1 pistil, 3-5 carpels (fused); 1 style

<u>Fruit:</u> capsule, often woody to leathery, 3 or more chambers; often enclosed by persistent calyx

Other: mostly tropical family, some cultivated; Dicotyledons Group

Genera: 9+ genera; locally *Helianthemum* (frostweed), *Hudsonia* (false heather), *Lechea* (pinweed)

Flower Morphology in the Cistaceae (Rockrose Family)

Examples of common genera



Plains Frostweed [Several-Flowered Rockrose] Helianthemum bicknellii Fernald



Hairy Pinweed Lechea mucronata Raf. (L. villosa)

CISTACEAE – ROCKROSE FAMILY

Plains Frostweed [Several-Flowered Rockrose]; *Helianthemum bicknellii* Fernald [Longbranch] Frostweed [Solitary-Flowered Rockrose; Rockrose]; *Helianthemum canadense* L. Michx. Hairy Pinweed; *Lechea mucronata* Raf. (*L. villosa*)







USDA

