

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Martinsburg High School	Facility Type Food Service Establishment	
Licensee Name Berkeley Co. Board of Education	Facility Telephone # 304 263-6333	
Facility Address 701 South Queen St Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Complaint	Inspection Date 02/28/2019	Total Time Spent 0.67

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Walk-In 1	
Walk-In 2	
AdvantEDGE refrigerator	
Milk coolers Line 1	
Metro HotHold-right	
HM 2000 Hot Hold	
salad display-right	
salad display-left	
cafeteria milk cooler	
Hoshizaki freezer	
milk cooler-center	
milk cooler-far right	
Ches Cor hot hold	

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
BucketDishmachine	ChemicalHeat				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 0

Observed Non-Critical Violations
Total # 0
Repeated # 0

Inspection Outcome

Comments

Mold/Donut Complaint. January 29, 2019 Receive Date. Put into freezer. Thawing started Tuesday February 26, 2019. Thawed in Walk-In Cooler. Don't have temperatures of Walk-in from February 26, 2019 Not written down. Product has been sent to Super Bakery (manufacturer) for investigation. They have indicated that it is a mold spore but still investigating. No way servers/cooks could have seen spots due to labeling/packaging. Walk-In Coolers are alarmed and would have sent notification if temperatures rose above 41 degrees. No alerts are recorded. Complaint closed

Disclaimer

Person in Charge

Sarah Bass

Sanitarian

Keith Allison