

West Virginia Department of Health & Human  
Resources  
Morgan County Health Department



**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Berkeley Springs State Park	Facility Type Food Service Establishment	
Licensee Name (Owner Not Set)	Facility Telephone #	
Facility Address 2 South Washington St Berkeley Springs, WV	Licensee Address	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date June 25, 2018	Total Time Spent 1.00

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Ice Cream Freezer	-7
Chest Freezer	3.1
Freezer	2.8
Cooler	54

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<b>Total # 1</b>
<b>Repeated # 0</b>
<b>3-501.16 (Cold) - POTENTIALLY HAZARDOUS FOOD, COLD HOLDING</b>
Observation: Cooler not reaching temperature.
Corrective Action(s):

<b>Observed Non-Critical Violations</b>
<b>Total # 2</b>
<b>Repeated # 0</b>
<b>4-204.112 - TEMPERATURE MEASURING DEVICES - LOCATION, EASILY READABLE</b>
Observation: Thermometer needed in cooler.
Corrective Action(s):
<b>4-602.13 - NONFOOD CONTACT SURFACES</b>
Observation: Food residue in microwave.
Corrective Action(s):

<b>Inspection Outcome</b>

**Comments**

Disclaimer

Person in Charge



Sanitarian

**Tim Zeigler**