# Image Processing based Optical Character Recognition using Matlab

Geeta Mathur (Electronics and Communiction Engg) Shree Guru Gobind Singh Tricentenary University

Abstract- Optical character acknowledgment (OCR) is turning into an intense device in the field of Character Recognition, now a days. In the current globalized condition, OCR can assume an essential part in various application fields. Essentially, OCR strategy changes over pictures into editable organization. This system changes over pictures as archives, for example, we can alter, adjust and store information all the more securely for long-term. This paper presents essential of OCR procedure with its parts, for example, pre-preparing, Feature Extraction, Classification, post-handling and so on. There are different strategies have been executed for the acknowledgment of character. This Review additionally distinctive thoughts executed before examines for acknowledgment of a character. This paper may go about as a strong material for the individuals who wish to think about OCR.

#### Keywords- OCR, Feature Extraction

#### I. INTRODUCTION

Presently a day, globalization is coming to an incredible level. In this condition globalized, character acknowledgment methods likewise getting a profitable request in number of utilization ranges. OCR is a more powerful method which changes over picture into appropriate configuration with the ends of goal that information can be alter, adjust and put away. This strategy plays out a few operations, for best example, filters the info picture, forms over the checked picture along these lines picture gets changed over into the versatile configurations. For example, the printed copy of old recorded books, and so forth .can't be put away securely for quite a while. Or maybe, its wellbeing has confinements. On the off chance that we apply OCR procedure for such cases, the distinctive chronicled archives can be put away, altered for a long-lasting. OCR additionally having assortment of utilizations in all fields, including security. OCR usage helps us to alter, store and over process the best filtered information all the more viably. Client can deal with the put away own information at whatever point he needs with the web bolster. So Optical character acknowledgment is best application utilized as a part of example acknowledgment.

A normal OCR framework comprises of the accompanying fundamental parts:

- 1. Input Image
- 2. Pre-processing

- 3. Feature Extraction
- 4. Segmentation
- 5. Word extraction




Fig.1: Processing Stages of OCR Technique

#### 1. Input Image

Right off the bat, picture of information is optically checked. The examined picture can be any report of various measurements. This filtered input picture is encouraged to pre-handling area in order to prepare over that examined picture.

#### 2. Pre-Processing

Pre-preparing incorporates a few operations over the filtered picture, with the goal that information picture to ends up plainly appropriate and agreeable for applying to further sub segments. Fundamentally the target of pre-preparing is to enhance the nature of examined best information picture. Commotion expulsion, scientific operations can likewise be easily handled in this Pre-preparing area. It incorporates

INTERNATIONAL JOURNAL OF RESEARCH IN ELECTRONICS AND COMPUTER ENGINEERING

A UNIT OF I2OR

binarization, limit discovery, division, diminishing. It plays out the few operations over the filtered for input information.

#### 2.1 Binarization

Binarization assumes an imperative part in pre-preparing. It is most important to change over a shading picture into high contrast arrange. So we can prepare over that high contrast picture. Essentially division of organization and genuine picture region alluded as closer view of a checked picture is called binarization.

#### 2.2 Boundary Detection & noise removal

The binarized picture is presently pertinent for limit detection clamor evacuation. In this operation the limits of examined picture is identified. It recognizes every one of the limits of picture. It is more important to identify the limits in order to choose an individual character.

#### 2.3 Segmentation

This is imperative more operation of OCR as rate of acknowledgment is straightforwardly relative to division. In this procedure, each individual character is isolated. This confines the distinctive sub-parts of a picture. It is utilized to separate pixels of a picture according to the substance in information like words, section and so on.

#### 3. Feature Extraction

For the precision of OCR framework, the best suitable Feature Extraction technique ought to be chosen. While handling over the picture a few elements ought to be isolated. The commonplace components are Edges, Corners, Ridges, and so forth. This strategy for partition is called as Feature Extraction. The precision of an OCR procedure relies on upon choice of appropriate component best extraction technique.

#### 4. Classification

The element extricated information more likely than not experienced the procedure of Classification. This procedure characterizes the extricated singular character in appropriate way.

## 5. Post-Processing

This is the last and a critical period of OCR procedure. It incorporates diverse operations like Grouping, Error location and amendment. Whatever the information being worked through various types of operations, for example, binarization, division, Feature extraction, Classification and so on is bolstered to post-handling. That implies diverse elements of info all examined picture are removed. That component extricated information is an individual character. It can't get itemized data from that all individual character. Thus, it is more important to gather singular character in suitable

#### ISSN: 2393-9028 (PRINT) | ISSN: 2348-2281 (ONLINE)

and successive way. The way toward gathering singular characters of similar substance to shape a string is named as Grouping. By utilizing mistake recognizing and remedying all calculations, blunders can likewise be wiped out. At long last, we get the perceived yield character.

#### II. LITERATURE REVIEW ON OPTICAL CHARACTER RECOGNITION

Setup by [1] this paper clarifies similar investigation between Random Transform and Hough Transform, which are connected for mistake discovery and amendment. This paper clarifies execution of OCR in Mat lab, contrasted and current working technique for OCR. This framework accomplished acknowledgment rate close around 92%.

Setup by [2] this paper talks about acknowledgment of disconnected all English character. This clarifies for another model Hidden Markov Model (HMM) for character acknowledgment. The Novel component Extraction best technique is utilized for actualizing HMM. By gathering 13000 specimens from 100 scholars they have tried execution of OCR system and got precision of close around 94%.

Setup by [3] this paper executes for the OCR procedure in Mat lab. This paper clarifies how to mat lab is more helpful and successful for OCR procedure. The execution of OCR has been tried with tests in this approach.

Setup by [4] this paper talks about the best OCR system with its segments. This accomplished a decent acknowledgment rate by executing Particle Swarm Optimization Approach.

Improvement (BFO). In this proposition PSO and BFO are utilized to accomplish most beneficial symphonious remuneration. This paper additionally talks about the most effectiveness of both methodologies PSO and BFO by contrasting them.

Setup by [5] this paper introduces a review of the different O.C.R. frameworks for Gurumukhi which are created for manually written and best secluded Gurumukhi content. This paper talks about points of more interest of various type of element extraction strategies with its relative examination.

Setup by [6] this clarifies OCR method for both written by hand and printed Guajarati script. For this usage, direct acknowledgment system has been utilized. This paper clarifies how to straight acknowledgment system is more effective in OCR for blunder location and revision.

**Setup by [7]** This paper not just clarify OCR for various text dimension and style, additionally tests the execution of proposed OCR framework with four gatherings of various text dimension and style. This proposed framework accomplished acknowledgment rate close around 96%.

## III. RESULT OUTPUT Finally, we get the recognized output character.

ITLAB 7.8.0 (R2009a)	ella, etterat		0 8
ocrazia fa ocrazia		33 5 3	
	Multiple Optical Char Using M		
Panel		177	
	Singal	Multipal	
-			
0 0 0	<b>3 ▲ ○ ▲ 2</b>	Louise Bar	0 1 1 af 59/00

Fig.2: Project Main Home Page

This is venture landing page made by tangle lab manage charge." it is intuitive GUI interface






Fig.3: Input Image In Gui(Graphical User Interface )

GUI for some portion of a picture handling. To this point I've made a push catch which enables me to peruse through my working registry and select either a "jpg" or "bmp" picture.

# ISSN: 2393-9028 (PRINT) | ISSN: 2348-2281 (ONLINE)



strategy was proposed to expel commotion and Binarization expect a basic part in pre-dealing with. It is imperative to change over a shading picture into high complexity mastermind. So we can deal with over that very differentiating picture.



"The primary target of the Dynamic Threshold Algorithm is to set a limit for the paired (1 for dark, 0 for white) choice about

# INTERNATIONAL JOURNAL OF RESEARCH IN ELECTRONICS AND COMPUTER ENGINEERING

a given pixel." The approach thoughtfully is to analyze the dim estimation of the pixel with some normal of dim values in some around character-measure neighborhood about the pixel."If the pixel is essentially darker than the neighboring pixels, it is called dark." Two troubles emerge with the conspicuous approach of consistently averaging the dim values in a roundabout neighborhood."



Fig.6: Image Segmentation

The purpose of our character segmentation utility is to produce rotation and scale invariant images of the characters in a specific word from the Rochester flag. The images are binary and 20x20 pixels in size. The character segmentation techniques used to read "T R Y T O J UMOP AGAIN" from the U. R. flag rely on a number of structural invariants. The indoor environment will allow us to prevent motion of the flag and ensure that it remains flat. A-prior knowledge of the flag's two-dimensional structure allows us to design simple reactive behaviors that can segment the desired characters.

#### ISSN: 2393-9028 (PRINT) | ISSN: 2348-2281 (ONLINE)




Fig.7: Multiple Charter Recognize

This progression is not necessary, it enhances the exactness of acknowledgment. Sentence structure investigation, "semantic examination sort of more elevated amount ideas may be connected to check the setting of perceived character." When picture is given as contribution to OCR framework, its components are extricated and given as a contribution to the prepared classifier". Classifiers contrast the info include and put away example and discover the best coordinating Output.

#### IV. CONCLUSION

This paper presents bare essential depiction of OCR structure. It joins trade of various type sub-parts of OCR strategy, for instance, pre-taking care of, division, Feature Extraction. The particular papers having new computations and approach with a specific end goal to see all character exactly have been inspected in this overview. Each strategy has its own specific uniqueness and level of best precision, yet in the meantime a couple of modifications must be expert for all characters of different size and literary font/styles. A survey of highlight extraction and gathering frameworks for optical character affirmation is inspected. A lot of research has been done in this field. Still the work is proceeding to improve the precision of highlight extraction and course of action best techniques. On account of algorithmic ease and more elevated amount of versatility, arrangement organizing and Correlation strategy

A UNIT OF I2OR

is definitely not hard to realize with the change of all affirmation target classes. Its affirmation is most grounded on monotype and particular sorts of content styles considering the best example input pictures for example composed by hand picture and it requires shorter speculation and does not require test planning but instead one organization is quite recently fit for seeing characters of a comparative size. The OCR count which is realized in MATLAB (R2010.a/64-bit) gives perfect precision on an ordinary as 91.16% when differentiated and existing method and moreover the Radon change associated for skew area and cure gives better results as for differentiated and Hough change. These strategies are extraordinary in connection to the others in that no segments are truly isolated. Or maybe the grid containing the photo of the data all character is particularly organized with a plan of model characters addressing each of possible class.

#### ISSN: 2393-9028 (PRINT) | ISSN: 2348-2281 (ONLINE)

#### V. REFERENCES

- "Jagruti Chandarana, Mayank Kapadia, (OCR) International Journal of Emerging Technology and Advanced Engineering Volume 4, Issue 5, May 2014 "
- [2]. **Binod Kumar Prasad, GoutamSanyal,** Off-line English Character Recognition International Journal of Scientific and Research Publications, Volume 2, Issue 6, June 2012
- [3]. Sandeep Tiwari, Shivangi Mishra, Priyank, Bhatia, Praveen Km. Yadav[May 2013] (OCR) using MATLAB International Journal of Advanced Research in Electronics and Communication Engineering (IJARECE)Volume 2, Issue 5, May 2013
- [4]. Majida Ali Abed Hamid Ali Abed Alasadi, Particle Swarm Optimization Approach European Academic Research, Volume I, Issue 5/ August 2013
- [5]. Pritpal Singh, Sumit Budhiraja Feature Extraction and Classification Techniques in O.C.R. A Survey International Journal of Engineering Research and Applications (IJERA) Volume 1, Issue 4, pp. 1736-1739.
- [6]. Lipi Shah, Ripal Patel, Shreyal Patel, Jay Maniar, International Journal of Advanced Research in Computer Science and Software Engineering Volume 4, Issue 1, January 2014
- [7]. **Ritesh Kapoor, Sonia Gupta, and C.M. Sharma,** "Multifont/size character recognition and document scanning," Int. J. of Computer Application, volume 23, no.1, pp. 21-24, 2011.