



West Virginia Department of Health & Human Resources

Berkeley County Health Department

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours for Priority items and 10 calendar days for Priority Foundation items or HACCP Plan deviations. (§ 64 CSR 17-3.1.j).

OBSERVATIONS TOTALS: PRIORITY 1 PRIORITY FOUNDATION 1
 CORE 4 TOTAL 6

ESTABLISHMENT: Epic-Berkeley Heights PERMIT NO.: _____ DATE: January 13, 2020
 ADDRESS: 750 Hawk Wilson Way CITY: TRIGS STATE: WV ZIP: 25401
 PERSON IN CHARGE/TITLE: x J Bennett TELEPHONE: 304 263-6272
 RECEIVED BY (SIGNATURE): J Bennett SANITARIAN (SIGNATURE): Chy Edwards RS
 INSPECTION TYPE: ROUTINE FOLLOW-UP COMPLAINT OTHER: _____ TIME: 1:00pm

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
			<u>4602.11</u>	<u>thermometers - probes need to be calibrated and digital needs recalibrated</u>
			<u>4602.13</u>	<u>milk cooler - inside bottom needs cleaned</u>
			<u>4602.13</u>	<u>HD milk (Check for any issues with the)</u>
			<u>4602.13</u>	<u>drain drainers - sink drainboard need cleaned</u>
			<u>4602.13</u>	<u>toaster cabinet needs cleaned</u>
		<u>x</u>	<u>4302.14</u>	<u>chlorine test strips needed or locate</u>
	<u>x</u>	<u>x</u>	<u>7201.11</u>	<u>chemical spray bottles should not be stored (Soap/dispenser) on top of refrigerator</u>
				<u>* Orange Juice - Containers with Best By dates of Dec 3, 2019 - January 7, 2020</u>
				<u>* Suggest lowering refrigerator temperature to maintain 37-38°</u>

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
<u>milk cooler</u>	<u>38/34</u>	<u>bleach</u>		<u>bottle</u>	<u>50 ppm</u>		
<u>refrigerator</u>	<u>41.5</u>						