

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of **Priority** items and 10 calendar days for **Priority Foundation** items or **HACCP** Plan deviations. (§ 64 C.S.R. 17-3.1.j)

OBSERVATION TOTALS PRIORITY: 1 PRIORITY FOUNDATION: 0
CORE: 7 TOTAL: 8

ESTABLISHMENT: Shenandoah Bible Baptist Church ^{Concessions} PERMIT NO.: _____ DATE: 9/27/2019
ADDRESS: 2251 Williamsport Pike CITY: Martinsburg STATE: WV ZIP: 25404
PERSON IN CHARGE/TITLE: Jam Kripe TELEPHONE: _____
RECEIVED BY (SIGNATURE): Jam Kripe SANITARIAN (SIGNATURE): [Signature]
INSPECTION TYPE: ROUTINE FOLLOW-UP COMPLAINT OTHER: _____ TIME: 11:00am

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
			4-602.13	Inside of white microwave needs cleaned.
			6-501.11	Hole in floor by Haier chest freezer needs repaired.
			6-501.11	Handle on middle drawer under counter needs repaired/replace (broken & sharp)
			6-501.12	Massey Floor Fan needs cleaned.
	✓		4-602.11	Utensils stored in sink not clean (concessions haven't been used)
			6-501.12	Trash cans in bathrooms (Porta Pots) need cleaned.
			4-501.11	Water Leaking from Dr. Pepper refrigerator.
			6-501.11	Propane storage shelter needs repaired/replaced.

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
Dr. Pepper Refrig	40°						