G.1.1. ADULT CURRENT SMOKERS

Adults who ever smoked 100 cigarettes and smoke everyday or some days in past month.

Source: Behavioral Risk Factor Surveillance System. Trend years: 1998, 2003-2009.

| | 1998 | 2009 | TREND |
|-----------------------|-------|-------|-------|
| WA STATE | 21.2% | 14.8% | |
| KITSAP COUNTY | 23.7% | 16.2% | |
| KITSAP COMPARED TO WA | | | |

KITSAP ADULTS BY SUBGROUP: 2009

• 18.0% of females

• 25.3% age 18 to 34

• 14.5% of males

- 14.6% age 35 to 64
- n<30 age 65+

- 19.4% Bremerton
- 17.7% Port Orchard
- 35.3% with income <\$25,000
- n<30 Bainbridge, Central Kitsap,
- n<30 with income \$25-50,000

North Kitsap

• 14.6% with income >\$50,000


G.1.2. YOUTH SMOKED CIGARETTES IN THE PAST MONTH

Source: Healthy Youth Survey. Trend years: 2006, 2008, 2010.

| | 2006 | 2010 | TREND |
|-----------------------|------|------|-------|
| 8th Grade | | | |
| WA STATE | 6.5% | 6.4% | |
| KITSAP COUNTY | 6.9% | 6.5% | |
| KITSAP COMPARED TO WA | | | |

| 10th Grade | | | |
|---------------|-------|-------|--|
| WA STATE | 15.0% | 12.8% | |
| KITSAP COUNTY | 15.1% | 13.3% | |

KITSAP COMPARED TO WA -- -- --



| G.1.3. YOUTH USED CHEWING TOBACCO IN THE PAST MONTH | | | | | | | |
|--|----------|-----------|--------|----------|----|-------|--|
| Source: Healthy Youth Survey. Trend years: 2006, 2008, 2010. | | | | | | | |
| | | 2 | 006 | 20 | 10 | TREND | |
| 8th Grade | | | | | | | |
| WA STATE | | 2 | .8% | 2.9 | 9% | | |
| KITSAP COUNTY | | 2 | .3% | 2.6 | 6% | | |
| KITSAP COMPARED TO WA | | | | | | | |
| 10th Grade | | | | | | | |
| WA STATE | | 6 | .2% | 6.0 | 0% | | |
| KITSAP COUNTY | | 5 | .4% | 5.4 | 4% | | |
| KITSAP COMPAR | ED TO WA | | | - | | | |
| | | KITSAP BY | GENDER | : 2010 | | | |
| | | | 9.4% | | | | |
| | 3.5% | 1.5% | | 1.7% | | | |
| | male | female | male | female | | | |
| | 8th | Grade | 10 | th Grade | | | |


G.1.4. YOUTH USED ANY TOBACCO IN THE PAST MONTH

Youth who have smoked cigarettes, used chewing tobacco, flavored tobacco or cigars at least one day in the past month.

Source: Healthy Youth Survey. Trend years: 2006, 2008, 2010.

| Source: Healthy Youth Survey. Trend years: 2006, 2008, 2010. | | | | | | |
|--|---------------|-----------------|--------------|-----------------|---|-------|
| | | | 06 | 201 | 0 | TREND |
| 8th Grade | | | | | | |
| WA STATE | | 8.6 | 5% | 8.29 | 6 | |
| KITSAP COUNTY | | 8.2 | 2% | 7.9% | 6 | |
| KITSAP COMPARI | ED TO WA | _ | - | | | |
| 10th Grade | | | | | | |
| WA STATE | | 18. | 9% | 16.2 | % | |
| KITSAP COUNTY | | 17. | 6% | 16.0 | % | |
| KITSAP COMPARI | ED TO WA | - | | | | |
| - | | KITSAP BY G | GENDER: 20 | 10 | _ | |
| | 7.6% | 8.0% | 19.1% | 13.0% | | |
| | male 8th (| female Grade | male 10th | female Grade | | |

| C 1 F VOLITILLIC | | NIA INI TIIC C | ACT NACNIT | | | |
|-----------------------|-----------------|----------------|------------|--------|----|-------|
| G.1.5. YOUTH US | | | | П | | |
| Source: Healthy Youtl | h Survey. Trend | years: 2006, 2 | 008, 2010. | | | |
| | | 20 | 006 | 201 | 0 | TREND |
| 8th Grade | | | | | | |
| WA STATE | | 7. | 1% | 9.0% | % | |
| KITSAP COUNTY | | 7. | 3% | 7.79 | % | |
| KITSAP COMPAR | ED TO WA | | | bette | er | |
| 10th Grade | | | | | | |
| WA STATE | | 18 | .1% | 20.0 | % | |
| KITSAP COUNTY | | 17 | .3% | 19.2 | % | |
| KITSAP COMPAR | ED TO WA | | | | | |
| _ | | KITSAP BY | GENDER: 20 | 010 | _ | |
| | | 0.00/ | 21.9% | 16.7% | | |
| | 7.3% | 8.0% | | | | |
| | male | female | male | female | | |
| | 8th 0 | Grade | 10th | Grade | | |



G.1.7. ADULT BINGE DRINKING IN THE PAST MONTH (5+ DRINKS ON AN OCCASION)

Source: Behavioral Risk Factor Surveillance System. Trend years: 2003 - 2009.


| | 2003 | 2009 | TREND |
|-----------------------|-------|-------|-------|
| WA STATE | 15.2% | 15.1% | |
| KITSAP COUNTY | 12.8% | 17.3% | |
| KITSAP COMPARED TO WA | | | |

| KITSAP ADULTS BY SUBGROUP: 2009 | | | | | |
|--|--------------------------------|--|--|--|--|
| • 12.6% of females | • n<30 age 18 to 34 | | | | |
| • 21.8% of males | • 14.6% age 35 to 64 | | | | |
| | • n<30 age 65+ | | | | |
| | | | | | |
| • n<30 with education less than high school | • n<30 with income <\$25,000 | | | | |
| • 17.2% with some post high school education | • n<30 with income \$25-50,000 | | | | |
| • 17.6% with 4+ years of college | • 19.3% with income >\$50,000 | | | | |

G.1.8. SIXTH GRADERS EVER USED ALCOHOL

Source: Healthy Youth Survey. Trend years: 2006, 2008, 2010.

| | 2006 | 2010 | TREND |
|-----------------------|-------|-------|-------|
| 6th Grade | | | |
| WA STATE | 31.6% | 26.3% | |
| KITSAP COUNTY | 33.8% | 26.4% | |
| KITSAP COMPARED TO WA | | | |




| G.1.9. YOUTH USED ALCOHOL AT LEAST ONE DAY IN THE PAST MONTH | | | | | | | |
|--|-------------------|-----------------|---------------|-----------------|--|--|--|
| Source: Healthy Youth Survey. Trend years: 2006, 2008, 2010. | | | | | | | |
| | 20 | 06 | 2010 | TREND | | | |
| 8th Grade | | | | | | | |
| WA STATE | | 15. | 5% | 13.9% | | | |
| KITSAP COUNTY | | 16. | 4% | 12.1% | | | |
| KITSAP COMPARE | ED TO WA | - | | better | | | |
| 10th Grade | | | | | | | |
| WA STATE | | 32. | 4% | 27.3% | | | |
| KITSAP COUNTY | CITSAP COUNTY 30. | | 4% | 25.7% | | | |
| KITSAP COMPARE | ED TO WA | bet | ter | | | | |
| | ı | KITSAP BY G | ENDER: 20 | 10 | | | |
| | 10.5% male | 13.5% female | 25.3% male | 26.3% female | | | |
| | 8th G | rade | 10th | Grade | | | |

G.1.10. YOUTH BINGE DRINKING IN PAST 2 WEEKS (5+ DRINKS ON AN OCCASION)

Source: Healthy Youth Survey. Trend years: 2006, 2008, 2010.

| Jource, ricularly routing and vey. Thema ye | | | |
|---|-------|-----------|--|
| | 2006 | 2006 2010 | |
| 8th Grade | | | |
| WA STATE | 8.5% | 7.8% | |
| KITSAP COUNTY | 7.8% | 6.6% | |
| KITSAP COMPARED TO WA | | better | |
| 10th Grade | | | |
| WA STATE | 19.5% | 15.7% | |
| KITSAP COUNTY | 18.5% | 13.8% | |
| KITSAP COMPARED TO WA | | better | |




| G.1.11. YOUTH DRUNK AT SCHOOL IN PAST YEAR | | | | | | |
|--|---------------|----------------|------------|--------|----|-------|
| Source: Healthy Youth | Survey. Trend | years: 2006, 2 | 008, 2010. | | | |
| | | 20 | 006 | 201 | 10 | TREND |
| 8th Grade | | | | | | |
| WA STATE | | 6. | .7% | 7.5 | % | |
| KITSAP COUNTY | | 7. | .5% | 7.1 | .% | |
| KITSAP COMPARE | D TO WA | | | | • | |
| 10th Grade | | | | | | |
| WA STATE | | 17 | '.8% | 16.5 | 5% | |
| KITSAP COUNTY | | 16 | 5.5% | 15.7 | | |
| KITSAP COMPARE | D TO WA | | | | | |
| _ | | KITSAP BY | GENDER: 20 | 010 | | |
| | | | 16.8% | 14.6% | | |
| | 6.0% | 8.2% | | | | |
| | | | | | | |
| | male | female | male | female | | |
| | 8th | Grade | 10th | Grade | | |

G.1.12. ALCOHOL RELATED DEATH RATE PER 100,000 (AGE ADJUSTED)

Source: Death Certificate Database, WA State Department of Health. Trend years: 1992-94 to 2007-09.

| | 1992-94 2007-09 | | TREND |
|-----------------------|------------------|--------------------------------|-------|
| WA STATE | 9.7 per 100,000 | 10.7 per 100,000 | |
| KITSAP COUNTY | 11.2 per 100,000 | 2 per 100,000 12.9 per 100,000 | |
| KITSAP COMPARED TO WA | | | |



G.1.13. ALCOHOL RELATED HOSPITALIZATION RATE PER 100,000 (AGE ADJUSTED)

Source: Comprehensive Hospital Abstract Reporting System, WA State Department of Health. Trend years: 1992-94 to 2007-09.

| | 1992-94 2007-09 | | TREND |
|------------------------|-------------------|-------------------|-------|
| WA STATE | 127.9 per 100,000 | 173.9 per 100,000 | |
| KITSAP COUNTY | 115.3 per 100,000 | 168.3 per 100,000 | |
| WITCAR COLARADED TO WA | 1 | | • |




- 219.3 per 100,000 females
- 120.7 per 100,000 males
- 3.6 per 100,000 youth age 0-18
- 48.1 per 100,000 age 19 to 34
- 327.6 per 100,000 age 35 to 64
- 286.5 per 100,000 age 65+

G.1.14. DRUG RELATED DEATH RATE PER 100,000 (AGE ADJUSTED)

Source: Death Certificate Database, WA State Department of Health. Trend years: 1992-94 to 2007-09.

| | 1992-94 2007-09 | | TREND |
|-----------------------|----------------------------------|------------------|-------|
| WA STATE | 0.3 per 100,000 15.0 per 100,000 | | |
| KITSAP COUNTY | n<5 | 14.0 per 100,000 | |
| KITSAP COMPARED TO WA | n/a | | |




- 10.8 per 100,000 females
- 17.0 per 100,000 males
- n<5 youth age 0-18
- 18.4 per 100,000 age 19 to 34
- 22.2 per 100,000 age 35 to 64
- 8.5 per 100,000 age 65+

G.1.15. DRUG RELATED HOSPITALIZATION RATE PER 100,000 (AGE ADJUSTED)

Source: Comprehensive Hospital Abstract Reporting System, WA State Department of Health. Trend years: 1992-94 to 2007-09.

| _ | 1992-94 2007-09 | | TREND |
|-----------------------|-------------------|-------------------|-------|
| WA STATE | 99.1 per 100,000 | 171.7 per 100,000 | |
| KITSAP COUNTY | 114.3 per 100,000 | 157.2 per 100,000 | |
| KITSAP COMPARED TO WA | worse | better | |




- 179.6 per 100,000 females
- 134.9 per 100,000 males
- 48.4 per 100,000 youth age 0-18
- 185.0 per 100,000 age 19 to 34
- 181.3 per 100,000 age 35 to 64
- 287.7 per 100,000 age 65+

G.1.16. OPIATE RELATED DEATH RATE PER 100,000 (AGE ADJUSTED)

Source: Death Certificate Database, WA State Department of Health. Trend years: 1992-94 to 2007-09.

| | 1992-94 2007-09 | | TREND |
|-----------------------|----------------------------------|------------------|-------|
| WA STATE | 3.4 per 100,000 11.3 per 100,000 | | |
| KITSAP COUNTY | 1.3 per 100,000 | 10.2 per 100,000 | |
| KITSAP COMPARED TO WA | better | | |

KITSAP AGE ADJUSTED DEATH RATE BY SUBGROUP: 2007-09 • 7.7 per 100,000 females




- 12.6 per 100,000 males
- n<5 youth age 0-18
- 13.8 per 100,000 age 19 to 34
- 15.8 per 100,000 age 35 to 64
- 6.1 per 100,000 age 65+

G.1.17. OPIATE RELATED HOSPITALIZATION RATE PER 100,000 (AGE ADJUSTED)

Source: Comprehensive Hospital Abstract Reporting System, WA State Department of Health. Trend years: 1992-94 to 2007-09.

| | 1992-94 | 1992-94 2007-09 | |
|-----------------------|----------------------------------|------------------|--|
| WA STATE | 5.7 per 100,000 20.9 per 100,000 | | |
| KITSAP COUNTY | 8.4 per 100,000 | 19.9 per 100,000 | |
| VITCAR COMPARED TO MA | orco | | |



- 23.8 per 100,000 females
- 16.1 per 100,000 males
- 3.6 per 100,000 youth age 0-18
- 15.2 per 100,000 age 19 to 34
- 27.7 per 100,000 age 35 to 64
- 43.9 per 100,000 age 65+

G.1.18. HEALTH DISTRICT SYRINGE EXCHANGE PROGRAM

Source: Kitsap County Health District. Trend years:

| | 2008 | 2010 | TREND |
|-----------------------------|---------|---------|-----------|
| # SYRINGES EXCHANGED | 282,039 | 682,462 | INCREASED |
| # PARTICIPANTS (duplicated) | 4,546 | 9,975 | INCREASED |

G.2.1. ADULTS BY BODY MASS INDEX

Body mass index (BMI) estimates body fat based on self-reported height and weight.

Source: Behavioral Risk Factor Surveillance System. Trend years: 1998, 2003-2009.


| | 2003 | 2009 | TREND |
|----------------------------|--|-------|-------|
| WA STATE | | | |
| UNDERWEIGHT (BMI <18.5) | BMI <18.5) 2.1% 2.1% | | |
| HEALTHY WT (BMI 18.5-24.9) | 44.4% | 40.6% | |
| OVERWEIGHT (BMI 25-29.9) | 34.1% | 33.2% | |
| OBESE (BMI 30-39.9) | 17.0% | 21.0% | |
| MORBID OBESE (BMI 40+) | 2.4% | 3.1% | |
| KITSAP COUNTY | | | |
| UNDERWEIGHT (BMI <18.5) | n<30 | n<30 | |
| HEALTHY WT (BMI 18.5-24.9) | 42.2% 39.2% | | |
| OVERWEIGHT (BMI 25-29.9) | 34.4% 35.0% | | |
| OBESE (BMI 30-39.9) | 18.0% 20.7% | | |
| MORBID OBESE (BMI 40+) | 2.7% | 3.0% | |
| KITSAP COMPARED TO WA | same for all categories for both years | | |

G.2.2. ADULTS OVERWEIGHT OR OBESE (BMI 25+)

Body mass index (BMI) estimates body fat based on self-reported height and weight.

Source: Behavioral Risk Factor Surveillance System. Trend years: 1998, 2003-2009.

| | 1998 | 2009 | TREND |
|---------------|-------|-------|-------|
| WA STATE | 49.4% | 57.3% | |
| KITSAP COUNTY | 50.7% | 58.7% | |
| | | | 1 |




G.2.3. YOUTH OVERWEIGHT OR OBESE

Includes students above the 85th percentile for body mass index (BMI) by age and gender based on growth charts developed by the Centers for Disease Control. BMI is calculated using self-reported height and weight.

Source: Healthy Youth Survey. Trend years: 2006, 2008, 2010.


| | 2006 | 2006 2010 | |
|-----------------------|-------|-----------|--|
| 8th Grade | | | |
| WA STATE | 25.2% | 26.6% | |
| KITSAP COUNTY | 26.5% | 26.4% | |
| KITSAP COMPARED TO WA | | | |
| 10th Grade | | | |
| WA STATE | 24.4% | 24.5% | |
| KITSAP COUNTY | 23.1% | 25.5% | |
| KITSAP COMPARED TO WA | | | |



G.2.4. ADULTS EATING FEWER THAN 5 FRUITS AND VEGETABLES A DAY

Source: Behavioral Risk Factor Surveillance System. Trend years: 2003, 2005, 2007, 2009.


| | 2003 | 2009 | TREND |
|-----------------------|-------|-------|-------|
| WA STATE | 76.1% | 74.7% | |
| KITSAP COUNTY | 75.6% | 71.6% | |
| KITSAP COMPARED TO WA | | | |



| G.2.5. YOUTH EA | ATING FEWER | THAN 5 FRU | JITS AND V | /EGETABLES | A DAY | | |
|--|---------------|------------------|---------------|-----------------|-------|--|--|
| Source: Healthy Youth Survey. Trend years: 2006, 2008. | | | | | | | |
| | | 2 | 006 | 08 | TREND | | |
| 8th Grade | | | | | | | |
| WA STATE | | 70 |).3% | 67.9 | 9% | | |
| KITSAP COUNTY | , | 7 3 | 3.3% | 68. | 5% | | |
| KITSAP COMPAF | RED TO WA | W | orse | | - | | |
| 10th Grade | | | | | | | |
| WA STATE | | 74 | 1.2% | 70.9 | 9% | | |
| KITSAP COUNTY | , | 73 | 3.2% | 72.8 | 8% | | |
| KITSAP COMPAR | RED TO WA | | | | - | | |
| r | | KITSAP BY | GENDER: 2 | 2008 | _ | | |
| | 66.7% male | 70.0% female | 69.7% male | 75.9% female | | | |
| | 8th 0 | Grade 10th Grade | | | | | |

G.2.6. YOUTH DRINKING 1+ SODAS OR POPS YESTERDAY (EXCLUDING DIET)Source: Healthy Youth Survey. Trend years: 2006, 2008, 2010.

| | 2006 | 2010 | TREND |
|-----------------------|-------|-------|-------|
| 8th Grade | | | |
| WA STATE | 41.0% | 39.2% | |
| KITSAP COUNTY | 43.1% | 38.6% | |
| KITSAP COMPARED TO WA | | | |
| 10th Grade | | | |
| WA STATE | 44.4% | 34.9% | |
| KITSAP COUNTY | 40.4% | 33.0% | |
| KITSAP COMPARED TO WA | lower | | |




G.2.7. ADULTS NOT MEETING RECOMMENDATIONS FOR PHYSICAL ACTIVITY

Recommendation is 30 minutes of moderate activity 5 days per week or 20 minutes of vigorous activity 3 days per week.

Source: Behavioral Risk Factor Surveillance System. Trend years: 2003, 2005, 2007, 2009.

| | 2003 | 2009 | TREND |
|---------------|-------|-------|-------|
| WA STATE | 45.6% | 46.6% | |
| KITSAP COUNTY | 43.8% | 41.4% | |
| | | | |





- 46.0% of females
- 36.9% of males
- 32.1% age 18 to 34
- 44.2% age 35 to 64
- 49.2% age 65+
- 59.6% with income <\$25,000
- 43.0% with income \$25-50,000
- 36.3% with income >\$50,000

G.2.8. YOUTH NOT MEETING RECOMMENDATIONS FOR PHYSICAL ACTIVITY


Recommendation is at least 60 minutes of physical activity 5 days or more per week.

Source: Healthy Youth Survey. Trend years: 2006, 2008, 2010.

| | 2006 | 2010 | TREND |
|-----------------------|-------|-------|-------|
| 8th Grade | | | |
| WA STATE | 53.9% | 42.8% | |
| KITSAP COUNTY | 57.8% | 48.1% | |
| KITSAP COMPARED TO WA | worse | worse | |

| 10th Grade | | | |
|---------------|-------|-------|--|
| WA STATE | 58.9% | 49.7% | |
| KITSAP COUNTY | 61.7% | 51.7% | |

KITSAP COMPARED TO WA




| G.2.9. YOUTH WITH NO PHYSICAL EDUCATION CLASS AT SCHOOL | | | | | | |
|---|---------------|-----------------|---------------|-----------------|------------|-------|
| Source: Healthy Youth | Survey. Trend | years: 2006, 2 | 008, 2010. | | | |
| | | 2 | 006 | 201 | .0 | TREND |
| 8th Grade | | | | | | |
| WA STATE | | 28 | 3.0% | 28.2 | !% | |
| KITSAP COUNTY | | 36 | 5.3% | 40.4 | ! % | |
| KITSAP COMPARE | D TO WA | W | orse | wor | se | |
| 10th Grade | | | | | | |
| WA STATE | | 51 | L. 7 % | 57.8 | 3% | |
| KITSAP COUNTY | | 49 | 9.5% | 54.9 |)% | |
| KITSAP COMPARED TO WA | | | | | | |
| _ | | KITSAP BY | GENDER: 2 | .010 | _ | |
| | 37.3% | 43.2% | 47.7% | 61.1% | | |
| | male 8th G | female Grade | male 10th | female Grade | | |

G.2.10. YOUTH WITH 3+ HOURS OF SCREEN TIME ON SCHOOL DAYS

Screen time can be TV, videos, DVDs, video games, or computer for fun.

| Source: Healthy Youth Survey. Tren | d years: 2006, 2008, 2010. | | |
|------------------------------------|----------------------------|-------|-------|
| | 2006 | 2010 | TREND |
| 8th Grade | | | |
| WA STATE | 19.8% | 18.8% | |
| KITSAP COUNTY | 20.6% | 20.4% | |
| KITSAP COMPARED TO WA | | worse | |
| 10th Grade | | | |
| WA STATE | 20.5% | 18.8% | |
| KITSAP COUNTY | 19.3% | 18.5% | |
| KITSAP COMPARED TO WA | | | |
| | KITSAP BY GENDER: 2010 | | |



SECTION G: UNHEALTHY BEHAVIORS SUBSECTION 3: SAFETY

| G.3.1. YOUTH NEVER, RARELY, ONLY SOMETIMES USING A HELMET | | | | | | | |
|---|-----------------|---------------|----------------|------------|--------|--------|-------|
| Source: He | althy Youth Sur | vey. Trend ye | ears: 2006, 20 | 008, 2010. | | | |
| | | | 20 | 006 | 7 | 2010 | TREND |
| 6th Grade | | | | | | | |
| WA STAT | ΓE | | 48 | .4% | 5 | 4.1% | |
| KITSAP C | OUNTY | | 40 | .6% | 4 | 3.8% | |
| KITSAP C | OMPARED T | O WA | be | tter | b | etter | |
| 8th Grad | е | | | | | | |
| WA STAT | ΓE | | 64 | .4% | 6 | 9.9% | |
| KITSAP C | OUNTY | | 60.2% 62.4% | | 2.4% | | |
| KITSAP C | OMPARED T | O WA | better better | | | | |
| 10th Gra | de | | | | | | |
| WA STAT | ΓE | | 77.7% | | 7 | 3.8% | |
| KITSAP C | OUNTY | | 71.7% 67.9% | | 7.9% | | |
| KITSAP C | OMPARED T | O WA | be | tter | better | | |
| KITSAP BY GENDER: 2010 | | | | | | | |
| | 46.4% | 41.1% | 62.9% | 61.9% | 70.6% | 65.0% | |
| | male | female | male | female | male | female | |
| | 6th Grade | | 8th G | irade | 10th | Grade | |

G.3.2. ADULTS NOT USING A SEATBELT WHEN DRIVE OR RIDE IN CAR

Source: Behavioral Risk Factor Surveillance System. Trend years: 2006 and 2008.

| | 2006 | 2008 | TREND |
|-----------------------|------|------|-------|
| WA STATE | 8.5% | 9.3% | |
| KITSAP COUNTY | 7.3% | 9.0% | |
| KITSAP COMPARED TO WA | | | |

SECTION G: UNHEALTHY BEHAVIORS SUBSECTION 3: SAFETY

G.3.3. YOUTH NEVER, RARELY, ONLY SOMETIMES USING A SEATBELT IN CAR DRIVEN BY SOMEONE ELSE

Source: Healthy Youth Survey. Trend years: 2006, 2008, 2010.

| Source: Healthy Youth Survey. Trend years: 2006, 2008, 2010. | | | | | |
|--|---------------------|-------------|-------|--|--|
| | 2006 | 2010 | TREND | | |
| 6th Grade | | | | | |
| WA STATE | 4.5% | 4.9% | | | |
| KITSAP COUNTY | 3.4% | 2.7% | | | |
| KITSAP COMPARED TO WA | better | better | | | |
| 8th Grade | | | | | |
| WA STATE | 8.1% | 9.1% | | | |
| KITSAP COUNTY | 7.1% | 6.4% | | | |
| KITSAP COMPARED TO WA | | better | | | |
| 10th Grade | | | | | |
| WA STATE | 8.9% | 8.7% | | | |
| KITSAP COUNTY | 7.5% | 9.0% | | | |
| KITSAP COMPARED TO WA | | | | | |
| | KITSAP BY GENDER: 2 | 010 | | | |
| | 8.0% | 9.3% 8.6% | | | |
| 3.3% | 4.070 | | | | |
| male female | male female | male female | | | |
| 6th Grade | 8th Grade | 10th Grade | | | |

G.3.4. YOUTH IN CAR DRIVEN BY SOMEONE WHO'D BEEN DRINKING IN PAST MONTH

| Source: Healthy Youth Survey. Trend years: 2006, 2008, 2010. | | | | | | |
|--|-----------------------|-----------|---------------|-------|----|-------|
| | | 20 | 006 | 201 | 0 | TREND |
| 8th Grade | | | | | | |
| WA STATE | | 18 | .6% | 18.2 | % | |
| KITSAP COUNTY | | 17 | .3% | 17.3 | % | |
| KITSAP COMPARE | D TO WA | | | | | |
| | | | | | | |
| 10th Grade | | | | | | |
| WA STATE | ATE 23.3% 21.3 | | 21.3 | % | | |
| KITSAP COUNTY | | 21 | .6% | 19.4 | % | |
| KITSAP COMPARE | D TO WA | | | bette | er | |
| | | KITSAP BY | GENDER: 2 | 010 | | |
| | 16.5% male | 18.0% | 18.5% male | 20.2% | | |

10th Grade

8th Grade

SECTION G: UNHEALTHY BEHAVIORS SUBSECTION 3: SAFETY

G.3.5. ADULTS <u>NOT</u> DRIVING AFTER DRINKING IN PAST MONTH

Source: Behavioral Risk Factor Surveillance System. Trend years: 2006 and 2008.

| | 2006 | 2008 | TREND |
|-------------------------|-------|-------|-------|
| WA STATE | 96.4% | 95.8% | |
| KITSAP COUNTY | 97.8% | 94.5% | |
| WTS45 601454555 TO 1444 | | | |

