

**FOOD ESTABLISHMENT INSPECTION REPORT**

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of Priority items and 10 calendar days for Priority Foundation items or HACCP Plan deviations. (§ 64 C.S.R. 17-3.1.j)

OBSERVATION TOTALS

PRIORITY: 6  
CORE: 0

PRIORITY FOUNDATION: 12  
TOTAL: 12

ESTABLISHMENT: Falling Waters Group Home PERMIT NO.: \_\_\_\_\_ DATE: 10-8-19  
 ADDRESS: 432 Repprey Dr CITY: Falling Waters STATE: WV ZIP: 25429  
 PERSON IN CHARGE/TITLE: J. McKeam TELEPHONE: \_\_\_\_\_  
 RECEIVED BY (SIGNATURE): [Signature] SANITARIAN (SIGNATURE): [Signature]  
 INSPECTION TYPE: ROUTINE  FOLLOW-UP  COMPLAINT  OTHER: \_\_\_\_\_ TIME: \_\_\_\_\_

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
	✓		4-501.114	Sanitizer at -10ppm - must be between 50-100 ppm
		PF	7-102.11	Sanitizer bottle no label - can have generic name on it.

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
Sanitizer bottle	-10ppm						
Clocks							