

Porter Preston  
61 Mattatuck Heights Road  
Waterbury, CT 06705  
ph 866-753-1113 email: customerservice@porterpreston.com  
www.porterpreston.com



**ALTA**  
WINDOW FASHIONS  
*design simplified*



## // Retail Price List & Product Info Guide



**ALTA**  
WINDOW FASHIONS  
*design simplified*

# SOFTSTYLE

## SHADES

Pricing effective April 17, 2023 and supersedes all previous pricing.  
Subject to change by Alta Window Fashions.

---

## SUMMARY OF REVISIONS

---

---

## TABLE OF CONTENTS

---

|                             |     |
|-----------------------------|-----|
| • Pattern Information ..... | 2   |
| • Color Charts .....        | 3-6 |
| • Stack Chart .....         | 6   |

### Pricing for Standard Rectangular, Options, Automation Surcharges

|                                                    |       |
|----------------------------------------------------|-------|
| • Pricing and Options – Standard Rectangular ..... | 7-16  |
| • 2" Hybrid Pleat .....                            | 17-18 |
| • TriLight Shades Pricing .....                    | 19    |
| • Automation Surcharges and Options .....          | 20-21 |
| • Arches Pricing .....                             | 22    |
| • Skylight Pricing .....                           | 23    |
| • Vertical Application Pricing .....               | 24-26 |

### Rectangular Configuration Specifications

|                                                          |    |
|----------------------------------------------------------|----|
| • Standard Cordlock Top-Down or Top-Down/Bottom-Up ..... | 27 |
| • Cordless Lift .....                                    | 28 |
| • Cordless Lift & Lock™ .....                            | 29 |
| • Continuous Cord Loop .....                             | 30 |
| • Cut-Outs .....                                         | 31 |

### TriLight Shades®

|                                      |       |
|--------------------------------------|-------|
| • Smart Facts .....                  | 32    |
| • Selecting a TriLight Shade .....   | 32    |
| • Sheer Pleated Color Chart .....    | 33    |
| • Configuration Specifications ..... | 34-36 |

### Product Configuration Specifications

|                                                       |       |
|-------------------------------------------------------|-------|
| • Bliss Automation .....                              | 37-40 |
| • Somfy Automation .....                              | 41-42 |
| • Powerwand .....                                     | 43-44 |
| • Vertical Application .....                          | 45-46 |
| • Classic Skylight and Skylight with Automation ..... | 47-48 |
| • Arches .....                                        | 49    |
| • Specialty Shapes .....                              | 50-51 |
| • Size Standards Summary .....                        | 52-55 |

**Product Components Guide** – product components pages are now featured in a separate guide for quick reference. [Click here to view.](#)

#### **Oversize Common Carrier Delivery**

All orders with any quantity of shades or blinds or any continuous valance 90" or more in width (or Vertical Applications over 90" in height) are considered oversize. Therefore, a net shipping charge per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.

## PATTERN INFORMATION

| Pattern Name                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | # of Cells | Price Group (Standard) | Care Code                | Light Control | Hardware Restrictions | Hardware Options                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                              |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|------------------------|--------------------------|---------------|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|
| Semi Opaque - Single Cell                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |            |                        |                          |               |                       | <ul style="list-style-type: none"><li>• Standard Cordlock</li><li>• Continuous Cord Loop System</li><li>• Continuous Cord Loop Top-Down/Bottom-Up</li><li>• Cordless Lift System</li><li>• Cordless Lift System Top-Down/Bottom-Up</li><li>• Cordless Lift &amp; Lock</li><li>• Cordless Lift &amp; Lock Top-Down/Bottom-Up</li><li>• Top-Down</li><li>• Top-Down/Bottom-Up</li><li>• Two-On-One Rail</li><li>• TriLight</li><li>• Vertical Application</li><li>• Classic Skylight</li><li>• Arches</li><li>• Angles</li><li>• Specialty Shapes</li><li>• Powerwand</li><li>• Bliss Automation - Bottom Up - TDBU</li><li>• Somfy Automation - Bottom Up</li></ul> |                              |
| SoftStyle Beginnings Semi-Opaque – Large Single Cell                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | S50        | Single                 | 2-SS                     | 1, 2 & 3      | C                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                              |
| SoftStyle Semi-Opaque – Small Single Cell                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | S11        | Single                 | 1-SS                     | 1, 2 & 3      | C                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Vertical Application         |
| SoftStyle Semi-Opaque – Large Single Cell                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | S21        | Single                 | 4-SS                     | 1, 2 & 3      | C                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                              |
| Semi Opaque - Double Cell                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |            |                        |                          |               |                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                              |
| SoftStyle Beginnings Semi-Opaque – Double Cell                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | S51        | Double                 | 3-SS                     | 1, 2 & 3      | C                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Vertical Application, Arches |
| SoftStyle Semi-Opaque – Double Cell                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | S31        | Double                 | 5-SS                     | 1, 2 & 3      | C                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Vertical Application         |
| Blackout - Single Cell                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |            |                        |                          |               |                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                              |
| SoftStyle Blackout – Small Single Cell                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | S13        | Single                 | 6-SS                     | 1 & 3         | D                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Vertical Application         |
| SoftStyle Blackout – Large Single Cell                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | S23        | Single                 | 7-SS                     | 1 & 3         | D                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                              |
| SoftStyle Subdue Blackout - Large Single Cell                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | S61        | Single                 | 8-SS                     | 1 & 3         | D                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Vertical Application         |
| Blackout - Double Cell                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |            |                        |                          |               |                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                              |
| SoftStyle Blackout – Double Cell                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | S32        | Double                 | 8-SS                     | 1 & 3         | D                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Vertical Application         |
| 1-1/4" Cell                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |            |                        |                          |               |                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                              |
| SoftStyle Semi-Opaque – 1-1/4" Single Cell                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | S41        | Single                 | 9-SS                     | 1, 2 & 3      | C                     | Standard Cordlock, Continous Cordloop, Cordless Lift & Lock, Skylight, Arches, Angles, Specialty Shapes, Powerwand, TriLight, Somfy                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                              |
| SoftStyle Blackout – 1-1/4" Single Cell                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | S43        | Single                 | 10-SS                    | 1, 2 & 3      | D                     | Standard Cordlock, Continous Cordloop, Cordless Lift & Lock, Skylight, Arches, Angles, Specialty Shapes, Powerwand, TriLight, Somfy                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                              |
| Hybrid Pleat                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |            |                        |                          |               |                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                              |
| 2" Hybrid Pleat – Semi-Opaque                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | HPF        | Single                 | Hybrid Pleat Semi-Opaque | 1, 2 & 3      | C                     | Standard Cordlock, Skylight, Arches, Angles, Specialty Shapes, PowerWand                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                              |
| 2" Hybrid Pleat – Blackout                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | HPR        | Single                 | Hybrid Pleat Blackout    | 1, 2 & 3      | D                     | Standard Cordlock, Skylight, Arches, Angles, Specialty Shapes, PowerWand                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                              |
| <div><div><div><b>Care Method 1</b><br/>Dusting with a feather, or synthetic, non-abrasive, material duster is recommended for cellular shade surfaces which are lightly soiled.</div></div><div><div><b>Care Method 2</b><br/>Wiping with a soft, damp sponge or cloth, of non-abrasive material, with lukewarm water is recommended for cellular shade surfaces which need spot cleaning.</div></div><div><div><b>Care Method 3</b><br/>Vacuuming with a soft bristle vacuum cleaner brush attachment is recommended for cellular shade surfaces which are heavily soiled.</div></div></div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |            |                        |                          |               |                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                              |
| <div><div><div><p>A. Sheer<br/>Softly filters light and reduces glare. Images, shapes and people can be seen clearly. Provides the least amount of light and shape screening.</p></div><div><div><p>B. Semi-Sheer<br/>Filters strong light. Images, shapes and people can be seen with some clarity. Provides a modest degree of light and shape screening.</p></div><div><div><p>C. Semi-Opaque<br/>Significantly reduces light. Images, shapes and people cannot be seen clearly. Provides a moderate to strong degree of light and shape screening. Darker colored materials tend to provide stronger screening than lighter colored materials in this category.</p></div><div><div><p>D. Opaque<br/>Blocks out virtually all light (except light that may enter on the sides of the shade) for maximum privacy and darkness.</p></div></div></div></div></div></div> |            |                        |                          |               |                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                              |

# FABRIC AND RAIL COLOR CHART

| FABRIC                          |         |                 | HARDWARE |     | FABRIC                          |         |                 | HARDWARE |     | FABRIC                    |         |                 | HARDWARE |     |
|---------------------------------|---------|-----------------|----------|-----|---------------------------------|---------|-----------------|----------|-----|---------------------------|---------|-----------------|----------|-----|
| Code                            | Color # | Color Name      | STD      | VA  | Code                            | Color # | Color Name      | STD      | VA  | Code                      | Color # | Color Name      | STD      | VA  |
| SMALL SINGLE CELL - Semi-Opaque |         |                 |          |     | LARGE SINGLE CELL - Semi-Opaque |         |                 |          |     | DOUBLE CELL - Semi-Opaque |         |                 |          |     |
| S11                             | 589     | Afternoon Light | 862      | N/A | S21                             | 589     | Afternoon Light | 862      | 862 | S31                       | 589     | Afternoon Light | 862      | N/A |
| S11                             | 1553    | Birdbath        | 810      |     | S21                             | 1553    | Birdbath        | 810      | 810 | S31                       | 1553    | Birdbath        | 810      |     |
| S11                             | 1556    | Caribbean Sky   | 135      |     | S21                             | 1556    | Caribbean Sky   | 135      | 661 | S31                       | 1556    | Caribbean Sky   | 135      |     |
| S11                             | 515     | Cavern          | 361      |     | S21                             | 515     | Cavern          | 361      | 862 | S31                       | 515     | Cavern          | 361      |     |
| S11                             | 510     | Celadon         | 958      |     | S21                             | 510     | Celadon         | 958      | 862 | S31                       | 510     | Celadon         | 958      |     |
| S11                             | 1655    | Cloud Cover     | 885      |     | S21                             | 1655    | Cloud Cover     | 885      | 661 | S31                       | 1655    | Cloud Cover     | 885      |     |
| S11                             | 581     | Coastal Eddy    | 018      |     | S21                             | 581     | Coastal Eddy    | 018      | 276 | S31                       | 581     | Coastal Eddy    | 018      |     |
| S11                             | 528     | Daisy White     | 320      |     | S21                             | 528     | Daisy White     | 320      | 785 | S31                       | 528     | Daisy White     | 320      |     |
| S11                             | 1567    | Espresso Bean   | 849      |     | S21                             | 1567    | Espresso Bean   | 849      | 810 | S31                       | 1567    | Espresso Bean   | 849      |     |
| S11                             | 1559    | Fly Fishing     | 810      |     | S21                             | 1559    | Fly Fishing     | 810      | 810 | S31                       | 1559    | Fly Fishing     | 810      |     |
| S11                             | 1658    | Foggy Night     | 405      |     | S21                             | 1658    | Foggy Night     | 405      | 276 | S31                       | 1658    | Foggy Night     | 405      |     |
| S11                             | 524     | Gold Treasure   | 952      |     | S21                             | 524     | Gold Treasure   | 952      | 082 | S31                       | 524     | Gold Treasure   | 952      |     |
| S11                             | 513     | Graystone       | 810      |     | S21                             | 513     | Graystone       | 810      | 810 | S31                       | 513     | Graystone       | 810      |     |
| S11                             | 1656    | Gray Wisp       | 765      |     | S21                             | 1656    | Gray Wisp       | 765      | 276 | S31                       | 1656    | Gray Wisp       | 765      |     |
| S11                             | 1565    | Ground Cloves   | 960      |     | S21                             | 1565    | Ground Cloves   | 960      | 785 | S31                       | 1565    | Ground Cloves   | 960      |     |
| S11                             | 1552    | Gunnysack       | 862      |     | S21                             | 1552    | Gunnysack       | 862      | 862 | S31                       | 1552    | Gunnysack       | 862      |     |
| S11                             | 526     | Ice Age         | 862      |     | S21                             | 526     | Ice Age         | 862      | 862 | S31                       | 526     | Ice Age         | 862      |     |
| S11                             | 1659    | Ice Princess    | 661      |     | S21                             | 1659    | Ice Princess    | 661      | 661 | S31                       | 1659    | Ice Princess    | 661      |     |
| S11                             | 1550    | Ice Rink        | 885      |     | S21                             | 1550    | Ice Rink        | 885      | 661 | S31                       | 1550    | Ice Rink        | 885      |     |
| S11                             | 1654    | Imagine         | 018      |     | S21                             | 1654    | Imagine         | 018      | 276 | S31                       | 1654    | Imagine         | 018      |     |
| S11                             | 1560    | Lava Rock       | 405      |     | S21                             | 1560    | Lava Rock       | 405      | 276 | S31                       | 1560    | Lava Rock       | 405      |     |
| S11                             | 529     | Lemon Frost     | 674      |     | S21                             | 529     | Lemon Frost     | 674      | 882 | S31                       | 529     | Lemon Frost     | 674      |     |
| S11                             | 500     | Marshmallow     | 661      |     | S21                             | 500     | Marshmallow     | 661      | 661 | S31                       | 500     | Marshmallow     | 661      |     |
| S11                             | 1557    | Night Blue      | 450      |     | S21                             | 1557    | Night Blue      | 450      | 661 | S31                       | 1557    | Night Blue      | 450      |     |
| S11                             | 1566    | Oak Branch      | 849      |     | S21                             | 1566    | Oak Branch      | 849      | 810 | S31                       | 1566    | Oak Branch      | 849      |     |
| S11                             | 584     | Ocean Blue      | 450      |     | S21                             | 584     | Ocean Blue      | 450      | 661 | S31                       | 584     | Ocean Blue      | 450      |     |
| S11                             | 527     | Pale White *    | 785      |     | S21                             | 527     | Pale White *    | 785      | 785 | S31                       | 527     | Pale White *    | 785      |     |
| S11                             | 1652    | Parchment       | 885      |     | S21                             | 1652    | Parchment       | 885      | 661 | S31                       | 1652    | Parchment       | 885      |     |
| S11                             | 1651    | Pressed Petals  | 205      |     | S21                             | 1651    | Pressed Petals  | 205      | 862 | S31                       | 1651    | Pressed Petals  | 205      |     |
| S11                             | 1564    | Redwood         | 956      |     | S21                             | 1564    | Redwood         | 956      | 083 | S31                       | 1564    | Redwood         | 956      |     |
| S11                             | 1561    | Rock Garden     | 765      |     | S21                             | 1561    | Rock Garden     | 765      | 276 | S31                       | 1561    | Rock Garden     | 765      |     |
| S11                             | 588     | Rocking Chair   | 083      |     | S21                             | 588     | Rocking Chair   | 083      | 083 | S31                       | 588     | Rocking Chair   | 083      |     |
| S11                             | 517     | Rye             | 630      |     | S21                             | 517     | Rye             | 630      | 841 | S31                       | 517     | Rye             | 630      |     |
| S11                             | 1650    | Sandcastle      | 205      |     | S21                             | 1650    | Sandcastle      | 205      | 862 | S31                       | 1650    | Sandcastle      | 205      |     |
| S11                             | 503     | Scone           | 862      |     | S21                             | 503     | Scone           | 862      | 862 | S31                       | 503     | Scone           | 862      |     |
| S11                             | 509     | Silver Dollar   | 405      |     | S21                             | 509     | Silver Dollar   | 405      | 276 | S31                       | 509     | Silver Dollar   | 405      |     |
| S11                             | 1653    | Snowbank        | 785      |     | S21                             | 1653    | Snowbank        | 785      | 785 | S31                       | 1653    | Snowbank        | 785      |     |
| S11                             | 582     | Steel           | 018      |     | S21                             | 582     | Steel           | 018      | 276 | S31                       | 582     | Steel           | 018      |     |
| S11                             | 1657    | Stillness       | 276      |     | S21                             | 1657    | Stillness       | 276      | 276 | S31                       | 1657    | Stillness       | 276      |     |
| S11                             | 1555    | Summer Storm    | 765      |     | S21                             | 1555    | Summer Storm    | 765      | 276 | S31                       | 1555    | Summer Storm    | 765      |     |
| S11                             | 521     | Trail           | 810      |     | S21                             | 521     | Trail           | 810      | 810 | S31                       | 521     | Trail           | 810      |     |
| S11                             | 501     | Veil            | 862      |     | S21                             | 501     | Veil            | 862      | 862 | S31                       | 501     | Veil            | 862      |     |

**NOTE:** Pale White (color 527) has a yellow hue. Please review the color carefully during the selection process.

## CODE KEY:

STD = Standard cordlock (Cordless, Cordless Lift & Lock, Continuous Cord Loop, and Motorized with coordinated rails)  
 VA = Vertical application shades

# FABRIC AND RAIL COLOR CHART

| FABRIC                       |         |                   |     |    | HARDWARE |                              |         |                   |     | FABRIC |     |                        |         |                   | HARDWARE |    |     |  |  | FABRIC |         |            |     |    | HARDWARE |  |  |  |  |  |
|------------------------------|---------|-------------------|-----|----|----------|------------------------------|---------|-------------------|-----|--------|-----|------------------------|---------|-------------------|----------|----|-----|--|--|--------|---------|------------|-----|----|----------|--|--|--|--|--|
| Code                         | Color # | Color Name        | STD | VA |          | Code                         | Color # | Color Name        | STD | VA     |     | Code                   | Color # | Color Name        | STD      | VA |     |  |  | Code   | Color # | Color Name | STD | VA |          |  |  |  |  |  |
| SMALL SINGLE CELL - Blackout |         |                   |     |    | N/A      | LARGE SINGLE CELL - Blackout |         |                   |     |        | N/A | DOUBLE CELL - Blackout |         |                   |          |    | N/A |  |  |        |         |            |     |    |          |  |  |  |  |  |
| S13                          | 1743    | Birdbath          | 810 |    |          | S23                          | 1743    | Birdbath          | 810 | 810    |     | S32                    | 1743    | Birdbath          | 810      |    |     |  |  |        |         |            |     |    |          |  |  |  |  |  |
| S13                          | 1855    | Cloud Cover       | 885 |    |          | S23                          | 1855    | Cloud Cover       | 885 | 661    |     | S32                    | 1855    | Cloud Cover       | 885      |    |     |  |  |        |         |            |     |    |          |  |  |  |  |  |
| S13                          | 1856    | Cookie Dough      | 862 |    |          | S23                          | 1856    | Cookie Dough      | 862 | 862    |     | S32                    | 1856    | Cookie Dough      | 862      |    |     |  |  |        |         |            |     |    |          |  |  |  |  |  |
| S13                          | 1747    | Espresso Bean     | 849 |    |          | S23                          | 1747    | Espresso Bean     | 849 | 862    |     | S32                    | 1747    | Espresso Bean     | 849      |    |     |  |  |        |         |            |     |    |          |  |  |  |  |  |
| S13                          | 706     | Goose Down        | 661 |    |          | S23                          | 706     | Goose Down        | 661 | 661    |     | S32                    | 706     | Goose Down        | 661      |    |     |  |  |        |         |            |     |    |          |  |  |  |  |  |
| S13                          | 1748    | Gray Gust         | 018 |    |          | S23                          | 1748    | Gray Gust         | 018 | 276    |     | S32                    | 1748    | Gray Gust         | 018      |    |     |  |  |        |         |            |     |    |          |  |  |  |  |  |
| S13                          | 1744    | Ground Pepper     | 765 |    |          | S23                          | 1744    | Ground Pepper     | 765 | 276    |     | S32                    | 1744    | Ground Pepper     | 765      |    |     |  |  |        |         |            |     |    |          |  |  |  |  |  |
| S13                          | 710     | Ice Princess      | 661 |    |          | S23                          | 710     | Ice Princess      | 661 | 661    |     | S32                    | 710     | Ice Princess      | 661      |    |     |  |  |        |         |            |     |    |          |  |  |  |  |  |
| S13                          | 1854    | Imagine           | 018 |    |          | S23                          | 1854    | Imagine           | 018 | 276    |     | S32                    | 1854    | Imagine           | 018      |    |     |  |  |        |         |            |     |    |          |  |  |  |  |  |
| S13                          | 702     | Irish Coffee      | 862 |    |          | S23                          | 702     | Irish Coffee      | 862 | 862    |     | S32                    | 702     | Irish Coffee      | 862      |    |     |  |  |        |         |            |     |    |          |  |  |  |  |  |
| S13                          | 1750    | Night Blue        | 450 |    |          | S23                          | 1750    | Night Blue        | 450 | 661    |     | S32                    | 1750    | Night Blue        | 450      |    |     |  |  |        |         |            |     |    |          |  |  |  |  |  |
| S13                          | 1784    | Ocean Blue        | 450 |    |          | S23                          | 1784    | Ocean Blue        | 450 | 661    |     | S32                    | 1784    | Ocean Blue        | 450      |    |     |  |  |        |         |            |     |    |          |  |  |  |  |  |
| S13                          | 1851    | Parchment         | 885 |    |          | S23                          | 1851    | Parchment         | 885 | 661    |     | S32                    | 1851    | Parchment         | 885      |    |     |  |  |        |         |            |     |    |          |  |  |  |  |  |
| S13                          | 700     | Pebble            | 361 |    |          | S23                          | 700     | Pebble            | 361 | 841    |     | S32                    | 700     | Pebble            | 361      |    |     |  |  |        |         |            |     |    |          |  |  |  |  |  |
| S13                          | 701     | Pitch Black       | 048 |    |          | S23                          | 701     | Pitch Black       | 048 | 048    |     | S32                    | 701     | Pitch Black       | 048      |    |     |  |  |        |         |            |     |    |          |  |  |  |  |  |
| S13                          | 707     | Pristine Palace   | 862 |    |          | S23                          | 707     | Pristine Palace   | 862 | 862    |     | S32                    | 707     | Pristine Palace   | 862      |    |     |  |  |        |         |            |     |    |          |  |  |  |  |  |
| S13                          | 1745    | Red Sand          | 956 |    |          | S23                          | 1745    | Red Sand          | 956 | 083    |     | S32                    | 1745    | Red Sand          | 956      |    |     |  |  |        |         |            |     |    |          |  |  |  |  |  |
| S13                          | 704     | Richwood          | 849 |    |          | S23                          | 704     | Richwood          | 849 | 810    |     | S32                    | 704     | Richwood          | 849      |    |     |  |  |        |         |            |     |    |          |  |  |  |  |  |
| S13                          | 1853    | Rocky Beach       | 785 |    |          | S23                          | 1853    | Rocky Beach       | 785 | 785    |     | S32                    | 1853    | Rocky Beach       | 785      |    |     |  |  |        |         |            |     |    |          |  |  |  |  |  |
| S13                          | 708     | Sand Sculpture    | 882 |    |          | S23                          | 708     | Sand Sculpture    | 882 | 882    |     | S32                    | 708     | Sand Sculpture    | 882      |    |     |  |  |        |         |            |     |    |          |  |  |  |  |  |
| S13                          | 1746    | Sandstone Gray    | 810 |    |          | S23                          | 1746    | Sandstone Gray    | 810 | 810    |     | S32                    | 1746    | Sandstone Gray    | 810      |    |     |  |  |        |         |            |     |    |          |  |  |  |  |  |
| S13                          | 763     | Silver Dollar     | 405 |    |          | S23                          | 763     | Silver Dollar     | 405 | 276    |     | S32                    | 763     | Silver Dollar     | 405      |    |     |  |  |        |         |            |     |    |          |  |  |  |  |  |
| S13                          | 1852    | Snowbank          | 785 |    |          | S23                          | 1852    | Snowbank          | 785 | 785    |     | S32                    | 1852    | Snowbank          | 785      |    |     |  |  |        |         |            |     |    |          |  |  |  |  |  |
| S13                          | 740     | Thunder Cloud     | 405 |    |          | S23                          | 740     | Thunder Cloud     | 405 | 276    |     | S32                    | 740     | Thunder Cloud     | 405      |    |     |  |  |        |         |            |     |    |          |  |  |  |  |  |
| S13                          | 1850    | Vanilla Ice Cream | 785 |    |          | S23                          | 1850    | Vanilla Ice Cream | 785 | 785    |     | S32                    | 1850    | Vanilla Ice Cream | 785      |    |     |  |  |        |         |            |     |    |          |  |  |  |  |  |
| S13                          | 1857    | Weathered Brick   | 954 |    |          | S23                          | 1857    | Weathered Brick   | 954 | 082    |     | S32                    | 1857    | Weathered Brick   | 954      |    |     |  |  |        |         |            |     |    |          |  |  |  |  |  |
| S13                          | 1858    | Woods             | 405 |    |          | S23                          | 1858    | Woods             | 405 | 276    |     | S32                    | 1858    | Woods             | 405      |    |     |  |  |        |         |            |     |    |          |  |  |  |  |  |
| S13                          | 1742    | Yucca Cactus      | 135 |    |          | S23                          | 1742    | Yucca Cactus      | 135 | 785    |     | S32                    | 1742    | Yucca Cactus      | 135      |    |     |  |  |        |         |            |     |    |          |  |  |  |  |  |

## CODE KEY:

STD = Standard cordlock (Cordless, Cordless Lift & Lock, Continuous Cord Loop, and Motorized with coordinated rails)  
VA = Vertical application shades

## Hardware Colors

|     |                 | STD | 1-1/4" | VA  |     |                  | STD | 1-1/4" | VA  |
|-----|-----------------|-----|--------|-----|-----|------------------|-----|--------|-----|
| 018 | Satin Silver    | X   | X      | N/A | 674 | Bamboo Stalk     | X   | N/A    | N/A |
| 048 | Black           | X   | X      | X   | 685 | Blue Sky         | X   | N/A    | N/A |
| 082 | Camel           | X   | X      | X   | 765 | Silver Maple     | X   | X      | N/A |
| 083 | Cocoa           | X   | X      | X   | 785 | Aspen White      | X   | X      | X   |
| 127 | Cameo           | X   | X      | N/A | 810 | Mushroom         | X   | X      | X   |
| 135 | Whisper Heather | X   | X      | N/A | 841 | Dark Blonde      | X   | X      | X   |
| 205 | Fawn            | X   | X      | N/A | 849 | Mocha            | X   | N/A    | N/A |
| 276 | Silverado       | X   | X      | X   | 862 | Gardenia White   | X   | X      | X   |
| 320 | Rich Cream      | X   | N/A    | N/A | 882 | Honey Bisque     | X   | X      | X   |
| 361 | Tender Taupe    | X   | X      | N/A | 885 | Flex White       | X   | X      | N/A |
| 405 | Gray Flannel    | X   | X      | N/A | 952 | Pristine Beach   | X   | N/A    | N/A |
| 450 | Skyline         | X   | X      | N/A | 954 | Tranquil Tea     | X   | N/A    | N/A |
| 621 | Putty           | X   | X      | N/A | 956 | Renaissance Clay | X   | N/A    | N/A |
| 630 | Gold Leaf       | X   | N/A    | N/A | 958 | Velvet Fern      | X   | N/A    | N/A |
| 661 | White Tiara     | X   | X      | X   | 960 | Terra Cotta Um   | X   | N/A    | N/A |

## FABRIC AND RAIL COLOR CHART

| FABRIC                                                                    |         |               | HARDWARE |     |
|---------------------------------------------------------------------------|---------|---------------|----------|-----|
| Code                                                                      | Color # | Color Name    | OPTION   | VA  |
| <b>2" HYBRID PLEAT - Semi-Opaque</b>                                      |         |               |          |     |
| <i>Where applicable, coordinates with cellular color of the same name</i> |         |               |          |     |
| HPF                                                                       | 2753    | Caribbean Sky | 135      | 661 |
| HPF                                                                       | 715     | Cavern        | 361      | 862 |
| HPF                                                                       | 2750    | Coastal Eddy  | 018      | 276 |
| HPF                                                                       | 2852    | Foggy Night   | 405      | 276 |
| HPF                                                                       | 735     | Ice Age       | 862      | 862 |
| HPF                                                                       | 2851    | Imagine       | 018      | 276 |
| HPF                                                                       | 2752    | Lava Rock     | 405      | 276 |
| HPF                                                                       | 700     | Marshmallow   | 661      | 661 |
| HPF                                                                       | 727     | Pale White *  | 785      | 785 |
| HPF                                                                       | 2850    | Stillness     | 276      | 276 |
| HPF                                                                       | 2751    | Summer Storm  | 765      | 276 |
| HPF                                                                       | 739     | Trail         | 810      | 810 |

**NOTE:** Pale White (color 727) has a yellow hue. Please review the color carefully during the selection process.

| FABRIC                                                                    |         |                | HARDWARE |     |
|---------------------------------------------------------------------------|---------|----------------|----------|-----|
| Code                                                                      | Color # | Color Name     | OPTION   | VA  |
| <b>2" HYBRID PLEAT - Blackout</b>                                         |         |                |          |     |
| <i>Where applicable, coordinates with cellular color of the same name</i> |         |                |          |     |
| HPR                                                                       | 2950    | Birdbath       | 810      | 810 |
| HPR                                                                       | 2978    | Cloud Cover    | 885      | 661 |
| HPR                                                                       | 2951    | Gray Gust      | 018      | 276 |
| HPR                                                                       | 910     | Ice Princess   | 661      | 661 |
| HPR                                                                       | 2974    | Imagine        | 018      | 276 |
| HPR                                                                       | 919     | Sandstone Gray | 810      | 810 |

| FABRIC                                                    |         |              | HARDWARE |     |
|-----------------------------------------------------------|---------|--------------|----------|-----|
| Code                                                      | Color # | Color Name   | STD      | VA  |
| <b>LARGE SINGLE CELL - Semi-Opaque (Price Group 2-SS)</b> |         |              |          |     |
| S50                                                       | 537     | Boulder      | 765      | 276 |
| S50                                                       | 8501    | Whiteboard   | 661      | 661 |
| S50                                                       | 8503    | Banana Cream | 320      | 785 |
| S50                                                       | 531     | Merino       | 661      | 661 |
| S50                                                       | 8506    | Soapstone    | 018      | 276 |
| S50                                                       | 532     | Wafer        | 810      | 810 |

| FABRIC                                              |         |              | HARDWARE |            |
|-----------------------------------------------------|---------|--------------|----------|------------|
| Code                                                | Color # | Color Name   | STD      | VA         |
| <b>DOUBLE CELL - Semi-Opaque (Price Group 3-SS)</b> |         |              |          |            |
| S51                                                 | 537     | Boulder      | 765      | <b>N/A</b> |
| S51                                                 | 8501    | Whiteboard   | 661      |            |
| S51                                                 | 8503    | Banana Cream | 320      |            |
| S51                                                 | 531     | Merino       | 661      |            |
| S51                                                 | 8506    | Soapstone    | 018      |            |
| S51                                                 | 532     | Wafer        | 810      |            |

| Code                                                   | Color # | Color Name      | STD | VA         |
|--------------------------------------------------------|---------|-----------------|-----|------------|
| <b>LARGE SINGLE CELL - Blackout (Price Group 8-SS)</b> |         |                 |     |            |
| S61                                                    | 3744    | Birdbath        | 810 | <b>N/A</b> |
| S61                                                    | 3741    | Goose Down      | 885 |            |
| S61                                                    | 3745    | Gray Gust       | 018 |            |
| S61                                                    | 3742    | Ice Princess    | 885 |            |
| S61                                                    | 3743    | Pristine Palace | 661 |            |

### CODE KEY:

STD = Standard cordlock (Cordless, Cordless Lift & Lock, Continuous Cord Loop, and Motorized with coordinated rails)  
 VA = Vertical application shades

**NOTE:** Fabric Color Names are NOT intended to be a literal representation of the fabric. Please review fabrics, especially lighter colors, in different lights and compared to other fabrics of similar color to ensure you make the selection that best meets your expectations. Any subtleties in the color will be more obvious when the material is stacked.

## FABRIC AND RAIL COLOR CHART

| FABRIC                                                                    |         |                     | HARDWARE |     |
|---------------------------------------------------------------------------|---------|---------------------|----------|-----|
| Code                                                                      | Color # | Color Name          | OPTION   | VA  |
| <b>1-1/4" SINGLE CELL - Semi-Opaque</b>                                   |         |                     |          |     |
| <i>Where applicable, coordinates with cellular color of the same name</i> |         |                     |          |     |
| S41                                                                       | 500     | Marshmallow         | 661      | 661 |
| S41                                                                       | 1553    | Birdbath            | 810      | 810 |
| S41                                                                       | 513     | Graystone           | 810      | 810 |
| S41                                                                       | 581     | Coastal Eddy        | 018      | 276 |
| S41                                                                       | 582     | Steel               | 018      | 276 |
| S41                                                                       | 509     | Silver Dollar       | 405      | 276 |
| S41                                                                       | 527     | Pale White (Yellow) | 785      | 785 |
| S41                                                                       | 589     | Afternoon Light     | 862      | 862 |
| S41                                                                       | 1552    | Gunnysack           | 862      | 862 |
| S41                                                                       | 1555    | Summer Storm        | 765      | 276 |
| S41                                                                       | 515     | Cavern              | 361      | 862 |
| S41                                                                       | 521     | Trail               | 810      | 810 |

| FABRIC                                                                    |         |               | HARDWARE |     |
|---------------------------------------------------------------------------|---------|---------------|----------|-----|
| Code                                                                      | Color # | Color Name    | OPTION   | VA  |
| <b>1-1/4" SINGLE CELL - Blackout</b>                                      |         |               |          |     |
| <i>Where applicable, coordinates with cellular color of the same name</i> |         |               |          |     |
| S43                                                                       | 7500    | Goose Down    | 661      | 661 |
| S43                                                                       | 7553    | Birdbath      | 810      | 810 |
| S43                                                                       | 7610    | Ice Princess  | 661      | 661 |
| S43                                                                       | 7648    | Gray Gust     | 018      | 276 |
| S43                                                                       | 7509    | Silver Dollar | 405      | 276 |
| S43                                                                       | 7640    | Thunder Cloud | 405      | 276 |

**NOTE:** Pale White (color 527) has a yellow hue. Please review the color carefully during the selection process.

### CODE KEY:

STD = Standard cordlock (Cordless, Cordless Lift & Lock, Continuous Cord Loop, and Motorized with coordinated rails)  
 VA = Vertical application shades

NOTE: Fabric Color Names are NOT intended to be a literal representation of the fabric. Please review fabrics, especially lighter colors, in different lights and compared to other fabrics of similar color to ensure you make the selection that best meets your expectations. Any subtleties in the color will be more obvious when the material is stacked.

## STACK CHART

| Family                                                              | 48" Shade Drop | 72" Shade Drop | 84" Shade Drop | 120" Shade Drop |
|---------------------------------------------------------------------|----------------|----------------|----------------|-----------------|
| Softstyle Semi-Opaque - Large Single Cell                           | 1"             | 1-1/2"         | 1-3/4"         | 2-1/2"          |
| Softstyle Semi-Opaque - Small Single Cell                           | 1-1/8"         | 2"             | 2-1/4"         | 2-7/8"          |
| Softstyle Semi-Opaque - Double Cell                                 | 1-5/8"         | 2-1/2"         | 2-5/8"         | 3-5/8"          |
| Softstyle Semi-Opaque - 1-1/4" Single Cell ( <b>Max Drop 108"</b> ) | 1/2"           | 3/4"           | 1"             | 1-3/8"          |
| Softstyle Blackout - Large Single Cell                              | 7/8"           | 1-1/4"         | 1-1/2"         | 1-1/2"          |
| Softstyle Blackout - Small Single Cell                              | 7/8"           | 1-1/2"         | 1-3/4"         | 2"              |
| Softstyle Blackout - Double Cell                                    | 3/4"           | 1-1/4"         | 1-1/2"         | 3"              |
| Softstyle Blackout - 1-1/4" Single Cell ( <b>Max Drop 108"</b> )    | 3/4"           | 1-1/8"         | 1-1/4"         | 1-5/8"          |
| Softstyle Subdue Blackout - Large Single Cell                       | 1-1/2"         | 2"             | 2-1/8"         | 2-1/2"          |
| Softstyle Beginnings Semi-Opaque - Large Single Cell                | 1"             | 1"             | 1-1/4"         | 1-3/4"          |
| Softstyle Beginnings Semi-Opaque - Double Cell                      | 1-1/8"         | 1-7/8"         | 2"             | 2-1/2"          |
| 2" Hybrid Pleat - Semi Opaque                                       | 3/4"           | 1-1/8"         | 1-1/2"         | 1-3/4"          |
| 2" Hybrid Pleat - Blackout                                          | 1"             | 1-1/4"         | 1-3/4"         | 2-1/8"          |

**GROUP 1-SS (Standard Rectangular)**

• SOFTSTYLE 9/16" SEMI-OPAQUE (S11)

| WIDTH TO:  | 24"   | 30" | 36" | 42" | 48" | 54" | 60" | 66" | 72" | 84" | 96"  | 108" | 120" |
|------------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|------|
| HEIGHT TO: |       |     |     |     |     |     |     |     |     |     |      |      |      |
| 36"        | \$159 | 176 | 203 | 223 | 247 | 271 | 293 | 313 | 335 | 381 | 433  | 479  | 530  |
| 42"        | 169   | 190 | 220 | 247 | 271 | 293 | 321 | 344 | 366 | 421 | 475  | 530  | 583  |
| 48"        | 181   | 212 | 235 | 262 | 293 | 321 | 347 | 378 | 405 | 459 | 522  | 578  | 640  |
| 54"        | 190   | 220 | 251 | 281 | 313 | 344 | 374 | 409 | 436 | 502 | 569  | 629  | 699  |
| 60"        | 203   | 231 | 271 | 302 | 335 | 366 | 399 | 436 | 472 | 545 | 609  | 684  | 749  |
| 66"        | 220   | 247 | 287 | 321 | 355 | 394 | 429 | 467 | 505 | 578 | 658  | 729  | 808  |
| 72"        | 223   | 257 | 302 | 341 | 381 | 418 | 459 | 498 | 534 | 618 | 704  | 781  | 865  |
| 78"        | 235   | 274 | 316 | 355 | 405 | 445 | 485 | 526 | 572 | 658 | 741  | 832  | 921  |
| 84"        | 247   | 287 | 331 | 378 | 421 | 459 | 505 | 553 | 598 | 687 | 781  | 873  | 969  |
| 90"        | 254   | 302 | 347 | 394 | 445 | 491 | 534 | 583 | 629 | 729 | 828  | 925  | 1022 |
| 96"        | 262   | 309 | 363 | 415 | 459 | 509 | 560 | 609 | 661 | 765 | 869  | 969  | 1074 |
| 108"       | 287   | 341 | 391 | 448 | 505 | 556 | 609 | 668 | 726 | 838 | 951  | 1063 | 1179 |
| 120"       | 305   | 363 | 429 | 485 | 549 | 606 | 668 | 729 | 787 | 909 | 1037 | 1160 | 1270 |

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

**OPTIONS: NO EXTRA CHARGE**

- Color-Coordinated Rails
- Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- 3" Extension Bracket and 1/2" Spacer Blocks  
– maximum of 3 spacer blocks per bracket
- Hold Down Brackets
- Cut-Outs – up to 3" wide (see page 26 for details)
- Special Cord Lengths – standard cord is 40% of the height of the shade unless otherwise specified
- Hardware Color Override

**OPTIONS: EXTRA CHARGE**

See "SIZE STANDARDS" for complete option details.

- Fabric-Wrapped Rail Option .....add \$24
- Top-Down & Top-Down/Bottom-Up .....add \$96
- Continuous Cord Loop\* .....add \$60  
– Top-Down/Bottom-Up\* .....add \$156
- Cordless Lift System\* .....add \$96  
– Two-On-One Headrail\* price as 2 separate shades and add \$192  
(not available in Top-Down/Bottom-Up)
- Three-On-One Headrail\* price as 3 separate shades and add \$288  
(not available in Top-Down/Bottom-Up)
- Top-Down/Bottom-Up\* .....add \$192
- Cordless Lift & Lock .....add \$48  
– Cordless Lift & Lock Two-On-One Headrail .....add \$96  
– Cordless Lift & Lock Three-On-One Headrail .....add \$144  
– Top-Down/Bottom-Up\* .....add \$144  
– Premium Headrail Upgrade\* .....add \$18  
(Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091 .....\$24
- 5' to 10' Cordless Extension Pole #400036-81511 .....\$42
- Rectangular Shade and Arch – price as 2 separate shades; One Arch and One Rectangular
- TriLight Shades – see page 19 and pages 32-36
- Angle Cut .....add \$135

\*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES.  
 COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 20-21 for automation surcharges

**GROUP 2-SS (Standard Rectangular)**

• SOFTSTYLE 3/4" BEGINNINGS SEMI-OPAQUE (\$50)

| WIDTH TO:         | 24"   | 30" | 36" | 42" | 48" | 54" | 60" | 66" | 72" | 84"  | 96"  | 108" | 120" |
|-------------------|-------|-----|-----|-----|-----|-----|-----|-----|-----|------|------|------|------|
| <b>HEIGHT TO:</b> |       |     |     |     |     |     |     |     |     |      |      |      |      |
| 36"               | \$173 | 197 | 223 | 247 | 274 | 293 | 316 | 344 | 366 | 418  | 472  | 522  | 575  |
| 42"               | 190   | 212 | 242 | 274 | 302 | 325 | 355 | 381 | 415 | 467  | 526  | 583  | 647  |
| 48"               | 197   | 227 | 257 | 290 | 321 | 350 | 381 | 415 | 445 | 505  | 572  | 632  | 699  |
| 54"               | 203   | 239 | 274 | 309 | 344 | 374 | 409 | 441 | 475 | 545  | 613  | 684  | 759  |
| 60"               | 223   | 257 | 297 | 328 | 366 | 405 | 441 | 479 | 518 | 595  | 668  | 746  | 824  |
| 66"               | 239   | 278 | 313 | 355 | 399 | 436 | 479 | 518 | 560 | 647  | 726  | 808  | 892  |
| 72"               | 251   | 287 | 328 | 374 | 421 | 459 | 502 | 549 | 595 | 681  | 768  | 858  | 947  |
| 78"               | 268   | 309 | 355 | 405 | 452 | 494 | 545 | 595 | 647 | 738  | 835  | 931  | 1033 |
| 84"               | 278   | 325 | 374 | 424 | 479 | 526 | 578 | 629 | 681 | 781  | 886  | 988  | 1098 |
| 90"               | 290   | 341 | 394 | 452 | 505 | 556 | 609 | 664 | 722 | 832  | 940  | 1047 | 1164 |
| 96"               | 302   | 355 | 415 | 472 | 530 | 583 | 640 | 699 | 756 | 873  | 992  | 1105 | 1225 |
| 108"              | 325   | 381 | 452 | 512 | 578 | 635 | 699 | 765 | 828 | 954  | 1079 | 1210 | 1341 |
| 120"              | 355   | 421 | 491 | 560 | 635 | 704 | 774 | 846 | 912 | 1056 | 1197 | 1341 | 1484 |

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

**OPTIONS: NO EXTRA CHARGE**

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 26 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

**OPTIONS: EXTRA CHARGE**

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option** .....add \$24
- **Top-Down & Top-Down/Bottom-Up** .....add \$96
- **Continuous Cord Loop\*** .....add \$60
  - **Top-Down/Bottom-Up\*** .....add \$156
- **Cordless Lift System\*** .....add \$96
  - **Two-On-One Headrail\*** price as 2 separate shades and add \$192 (not available in Top-Down/Bottom-Up)
  - **Three-On-One Headrail\*** price as 3 separate shades and add \$288 (not available in Top-Down/Bottom-Up)
  - **Top-Down/Bottom-Up\*** .....add \$192
- **Cordless Lift & Lock** .....add \$48
  - **Cordless Lift & Lock Two-On-One Headrail** .....add \$96
  - **Cordless Lift & Lock Three-On-One Headrail** .....add \$144
  - **Top-Down/Bottom-Up\*** .....add \$144
  - **Premium Headrail Upgrade\*** .....add \$18 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091** .....\$24
- **5' to 10' Cordless Extension Pole #400036-81511** .....\$42
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
- **TriLight Shades** – see page 19 and pages 32-36
- **Angle Cut** .....add \$135

\*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES.  
 COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 20-21 for automation surcharges

**GROUP 3-SS (Standard Rectangular)**

• SOFTSTYLE BEGINNINGS DOUBLE CELL SEMI-OPAQUE (\$51)

| WIDTH TO:         | 24"   | 30" | 36" | 42" | 48" | 54" | 60" | 66" | 72" | 84"  | 96"  | 108" | 120" |
|-------------------|-------|-----|-----|-----|-----|-----|-----|-----|-----|------|------|------|------|
| <b>HEIGHT TO:</b> |       |     |     |     |     |     |     |     |     |      |      |      |      |
| 36"               | \$166 | 186 | 212 | 235 | 257 | 278 | 305 | 328 | 350 | 399  | 448  | 494  | 549  |
| 42"               | 176   | 203 | 227 | 257 | 281 | 313 | 335 | 363 | 391 | 445  | 502  | 556  | 613  |
| 48"               | 190   | 220 | 251 | 278 | 309 | 335 | 363 | 391 | 424 | 482  | 545  | 606  | 664  |
| 54"               | 200   | 227 | 257 | 293 | 328 | 359 | 391 | 421 | 452 | 522  | 588  | 653  | 722  |
| 60"               | 217   | 247 | 281 | 316 | 350 | 385 | 421 | 459 | 494 | 569  | 635  | 711  | 784  |
| 66"               | 223   | 262 | 302 | 335 | 378 | 418 | 455 | 494 | 534 | 613  | 696  | 768  | 855  |
| 72"               | 239   | 274 | 316 | 359 | 402 | 441 | 479 | 522 | 569 | 650  | 738  | 818  | 905  |
| 78"               | 251   | 293 | 341 | 385 | 433 | 475 | 522 | 569 | 613 | 704  | 801  | 889  | 985  |
| 84"               | 262   | 309 | 359 | 409 | 455 | 502 | 553 | 598 | 650 | 741  | 846  | 943  | 1047 |
| 90"               | 278   | 325 | 378 | 429 | 482 | 530 | 583 | 632 | 687 | 792  | 895  | 1001 | 1109 |
| 96"               | 287   | 335 | 391 | 448 | 505 | 556 | 609 | 664 | 722 | 835  | 947  | 1056 | 1172 |
| 108"              | 309   | 363 | 429 | 485 | 553 | 606 | 664 | 729 | 792 | 909  | 1033 | 1156 | 1278 |
| 120"              | 335   | 402 | 472 | 537 | 606 | 668 | 738 | 804 | 873 | 1004 | 1139 | 1278 | 1419 |

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

**OPTIONS: NO EXTRA CHARGE**

- Color-Coordinated Rails
- Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- 3" Extension Bracket and 1/2" Spacer Blocks  
– maximum of 3 spacer blocks per bracket
- Hold Down Brackets
- Cut-Outs – up to 3" wide (see page 26 for details)
- Special Cord Lengths – standard cord is 40% of the height of the shade unless otherwise specified
- Hardware Color Override

**OPTIONS: EXTRA CHARGE**

See "SIZE STANDARDS" for complete option details.

- Fabric-Wrapped Rail Option .....add \$24
- Top-Down & Top-Down/Bottom-Up .....add \$96
- Continuous Cord Loop\* .....add \$60  
– Top-Down/Bottom-Up\* .....add \$156
- Cordless Lift System\* .....add \$96  
– Two-On-One Headrail\* price as 2 separate shades and add \$192  
(not available in Top-Down/Bottom-Up)  
– Three-On-One Headrail\* price as 3 separate shades and add \$288  
(not available in Top-Down/Bottom-Up)  
– Top-Down/Bottom-Up\* .....add \$192
- Cordless Lift & Lock .....add \$48  
– Cordless Lift & Lock Two-On-One Headrail .....add \$96  
– Cordless Lift & Lock Three-On-One Headrail .....add \$144  
– Top-Down/Bottom-Up\* .....add \$144  
– Premium Headrail Upgrade\* .....add \$18  
(Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091 .....\$24
- 5' to 10' Cordless Extension Pole #400036-81511 .....\$42
- Rectangular Shade and Arch – price as 2 separate shades; One Arch and One Rectangular
- TriLight Shades – see page 19 and pages 32-36
- Angle Cut .....add \$135

\*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES.  
 COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 20-21 for automation surcharges

**GROUP 4-SS (Standard Rectangular)**

• SOFTSTYLE 3/4" SEMI-OPAQUE (S21)

| WIDTH TO:         | 24"   | 30" | 36" | 42" | 48" | 54" | 60" | 66" | 72"  | 84"  | 96"  | 108" | 120" |
|-------------------|-------|-----|-----|-----|-----|-----|-----|-----|------|------|------|------|------|
| <b>HEIGHT TO:</b> |       |     |     |     |     |     |     |     |      |      |      |      |      |
| 36"               | \$200 | 223 | 254 | 281 | 313 | 335 | 363 | 394 | 421  | 479  | 545  | 598  | 661  |
| 42"               | 217   | 242 | 278 | 313 | 344 | 374 | 405 | 441 | 472  | 537  | 603  | 668  | 738  |
| 48"               | 223   | 262 | 297 | 335 | 370 | 402 | 441 | 472 | 509  | 583  | 658  | 729  | 804  |
| 54"               | 239   | 274 | 316 | 350 | 394 | 429 | 472 | 505 | 549  | 623  | 708  | 784  | 873  |
| 60"               | 257   | 297 | 341 | 378 | 421 | 464 | 505 | 553 | 595  | 684  | 768  | 858  | 943  |
| 66"               | 274   | 316 | 359 | 409 | 455 | 502 | 549 | 595 | 640  | 738  | 835  | 931  | 1022 |
| 72"               | 287   | 328 | 378 | 429 | 482 | 530 | 575 | 629 | 684  | 781  | 886  | 985  | 1086 |
| 78"               | 305   | 350 | 409 | 464 | 522 | 569 | 626 | 684 | 738  | 846  | 959  | 1071 | 1183 |
| 84"               | 316   | 370 | 429 | 491 | 549 | 603 | 664 | 722 | 781  | 895  | 1016 | 1136 | 1261 |
| 90"               | 331   | 391 | 452 | 518 | 583 | 635 | 699 | 759 | 828  | 954  | 1079 | 1207 | 1337 |
| 96"               | 344   | 409 | 472 | 541 | 609 | 668 | 738 | 801 | 869  | 1004 | 1139 | 1270 | 1407 |
| 108"              | 370   | 441 | 518 | 588 | 664 | 735 | 801 | 876 | 954  | 1098 | 1241 | 1391 | 1543 |
| 120"              | 409   | 482 | 564 | 650 | 729 | 808 | 889 | 969 | 1047 | 1213 | 1376 | 1543 | 1706 |

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

**OPTIONS: NO EXTRA CHARGE**

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 26 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

**OPTIONS: EXTRA CHARGE**

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option** .....add \$24
- **Top-Down & Top-Down/Bottom-Up** .....add \$96
- **Continuous Cord Loop\*** .....add \$60
  - **Top-Down/Bottom-Up\*** .....add \$156
- **Cordless Lift System\*** .....add \$96
  - **Two-On-One Headrail\*** price as 2 separate shades and add \$192 (not available in Top-Down/Bottom-Up)
  - **Three-On-One Headrail\*** price as 3 separate shades and add \$288 (not available in Top-Down/Bottom-Up)
  - **Top-Down/Bottom-Up\*** .....add \$192
- **Cordless Lift & Lock** .....add \$48
  - **Cordless Lift & Lock Two-On-One Headrail** .....add \$96
  - **Cordless Lift & Lock Three-On-One Headrail** .....add \$144
  - **Top-Down/Bottom-Up\*** .....add \$144
  - **Premium Headrail Upgrade\*** .....add \$18 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091** .....\$24
- **5' to 10' Cordless Extension Pole #400036-81511** .....\$42
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
- **TriLight Shades** – see page 19 and pages 32-36
- **Angle Cut** .....add \$135

\*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES.  
 COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 20-21 for automation surcharges

**GROUP 5-SS (Standard Rectangular)**

• SOFTSTYLE DOUBLE CELL SEMI-OPAQUE (S31)

| WIDTH TO:  | 24"   | 30" | 36" | 42" | 48" | 54" | 60" | 66"  | 72"  | 84"  | 96"  | 108" | 120" |
|------------|-------|-----|-----|-----|-----|-----|-----|------|------|------|------|------|------|
| HEIGHT TO: |       |     |     |     |     |     |     |      |      |      |      |      |      |
| 36"        | \$212 | 235 | 271 | 302 | 331 | 355 | 385 | 418  | 445  | 505  | 575  | 632  | 699  |
| 42"        | 227   | 257 | 290 | 331 | 359 | 399 | 424 | 464  | 498  | 569  | 635  | 708  | 784  |
| 48"        | 239   | 278 | 316 | 350 | 391 | 424 | 464 | 498  | 545  | 613  | 691  | 774  | 851  |
| 54"        | 251   | 287 | 335 | 374 | 418 | 459 | 498 | 537  | 575  | 661  | 749  | 832  | 925  |
| 60"        | 274   | 313 | 359 | 405 | 448 | 494 | 537 | 583  | 629  | 722  | 811  | 905  | 1001 |
| 66"        | 287   | 335 | 381 | 429 | 482 | 530 | 583 | 629  | 684  | 781  | 886  | 982  | 1086 |
| 72"        | 305   | 350 | 405 | 459 | 509 | 560 | 613 | 664  | 722  | 828  | 940  | 1047 | 1156 |
| 78"        | 321   | 374 | 433 | 491 | 553 | 603 | 664 | 722  | 781  | 895  | 1016 | 1136 | 1257 |
| 84"        | 335   | 394 | 459 | 522 | 583 | 635 | 704 | 759  | 828  | 951  | 1079 | 1207 | 1337 |
| 90"        | 350   | 415 | 479 | 549 | 613 | 681 | 741 | 808  | 876  | 1012 | 1144 | 1274 | 1419 |
| 96"        | 363   | 429 | 498 | 572 | 647 | 708 | 781 | 851  | 925  | 1063 | 1210 | 1349 | 1493 |
| 108"       | 394   | 464 | 549 | 623 | 704 | 774 | 851 | 931  | 1009 | 1164 | 1315 | 1473 | 1630 |
| 120"       | 429   | 509 | 598 | 684 | 774 | 858 | 940 | 1033 | 1113 | 1284 | 1456 | 1630 | 1809 |

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

**OPTIONS: NO EXTRA CHARGE**

- Color-Coordinated Rails
- Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- 3" Extension Bracket and 1/2" Spacer Blocks  
– maximum of 3 spacer blocks per bracket
- Hold Down Brackets
- Cut-Outs – up to 3" wide (see page 26 for details)
- Special Cord Lengths – standard cord is 40% of the height of the shade unless otherwise specified
- Hardware Color Override

**OPTIONS: EXTRA CHARGE**

See "SIZE STANDARDS" for complete option details.

- Fabric-Wrapped Rail Option .....add \$24
- Top-Down & Top-Down/Bottom-Up .....add \$96
- Continuous Cord Loop\* .....add \$60
  - Top-Down/Bottom-Up\* .....add \$156
- Cordless Lift System\* .....add \$96
  - Two-On-One Headrail\* price as 2 separate shades and add \$192  
(not available in Top-Down/Bottom-Up)
  - Three-On-One Headrail\* price as 3 separate shades and add \$288  
(not available in Top-Down/Bottom-Up)
  - Top-Down/Bottom-Up\* .....add \$192
- Cordless Lift & Lock .....add \$48
  - Cordless Lift & Lock Two-On-One Headrail .....add \$96
  - Cordless Lift & Lock Three-On-One Headrail .....add \$144
  - Top-Down/Bottom-Up\* .....add \$144
  - Premium Headrail Upgrade\* .....add \$18  
(Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091 .....\$24
- 5' to 10' Cordless Extension Pole #400036-81511 .....\$42
- Rectangular Shade and Arch – price as 2 separate shades; One Arch and One Rectangular
- TriLight Shades – see page 19 and pages 32-36
- Angle Cut .....add \$135

\*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES.  
 COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 20-21 for automation surcharges

**GROUP 6-SS (Standard Rectangular)**

• SOFTSTYLE 9/16" BLACKOUT (S13)

| WIDTH TO:  | 24"   | 30" | 36" | 42" | 48" | 54" | 60" | 66"  | 72"  | 84"  | 96"  | 108" | 120" |
|------------|-------|-----|-----|-----|-----|-----|-----|------|------|------|------|------|------|
| HEIGHT TO: |       |     |     |     |     |     |     |      |      |      |      |      |      |
| 36"        | \$212 | 235 | 268 | 293 | 325 | 350 | 381 | 415  | 445  | 505  | 569  | 629  | 699  |
| 42"        | 223   | 251 | 287 | 321 | 350 | 391 | 418 | 452  | 491  | 560  | 629  | 704  | 777  |
| 48"        | 247   | 278 | 316 | 355 | 391 | 433 | 467 | 509  | 549  | 629  | 715  | 792  | 880  |
| 54"        | 257   | 293 | 341 | 381 | 424 | 467 | 505 | 553  | 598  | 687  | 777  | 869  | 962  |
| 60"        | 281   | 313 | 363 | 415 | 452 | 502 | 545 | 598  | 647  | 741  | 838  | 940  | 1037 |
| 66"        | 293   | 335 | 381 | 436 | 491 | 534 | 583 | 635  | 691  | 792  | 905  | 1012 | 1120 |
| 72"        | 313   | 355 | 415 | 472 | 526 | 578 | 629 | 691  | 746  | 861  | 982  | 1098 | 1216 |
| 78"        | 328   | 378 | 436 | 494 | 556 | 613 | 673 | 738  | 792  | 916  | 1047 | 1172 | 1299 |
| 84"        | 344   | 394 | 459 | 526 | 583 | 650 | 708 | 777  | 838  | 974  | 1105 | 1236 | 1372 |
| 90"        | 363   | 418 | 491 | 553 | 623 | 691 | 756 | 832  | 901  | 1040 | 1183 | 1325 | 1473 |
| 96"        | 378   | 436 | 509 | 578 | 658 | 726 | 792 | 869  | 943  | 1093 | 1247 | 1398 | 1554 |
| 108"       | 405   | 475 | 556 | 635 | 719 | 801 | 873 | 962  | 1040 | 1203 | 1372 | 1543 | 1717 |
| 120"       | 436   | 512 | 603 | 691 | 801 | 865 | 954 | 1047 | 1133 | 1315 | 1500 | 1690 | 1867 |

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

**OPTIONS: NO EXTRA CHARGE**

- Color-Coordinated Rails
- •Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket
- Hold Down Brackets
- Cut-Outs – up to 3" wide (see page 26 for details)
- Special Cord Lengths – standard cord is 40% of the height of the shade unless otherwise specified
- Hardware Color Override

**OPTIONS: EXTRA CHARGE**

See "SIZE STANDARDS" for complete option details.

- Fabric-Wrapped Rail Option .....add \$24
- Top-Down & Top-Down/Bottom-Up .....add \$96
- Continuous Cord Loop\* .....add \$60
  - Top-Down/Bottom-Up\* .....add \$156
- Cordless Lift System\* .....add \$96
  - Two-On-One Headrail\* price as 2 separate shades and add \$192 (not available in Top-Down/Bottom-Up)
  - Three-On-One Headrail\* price as 3 separate shades and add \$288 (not available in Top-Down/Bottom-Up)
  - Top-Down/Bottom-Up\* .....add \$192
- Cordless Lift & Lock .....add \$48
  - Cordless Lift & Lock Two-On-One Headrail .....add \$96
  - Cordless Lift & Lock Three-On-One Headrail .....add \$144
  - Top-Down/Bottom-Up\* .....add \$144
  - Premium Headrail Upgrade\* .....add \$18 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091 .....\$24
- 5' to 10' Cordless Extension Pole #400036-81511 .....\$42
- Rectangular Shade and Arch – price as 2 separate shades; One Arch and One Rectangular
- TriLight Shades – see page 19 and pages 32-36
- Angle Cut .....add \$135

\*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES.  
 COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 20-21 for automation surcharges

**GROUP 7-SS (Standard Rectangular)**

SOFT STYLE 3/4" BLACKOUT (S23)

| WIDTH TO:         | 24"   | 30" | 36" | 42" | 48" | 54"  | 60"  | 66"  | 72"  | 84"  | 96"  | 108" | 120" |
|-------------------|-------|-----|-----|-----|-----|------|------|------|------|------|------|------|------|
| <b>HEIGHT TO:</b> |       |     |     |     |     |      |      |      |      |      |      |      |      |
| 36"               | \$247 | 274 | 313 | 344 | 381 | 418  | 452  | 485  | 522  | 595  | 668  | 741  | 824  |
| 42"               | 268   | 297 | 341 | 378 | 418 | 459  | 491  | 534  | 578  | 661  | 741  | 828  | 916  |
| 48"               | 290   | 328 | 374 | 418 | 459 | 505  | 553  | 598  | 650  | 738  | 838  | 934  | 1040 |
| 54"               | 309   | 344 | 399 | 452 | 502 | 549  | 598  | 653  | 704  | 808  | 916  | 1019 | 1133 |
| 60"               | 335   | 366 | 424 | 485 | 534 | 592  | 640  | 704  | 759  | 873  | 988  | 1105 | 1222 |
| 66"               | 344   | 391 | 452 | 512 | 575 | 629  | 687  | 753  | 811  | 934  | 1063 | 1194 | 1319 |
| 72"               | 366   | 421 | 485 | 553 | 618 | 684  | 741  | 818  | 876  | 1016 | 1160 | 1292 | 1436 |
| 78"               | 391   | 445 | 512 | 583 | 653 | 722  | 792  | 869  | 934  | 1079 | 1233 | 1376 | 1527 |
| 84"               | 405   | 464 | 541 | 618 | 691 | 759  | 835  | 916  | 988  | 1147 | 1302 | 1456 | 1620 |
| 90"               | 424   | 491 | 578 | 653 | 735 | 815  | 892  | 979  | 1063 | 1230 | 1391 | 1566 | 1736 |
| 96"               | 445   | 512 | 598 | 684 | 774 | 855  | 934  | 1022 | 1113 | 1288 | 1473 | 1651 | 1832 |
| 108"              | 475   | 556 | 653 | 749 | 846 | 940  | 1029 | 1133 | 1225 | 1419 | 1617 | 1818 | 2022 |
| 120"              | 512   | 603 | 711 | 811 | 943 | 1016 | 1123 | 1236 | 1337 | 1549 | 1768 | 1987 | 2201 |

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

**OPTIONS: NO EXTRA CHARGE**

- Color-Coordinated Rails
- Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket
- Hold Down Brackets
- Cut-Outs – up to 3" wide (see page 26 for details)
- Special Cord Lengths – standard cord is 40% of the height of the shade unless otherwise specified
- Hardware Color Override

**OPTIONS: EXTRA CHARGE**

See "SIZE STANDARDS" for complete option details.

- Fabric-Wrapped Rail Option .....add \$24
- Top-Down & Top-Down/Bottom-Up .....add \$96
- Continuous Cord Loop\* .....add \$60
  - Top-Down/Bottom-Up\* .....add \$156
- Cordless Lift System\* .....add \$96
  - Two-On-One Headrail\* price as 2 separate shades and add \$192 (not available in Top-Down/Bottom-Up)
  - Three-On-One Headrail\* price as 3 separate shades and add \$288 (not available in Top-Down/Bottom-Up)
  - Top-Down/Bottom-Up\* .....add \$192
- Cordless Lift & Lock .....add \$48
  - Cordless Lift & Lock Two-On-One Headrail .....add \$96
  - Cordless Lift & Lock Three-On-One Headrail .....add \$144
  - Top-Down/Bottom-Up\* .....add \$144
  - Premium Headrail Upgrade\* .....add \$18 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
  - 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091 .....\$24
  - 5' to 10' Cordless Extension Pole #400036-81511 .....\$42
  - Rectangular Shade and Arch – price as 2 separate shades; One Arch and One Rectangular
  - TriLight Shades – see page 19 and pages 32-36
  - Angle Cut .....add \$135

\*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 20-21 for automation surcharges

**GROUP 8-SS (Standard Rectangular)**

- SoftStyle Subdue 3/4" Single Cell Blackout (S61)
- SoftStyle Double Cell Blackout (S32)

| WIDTH TO:  | 24"   | 30" | 36" | 42" | 48" | 54"  | 60"  | 66"  | 72"  | 84"  | 96"  | 108" | 120" |
|------------|-------|-----|-----|-----|-----|------|------|------|------|------|------|------|------|
| HEIGHT TO: |       |     |     |     |     |      |      |      |      |      |      |      |      |
| 36"        | \$254 | 281 | 321 | 350 | 391 | 424  | 464  | 498  | 534  | 609  | 687  | 759  | 846  |
| 42"        | 274   | 305 | 347 | 391 | 424 | 472  | 505  | 549  | 595  | 681  | 759  | 851  | 940  |
| 48"        | 297   | 335 | 385 | 429 | 475 | 522  | 564  | 613  | 664  | 759  | 861  | 959  | 1067 |
| 54"        | 316   | 355 | 409 | 464 | 518 | 560  | 613  | 668  | 722  | 832  | 940  | 1047 | 1164 |
| 60"        | 344   | 378 | 441 | 498 | 549 | 606  | 661  | 722  | 781  | 895  | 1016 | 1136 | 1257 |
| 66"        | 355   | 405 | 464 | 526 | 592 | 650  | 708  | 774  | 835  | 959  | 1093 | 1225 | 1353 |
| 72"        | 378   | 429 | 498 | 569 | 632 | 699  | 759  | 838  | 901  | 1044 | 1187 | 1325 | 1473 |
| 78"        | 399   | 452 | 526 | 598 | 673 | 741  | 811  | 889  | 959  | 1109 | 1267 | 1416 | 1569 |
| 84"        | 415   | 475 | 556 | 632 | 708 | 784  | 858  | 940  | 1016 | 1179 | 1337 | 1496 | 1660 |
| 90"        | 441   | 505 | 595 | 668 | 753 | 835  | 916  | 1004 | 1086 | 1261 | 1429 | 1606 | 1781 |
| 96"        | 452   | 526 | 613 | 704 | 792 | 876  | 959  | 1052 | 1144 | 1322 | 1511 | 1693 | 1879 |
| 108"       | 491   | 572 | 673 | 768 | 869 | 965  | 1056 | 1164 | 1257 | 1456 | 1657 | 1863 | 2077 |
| 120"       | 526   | 623 | 729 | 835 | 969 | 1047 | 1156 | 1267 | 1372 | 1589 | 1812 | 2036 | 2261 |

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

**OPTIONS: NO EXTRA CHARGE**

- Color-Coordinated Rails
- Hardware Color Override
- 3" Extension Bracket

**OPTIONS: EXTRA CHARGE**

- See "SIZE STANDARDS" for complete option details.
- Fabric-Wrapped Rail Option .....add \$24
  - Cordless Lift System\* .....add \$96
    - Two-On-One Headrail\* price as 2 separate shades and add \$192  
(not available in Top-Down/Bottom-Up)
    - Top-Down/Bottom-Up\* .....add \$192
  - 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091.....\$24
  - 5' to 10' Cordless Extension Pole #400036-81511.....\$42

\*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CORDLESS LIFT, AND MOTORIZED SHADES.  
 COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 20-21 for automation surcharges

**GROUP 9-SS (Standard Rectangular)**

• 1-1/4" SOFTSTYLE SEMI-OPAQUE

| WIDTH TO:  | 24"   | 30" | 36" | 42" | 48" | 54" | 60"  | 66"  | 72"  | 84"  | 96"  | 108" | 120" |
|------------|-------|-----|-----|-----|-----|-----|------|------|------|------|------|------|------|
| HEIGHT TO: |       |     |     |     |     |     |      |      |      |      |      |      |      |
| 36"        | \$251 | 286 | 322 | 360 | 396 | 430 | 464  | 502  | 535  | 609  | 691  | 766  | 840  |
| 42"        | 275   | 310 | 351 | 396 | 439 | 476 | 514  | 560  | 603  | 684  | 773  | 857  | 948  |
| 48"        | 289   | 333 | 380 | 427 | 468 | 510 | 560  | 603  | 651  | 745  | 836  | 927  | 1028 |
| 54"        | 306   | 346 | 396 | 450 | 502 | 551 | 597  | 648  | 698  | 794  | 903  | 1002 | 1111 |
| 60"        | 327   | 375 | 435 | 483 | 538 | 590 | 648  | 702  | 756  | 865  | 982  | 1090 | 1211 |
| 66"        | 346   | 401 | 461 | 517 | 582 | 643 | 698  | 758  | 818  | 940  | 1064 | 1182 | 1311 |
| 72"        | 366   | 417 | 483 | 551 | 614 | 671 | 740  | 801  | 865  | 995  | 1129 | 1262 | 1391 |
| 78"        | 387   | 450 | 522 | 590 | 663 | 726 | 799  | 865  | 940  | 1081 | 1227 | 1365 |      |
| 84"        | 401   | 473 | 551 | 623 | 698 | 773 | 847  | 920  | 995  | 1145 | 1299 | 1448 |      |
| 90"        | 422   | 497 | 576 | 656 | 740 | 814 | 894  | 974  | 1052 | 1219 | 1373 |      |      |
| 96"        | 439   | 517 | 603 | 688 | 773 | 857 | 940  | 1022 | 1105 | 1278 |      |      |      |
| 108"       | 463   | 552 | 649 | 735 | 832 | 917 | 1001 | 1095 |      |      |      |      |      |

**OPTIONS: NO EXTRA CHARGE**

- Color-Coordinated Rails
- 3" Extension Bracket
- Hardware Color Override- see Hardware Color Chart on page 4 for available colors
- Light Block Strip (Inside Mount Only)

**OPTIONS: EXTRA CHARGE**

See "SIZE STANDARDS" for complete option details.

- Fabric-Wrapped Rail Option .....add \$24
- Cordless Lift System\* .....add \$96
  - Two-On-One Headrail\* price as 2 separate shades and add \$192  
(not available in Top-Down/Bottom-Up)
  - Top-Down/Bottom-Up\* .....add \$192
- 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091 .....\$24
- 5' to 10' Cordless Extension Pole #400036-81511 .....\$42

\*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CORDLESS LIFT, AND MOTORIZED SHADES.  
 COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 20-21 for automation surcharges

**GROUP 10-SS** (Standard Rectangular)

• 1-1/4" SOFTSTYLE BLACKOUT

| WIDTH TO:  | 24"   | 30" | 36" | 42" | 48"  | 54"  | 60"  | 66"  | 72"  | 84"  | 96"  | 108" | 120" |
|------------|-------|-----|-----|-----|------|------|------|------|------|------|------|------|------|
| HEIGHT TO: |       |     |     |     |      |      |      |      |      |      |      |      |      |
| 36"        | \$309 | 344 | 387 | 433 | 476  | 520  | 561  | 608  | 649  | 741  | 843  | 932  | 1037 |
| 42"        | 332   | 373 | 424 | 476 | 524  | 576  | 622  | 668  | 723  | 829  | 932  | 1041 | 1145 |
| 48"        | 361   | 414 | 468 | 527 | 582  | 635  | 688  | 753  | 812  | 928  | 1052 | 1177 | 1301 |
| 54"        | 380   | 437 | 501 | 565 | 628  | 688  | 748  | 821  | 876  | 1012 | 1145 | 1284 | 1420 |
| 60"        | 421   | 465 | 538 | 608 | 675  | 741  | 805  | 880  | 953  | 1098 | 1245 | 1390 | 1533 |
| 66"        | 437   | 493 | 565 | 640 | 721  | 792  | 865  | 944  | 1020 | 1177 | 1337 | 1498 | 1656 |
| 72"        | 465   | 527 | 613 | 693 | 773  | 857  | 932  | 1023 | 1101 | 1277 | 1453 | 1625 | 1806 |
| 78"        | 490   | 553 | 640 | 734 | 821  | 909  | 993  | 1085 | 1177 | 1357 | 1548 | 1730 |      |
| 84"        | 508   | 582 | 679 | 773 | 869  | 958  | 1045 | 1145 | 1245 | 1441 | 1637 | 1832 |      |
| 90"        | 538   | 622 | 723 | 821 | 922  | 1020 | 1120 | 1230 | 1329 | 1541 | 1751 |      |      |
| 96"        | 553   | 640 | 753 | 861 | 969  | 1074 | 1177 | 1293 | 1397 |      |      |      |      |
| 108"       | 570   | 667 | 784 | 898 | 1016 | 1128 | 1234 | 1358 |      |      |      |      |      |

**OPTIONS: NO EXTRA CHARGE**

- Color-Coordinated Rails
- 3" Extension Bracket
- Hardware Color Override- see Hardware Color Chart on page 4 for available colors
- Light Block Strip (Inside Mount Only)

**OPTIONS: EXTRA CHARGE**

See "SIZE STANDARDS" for complete option details.

- Fabric-Wrapped Rail Option .....add \$24
- Top-Down & Top-Down/Bottom-Up .....add \$96
- Cordless Lift System\* .....add \$96
- Two-On-One Headrail\* price as 2 separate shades and add \$192  
(not available in Top-Down/Bottom-Up)
- 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091 .....\$24
- 5' to 10' Cordless Extension Pole #400036-81511 .....\$42

\*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES.  
 COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 20-21 for automation surcharges

**2" HYBRID PLEAT (Standard Rectangular)**

NOTE: A control option must be selected.

• 2" HYBRID PLEAT - SEMI-OPAQUE

| WIDTH TO:  | 18"   | 24" | 28" | 32" | 36" | 42" | 48" | 54" | 60"  | 66"  | 72"  | 78"  | 84"  | 90"  | 96"  | 108" | 120" |
|------------|-------|-----|-----|-----|-----|-----|-----|-----|------|------|------|------|------|------|------|------|------|
| HEIGHT TO: |       |     |     |     |     |     |     |     |      |      |      |      |      |      |      |      |      |
| 30"        | \$252 | 261 | 288 | 298 | 311 | 346 | 365 | 392 | 415  | 500  | 522  | 555  | 583  | 606  | 632  | 755  | 882  |
| 36"        | 261   | 269 | 298 | 311 | 327 | 362 | 388 | 418 | 445  | 533  | 559  | 594  | 618  | 649  | 679  | 808  | 942  |
| 42"        | 269   | 291 | 311 | 323 | 343 | 378 | 405 | 441 | 468  | 564  | 594  | 629  | 659  | 688  | 720  | 863  | 1003 |
| 48"        | 275   | 298 | 318 | 340 | 359 | 399 | 453 | 464 | 492  | 591  | 626  | 665  | 697  | 728  | 758  | 920  | 1059 |
| 54"        | 279   | 311 | 330 | 349 | 369 | 415 | 464 | 480 | 515  | 623  | 659  | 700  | 737  | 775  | 808  | 961  | 1119 |
| 61"        | 288   | 318 | 346 | 365 | 388 | 434 | 492 | 511 | 539  | 659  | 693  | 744  | 782  | 824  | 859  | 1016 | 1182 |
| 66"        | 311   | 343 | 369 | 392 | 415 | 453 | 496 | 529 | 564  | 688  | 723  | 775  | 811  | 859  | 897  | 1068 | 1241 |
| 73"        | 311   | 353 | 381 | 405 | 424 | 468 | 508 | 555 | 594  | 720  | 758  | 818  | 863  | 909  | 946  | 1122 |      |
| 78"        | 362   | 409 | 441 | 473 | 503 | 547 | 594 | 649 | 697  | 744  | 792  | 842  | 890  | 942  | 984  | 1173 |      |
| 84"        | 369   | 421 | 453 | 483 | 515 | 568 | 618 | 679 | 723  | 775  | 828  | 882  | 929  | 981  | 1032 |      |      |
| 90"        | 381   | 434 | 468 | 503 | 533 | 588 | 636 | 700 | 752  | 808  | 863  | 923  | 973  | 1028 | 1075 |      |      |
| 96"        | 388   | 445 | 480 | 515 | 555 | 606 | 662 | 723 | 779  | 839  | 893  | 953  | 1009 | 1064 | 1107 |      |      |
| 108"       | 421   | 487 | 533 | 574 | 618 | 685 | 752 | 828 | 893  | 958  | 1028 | 1100 |      |      |      |      |      |
| 120"       | 453   | 533 | 588 | 632 | 685 | 758 | 839 | 926 | 1003 | 1084 | 1158 |      |      |      |      |      |      |

**OPTIONS: NO EXTRA CHARGE**

- Color-Coordinated Rails
- Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- 3" Extension Bracket and 1/2" Spacer Blocks  
– maximum of 3 spacer blocks per bracket
- Hold Down Brackets
- Hardware Color Override

**OPTIONS: EXTRA CHARGE**

See "SIZE STANDARDS" for complete option details.

- Fabric-Wrapped Rail Option .....add \$24
- Continuous Cord Loop\* .....add \$60  
– Top-Down/Bottom-Up\* .....add \$156
- Cordless Lift System\* .....add \$96  
– Two-On-One Headrail\* price as 2 separate shades and add \$192  
(not available in Top-Down/Bottom-Up)
- Three-On-One Headrail\* price as 3 separate shades and add \$288  
(not available in Top-Down/Bottom-Up)
- Top-Down/Bottom-Up\* .....add \$192
- Cordless Lift & Lock .....add \$48  
– Cordless Lift & Lock Two-On-One Headrail .....add \$96  
– Cordless Lift & Lock Three-On-One Headrail .....add \$144  
– Top-Down/Bottom-Up\* .....add \$144  
– Premium Headrail Upgrade\* .....add \$18  
(Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091 .....\$24
- 5' to 10' Cordless Extension Pole #400036-81511 .....\$42
- TriLight Shades – see page 19 and pages 32-36

\*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT &amp; LOCK, AND MOTORIZED SHADES.

 COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.  
 NOTE: 2" HYBRID PLEAT IS NOT AVAILABLE WITH POWERWAND AUTOMATION.

See page 20-21 for automation surcharges

**2" HYBRID PLEAT (Standard Rectangular)**

NOTE: A control option must be selected.

• 2" HYBRID PLEAT - BLACKOUT

| WIDTH TO:  | 18"   | 24" | 28" | 32"  | 36"  | 42"  | 48"  | 54"  | 60"  | 66"  | 72"  | 78"  | 84"  | 90"  | 96"  | 108" | 120" |
|------------|-------|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| HEIGHT TO: |       |     |     |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 30"        | \$318 | 340 | 359 | 373  | 388  | 434  | 456  | 500  | 522  | 623  | 659  | 697  | 734  | 764  | 792  | 949  | 1107 |
| 36"        | 327   | 349 | 369 | 388  | 415  | 453  | 483  | 522  | 555  | 665  | 700  | 740  | 775  | 815  | 846  | 1016 | 1186 |
| 42"        | 333   | 365 | 385 | 409  | 429  | 476  | 508  | 555  | 588  | 705  | 740  | 792  | 824  | 867  | 901  | 1084 | 1257 |
| 48"        | 343   | 373 | 405 | 421  | 445  | 500  | 533  | 583  | 618  | 740  | 782  | 835  | 873  | 923  | 958  | 1146 | 1335 |
| 54"        | 349   | 388 | 418 | 437  | 468  | 515  | 559  | 606  | 649  | 779  | 824  | 882  | 926  | 973  | 1016 | 1209 | 1407 |
| 61"        | 359   | 405 | 429 | 456  | 480  | 543  | 588  | 636  | 675  | 824  | 870  | 933  | 981  | 1035 | 1075 | 1280 | 1484 |
| 66"        | 388   | 429 | 468 | 496  | 515  | 564  | 606  | 665  | 710  | 859  | 920  | 973  | 1022 | 1075 | 1126 | 1344 | 1557 |
| 73"        | 399   | 441 | 476 | 508  | 533  | 588  | 632  | 693  | 740  | 901  | 958  | 1028 | 1084 | 1142 | 1186 | 1413 |      |
| 78"        | 453   | 511 | 555 | 591  | 632  | 688  | 748  | 818  | 873  | 933  | 992  | 1064 | 1122 | 1182 | 1241 | 1474 |      |
| 84"        | 483   | 555 | 598 | 649  | 693  | 764  | 832  | 920  | 981  | 1052 | 1122 | 1203 | 1264 | 1338 | 1407 |      |      |
| 90"        | 533   | 609 | 662 | 710  | 764  | 835  | 920  | 1003 | 1079 | 1153 | 1236 | 1316 | 1393 | 1474 | 1547 |      |      |
| 96"        | 571   | 665 | 734 | 797  | 859  | 958  | 1056 | 1165 | 1257 | 1359 | 1457 | 1563 | 1658 | 1760 |      |      |      |
| 108"       | 662   | 792 | 873 | 958  | 1052 | 1173 | 1307 | 1446 | 1571 | 1699 | 1835 | 1970 |      |      |      |      |      |
| 120"       | 728   | 887 | 988 | 1094 | 1203 | 1359 | 1515 | 1685 | 1840 | 1994 | 2159 |      |      |      |      |      |      |

**OPTIONS: NO EXTRA CHARGE**

- Color-Coordinated Rails
- Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket
- Hold Down Brackets
- Hardware Color Override

**OPTIONS: EXTRA CHARGE**

See "SIZE STANDARDS" for complete option details.

- Fabric-Wrapped Rail Option .....add \$24
- Top-Down & Top-Down/Bottom-Up .....add \$96
- Continuous Cord Loop\* .....add \$60
  - Top-Down/Bottom-Up\* .....add \$156
- Cordless Lift System\* .....add \$96
  - Two-On-One Headrail\* price as 2 separate shades and add \$192 (not available in Top-Down/Bottom-Up)
  - Three-On-One Headrail\* price as 3 separate shades and add \$288 (not available in Top-Down/Bottom-Up)
  - Top-Down/Bottom-Up\* .....add \$192
- Cordless Lift & Lock .....add \$48
  - Cordless Lift & Lock Two-On-One Headrail .....add \$96
  - Cordless Lift & Lock Three-On-One Headrail .....add \$144
  - Top-Down/Bottom-Up\* .....add \$144
  - Premium Headrail Upgrade\* .....add \$18 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091 .....\$24
- 5' to 10' Cordless Extension Pole #400036-81511 .....\$42
- TriLight Shades – see page 19 and pages 32-36

\*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES.  
 COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.  
 NOTE: 2" HYBRID PLEAT IS NOT AVAILABLE WITH POWERWAND AUTOMATION.

See page 20-21 for automation surcharges

Determine the top shade price by using the charts below.

Add the sheer pleated, bottom shade and control option prices together to determine your final price.

- Carousel Sheer (96")
- Lyssa Sheer (96")
- Nova Sheer (96")
- Willa Sheer (83")

**GROUP A** (Sheer Pleated)

| WIDTH TO:  | 24"  | 30" | 36" | 42" | 48" | 54" | 60" | 66" | 72" | 84" | 96" |
|------------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| HEIGHT TO: |      |     |     |     |     |     |     |     |     |     |     |
| 36"        | \$86 | 96  | 112 | 120 | 136 | 146 | 158 | 168 | 183 | 204 | 231 |
| 42"        | 91   | 105 | 120 | 136 | 146 | 158 | 172 | 187 | 198 | 227 | 257 |
| 48"        | 99   | 112 | 129 | 143 | 158 | 172 | 187 | 201 | 217 | 251 | 284 |
| 54"        | 105  | 120 | 136 | 154 | 168 | 187 | 201 | 220 | 231 | 269 | 305 |
| 60"        | 112  | 129 | 146 | 165 | 180 | 198 | 217 | 231 | 254 | 290 | 327 |
| 66"        | 116  | 136 | 158 | 172 | 194 | 212 | 231 | 251 | 269 | 309 | 351 |
| 72"        | 120  | 143 | 165 | 183 | 204 | 223 | 245 | 269 | 290 | 333 | 379 |
| 78"        | 129  | 146 | 168 | 191 | 217 | 238 | 260 | 284 | 305 | 351 | 401 |
| 84"        | 133  | 158 | 180 | 201 | 223 | 251 | 272 | 297 | 318 | 366 | 419 |
| 90"        | 139  | 165 | 187 | 212 | 238 | 264 | 287 | 312 | 338 | 390 | 441 |
| 96"        | 143  | 168 | 194 | 223 | 251 | 272 | 302 | 327 | 351 | 408 | 463 |

**OPTIONS: NO EXTRA CHARGE**

- Cordless Lift – Single handle on shades over 42" wide
- Extension Brackets
- End Mount Brackets
- Hold Down Brackets
- Spacer Blocks
- Special Cord Loop Length
- Color Coordinated Rails

**CONTROL OPTIONS**

A CONTROL OPTION MUST BE SELECTED.

- Cordless Lift & Lock System.....add \$48
- Cordless Lift System.....add \$96
- Continuous Cord Loop .....add \$60

**OPTIONS: EXTRA CHARGE**

- Fabric wrapped rail option .....add \$24

The Automation cost factor is different from blinds/shades. If you need to access your cost factor, refer to page 4 in the General Information Guide.

**BLISS AUTOMATION OPTIONS: EXTRA CHARGE - SPECIFY ON ORDER**  
 USE APPROPRIATE CELLULAR GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.

|                                                                                                          |                                     |
|----------------------------------------------------------------------------------------------------------|-------------------------------------|
| <b>Bliss™ Lift 0.6 DC - Bottom-Up (Power Source Must be Selected and is Priced Separately)</b> .....     | add \$250 per shade                 |
| • 2-on-1 Headrail .....                                                                                  | price as 2 separate shades          |
| <b>Control Options</b>                                                                                   |                                     |
| • Bliss™ 15 Channel Remote .....                                                                         | Part #62101C00 ..... add \$50 each  |
| • Bliss™ Wall Switch .....                                                                               | Part #62109C00 ..... add \$50 each  |
| <b>Source Options</b>                                                                                    |                                     |
| • Bliss™ External Battery Pack .....                                                                     | Part #62203300 ..... add \$90 each  |
| • 15v DC Distribution Power Panel - 18 Motor .....                                                       | Part #1037300 ..... add \$500 each  |
| • 12v DC Plug In Transformer .....                                                                       | Part #62209000 ..... add \$40 each  |
| <b>Power Accessories</b>                                                                                 |                                     |
| • 8" Charger Extension .....                                                                             | Part #62206700 ..... add \$6 each   |
| • 48" Charger Extension .....                                                                            | Part #62206800 ..... add \$10 each  |
| • 48" Battery Pack Extension .....                                                                       | Part #62207000 ..... add \$6 each   |
| • Magnetic Charging Kit .....                                                                            | Part #1026665 ..... add \$40 each   |
| • Magnetic Charging Tips .....                                                                           | Part #62206200 ..... add \$6 each   |
| <b>Bliss™ Lift BU 0.6 Li-Ion - Bottom-Up (Includes Power source)</b> .....                               | add \$340 per shade                 |
| • 2-on-1 Headrail .....                                                                                  | price as 2 separate shades          |
| • Bliss™ 15 Channel Remote .....                                                                         | Part #621012C0 ..... add \$50 each  |
| • Bliss™ Wall Switch .....                                                                               | Part #621012C0 ..... add \$50 each  |
| • 8" Charger Extension .....                                                                             | Part #62206700 ..... add \$6 each   |
| • 48" Charger Extension .....                                                                            | Part #62206800 ..... add \$10 each  |
| • Magnetic Charging Kit - 90 Degree .....                                                                | Part #1027769 ..... add \$40 each   |
| • Magnetic Charging Tips .....                                                                           | Part #62206200 ..... add \$6 each   |
| <b>Note: 1-1/4" Pleat and Dimensions fabrics are Not Available with BLISS Bottom-Up Internal Battery</b> |                                     |
| <b>Bliss™ Lift TDBU 0.6 Li-Ion - Top-Down/Bottom-Up (Includes Power source)</b> .....                    | add \$360 per shade                 |
| • Bliss™ 16 Channel Remote - Top-Down/Bottom-Up .....                                                    | Part #621012C0 ..... add \$50 each  |
| • 8" Charger Extension .....                                                                             | Part #62206700 ..... add \$6 each   |
| • 48" Charger Extension .....                                                                            | Part #62206800 ..... add \$10 each  |
| • Magnetic Charging Kit - 90 Degree .....                                                                | Part #1027769 ..... add \$40 each   |
| • Magnetic Charging Tips .....                                                                           | Part #62206200 ..... add \$6 each   |
| <b>Note: 1-1/4" Pleat and Dimensions fabrics are Not Available with BLISS Top-Down/Bottom-Up</b>         |                                     |
| <b>BLISS Accessories (for both Bottom-Up and Top-Down/Bottom-Up)</b>                                     |                                     |
| • Plug In Charger Kit .....                                                                              | Part #1027720 ..... add \$30 each   |
| • Solar Panel .....                                                                                      | Part #62201000 ..... add \$120 each |
| • Bliss™ Bridge .....                                                                                    | Part #1026654 ..... add \$100 each  |

**SOMFY AUTOMATION OPTIONS: EXTRA CHARGE - SPECIFY ON ORDER (POWER SOURCE MUST BE SPECIFIED AND IS A SEPARATE CHARGE)**  
 USE APPROPRIATE CELLULAR GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.

|                                                                    |                                     |
|--------------------------------------------------------------------|-------------------------------------|
| <b>Somfy Automation Bottom Up (Cord Lift WireFree™ TL25)</b> ..... | add \$260 per shade                 |
| • 2-on-1 Headrail .....                                            | price as 2 separate shades          |
| <b>Control Options &amp; Accessories</b>                           |                                     |
| • Situo® 1 RTS .....                                               | Part #1019536 ..... add \$60 each   |
| • Situo® 5 RTS .....                                               | Part #1019537 ..... add \$84 each   |
| • Telis 16 Remote .....                                            | Part #1811081 ..... add \$300 each  |
| • Decoflex WireFree™ RTS - 1 Channel .....                         | Part #1810897 ..... add \$100 each  |
| • Decoflex WireFree™ RTS - 5 Channel .....                         | Part #1810813 ..... add \$100 each  |
| • Smoove® 1 RTS Wall Switch, Pure .....                            | Part #1811533 ..... add \$120 each  |
| • Smoove® 4 RTS Wall Switch .....                                  | Part #1019538 ..... add \$120 each  |
| • Telis 1 Chronis Remote .....                                     | Part #1805237A ..... add \$330 each |
| • Black Wall Switch Frame .....                                    | Part #9015023 ..... add \$24 each   |
| • Silver Wall Switch Frame .....                                   | Part #9015025 ..... add \$24 each   |
| • Tahoma Ethernet Adaptor .....                                    | Part #1031856 ..... add \$300 each  |
| • Tahoma Wi-Fi Interface and App .....                             | Part #1031853 ..... add \$40 each   |
| • RTS Repeater .....                                               | Part #1810791 ..... add \$300 each  |
| <b>Power Options</b>                                               |                                     |
| • Rechargeable Battery Pack .....                                  | Part #1019535 ..... add \$100 each  |
| • WireFree™ Li-ion Solar Panel Kit .....                           | Part #1026827 ..... add \$160 each  |
| • Reloadable Single Battery Wand (empty tube) ** .....             | Part #RC445268 ..... add \$36 each  |
| • Reloadable Dual Battery Wand (empty tube) ** .....               | Part #KITRDWR ..... add \$86 each   |
| • 12v DC Power Supply .....                                        | Part #1822445 ..... add \$140 each  |
| <b>Power Accessories</b>                                           |                                     |
| • Lithium-Ion Charger .....                                        | Part #9025166 ..... add \$30 each   |
| • 8" Charger Extension .....                                       | Part #9021131 ..... add \$12 each   |
| • 95" Charger Extension .....                                      | Part #9021016 ..... add \$12 each   |
| • 10" Battery Pack Extension .....                                 | Part #9018623 ..... add \$12 each   |
| • 48" Battery Pack Extension .....                                 | Part #9016736 ..... add \$12 each   |
| • 96" Battery Pack Extension .....                                 | Part #9018624 ..... add \$18 each   |

Notes: \*\* Batteries not included. Requires 8 AA Lithium-Ion batteries per wand.

When ordering multiple motorized shades/remotes, please provide programming instructions. Otherwise, all shades will be programmed to one remote.

Somfy Automation is not available with 1-1/4" fabrics

The Automation cost factor is different from blinds/shades. If you need to access your cost factor, refer to page 4 in the General Information Guide.

**POWERWAND SURCHARGE AND OPTIONS: EXTRA CHARGE - SPECIFY ON ORDER**  
USE APPROPRIATE CELLULAR GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.

|                                                                                               |                                  |
|-----------------------------------------------------------------------------------------------|----------------------------------|
| PowerWand .....                                                                               | add \$100 per shade              |
| • 2-on-1 Headrail.....                                                                        | price as 2 separate shades       |
| PowerWand™ Options (must be specified): <b>No Charge</b>                                      |                                  |
| 1) Control Side (Left or Right)                                                               |                                  |
| 2) Wand Color (Black, White, Bronze, Vanilla, or Gray)                                        |                                  |
| 3) Wand Length: 1 foot (12"), 2 feet (24"), 3 feet (36"), 4 feet (48"), 5 feet (60")          |                                  |
| • Plug In Charger Kit.....                                                                    | Part #1027720..... add \$30 each |
| <b>Note: 2" Hybrid Pleat, Dimensions and 1-1/4" fabrics are Not Available with PowerWand™</b> |                                  |

- SoftStyle 9/16" SEMI-OPAQUE (S11)
- SoftStyle 3/4" BEGINNINGS SEMI-OPAQUE (S50)
- SoftStyle 3/4" SEMI-OPAQUE (S21)

**ARCH A-SS**

| WIDTH TO:  | 24"   | 30" | 36" | 42" | 48" | 54" | 60" | 66"                                                           | 72" |
|------------|-------|-----|-----|-----|-----|-----|-----|---------------------------------------------------------------|-----|
| Stationary | \$129 | 143 | 165 | 191 | 220 | 251 | 287 | 327                                                           | 366 |
| Movable    | 183   | 209 | 238 | 272 | 309 | 351 | 397 | 452                                                           | 508 |
|            |       |     |     |     |     |     |     | 9/16", Double Cell<br>and 3/4" Blackout<br>N/A in these sizes |     |

**ARCH B-SS**

- SoftStyle DOUBLE CELL SEMI-OPAQUE (S31)

| WIDTH TO:  | 24"   | 30" | 36" | 42" | 48" | 54" | 60" |
|------------|-------|-----|-----|-----|-----|-----|-----|
| Stationary | \$146 | 165 | 191 | 223 | 254 | 293 | 333 |
| Movable    | 209   | 241 | 275 | 315 | 360 | 416 | 466 |

- SoftStyle 9/16" BLACKOUT (S13)
- SoftStyle 3/4" BLACKOUT (S23)
- SoftStyle SUBDUE 3/4" SINGLE CELL BLACKOUT (S61)
- SoftStyle DOUBLE CELL BLACKOUT (S32)

**ARCH C-SS**

| WIDTH TO:  | 24"   | 30" | 36" | 42" | 48" | 54" | 60" | 66"                                                           | 72" |
|------------|-------|-----|-----|-----|-----|-----|-----|---------------------------------------------------------------|-----|
| Stationary | \$172 | 194 | 223 | 260 | 302 | 345 | 393 | 448                                                           | 508 |
| Movable    | 245   | 284 | 318 | 371 | 422 | 484 | 547 | 623                                                           | 691 |
|            |       |     |     |     |     |     |     | 9/16", Double Cell<br>and 3/4" Blackout<br>N/A in these sizes |     |

**OPTIONS: EXTRA CHARGE**

- **Top-Down Movable Arch Extension Pole** (extends 5' to 10')  
(Part #400037-0007) .....\$42
- **Movable Arch Extension Pole**  
(extends 18"-36") Part #24-213 TEP-2L13091 .....\$24
- **Arch and Elliptical Arch** – price using width on Arch price charts for fabric desired.
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular.

**OPTIONS: EXTRA CHARGE**

- **Angle Cut** .....add \$135  
(includes Angle Top, Hexagon, Octagon & Trapezoid)
- **Circle** – price as (width price x 1.3) using the Stationary Arch price chart for the fabric desired. Use exact width desired when ordering.  
(Template required.)
- **Quarter Circle** – price as (width price x 1.3) using the Stationary Arch price chart for the fabric desired. Use exact width desired when ordering.

NOTE: Arches are not available with 1-1/4" Pleat and Beginnings Double Cell fabrics.

- SOFTSTYLE 9/16" SEMI-OPAQUE (S11)
- SOFTSTYLE 3/4" BEGINNINGS SEMI-OPAQUE (S50)
- SOFTSTYLE 3/4" SEMI-OPAQUE (S21)

## CLASSIC SKYLIGHT A-SS

| WIDTH TO:  | 24"   | 30" | 36" | 42" | 48" | 54" | 60" | 66" | 72" |
|------------|-------|-----|-----|-----|-----|-----|-----|-----|-----|
| HEIGHT TO: |       |     |     |     |     |     |     |     |     |
| 36"        | \$297 | 338 | 379 | 422 | 459 | 508 | 540 | 585 | 623 |
| 42"        | 312   | 360 | 408 | 452 | 501 | 543 | 589 | 626 | 665 |
| 48"        | 330   | 386 | 430 | 481 | 540 | 585 | 640 | 687 | 720 |
| 54"        | 351   | 412 | 463 | 515 | 585 | 618 | 687 | 730 | 776 |
| 60"        | 363   | 430 | 487 | 547 | 632 | 673 | 737 |     |     |
| 66"        | 386   | 459 | 518 | 585 | 665 | 710 | 773 |     |     |
| 72"        | 401   | 477 | 547 | 614 | 691 | 747 | 816 |     |     |

Prices in the 66" and 72" columns apply to side stack

↖ Skylight with Automation Maximum Width: 48"

## CLASSIC SKYLIGHT B-SS

- SOFTSTYLE BEGINNINGS DOUBLE CELL SEMI-OPAQUE (S51)
- SOFTSTYLE DOUBLE CELL SEMI-OPAQUE (S31)

| WIDTH TO:  | 24"   | 30" | 36" | 42" | 48" | 54" | 60" | 66" | 72" |
|------------|-------|-----|-----|-----|-----|-----|-----|-----|-----|
| HEIGHT TO: |       |     |     |     |     |     |     |     |     |
| 36"        | \$348 | 397 | 441 | 497 | 537 | 589 | 635 | 687 | 723 |
| 42"        | 363   | 419 | 477 | 534 | 585 | 640 | 691 | 737 | 780 |
| 48"        | 386   | 448 | 508 | 567 | 635 | 687 | 747 | 805 | 848 |
| 54"        | 416   | 477 | 540 | 603 | 684 | 723 | 805 | 861 | 912 |
| 60"        | 426   | 508 | 576 | 644 | 740 | 786 | 865 |     |     |
| 66"        | 452   | 537 | 609 | 687 | 776 | 835 | 909 |     |     |
| 72"        | 474   | 562 | 644 | 723 | 812 | 875 | 960 |     |     |

Prices in the 66" and 72" columns apply to side stack

↖ Skylight with Automation Maximum Width: 48"

## CLASSIC SKYLIGHT C-SS

- SOFTSTYLE 9/16" BLACKOUT (S13)
- SOFTSTYLE SUBDUE 3/4" SINGLE CELL BLACKOUT (S61)
- SOFTSTYLE 3/4" BLACKOUT (S23)
- SOFTSTYLE DOUBLE CELL BLACKOUT (S32)

| WIDTH TO:  | 24"   | 30" | 36" | 42" | 48" | 54" | 60"  | 66" | 72" |
|------------|-------|-----|-----|-----|-----|-----|------|-----|-----|
| HEIGHT TO: |       |     |     |     |     |     |      |     |     |
| 36"        | \$363 | 419 | 466 | 518 | 570 | 626 | 678  | 720 | 761 |
| 42"        | 390   | 445 | 504 | 562 | 623 | 681 | 730  | 783 | 832 |
| 48"        | 408   | 474 | 537 | 598 | 673 | 723 | 790  | 845 | 894 |
| 54"        | 441   | 508 | 576 | 640 | 730 | 766 | 848  | 912 | 967 |
| 60"        | 455   | 540 | 609 | 681 | 776 | 835 | 916  |     |     |
| 66"        | 477   | 567 | 644 | 723 | 819 | 883 | 974  |     |     |
| 72"        | 508   | 598 | 681 | 766 | 872 | 933 | 1022 |     |     |

Prices in the 66" and 72" columns apply to side stack

↖ Skylight with Automation Maximum Width: 48"

To price a Skylight with either Bliss or Somfy Automation, add the Arch price from the grids on this page to the applicable motorization surcharge on Page 20.

NOTE: PowerWand is not available in the Skylight configuration

**GROUP A-SS (Vertical Application)**

- SOFTSTYLE 3/4" BEGINNINGS SEMI-OPAQUE (S50)
- SOFTSTYLE 3/4" SEMI-OPAQUE (S21)

| WIDTH TO:  | 24"   | 30"  | 36"  | 42"  | 48"  | 54"  | 60"  | 66"  | 72"  | 78"  | 84"  | 96"  | 108" | 120" | 132" | 144" | 156" | 168" |
|------------|-------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| HEIGHT TO: |       |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 36"        | \$491 | 530  | 575  | 618  | 658  | 699  | 746  | 784  | 828  | 869  | 909  | 985  | 1059 | 1133 | 1194 | 1264 | 1364 | 1466 |
| 42"        | 522   | 572  | 618  | 673  | 715  | 759  | 815  | 858  | 905  | 954  | 992  | 1071 | 1144 | 1230 | 1299 | 1388 | 1496 | 1606 |
| 48"        | 556   | 606  | 664  | 719  | 768  | 818  | 873  | 931  | 974  | 1022 | 1074 | 1160 | 1233 | 1345 | 1412 | 1500 | 1620 | 1740 |
| 54"        | 583   | 650  | 708  | 768  | 818  | 869  | 925  | 979  | 1029 | 1079 | 1133 | 1216 | 1315 | 1416 | 1504 | 1594 | 1720 | 1848 |
| 60"        | 618   | 684  | 753  | 818  | 869  | 925  | 985  | 1040 | 1093 | 1147 | 1203 | 1306 | 1412 | 1517 | 1603 | 1712 | 1851 | 1987 |
| 66"        | 653   | 722  | 792  | 869  | 931  | 985  | 1044 | 1109 | 1164 | 1225 | 1284 | 1394 | 1504 | 1620 | 1720 | 1845 | 1991 | 2139 |
| 72"        | 691   | 759  | 841  | 921  | 982  | 1040 | 1098 | 1179 | 1233 | 1296 | 1360 | 1488 | 1600 | 1723 | 1835 | 1964 | 2123 | 2279 |
| 78"        | 722   | 804  | 889  | 962  | 1022 | 1082 | 1147 | 1230 | 1288 | 1360 | 1422 | 1559 | 1682 | 1809 | 1929 | 2064 | 2232 | 2392 |
| 84"        | 759   | 846  | 931  | 1009 | 1079 | 1144 | 1216 | 1296 | 1360 | 1439 | 1504 | 1651 | 1781 | 1916 | 2036 | 2187 | 2362 | 2539 |
| 90"        | 792   | 886  | 969  | 1056 | 1129 | 1203 | 1278 | 1364 | 1436 | 1514 | 1585 | 1736 | 1882 | 2022 | 2161 | 2308 | 2494 | 2674 |
| 96"        | 828   | 925  | 1009 | 1093 | 1172 | 1247 | 1325 | 1419 | 1493 | 1577 | 1651 | 1812 | 1953 | 2111 | 2261 | 2409 | 2597 | 2795 |
| 102"       | 861   | 959  | 1056 | 1136 | 1216 | 1302 | 1394 | 1484 | 1569 | 1651 | 1728 | 1898 | 2057 | 2212 | 2365 | 2528 | 2732 | 2934 |
| 108"       | 895   | 997  | 1093 | 1183 | 1270 | 1357 | 1456 | 1559 | 1639 | 1728 | 1809 | 1991 | 2152 | 2320 | 2482 | 2655 | 2870 | 3082 |
| 114"       | 931   | 1033 | 1133 | 1233 | 1322 | 1412 | 1517 | 1617 | 1712 | 1806 | 1885 | 2084 | 2255 | 2426 | 2606 | 2771 | 2993 | 3217 |
| 120"       | 962   | 1074 | 1216 | 1319 | 1412 | 1504 | 1617 | 1728 | 1818 | 1922 | 1991 | 2201 | 2378 | 2564 | 2742 | 2918 | 3151 | 3386 |

Note: See "Configuration Specifications" charts for any size restrictions.

**GROUP B-SS (Vertical Application)**

- SOFTSTYLE 3/4" BLACKOUT (S23)
- S61 NA WITH VA

| WIDTH TO:  | 24"   | 30"  | 36"  | 42"  | 48"  | 54"  | 60"  | 66"  | 72"  | 78"  | 84"  | 96"  | 108" | 120" | 132" | 144" | 156" | 168" |
|------------|-------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| HEIGHT TO: |       |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 36"        | \$575 | 618  | 681  | 726  | 774  | 818  | 876  | 925  | 974  | 1022 | 1067 | 1156 | 1247 | 1325 | 1398 | 1488 | 1603 | 1723 |
| 42"        | 609   | 668  | 726  | 784  | 838  | 892  | 954  | 1009 | 1063 | 1120 | 1168 | 1257 | 1345 | 1446 | 1527 | 1627 | 1758 | 1889 |
| 48"        | 650   | 711  | 781  | 846  | 895  | 962  | 1022 | 1093 | 1144 | 1203 | 1261 | 1360 | 1450 | 1581 | 1654 | 1762 | 1902 | 2044 |
| 54"        | 684   | 759  | 828  | 901  | 962  | 1022 | 1086 | 1147 | 1210 | 1264 | 1325 | 1429 | 1546 | 1660 | 1768 | 1870 | 2022 | 2171 |
| 60"        | 722   | 804  | 886  | 962  | 1022 | 1086 | 1156 | 1216 | 1288 | 1349 | 1412 | 1533 | 1657 | 1781 | 1889 | 2013 | 2178 | 2338 |
| 66"        | 768   | 851  | 931  | 1019 | 1090 | 1156 | 1225 | 1302 | 1364 | 1442 | 1504 | 1642 | 1771 | 1905 | 2022 | 2165 | 2335 | 2508 |
| 72"        | 811   | 895  | 985  | 1079 | 1151 | 1216 | 1288 | 1384 | 1446 | 1524 | 1600 | 1747 | 1879 | 2022 | 2157 | 2308 | 2494 | 2674 |
| 78"        | 851   | 943  | 1040 | 1123 | 1207 | 1270 | 1349 | 1446 | 1514 | 1600 | 1671 | 1829 | 1972 | 2130 | 2265 | 2423 | 2618 | 2816 |
| 84"        | 892   | 992  | 1093 | 1187 | 1267 | 1345 | 1426 | 1524 | 1597 | 1690 | 1768 | 1937 | 2094 | 2255 | 2395 | 2571 | 2776 | 2985 |
| 90"        | 931   | 1040 | 1139 | 1233 | 1325 | 1412 | 1500 | 1603 | 1685 | 1774 | 1860 | 2040 | 2207 | 2378 | 2536 | 2711 | 2927 | 3147 |
| 96"        | 969   | 1082 | 1183 | 1284 | 1376 | 1466 | 1563 | 1666 | 1754 | 1854 | 1937 | 2130 | 2299 | 2486 | 2655 | 2831 | 3054 | 3282 |
| 102"       | 1009  | 1123 | 1233 | 1334 | 1426 | 1530 | 1634 | 1740 | 1845 | 1940 | 2026 | 2232 | 2415 | 2601 | 2780 | 2973 | 3212 | 3454 |
| 108"       | 1056  | 1172 | 1284 | 1388 | 1493 | 1597 | 1712 | 1825 | 1925 | 2029 | 2130 | 2338 | 2533 | 2729 | 2918 | 3120 | 3370 | 3623 |
| 114"       | 1093  | 1216 | 1329 | 1446 | 1549 | 1657 | 1781 | 1902 | 2010 | 2123 | 2215 | 2447 | 2652 | 2853 | 3064 | 3259 | 3521 | 3786 |
| 120"       | 1123  | 1261 | 1426 | 1546 | 1654 | 1768 | 1898 | 2026 | 2139 | 2255 | 2344 | 2588 | 2799 | 3012 | 3221 | 3430 | 3699 | 3982 |

Note: See "Configuration Specifications" charts for any size restrictions.

**OPTIONS: NO EXTRA CHARGE**

- Spacer blocks
- Extension brackets
- Shims (OB)

**STACKING DESIGN OPTIONS**

- Left Stack
- Right Stack
- Split stack ( center opening) ..... Price as two separate shades
- Center Stack ..... add \$63 each
- Two Fabric Combo. .... Price as two separate shades

**GROUP C-SS (Vertical Application)**

• SoftStyle 1-1/4" SEMI-OPAQUE (S41)

| WIDTH TO:  | 24"   | 30"  | 36"  | 42"  | 48"  | 54"  | 60"  | 66"  | 72"  | 78"  | 84"  | 96"  | 108" | 120" | 132" | 144" | 156" | 168" |
|------------|-------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| HEIGHT TO: |       |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 36"        | \$541 | 583  | 633  | 681  | 723  | 769  | 821  | 862  | 912  | 956  | 1000 | 1084 | 1165 | 1246 | 1314 | 1391 | 1500 | 1614 |
| 42"        | 575   | 629  | 681  | 740  | 787  | 836  | 896  | 944  | 996  | 1050 | 1091 | 1178 | 1259 | 1353 | 1429 | 1527 | 1647 | 1768 |
| 48"        | 612   | 667  | 731  | 791  | 845  | 900  | 961  | 1024 | 1071 | 1125 | 1182 | 1277 | 1357 | 1479 | 1554 | 1651 | 1782 | 1915 |
| 54"        | 642   | 716  | 779  | 845  | 900  | 956  | 1018 | 1077 | 1132 | 1187 | 1246 | 1338 | 1446 | 1558 | 1654 | 1754 | 1893 | 2034 |
| 60"        | 681   | 753  | 828  | 900  | 956  | 1018 | 1084 | 1145 | 1204 | 1263 | 1323 | 1438 | 1554 | 1670 | 1764 | 1884 | 2037 | 2186 |
| 66"        | 719   | 795  | 872  | 956  | 1024 | 1084 | 1148 | 1221 | 1281 | 1348 | 1413 | 1534 | 1654 | 1782 | 1893 | 2029 | 2190 | 2353 |
| 72"        | 761   | 836  | 926  | 1013 | 1081 | 1145 | 1208 | 1298 | 1357 | 1426 | 1497 | 1637 | 1760 | 1896 | 2020 | 2161 | 2336 | 2507 |
| 78"        | 795   | 885  | 978  | 1058 | 1125 | 1190 | 1263 | 1353 | 1418 | 1497 | 1565 | 1715 | 1850 | 1990 | 2122 | 2271 | 2455 | 2631 |
| 84"        | 836   | 931  | 1024 | 1110 | 1187 | 1259 | 1338 | 1426 | 1497 | 1583 | 1654 | 1816 | 1959 | 2108 | 2239 | 2407 | 2599 | 2794 |
| 90"        | 872   | 975  | 1067 | 1162 | 1243 | 1323 | 1406 | 1500 | 1580 | 1666 | 1744 | 1910 | 2071 | 2224 | 2377 | 2539 | 2744 | 2942 |
| 96"        | 912   | 1018 | 1110 | 1204 | 1289 | 1372 | 1458 | 1561 | 1642 | 1735 | 1816 | 1993 | 2149 | 2323 | 2488 | 2650 | 2857 | 3074 |
| 102"       | 948   | 1055 | 1162 | 1250 | 1338 | 1433 | 1534 | 1633 | 1726 | 1816 | 1901 | 2088 | 2263 | 2433 | 2603 | 2781 | 3006 | 3227 |
| 108"       | 985   | 1097 | 1204 | 1302 | 1398 | 1493 | 1602 | 1715 | 1804 | 1901 | 1990 | 2190 | 2367 | 2552 | 2731 | 2921 | 3157 | 3390 |
| 114"       | 1024  | 1137 | 1246 | 1357 | 1455 | 1554 | 1670 | 1779 | 1884 | 1987 | 2074 | 2293 | 2481 | 2669 | 2867 | 3049 | 3293 | 3539 |
| 120"       | 1058  | 1182 | 1338 | 1452 | 1554 | 1654 | 1779 | 1901 | 2001 | 2115 | 2190 | 2422 | 2617 | 2820 | 3016 | 3210 | 3467 | 3725 |

**GROUP D-SS (Vertical Application)**

• SoftStyle 1-1/4" BLACKOUT (S43)

| WIDTH TO:  | 24"   | 30"  | 36"  | 42"  | 48"  | 54"  | 60"  | 66"  | 72"  | 78"  | 84"  | 96"  | 108" | 120" | 132" | 144" | 156" | 168" |
|------------|-------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| HEIGHT TO: |       |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 36"        | \$633 | 681  | 750  | 799  | 852  | 900  | 964  | 1018 | 1071 | 1125 | 1174 | 1271 | 1372 | 1458 | 1537 | 1637 | 1764 | 1896 |
| 42"        | 670   | 735  | 799  | 862  | 922  | 982  | 1050 | 1110 | 1170 | 1232 | 1285 | 1383 | 1479 | 1592 | 1680 | 1790 | 1934 | 2079 |
| 48"        | 716   | 782  | 859  | 931  | 985  | 1058 | 1125 | 1204 | 1259 | 1323 | 1387 | 1497 | 1595 | 1740 | 1819 | 1939 | 2093 | 2249 |
| 54"        | 753   | 836  | 912  | 992  | 1058 | 1125 | 1195 | 1263 | 1332 | 1391 | 1458 | 1572 | 1701 | 1827 | 1945 | 2058 | 2224 | 2389 |
| 60"        | 795   | 885  | 975  | 1058 | 1125 | 1195 | 1271 | 1338 | 1418 | 1484 | 1554 | 1687 | 1824 | 1959 | 2079 | 2215 | 2396 | 2572 |
| 66"        | 845   | 936  | 1024 | 1122 | 1199 | 1271 | 1348 | 1433 | 1500 | 1586 | 1654 | 1807 | 1948 | 2096 | 2224 | 2382 | 2569 | 2760 |
| 72"        | 893   | 985  | 1084 | 1187 | 1266 | 1338 | 1418 | 1523 | 1592 | 1676 | 1760 | 1922 | 2067 | 2224 | 2373 | 2539 | 2744 | 2942 |
| 78"        | 936   | 1037 | 1145 | 1235 | 1328 | 1398 | 1484 | 1592 | 1666 | 1760 | 1839 | 2012 | 2169 | 2343 | 2491 | 2665 | 2879 | 3098 |
| 84"        | 982   | 1091 | 1204 | 1305 | 1394 | 1479 | 1569 | 1676 | 1757 | 1860 | 1945 | 2131 | 2304 | 2481 | 2635 | 2829 | 3053 | 3284 |
| 90"        | 1024  | 1145 | 1253 | 1357 | 1458 | 1554 | 1651 | 1764 | 1853 | 1952 | 2046 | 2245 | 2429 | 2617 | 2790 | 2982 | 3221 | 3461 |
| 96"        | 1067  | 1190 | 1302 | 1413 | 1514 | 1614 | 1720 | 1833 | 1930 | 2040 | 2131 | 2343 | 2529 | 2735 | 2921 | 3114 | 3361 | 3611 |
| 102"       | 1110  | 1235 | 1357 | 1468 | 1569 | 1684 | 1798 | 1915 | 2029 | 2134 | 2230 | 2455 | 2657 | 2861 | 3059 | 3271 | 3533 | 3800 |
| 108"       | 1162  | 1289 | 1413 | 1527 | 1642 | 1757 | 1884 | 2008 | 2118 | 2233 | 2343 | 2572 | 2786 | 3002 | 3210 | 3433 | 3707 | 3985 |
| 114"       | 1204  | 1338 | 1462 | 1592 | 1705 | 1824 | 1959 | 2093 | 2212 | 2336 | 2436 | 2692 | 2918 | 3139 | 3370 | 3585 | 3874 | 4165 |
| 120"       | 1235  | 1387 | 1569 | 1701 | 1819 | 1945 | 2088 | 2230 | 2353 | 2481 | 2579 | 2848 | 3079 | 3314 | 3543 | 3773 | 4069 | 4380 |

Note: See "Configuration Specifications" charts for any size restrictions.

**OPTIONS: NO EXTRA CHARGE**

- Spacer blocks
- Shims (OB)
- Extension brackets

**STACKING DESIGN OPTIONS**

- Left Stack
- Right Stack
- Split stack ( center opening) ..... Price as two separate shades
- Center Stack ..... add \$63 each
- Two Fabric Combo. .... Price as two separate shades

**2" HYBRID PLEAT SEMI-OPAQUE** (Vertical Application)

• 2" HYBRID PLEAT – SEMI-OPAQUE (HPF)

| WIDTH TO:  | 24"   | 30"  | 36"  | 42"  | 48"  | 54"  | 60"  | 66"  | 72"  | 84"  | 96"  | 108" | 120" | 132" | 144" | 156" | 168" |
|------------|-------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| HEIGHT TO: |       |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 36"        | \$578 | 693  | 693  | 734  | 758  | 811  | 839  | 981  | 1019 | 1088 | 1142 | 1328 | 1497 | 1647 | 1796 | 1958 | 2100 |
| 42"        | 652   | 705  | 720  | 752  | 792  | 832  | 870  | 1012 | 1052 | 1134 | 1186 | 1363 | 1540 | 1692 | 1848 | 2013 | 2163 |
| 48"        | 688   | 728  | 737  | 797  | 870  | 877  | 909  | 1079 | 1107 | 1194 | 1252 | 1439 | 1647 | 1811 | 1974 | 2150 | 2313 |
| 54"        | 714   | 768  | 775  | 832  | 901  | 905  | 942  | 1115 | 1153 | 1233 | 1288 | 1489 | 1682 | 1851 | 2021 | 2202 | 2364 |
| 60"        | 717   | 792  | 792  | 870  | 939  | 942  | 973  | 1146 | 1186 | 1280 | 1352 | 1557 | 1760 | 1934 | 2109 | 2296 | 2469 |
| 66"        | 768   | 839  | 842  | 890  | 939  | 958  | 992  | 1186 | 1216 | 1307 | 1393 | 1603 | 1811 | 1994 | 2170 | 2367 | 2544 |
| 72"        | 787   | 873  | 873  | 929  | 953  | 1003 | 1042 | 1249 | 1276 | 1393 | 1477 | 1682 | 1906 | 2095 | 2285 | 2489 | 2674 |
| 78"        | 909   | 992  | 1012 | 1052 | 1091 | 1142 | 1186 | 1244 | 1280 | 1386 | 1481 | 1702 | 1919 | 2112 | 2300 | 2505 | 2694 |
| 84"        | 933   | 1019 | 1039 | 1084 | 1134 | 1186 | 1230 | 1288 | 1335 | 1442 | 1547 | 1776 | 1994 | 2188 | 2388 | 2603 | 2797 |
| 90"        | 964   | 1059 | 1059 | 1107 | 1153 | 1222 | 1271 | 1335 | 1383 | 1489 | 1603 | 1840 | 2067 | 2273 | 2479 | 2699 | 2905 |
| 96"        | 988   | 1084 | 1091 | 1138 | 1186 | 1257 | 1307 | 1366 | 1421 | 1535 | 1651 | 1890 | 2135 | 2349 | 2557 | 2789 | 2993 |
| 108"       | 1091  | 1216 | 1222 | 1280 | 1344 | 1418 | 1505 | 1571 | 1639 | 1779 | 1925 | 2202 | 2472 | 2723 | 2966 | 3230 | 3474 |
| 120"       | 1169  | 1316 | 1366 | 1439 | 1509 | 1599 | 1685 | 1779 | 1860 | 2017 | 2185 | 2496 | 2789 | 3068 | 3344 | 3643 | 3916 |

Note: Two Fabric combo NOT available with Hybrid Pleat

**2" HYBRID PLEAT BLACKOUT** (Vertical Application)

• 2" HYBRID PLEAT – BLACKOUT (HPR)

| WIDTH TO:  | 24"   | 30"  | 36"  | 42"  | 48"  | 54"  | 60"  | 66"  | 72"  | 84"  | 96"  | 108" | 120" | 132" | 144" | 156" | 168" |
|------------|-------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| HEIGHT TO: |       |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 36"        | \$659 | 700  | 710  | 748  | 775  | 828  | 855  | 1000 | 1035 | 1115 | 1161 | 1359 | 1529 | 1678 | 1832 | 1994 | 2144 |
| 42"        | 675   | 720  | 734  | 768  | 808  | 851  | 882  | 1039 | 1075 | 1153 | 1206 | 1390 | 1576 | 1734 | 1887 | 2056 | 2208 |
| 48"        | 697   | 744  | 752  | 808  | 901  | 909  | 926  | 1103 | 1130 | 1216 | 1280 | 1461 | 1682 | 1848 | 2013 | 2195 | 2356 |
| 54"        | 723   | 787  | 787  | 851  | 929  | 926  | 958  | 1138 | 1173 | 1257 | 1320 | 1525 | 1721 | 1890 | 2059 | 2245 | 2414 |
| 60"        | 734   | 808  | 808  | 882  | 984  | 964  | 992  | 1169 | 1213 | 1307 | 1371 | 1588 | 1789 | 1966 | 2144 | 2335 | 2508 |
| 66"        | 779   | 859  | 859  | 905  | 988  | 984  | 1016 | 1216 | 1241 | 1338 | 1418 | 1634 | 1848 | 2029 | 2208 | 2408 | 2589 |
| 72"        | 808   | 893  | 893  | 942  | 1003 | 1022 | 1059 | 1276 | 1299 | 1421 | 1501 | 1718 | 1941 | 2135 | 2324 | 2534 | 2723 |
| 78"        | 929   | 1012 | 1028 | 1072 | 1115 | 1169 | 1209 | 1271 | 1307 | 1413 | 1509 | 1734 | 1950 | 2147 | 2338 | 2550 | 2740 |
| 84"        | 1009  | 1107 | 1126 | 1182 | 1233 | 1299 | 1355 | 1421 | 1474 | 1599 | 1718 | 1966 | 2205 | 2426 | 2639 | 2879 | 3093 |
| 90"        | 1107  | 1216 | 1230 | 1283 | 1344 | 1413 | 1477 | 1551 | 1606 | 1741 | 1876 | 2147 | 2414 | 2659 | 2896 | 3155 | 3394 |
| 96"        | 1216  | 1363 | 1386 | 1461 | 1532 | 1634 | 1715 | 1808 | 1887 | 2056 | 2218 | 2534 | 2852 | 3137 | 3419 | 3726 | 4006 |
| 108"       | 1320  | 1509 | 1540 | 1639 | 1734 | 1848 | 1974 | 2079 | 2179 | 2391 | 2603 | 2966 | 3321 | 3657 | 3984 | 4341 | 4663 |
| 120"       | 1402  | 1627 | 1721 | 1845 | 1953 | 2092 | 2226 | 2359 | 2486 | 2713 | 2970 | 3377 | 3761 | 4137 | 4511 | 4917 | 5284 |

Note: Two Fabric combo NOT available with Hybrid Pleat

**OPTIONS: NO EXTRA CHARGE**

- Spacer blocks
- Shims (OB)
- Extension brackets


**STACKING DESIGN OPTIONS**

- Left Stack
- Right Stack
- Split stack ( center opening) ..... Price as two separate shades
- Center Stack ..... add \$63 each
- Two Fabric Combo ..... Price as two separate shades

## RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

### STANDARD CORDLOCK



All Cordlock shades can be ordered with the fabric covered headrail and bottomrail **for a surcharge**, or with the color coordinated non-wrapped rails at no additional charge. Must be specified when order is placed.

- Headrail Color – color coordinated with fabric
- Installs with standard snap-in brackets
- End mount brackets also available
- Standard cord length is 40% of the height of the shade unless otherwise specified

**2" Hybrid Pleat and 1-1/4" Pleat fabrics are not available with standard cordlock.**

#### STANDARD RECTANGULAR – SIZE STANDARDS

|                      | All Single Cell Semi-Opaque | All Double Cell Semi-Opaque | Subdue Blackout (S61) | All other Blackout Fabrics |
|----------------------|-----------------------------|-----------------------------|-----------------------|----------------------------|
| Min. Width (net)*    | 8"                          | 8"                          | 8"                    | 8"                         |
| Max. Width           | 72"                         | 72"                         | 72"                   | 72"                        |
| Max. Width-End Mount | 36"                         | 36"                         | 36"                   | 36"                        |
| Min. Height          | 12"                         | 12"                         | 12"                   | 12"                        |
| Max. Height*         | 120"                        | 120"                        | 120"                  | 120"                       |
| Max. Area (sq. ft.)  | 50                          | 50                          | 40                    | 60                         |

\* For shades under 12" widths, the maximum height is 80"

NOTE: Standard Cordlock is **not available** with 1-1/4" or 2" Hybrid Pleat Fabrics

### FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

| Inside (IB) Mount  |                |
|--------------------|----------------|
| Headrail unit      | – 3/16"        |
| Shade height       | ordered height |
| Fabric width       | – 3/8"         |
| Outside (OB) Mount |                |
| Headrail unit      | ordered width  |
| Shade height       | ordered height |
| Fabric width       | – 3/16"        |
| End (EB) Mount     |                |
| Headrail unit      | – 3/16"        |
| Shade height       | ordered height |
| Fabric width       | – 3/8"         |
| 2 on 1 Headrail    |                |
| Gap between panels | – 1/4"         |

NOTE: Measurements may vary  $\pm 1/8"$

### MOUNTING REQUIREMENTS


Use a metal tape measure for all measurements.

| Inside (IB) Mount                    |        |
|--------------------------------------|--------|
| Minimum mounting depth:              |        |
| Standard installation bracket        | 1-1/4" |
| Minimum mounting depth, flush mount: |        |
| Standard installation bracket        | 2-1/4" |
| End mount bracket                    | 2"     |
| Outside (OB) Mount                   |        |
| Minimum flat vertical surface        | 1"     |

**NOTE:** Cordlock is N/A with 2" Hybrid Pleat and 1-1/4" Fabrics

NOTE: Inside mount with hold down brackets deductions:  
 Headrail -1/2"  
 Fabric -5/8"  
 Bottomrail -1/2"

### 2 ON 1 HEADRAIL (PRICE AS 2 SEPARATE SHADES)



Cover patio doors and other large expanses by placing two independently operated shades side-by-side on the same headrail. Note: there will be a 1/4" minimum to a 1/2" maximum light gap between the two shades.

**Finished Dimensions & Mounting Requirements:**  
 see "Standard Rectangle" or "Continuous Cord" section.

#### STANDARD CORDLOCK TWO-ON-ONE – SIZE STANDARDS

|                        | All Single Cell Semi-Opaque | All Double Cell Semi-Opaque | Subdue Blackout (S61) | All other Blackout Fabrics |
|------------------------|-----------------------------|-----------------------------|-----------------------|----------------------------|
| Min. Width (per panel) | 8"                          | 8"                          | 8"                    | 8"                         |
| Min. Width (overall)   | 16"                         | 16"                         | 16"                   | 16"                        |
| Max. Width (per panel) | 72"                         | 72"                         | 72"                   | 72"                        |
| Max. Width (overall)   | 144"                        | 144"                        | 144"                  | 144"                       |
| Max. Width (end mount) | 36"                         | 36"                         | 36"                   | 36"                        |
| Min. Height            | 12"                         | 12"                         | 12"                   | 12"                        |
| Max. Height            | 120"                        | 120"                        | 120"                  | 120"                       |
| Max. Area (sq. ft.)    | 50                          | 50                          | 40                    | 60                         |


\* For shades under 12" widths, the maximum height is 80"

NOTE: Standard Cordlock is **not available** with 1-1/4" or 2" Hybrid Pleat Fabrics

## RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

### TOP-DOWN OR TOP-DOWN/BOTTOM-UP – STANDARD CORDLOCK



Conveniently open shades from the top down or from both top and bottom.

Installs with standard snap-in brackets

Top-Down/Bottom-Up features one cord connector tassel per pull cord.

#### Finished Dimensions & Mounting Requirements:

- See "Standard Rectangle" or "Cordless Lift" section.
- End mount brackets also available.

NOTE: Measurements may vary  $\pm 1/8"$

#### NOTES:

- The standard TD/BU control positions are: RIGHT operates the top-middle moving rail and LEFT operates the bottom rail. REVERSE CONTROLS also are available (operate opposite as described above). Specify REVERSE CONTROLS when ordering.
- Standard cord length is 40% of the height of the shade unless otherwise specified.

#### STANDARD CORDLOCK TOP-DOWN – SIZE STANDARDS

|                      | All Single Cell Semi-Opaque | All Double Cell Semi-Opaque | Subdue Blackout (S61) | All other Blackout Fabrics |
|----------------------|-----------------------------|-----------------------------|-----------------------|----------------------------|
| Min. Width (net)*    | 10"                         | 10"                         | 10"                   | 10"                        |
| Max. Width           | 60"                         | 60"                         | 60"                   | 60"                        |
| Max. Width-End Mount | 36"                         | 36"                         | 36"                   | 36"                        |
| Min. Height          | 12"                         | 12"                         | 12"                   | 12"                        |
| Max. Height*         | 96"                         | 96"                         | 96"                   | 96"                        |
| Max. Area (sq. ft.)  | 50                          | 50                          | 40                    | 60                         |

\* For shades under 12" widths, the maximum height is 80"

NOTE: Standard Cordlock is **not available** with 1-1/4" or 2" Hybrid Pleat Fabrics

#### STANDARD CORDLOCK TOP-DOWN/BOTTOM-UP – SIZE STANDARDS


|                      | All Single Cell Semi-Opaque | All Double Cell Semi-Opaque | Subdue Blackout (S61) | All other Blackout Fabrics |
|----------------------|-----------------------------|-----------------------------|-----------------------|----------------------------|
| Min. Width (net)*    | 10"                         | 10"                         | 10"                   | 10"                        |
| Max. Width           | 60"                         | 60"                         | 60"                   | 60"                        |
| Max. Width-End Mount | 36"                         | 36"                         | 36"                   | 36"                        |
| Min. Height          | 12"                         | 12"                         | 12"                   | 12"                        |
| Max. Height*         | 96"                         | 96"                         | 96"                   | 96"                        |
| Max. Area (sq. ft.)  | 50                          | 50                          | 40                    | 60                         |

\* For shades under 12" widths, the maximum height is 80"

NOTE: Standard Cordlock is **not available** with 1-1/4" or 2" Hybrid Pleat Fabrics

On top-down/bottom-up shades a fabric insert is standard. This is an extra two-cell fabric gasket attached to the top headrail and acts as a seal to eliminate light leakage between the headrail and center rail when the shade is closed.

### CUT-OUTS



The portion of the shade above the cut-out will not stack tightly when the shade is raised.

Available on continuous cord loop bottom-up shades only.

Not available on 2" Hybrid Pleat shades.


#### CUT-OUTS - SIZE STANDARDS

|                    |      |
|--------------------|------|
| Min. Cut-out Width | 1/8" |
| Max. Cut-out Width | 3"   |
| Min. Shade Width   | 12"  |
| Max. Shade Width   | 120" |
| Min. Shade Height  | 12"  |
| Max. Shade Height  | 120" |

# RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

## CORDLESS LIFT SYSTEM



**Uses steel snap-in brackets.** Cordless easily lifts and lowers using the bottomrail handle. No lift cord is necessary.

All Cordless shades can be ordered with the fabric covered headrail and bottomrail for a surcharge, or with the color coordinated non-wrapped rails at no additional charge. Must be specified when order is placed.

Cordless cellular shades come with a color-coordinated textured handle pre-inserted, a clear textured handle or clear plastic insert are optional.

Shades over 42" will have two handles. Single handle available, must be selected during order entry.

Cut-Outs are not available.



CORDLESS LIFT – SIZE STANDARDS


|                        | Cellular                |                       |                            | 2" Hybrid Pleat        | 1-1/4"      | 1-1/4"   |
|------------------------|-------------------------|-----------------------|----------------------------|------------------------|-------------|----------|
|                        | All Semi-Opaque Fabrics | Subdue Blackout (S61) | All other Blackout Fabrics | Semi-Opaque & Blackout | Semi-Opaque | Blackout |
| Min. Width (net)       | 16"                     | 16"                   | 16"                        | 16"                    | 16"         | 16"      |
| Max. Width             | 120"                    | 84"                   | 96"                        | 120"                   | 120"        | 120"     |
| Max. Width – End Mount | 48"                     | 48"                   | 48"                        | 42"                    | N/A         | N/A      |
| Min. Height            | 12"                     | 12"                   | 12"                        | 12"                    | 12"         | 12"      |
| Max. Height            | 84"                     | 84"                   | 84"                        | 84"                    | 84"         | 84"      |
| Max Area (sq. ft.)     | 70                      | 49                    | 56                         | 60                     | 60          | 60       |

Note: Cut-outs are not available on Cordless Lift shades.

CORDLESS LIFT TOP-DOWN/BOTTOM-UP – SIZE STANDARDS

|                        | Cellular                |                       |                            | 2" Hybrid Pleat        | 1-1/4"      | 1-1/4"   |
|------------------------|-------------------------|-----------------------|----------------------------|------------------------|-------------|----------|
|                        | All Semi-Opaque Fabrics | Subdue Blackout (S61) | All other Blackout Fabrics | Semi-Opaque & Blackout | Semi-Opaque | Blackout |
| Min. Width (net)       | 16"                     | 16"                   | 16"                        | 16"                    | 18"         | 18"      |
| Max. Width             | 96"                     | 84"                   | 96"                        | 120"                   | 96"         | 96"      |
| Max. Width – End Mount | 48"                     | 48"                   | 48"                        | 42"                    | N/A         | N/A      |
| Min. Height            | 12"                     | 12"                   | 12"                        | 12"                    | 12"         | 12"      |
| Max. Height            | 84"                     | 84"                   | 84"                        | 84"                    | 84"         | 84"      |
| Max Area (sq. ft.)     | 56                      | 49                    | 56                         | 60                     | 56          | 56       |

Note: Cut-outs are not available on Cordless Lift shades.



Top Down Bottom Up shades are now available with white striker plates and magnet caps when shades are ordered with fabric-wrapped rails. Zinc striker plates & magnets comes standard on shades ordered with color-coordinated rails.

Striker plate & magnet placement:

Shades under 42" Wide – one magnet on each end of the shade

Shades 42" - 78" wide – one magnet on each end of the shade and one offset 3" from the center cord

Shades 78" - 96" wide – one magnet on each end of the shade and one in the center of the shade.

Shades over 96" wide – one magnet on each end of the shade and one at 3" to the left and right of the center routes.

CORDLESS LIFT TWO-ON-ONE – SIZE STANDARDS

|                              | Cellular                |                       |                            | 2" Hybrid Pleat        | 1-1/4"      | 1-1/4"   |
|------------------------------|-------------------------|-----------------------|----------------------------|------------------------|-------------|----------|
|                              | All Semi-Opaque Fabrics | Subdue Blackout (S61) | All other Blackout Fabrics | Semi-Opaque & Blackout | Semi-Opaque | Blackout |
| Min Width (per panel)        | 16"                     | 16"                   | 16"                        | 16"                    | 16"         | 16"      |
| Min Width (overall)          | 32"                     | 32"                   | 32"                        | 32"                    | 32"         | 32"      |
| Max Width (per panel)        | 100"                    | 84"                   | 96"                        | 100"                   | 96"         | 96"      |
| Max Width (overall)          | 120"                    | 120"                  | 120"                       | 120"                   | 120"        | 120"     |
| Min Height                   | 12"                     | 12"                   | 12"                        | 12"                    | 12"         | 12"      |
| Max Height                   | 84"                     | 84"                   | 84"                        | 84"                    | 84"         | 84"      |
| Max Area (per panel) (Sq/Ft) | 70                      | 49                    | 56                         | 60                     | 60          | 60       |

\* Two-On-One Headrail is not available in Top-Down/Bottom-Up or Trilight

Note: End mount not available. Not available with Hold Down Brackets

Note: Cut-outs are not available on Cordless Lift shades.

CORDLESS LIFT THREE-ON-ONE – SIZE STANDARDS

|                              | Cellular                |                       |                            | 2" Hybrid Pleat        |
|------------------------------|-------------------------|-----------------------|----------------------------|------------------------|
|                              | All Semi-Opaque Fabrics | Subdue Blackout (S61) | All other Blackout Fabrics | Semi-Opaque & Blackout |
| Min Width (per panel)        | 16"                     | 16"                   | 16"                        | 16"                    |
| Min Width (overall)          | 48"                     | 48"                   | 48"                        | 48"                    |
| Max Width (per panel)        | 100"                    | 84"                   | 96"                        | 120"                   |
| Max Width (overall)          | 174"                    | 174"                  | 174"                       | 174"                   |
| Min Height                   | 12"                     | 12"                   | 12"                        | 12"                    |
| Max Height                   | 84"                     | 84"                   | 84"                        | 84"                    |
| Max Area (per panel) (Sq/Ft) | 70                      | 49                    | 56                         | 60                     |

\* Three-On-One Headrail is not available in Top-Down/Bottom-Up or Trilight

Note: End mount not available. Not available with Hold Down Brackets

Note: Cut-outs are not available on Cordless Lift shades.

Note: 1-1/4" Pleat Fabrics are not available in the 3-on-1 Configuration

## FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

|                                     | SoftStyle      | 2" Hybrid Pleat |
|-------------------------------------|----------------|-----------------|
| <b>Inside (IB) Mounts</b>           |                |                 |
| Headrail unit                       | – 1/4"         | – 1/4"          |
| Shade height                        | ordered height | ordered height  |
| Fabric width                        | – 3/8"         | – 3/8"          |
| <b>End (EB) Mounts</b>              |                |                 |
| Headrail unit                       | – 1/2"         | – 1/2"          |
| Shade height                        | ordered height | ordered height  |
| Fabric width                        | – 5/8"         | – 5/8"          |
| <b>Outside (OB) Mount</b>           |                |                 |
| Headrail unit                       | ordered width  | ordered width   |
| Shade height                        | ordered height | ordered height  |
| Fabric width                        | – 1/8"         | – 1/8"          |
| <b>2-on-1 &amp; 3-on-1 Headrail</b> |                |                 |
| Gap between panels                  | – 1/4"         | – 1/4"          |

NOTE: Measurements may vary  $\pm 1/8"$

## MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

|                                          | SoftStyle | 2" Hybrid Pleat |
|------------------------------------------|-----------|-----------------|
| <b>Inside (IB) &amp; End (EB) Mounts</b> |           |                 |
| Minimum mounting depth                   | 3/4"      | 3/4"            |
| Minimum mounting depth, flush mount:     | 2-1/8"    | 2-1/8"          |
| <b>Outside (OB) Mount</b>                |           |                 |
| Minimum flat vertical surface            | 1-1/2"    | 1-1/2"          |

NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"


Fabric -5/8"

Bottomrail -1/2"

# RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

## CORDLESS LIFT & LOCK SYSTEM



Press a button on the bottomrail to lift and lower the shade. Release the button to securely lock the shade into place.

No exposed cords on bottom up shades. Lift cords on Top-Down/Bottom-Up are on the far sides of the shade. Child-safe option.

All Cordless shades can be ordered with the fabric covered headrail and bottomrail **for a surcharge**, or with the color coordinated non-wrapped rails at **no additional charge. Must be specified** when order is placed.

Cordless Lift & Lock shades can be ordered with the Premium headrail **for a surcharge**. Premium headrail option is not available with Top-Down/Bottom-Up or Trilight.

Cordless Lift & Lock not available on 1-1/4" Pleat Fabrics.

| CORDLESS LIFT & LOCK – SIZE STANDARDS |                         |                      |                        |
|---------------------------------------|-------------------------|----------------------|------------------------|
|                                       | Cellular                |                      | 2" Hybrid Pleat        |
|                                       | All Semi-Opaque Fabrics | All Blackout Fabrics | Semi-Opaque & Blackout |
| Min. Width (net)                      | 10"                     | 10"                  | 10"                    |
| Max. Width                            | 84"                     | 84"                  | 84"                    |
| Max. Width – End Mount                | 48"                     | 48"                  | 48"                    |
| Min. Height                           | 12"                     | 12"                  | 12"                    |
| Max. Height                           | 84"                     | 84"                  | 84"                    |
| Max Area (sq. ft.)                    | 49                      | 49                   | 49                     |

Cordless Lift & Lock is NOT available with 1-1/4" Pleat fabrics

Top-Down/bottom-Up Lift & Lock shades under 42" will have one magnet in the middle.

Shades over 42" will have one magnet in the middle, and one approximately 3" from each end to provide better closure between the middle rail and top rail.

| CORDLESS LIFT & LOCK TWO-ON-ONE & THREE-ON-ONE – SIZE STANDARDS |                         |                      |                        |
|-----------------------------------------------------------------|-------------------------|----------------------|------------------------|
|                                                                 | Cellular                |                      | 2" Hybrid Pleat        |
|                                                                 | All Semi-Opaque Fabrics | All Blackout Fabrics | Semi-Opaque & Blackout |

### Two-on-One

|                              |      |      |      |
|------------------------------|------|------|------|
| Min. Width (net - per panel) | 10"  | 10"  | 10"  |
| Min Width (overall)          | 20"  | 20"  | 20"  |
| Max. Width (per panel)       | 84"  | 84"  | 84"  |
| Max. Width (overall)         | 168" | 168" | 168" |

### Three-on-One

|                                |      |      |      |
|--------------------------------|------|------|------|
| Min. Width (net - per panel)   | 10"  | 10"  | 10"  |
| Min Width (overall)            | 30"  | 30"  | 30"  |
| Max. Width (per panel)         | 84"  | 84"  | 84"  |
| Max. Width (overall)           | 168" | 168" | 168" |
| Min. Height                    | 12"  | 12"  | 12"  |
| Max. Height                    | 84"  | 84"  | 84"  |
| Max Area (per panel) (sq. ft.) | 49   | 49   | 49   |

NOTE: 2-on-1 or 3-on-1 Headrail is **not available** in Top-Down/Bottom-Up or Trilight or End Mount

Cordless Lift & Lock is NOT available with 1-1/4" Pleat fabrics

| CORDLESS LIFT & LOCK TOP-DOWN/BOTTOM-UP – SIZE STANDARDS |                         |                      |                        |
|----------------------------------------------------------|-------------------------|----------------------|------------------------|
|                                                          | Cellular                |                      | 2" Hybrid Pleat        |
|                                                          | All Semi-Opaque Fabrics | All Blackout Fabrics | Semi-Opaque & Blackout |
| Min. Width (net)                                         | 16"                     | 16"                  | 16"                    |
| Max. Width                                               | 84"                     | 84"                  | 84"                    |
| Max. Width – End Mount                                   | 48"                     | 48"                  | 42"                    |
| Min. Height                                              | 12"                     | 12"                  | 12"                    |
| Max. Height                                              | 84"                     | 84"                  | 84"                    |
| Max Area (sq. ft.)                                       | 49                      | 49                   | 49                     |

Cordless Lift & Lock is NOT available with 1-1/4" Pleat fabrics

## FINISHED DIMENSIONS – STANDARD

Adjustments are taken from ordered dimensions.

|                                     | SoftStyle      | 2" Hybrid Pleat |
|-------------------------------------|----------------|-----------------|
| <b>Inside (IB) Mounts</b>           |                |                 |
| Headrail unit (includes end caps)   | - 1/4"         | - 1/4"          |
| Shade height                        | ordered height | ordered height  |
| Fabric width                        | - 3/8"         | - 3/8"          |
| <b>End (EB) Mounts</b>              |                |                 |
| Headrail unit (includes end caps)   | - 1/2"         | - 1/2"          |
| Shade height                        | ordered height | ordered height  |
| Fabric width                        | - 5/8"         | - 5/8"          |
| <b>Outside (OB) Mount</b>           |                |                 |
| Headrail unit (includes end caps)   | ordered width  | ordered width   |
| Shade height                        | ordered height | ordered height  |
| Fabric width                        | - 1/8"         | - 1/8"          |
| <b>2-on-1 &amp; 3-on-1 Headrail</b> |                |                 |
| Gap between panels                  | -1/4"          | -1/4"           |

NOTE: Measurements may vary  $\pm 1/8"$

## MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

|                                      | Standard Headrail | SoftStyle | 2" Hybrid Pleat |
|--------------------------------------|-------------------|-----------|-----------------|
| <b>Inside (IB) Mount</b>             |                   |           |                 |
| Minimum mounting depth               |                   | 1-1/4"    | 1-1/4"          |
| Minimum mounting depth, flush mount: |                   | 2-1/4"    | 2-1/4"          |
| <b>End (EB) Mount</b>                |                   |           |                 |
| Minimum flat vertical surface        |                   | 2"        | 2"              |
| <b>Outside (OB) Mount</b>            |                   |           |                 |
| Minimum flat vertical surface        |                   | 1"        | 1"              |

|                                          | Premium Headrail | SoftStyle | 2" Hybrid Pleat |
|------------------------------------------|------------------|-----------|-----------------|
| <b>Inside (IB) &amp; End (EB) Mounts</b> |                  |           |                 |
| Minimum mounting depth                   |                  | 3/4"      | 3/4"            |
| Minimum mounting depth, flush mount:     |                  | 2-1/8"    | 2-1/8"          |
| <b>Outside (OB) Mount</b>                |                  |           |                 |
| Minimum flat vertical surface            |                  | 1-1/2"    | 1-1/2"          |

NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"


Fabric -5/8"

Bottomrail -1/2"

# RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

## CONTINUOUS CORD LOOP SYSTEM





### Uses steel snap-in brackets.

Continuous cord loop system easily lifts any shade – even large or hard-to-reach – and stops the shade exactly where you want. No more tangled cords!

All continuous cord loop shades can be ordered with the fabric covered headrail and bottomrail **for a surcharge**, or with the color coordinated non-wrapped rails at **no additional charge**. **Must be specified** when order is placed.

Continuous Cord Loop not available on 1-1/4" Pleat Fabrics.



| SHADE HEIGHT    | CORD LOOP DROP |
|-----------------|----------------|
| up to 18"       | 18" loop       |
| 18" to 42"      | 24" loop       |
| 42-1/8" - 54"   | 36" loop       |
| 54-1/8" - 72"   | 48" loop       |
| 72-1/8" - 90"   | 60" loop       |
| 90-1/8" - 110"  | 72" loop       |
| 110-1/8" - 130" | 96" loop       |
| 130-1/8" - 144" | 120" loop      |

## FINISHED DIMENSIONS – STANDARD

Adjustments are taken from ordered dimensions.

SoftStyle 2" Hybrid Pleat\*

| Inside (IB) Mount  |                |                |
|--------------------|----------------|----------------|
| Headrail unit      | - 1/4"         | - 1/4"         |
| Shade height       | ordered height | ordered height |
| Fabric width       | - 3/8"         | - 5/8"         |
| End (EB) Mounts    |                |                |
| Headrail unit      | - 1/2"         | - 1/2"         |
| Shade height       | ordered height | ordered height |
| Fabric width       | - 5/8"         | - 7/8"         |
| Outside (OB) Mount |                |                |
| Headrail unit      | ordered width  | ordered width  |
| Shade height       | ordered height | ordered height |
| Fabric width       | - 1/8"         | - 3/8"         |

\*An extra 1/4" deduction will be taken from the fabric with the Top-Down/Bottom-Up option for Hybrid Pleat

NOTE: Measurements may vary ± 1/8"

## FINISHED DIMENSIONS – 2 ON 1

Adjustments are taken from ordered dimensions.

SoftStyle 2" Hybrid Pleat

| Inside (IB) Mount                     |                |                |
|---------------------------------------|----------------|----------------|
| Headrail unit                         | - 1/4"         | - 1/4"         |
| Shade height                          | ordered height | ordered height |
| Fabric width (includes gap deduction) | - 5/8"         | - 7/8"         |
| Outside (OB) Mount                    |                |                |
| Headrail unit                         | ordered width  | ordered width  |
| Shade height                          | ordered height | ordered height |
| Fabric width                          | - 1/8"         | - 3/8"         |
| 2 on 1 Headrail                       |                |                |
| Gap between panels                    | - 1/4"         | - 1/4"         |

NOTE: Measurements may vary ± 1/8"

## CONTINUOUS CORD LOOP – SIZE STANDARDS

|                        | Cellular                |                       |                            | 2" Hybrid Pleat        |
|------------------------|-------------------------|-----------------------|----------------------------|------------------------|
|                        | All Semi-Opaque Fabrics | Subdue Blackout (S61) | All other Blackout Fabrics | Semi-Opaque & Blackout |
| Min. Width (net)*      | 18"                     | 18"                   | 18"                        | 18"                    |
| Max. Width             | 120"                    | 120"                  | 120"                       | 120"                   |
| Max. Width – End Mount | 48"                     | 48"                   | 48"                        | 42"                    |
| Min. Height            | 12"                     | 12"                   | 12"                        | 12"                    |
| Max. Height*           | 120"                    | 120"                  | 120"                       | 120"                   |
| Max. Area (sq. ft.)    | 100                     | 90                    | 100                        | 60                     |

Continuous Cord Loop is NOT available with 1-1/4" Pleat fabrics

## CONTINUOUS CORD LOOP TWO-ON-ONE – SIZE STANDARDS

|                        | Cellular                |                      | 2" Hybrid Pleat        |
|------------------------|-------------------------|----------------------|------------------------|
|                        | All Semi-Opaque Fabrics | All Blackout Fabrics | Semi-Opaque & Blackout |
| Min. Width (per panel) | 18"                     | 18"                  | 18"                    |
| Min. Width (overall)   | 36"                     | 36"                  | 36"                    |
| Max. Width (per panel) | 100"                    | 96"                  | 102"                   |
| Max. Width (overall)   | 120"                    | 120"                 | 120"                   |
| Min. Height            | 12"                     | 12"                  | 12"                    |
| Max. Height            | 120"                    | 120"                 | 120"                   |
| Max. Area (sq. ft.)    | 83                      | 80                   | 60                     |

Note: End mount not available.

Continuous Cord Loop is NOT available with 1-1/4" Pleat fabrics

## CONTINUOUS CORD LOOP TOP-DOWN/BOTTOM-UP – SIZE STANDARDS

|                        | Cellular                |                       |                            | 2" Hybrid Pleat        |
|------------------------|-------------------------|-----------------------|----------------------------|------------------------|
|                        | All Semi-Opaque Fabrics | Subdue Blackout (S61) | All other Blackout Fabrics | Semi-Opaque & Blackout |
| Min. Width (net)*      | 24"                     | 24"                   | 24"                        | 24"                    |
| Max. Width             | 120"                    | 120"                  | 120"                       | 120"                   |
| Max. Width – End Mount | 48"                     | 48"                   | 48"                        | 42"                    |
| Min. Height            | 12"                     | 12"                   | 12"                        | 12"                    |
| Max. Height*           | 120"                    | 120"                  | 120"                       | 120"                   |
| Max. Area (sq. ft.)    | 100                     | 90                    | 100                        | 60                     |

Continuous Cord Loop is NOT available with 1-1/4" Pleat fabrics

On top-down/bottom-up Cellular shades a fabric insert is standard (Does not apply to Hybrid Pleat). This is an extra two-cell fabric gasket attached to the top headrail and acts as a seal to eliminate light leakage between the headrail and center rail when the shade is closed.

Right control operates the center moving rail; left control operates the bottomrail.  
Reverse controls are available.

NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"

Fabric -5/8"

Bottomrail -1/2"

## MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

SoftStyle 2" Hybrid Pleat

| Inside (IB) Mounts                   |        |        |
|--------------------------------------|--------|--------|
| Minimum mounting depth               | 3/4"   | 3/4"   |
| Minimum mounting depth, flush mount: | 2-1/8" | 2-1/8" |
| Outside (OB) Mount                   |        |        |
| Minimum flat vertical surface        | 1-1/2" | 1-1/2" |

---

## SMART FACTS

---



- The beautiful combination of a sheer pleated shade on top and cellular or 2" Hybrid Pleat shade on the bottom provides maximum versatility in a single window covering.
- Wide array of color options from whites, neutrals, and muted tones to bold colors.
- Four sheer pleated styles in multiple colors to meet most decorating tastes.
- Semi-opaque and blackout cellular fabrics are available in multiple sizes, providing a choice for every window size and desired light and privacy control.
- Cellular fabric provides superior insulation for reduced heating and cooling bills. It also absorbs sound, making rooms more comfortable.
- The continuous cord loop option lifts any shade -- even large or hard-to-reach -- and positions it exactly where you want without any dangling cords.
- The Cordless and Cordless Lift & Lock options provide safe, simple operation by raising and lowering the shade using handles instead of cords. Ideal in homes with children and pets.

---

## SELECTING A TRILIGHT SHADE

---

1. Choose a fabric, cell size and color for the bottom shade.
  2. Choose a sheer pleated fabric for the top shade. See Sheer Pleated Color Chart.
  3. Refer to the cellular and 2" Hybrid Pleat price grids on pages 7-18 to determine your bottom shade price.
  4. Refer to the sheer pleated grids on page 19 to find your top shade price. Add the bottom shade, sheer pleated and control option prices together to determine your final price.
- TriLight Shades are available as standard rectangle only.
  - Continuous Cord Loop – right operates the middle rail; left operates the bottomrail. Reverse controls are available; grouped controls are NOT available.

## SHEER PLEATED COLOR CHART

| Nova Sheer Pleated |         |               |
|--------------------|---------|---------------|
| Style Name         | Color # | Color Name    |
| Nova Sheer         | P33-824 | Blush         |
| Nova Sheer         | P33-820 | Bridal White  |
| Nova Sheer         | P33-823 | Crème         |
| Nova Sheer         | P33-821 | Glacier White |
| Nova Sheer         | P33-822 | Light Lemon   |
| Nova Sheer         | P33-825 | Tea           |

| Carousel Sheer Pleated |         |               |
|------------------------|---------|---------------|
| Style Name             | Color # | Color Name    |
| Carousel Sheer         | P32-804 | Blush         |
| Carousel Sheer         | P32-800 | Bridal White  |
| Carousel Sheer         | P32-803 | Crème         |
| Carousel Sheer         | P32-801 | Glacier White |
| Carousel Sheer         | P32-802 | Light Lemon   |


| Willa Sheer Pleated |         |             |
|---------------------|---------|-------------|
| Style Name          | Color # | Color Name  |
| Willa Sheer         | P05-506 | Bisque      |
| Willa Sheer         | P05-508 | Chocolate   |
| Willa Sheer         | P05-504 | Crystal     |
| Willa Sheer         | P05-502 | Heirloom    |
| Willa Sheer         | P05-501 | Ice         |
| Willa Sheer         | P05-507 | Latte       |
| Willa Sheer         | P05-505 | Light Taupe |
| Willa Sheer         | P05-500 | Snow White  |
| Willa Sheer         | P05-503 | Soft Ivory  |
| Willa Sheer         | P05-509 | Twilight    |

| Lyssa Sheer Pleated |         |               |
|---------------------|---------|---------------|
| Style Name          | Color # | Color Name    |
| Lyssa Sheer         | P04-405 | Blush         |
| Lyssa Sheer         | P04-400 | Bridal White  |
| Lyssa Sheer         | P04-402 | Crème         |
| Lyssa Sheer         | P04-401 | Glacier White |
| Lyssa Sheer         | P04-403 | Light Lemon   |
| Lyssa Sheer         | P04-407 | Tea           |

| SHEER PLEATED MAXIMUM WIDTHS |     | % UV BLOCKAGE |
|------------------------------|-----|---------------|
| Nova Sheer                   | 96" | 60            |
| Carousel Sheer               | 96" | 60            |
| Willa Sheer                  | 83" | 50            |
| Lyssa Sheer                  | 96" | 60            |

## TRILIGHT CONFIGURATION SPECIFICATIONS

### TRILIGHT – CONTINUOUS CORD LOOP



Features same headrail as continuous cord loop system.

Options:

- Color-Coordinated painted rails – no extra charge
  - rails, end caps, cord loops, and cord tensioner will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
  - fabric wrap rails, end caps, cord loops, and cord tensioner will color-coordinate to the bottom (honeycomb) fabric
- Headrail can be fabric wrapped to match the top (sheer) fabric
  - surcharge applies
  - bottomrail, middle rail, end caps, cord loops, and cord tensioner will color-coordinate to the bottom (honeycomb) fabric

NOTES:

- Right loop control operates the middle rail, left loop control operates the bottomrail.

Cut-outs are not available on TriLight Shades.

TriLight option not available on 1-1/4" Pleat Fabrics.

#### CONTINUOUS CORD LOOP – SIZE STANDARDS

|                      | All Semi-<br>Opaque Fabrics | All Blackout<br>Fabrics | 2" Hybrid<br>Pleat |
|----------------------|-----------------------------|-------------------------|--------------------|
| Min. Width (net)     | 24"                         | 24"                     | 24"                |
| Max. Width*          | 83" - 96"                   | 83" - 96"               | 83" - 96"          |
| Max. Width-End Mount | 48"                         | 48"                     | 42"                |
| Min. Height          | 12"                         | 12"                     | 12"                |
| Max. Height          | 96"                         | 96"                     | 96"                |
| Max. Area (sq. ft.)  | 64                          | 50                      | 60                 |

\*See sheer pleated maximum width limitations.

TriLight **not available** with 1-1/4" fabrics

NOTE: Inside mount with hold down brackets

deductions: Headrail -1/2"

Fabric -5/8"

Bottomrail -1/2"

#### FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Measurements may vary +/- 1/8".

|                           | SoftStyle      | 2" Hybrid Pleat |
|---------------------------|----------------|-----------------|
| <b>Inside (IB) Mounts</b> |                |                 |
| Headrail unit             | - 1/4"         | - 1/4"          |
| Shade height              | ordered height | ordered height  |
| Fabric width              | - 3/8"         | - 7/8"          |
| <b>End (EB) Mounts</b>    |                |                 |
| Headrail unit             | - 1/2"         | - 1/2"          |
| Shade height              | ordered height | ordered height  |
| Fabric width              | - 5/8"         | - 1-1/8"        |
| <b>Outside (OB) Mount</b> |                |                 |
| Headrail unit             | ordered width  | ordered width   |
| Shade height              | ordered height | ordered height  |
| Fabric width              | - 1/8"         | - 5/8"          |


#### MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

|                                          | SoftStyle | 2" Hybrid Pleat |
|------------------------------------------|-----------|-----------------|
| <b>Inside (IB) &amp; End (EB) Mounts</b> |           |                 |
| Minimum mounting depth                   | 3/4"      | 3/4"            |
| Minimum mounting depth, flush mount:     | 2-1/8"    | 2-1/8"          |
| <b>Outside (OB) Mount</b>                |           |                 |
| Minimum flat vertical surface            | 1-1/2"    | 1-1/2"          |

# TRILIGHT CONFIGURATION SPECIFICATIONS

## TRILIGHT – CORDLESS



Sheer pleated lifts and lowers from the middle rail. Honeycomb and 2" Hybrid Pleat lift and lower from the bottomrail. No lift cords are necessary.

### Options:

- Color-Coordinated painted rails - no extra charge
  - Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
  - Fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric
- Headrail can be fabric wrapped to match the top (sheer) fabric - surcharge applies
  - Bottomrail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric

### NOTES:

- Shades over 42" will have two handles in the middle rail and two handles in the bottomrail. Single handle available, must be selected during order entry.

Cut-outs are not available on TriLight Shades.

TriLight option not available on 1-1/4" Pleat Fabrics.

### CORDLESS LIFT SYSTEM – SIZE STANDARDS

|                      | All Semi-<br>Opaque Fabrics | All Blackout<br>Fabrics | 2" Hybrid<br>Pleat |
|----------------------|-----------------------------|-------------------------|--------------------|
| Min. Width (net)     | 16"                         | 16"                     | 16"                |
| Max. Width**         | 83" - 96"                   | 83" - 96"               | 83" - 96"          |
| Max. Width-End Mount | 48"                         | 48"                     | 42"                |
| Min. Height          | 12"                         | 12"                     | 12"                |
| Max. Height          | 84"                         | 84"                     | 84"                |
| Max. Area (sq. ft.)  | 56                          | 49                      | 60                 |

\*See sheer pleated maximum width limitations.

TriLight **not available** with 1-1/4" fabrics

## FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.  
Measurements may vary +/- 1/8".

|                           | SoftStyle      | 2" Hybrid Pleat |
|---------------------------|----------------|-----------------|
| <b>Inside (IB) Mounts</b> |                |                 |
| Headrail unit             | – 1/4"         | – 1/4"          |
| Shade height              | ordered height | ordered height  |
| Fabric width              | – 3/8"         | – 3/8"          |
| <b>End (EB) Mounts</b>    |                |                 |
| Headrail unit             | – 1/2"         | – 1/2"          |
| Shade height              | ordered height | ordered height  |
| Fabric width              | – 5/8"         | – 5/8"          |
| <b>Outside (OB) Mount</b> |                |                 |
| Headrail unit             | ordered width  | ordered width   |
| Shade height              | ordered height | ordered height  |
| Fabric width              | – 1/8"         | – 1/8"          |

## MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

|                                          | SoftStyle | 2" Hybrid Pleat |
|------------------------------------------|-----------|-----------------|
| <b>Inside (IB) &amp; End (EB) Mounts</b> |           |                 |
| Minimum mounting depth                   | 3/4"      | 3/4"            |
| Minimum mounting depth, flush mount:     | 2-1/8"    | 2-1/8"          |
| <b>Outside (OB) Mount</b>                |           |                 |
| Minimum flat vertical surface            | 1-1/2"    | 1-1/2"          |

NOTE: Inside mount with hold down brackets deductions:



Headrail -1/2"

Fabric -5/8"

Bottomrail -1/2"

# TRILIGHT CONFIGURATION SPECIFICATIONS

## TRILIGHT – CORDLESS LIFT & LOCK



### CORDLESS LIFT & LOCK – SIZE STANDARDS

|                        | All Semi-<br>Opaque Fabrics | All Blackout<br>Fabrics | 2" Hybrid<br>Pleat<br>Fabrics |
|------------------------|-----------------------------|-------------------------|-------------------------------|
| Min. Width (net)       | 12"                         | 12"                     | 12"                           |
| Max. Width             | 84"                         | 84"                     | 84"                           |
| Max. Width - End Mount | 48"                         | 48"                     | 42"                           |
| Min. Height            | 12"                         | 12"                     | 12"                           |
| Max. Height            | 84"                         | 84"                     | 84"                           |
| Max. Area (sq. ft.)    | 49                          | 49                      | 49                            |

\*Maximum width on Whisper Sheer is 83", all other patterns 84".

TriLight **not available** with 1-1/4" fabrics

#### Options:

- Color-Coordinated painted rails - no extra charge
  - Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
  - fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric

Must be specified when order is placed.

TriLight option not available on 1-1/4" Pleat Fabrics.

### FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.  
Measurements may vary +/- 1/8".

|                           | SoftStyle      | 2" Hybrid Pleat |
|---------------------------|----------------|-----------------|
| <b>Inside (IB) Mounts</b> |                |                 |
| Headrail unit             | -1/4"          | -1/4"           |
| Shade height              | Ordered Height | Ordered Height  |
| Fabric width              | -3/8"          | -3/8"           |
| <b>End (EB) Mounts</b>    |                |                 |
| Headrail unit             | -1/2"          | -1/2"           |
| Shade height              | Ordered Height | Ordered Height  |
| Fabric width              | -5/8"          | -5/8"           |
| <b>Outside (OB) Mount</b> |                |                 |
| Headrail unit             | Ordered Width  | Ordered Width   |
| Shade height              | Ordered Height | Ordered Height  |
| Fabric width              | -1/8"          | -1/8"           |

### MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

|                                          | SoftStyle | 2" Hybrid Pleat |
|------------------------------------------|-----------|-----------------|
| <b>Inside (IB) &amp; End (EB) Mounts</b> |           |                 |
| Minimum mounting depth                   | 1-1/4"    | 1-1/4"          |
| Minimum mounting depth, flush mount:     | 2-1/4"    | 2-1/4"          |
| <b>End (OB) Mount</b>                    |           |                 |
| Minimum flat vertical surface            | 2"        | 2"              |
| <b>Outside (OB) Mount</b>                |           |                 |
| Minimum flat vertical surface            | 1"        | 1"              |

NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"  
Fabric -5/8"  
Bottomrail -1/2"

# BLISS AUTOMATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

## BLISS AUTOMATION LIFT 0.6 DC (EXTERNAL POWERSOURCE)



- DC= Requires External source of power
- Features the same headrail and bottomrail as Cordless Lift. Fabric wrapped rails are available for a surcharge. Color-coordinated rails are available at no additional charge. Must be specified when ordering.

| SIZE STANDARDS     |                      |                 |                    |                   |
|--------------------|----------------------|-----------------|--------------------|-------------------|
|                    | Bottom-Up            |                 | Top-Down/Bottom-Up |                   |
|                    | All Cellular Fabrics | 2" Hybrid Pleat | Right Side Control | Left Side Control |
| Minimum NET Width* | 18" / 24"            | 18"             | 30"                | 35"               |
| Maximum Width      | 120"                 | 120"            | 120"               | 120"              |
| Minimum Height     | 12"                  | 12"             | 18"                | 18"               |
| Maximum Height     | 108"                 | 108"            | 108"               | 108"              |

### NOTES:

- 1) Minimum width for 1-1/4" Pleat is 24"
- 2) End Mount not available
- 3) 1-1/4" Pleat is **not available** with Top-Down/Bottom-Up
- 4) Max height varies by width and fabric type. Refer to chart on page 39
- 5) Top-Down/Bottom-Up control side + charging port location  
The minimum inside mount width is 19" when ordered with hold-down brackets

## FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

|                           | Cellular       | Hybrid Pleat   |
|---------------------------|----------------|----------------|
| <b>Inside (IB) Mounts</b> |                |                |
| Headrail unit             | - 1/4"         | - 1/4"         |
| Shade height              | ordered height | ordered height |
| Fabric width              | - 3/8"         | - 3/8"         |
| <b>Outside (OB) Mount</b> |                |                |
| Headrail unit             | ordered width  | ordered width  |
| Shade height              | ordered height | ordered height |
| Fabric width              | - 1/8"         | - 1/8"         |

NOTE: Measurements may vary  $\pm 1/8"$

Adjustments are taken from ordered dimensions.

| 1-1/4" Fabrics            |                |
|---------------------------|----------------|
| <b>Inside (IB) Mounts</b> |                |
| Headrail unit             | - 1/4"         |
| Shade height              | ordered height |
| Fabric width              | - 3/8"         |
| <b>Outside (OB) Mount</b> |                |
| Headrail unit             | ordered width  |
| Shade height              | ordered height |
| Fabric width              | - 1/8"         |

NOTE: 1-1/4" Fabrics are not available with Bliss Top-Down/Bottom-Up

## MOUNTING REQUIREMENTS

### Powersource Not Mounted to Headrail

Cellular and Hybrid Pleat

|                                      |        |
|--------------------------------------|--------|
| <b>Inside (IB) Mount</b>             |        |
| Minimum mounting depth               | 3/4"   |
| Minimum mounting depth, flush mount: | 2-1/8" |
| <b>Outside (OB) Mount</b>            |        |
| Minimum flat vertical surface        | 1-1/2" |

### External Battery - Mounted to the back of the Headrail

Cellular and Hybrid Pleat

|                                     |        |
|-------------------------------------|--------|
| <b>Inside (IB) Mount</b>            |        |
| Minimum mounting depth              | 2-5/8" |
| Minimum mounting depth, flush mount | 3-1/4" |

|                               |        |
|-------------------------------|--------|
| <b>Outside (OB) Mount</b>     |        |
| Minimum flat vertical surface | 1-1/2" |

Extension Brackets required for Battery - Mounted to the back of the Headrail

Use a metal tape measure for all measurements.

### External Battery - Mounted away from the Headrail

1-1/4" Fabrics

|                                      |        |
|--------------------------------------|--------|
| <b>Inside (IB) Mount</b>             |        |
| Minimum mounting depth               | 1-5/8" |
| Minimum mounting depth, flush mount: | 3"     |
| <b>Outside (OB) Mount</b>            |        |
| Minimum flat vertical surface        | 1-1/2" |

### External Battery - Mounted to the back of the Headrail

|                                      |        |
|--------------------------------------|--------|
| <b>Inside (IB) Mount</b>             |        |
| Minimum mounting depth               | 2-5/8" |
| Minimum mounting depth, flush mount: | 4"     |
| <b>Outside (OB) Mount</b>            |        |
| Minimum flat vertical surface        | 1-1/2" |

Extension Brackets required for External Battery - Mounted to the back of the Headrail

# BLISS AUTOMATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

## BLISS AUTOMATION BU & TDBU 0.6 LI-ION (INTERNAL BATTERY)

- Li-Ion= Features Internal Battery
- Features the same headrail and bottomrail as Cordless Lift. Fabric wrapped rails are available for a surcharge. Color-coordinated rails are available at no additional charge. Must be specified when ordering.



| SIZE STANDARDS     |                  |                 |                    |                   |
|--------------------|------------------|-----------------|--------------------|-------------------|
|                    | Bottom-Up        |                 | Top-Down/Bottom-Up |                   |
|                    | Cellular Fabrics | 2" Hybrid Pleat | Right Side Control | Left Side Control |
| Minimum NET Width* | 18-1/8"          | 18-1/8"         | 30"                | 35"               |
| Maximum Width      | 120"             | 120"            | 120"               | 120"              |
| Minimum Height     | 12"              | 12"             | 18"                | 18"               |
| Maximum Height     | 108"             | 108"            | 108"               | 108"              |

### NOTES:

- 1) Max height varies by width and fabric type. Refer to chart on page 39
- 2) End Mount not available
- 3) Bottom-up & TDBU is not available with 1-1/4"  
The minimum inside mount width is 19" when ordered with hold-down brackets

| 2-on-1 HEADRAIL - SIZE STANDARDS |                  |                 |
|----------------------------------|------------------|-----------------|
|                                  | Bottom-Up        |                 |
|                                  | Cellular Fabrics | 2" Hybrid Pleat |
| Minimum NET Width (per panel)    | 20"              | 20"             |
| Minimum NET Width (overall)      | 40"              | 40"             |
| Maximum Width (per panel)        | 120"             | 120"            |
| Maximum Width (overall)          | 144"             | 144"            |
| Minimum Height                   | 12"              | 12"             |
| Maximum Height                   | 108"             | 108"            |

### NOTES:

- 1) Max height varies by width and fabric type. Refer to chart on page 39
- 2) 2-on-1 Bottom-up not available with 1-1/4"
- 3) TDBU is not available on 2-on-1

## FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

|                           | Cellular Fabrics | Hybrid Pleat   |
|---------------------------|------------------|----------------|
| <b>Inside (IB) Mounts</b> |                  |                |
| Headrail unit             | - 1/4"           | - 1/4"         |
| Shade height              | ordered height   | ordered height |
| Fabric width              | - 3/8"           | - 3/8"         |
| <b>Outside (OB) Mount</b> |                  |                |
| Headrail unit             | ordered width    | ordered width  |
| Shade height              | ordered height   | ordered height |
| Fabric width              | - 1/8"           | - 1/8"         |

NOTE: Measurements may vary  $\pm 1/8$ "

## MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

| Cellular Fabrics & Hybrid Pleat      |        |
|--------------------------------------|--------|
| <b>Inside (IB) Mount</b>             |        |
| Minimum mounting depth               | 3/4"   |
| Minimum mounting depth, flush mount: | 2-1/8" |
| <b>Outside (OB) Mount</b>            |        |
| Minimum flat vertical surface        | 1-1/2" |

| Cellular Fabrics & Hybrid Pleat     |        |
|-------------------------------------|--------|
| <b>Inside (IB) Mount</b>            |        |
| Minimum mounting depth              | 2-5/8" |
| Minimum mounting depth, flush mount | 3-1/4" |
| <b>Outside (OB) Mount</b>           |        |
| Minimum flat vertical surface       | 1-1/2" |

Extension Brackets required for Battery - Mounted to the back of the Headrail

## SIZE STANDARDS – BLISS AUTOMATION

| <b>BLISS AUTOMATION<br/>MAXIMUM HEIGHTS<br/>Bottom-Up</b> |                                                            |                    |            |            |                                 |             |
|-----------------------------------------------------------|------------------------------------------------------------|--------------------|------------|------------|---------------------------------|-------------|
| <b>CODE</b>                                               | <b>SHADE NET WIDTH TO:</b>                                 | <b>18" – 72" *</b> | <b>84"</b> | <b>96"</b> | <b>108"</b>                     | <b>120"</b> |
| S50                                                       | SoftStyle Beginnings - Semi-Opaque                         | 108"               | 108"       | 108"       | 108"                            | 108"        |
|                                                           |                                                            |                    |            |            | <b>55 Sq Ft Max - Over 96"</b>  |             |
| S51                                                       | SoftStyle Beginnings - Double Cell                         | 108"               | 108"       | 108"       | 73"                             | 66"         |
|                                                           |                                                            |                    |            |            | <b>55 Sq Ft Max - Over 96"</b>  |             |
| S11                                                       | Softstyle Semi-Opaque - Small Single Cell                  | 108"               | 108"       | 108"       | 73"                             | 66"         |
|                                                           |                                                            |                    |            |            | <b>65 Sq Ft Max - Over 96"</b>  |             |
| S21                                                       | Softstyle Semi-Opaque - Large Single Cell                  | 108"               | 108"       | 108"       | 87"                             | 78"         |
|                                                           |                                                            |                    |            |            | <b>50 Sq Ft Max - Up to 96"</b> |             |
| S31                                                       | Softstyle Semi-Opaque - Double Cell                        | 100"               | 85"        | 75"        | 60"                             | 54"         |
|                                                           |                                                            |                    |            |            | <b>80 Sq Ft Max - Over 96"</b>  |             |
| S13                                                       | Softstyle Blackout - Small Single Cell                     | 108"               | 108"       | 108"       | 106"                            | 96"         |
|                                                           |                                                            |                    |            |            | <b>80 Sq Ft Max - Over 96"</b>  |             |
| S23                                                       | Softstyle Blackout - Large Single Cell                     | 108"               | 108"       | 108"       | 106"                            | 96"         |
|                                                           |                                                            |                    |            |            | <b>55 Sq Ft Max - Up to 96"</b> |             |
| S32                                                       | SoftStyle 1/2" Double Cell Double Cell Blackout            | 108"               | 94"        | 82"        | 60"                             | 54"         |
|                                                           |                                                            |                    |            |            | <b>45 Sq Ft Max - Up to 96"</b> |             |
| S61                                                       | Softstyle Subdue Blackout                                  | 90"                | 77"        | 67"        | 46"                             | 42"         |
| <b>S41</b>                                                |                                                            |                    |            |            | <b>50 Sq Ft Max - Over 96"</b>  |             |
| S41                                                       | Softstyle Semi-Opaque - 1-1/4" Single Cell (min width 24") | 108"               | 108"       | 108"       | 67"                             | 60"         |
| <b>S43</b>                                                |                                                            |                    |            |            | <b>65 Sq Ft Max - Over 96"</b>  |             |
| S43                                                       | Softstyle Blackout - 1-1/4" Single Cell (min width 24")    | 108"               | 108"       | 108"       | 87"                             | 78"         |
|                                                           |                                                            |                    |            |            | <b>50 Sq Ft Max - Over 96"</b>  |             |
| HPF                                                       | 2" Hybrid Pleat - Semi-Opaque                              | 108"               | 108"       | 108"       | 67"                             | 60"         |
|                                                           |                                                            |                    |            |            | <b>55 Sq Ft Max - Up to 96"</b> |             |
| HPR                                                       | 2" Hybrid Pleat - Blackout                                 | 108"               | 94"        | 82"        | 53"                             | 48"         |

### **NOTES:**

**DC = Requires External source of power**

**Li-ion = Features Internal Battery**

**1) Minimum Panel Width for 1-1/4" is 24"**

**2) 2-on-1 Minimum Panel Width 20" (24" for 1-1/4")**

**3) 2-on-1 Maximum Width (overall) is 144"**

**4) For fabrics showing less than 108" Drop @ 72" wide, a square foot restriction applies and is noted**

## SIZE STANDARDS – BLISS AUTOMATION

| BLISS AUTOMATION<br>MAXIMUM HEIGHTS<br>Top-Down/Bottom-Up |                                                 |             |      |      |                          |      |
|-----------------------------------------------------------|-------------------------------------------------|-------------|------|------|--------------------------|------|
| CODE                                                      | SHADE NET WIDTH TO:                             | 18" – 72" * | 84"  | 96"  | 108"                     | 120" |
| S50                                                       | SoftStyle Beginnings - Semi-Opaque              | 108"        | 108" | 108" | 108"                     | 108" |
|                                                           |                                                 |             |      |      | 55 Sq Ft Max - Over 96"  |      |
| S51                                                       | SoftStyle Beginnings - Double Cell              | 108"        | 108" | 108" | 73"                      | 66"  |
|                                                           |                                                 |             |      |      | 55 Sq Ft Max - Over 96"  |      |
| S11                                                       | Softstyle Semi-Opaque - Small Single Cell       | 108"        | 108" | 108" | 73"                      | 66"  |
|                                                           |                                                 |             |      |      | 65 Sq Ft Max - Over 96"  |      |
| S21                                                       | Softstyle Semi-Opaque - Large Single Cell       | 108"        | 108" | 108" | 87"                      | 78"  |
|                                                           |                                                 |             |      |      | 50 Sq Ft Max - Up to 96" |      |
| S31                                                       | Softstyle Semi-Opaque - Double Cell             | 100"        | 85"  | 75"  | 60"                      | 54"  |
|                                                           |                                                 |             |      |      | 80 Sq Ft Max - Over 96"  |      |
| S13                                                       | Softstyle Blackout - Small Single Cell          | 108"        | 108" | 108" | 106"                     | 96"  |
|                                                           |                                                 |             |      |      | 80 Sq Ft Max - Over 96"  |      |
| S23                                                       | Softstyle Blackout - Large Single Cell          | 108"        | 108" | 108" | 106"                     | 96"  |
|                                                           |                                                 |             |      |      | 55 Sq Ft Max - Up to 96" |      |
| S32                                                       | SoftStyle 1/2" Double Cell Double Cell Blackout | 108"        | 94"  | 82"  | 60"                      | 54"  |
|                                                           |                                                 |             |      |      | 45 Sq Ft Max - Up to 96" |      |
| S61                                                       | Softstyle Subdue Blackout                       | 90"         | 77"  | 67"  | 46"                      | 42"  |
|                                                           |                                                 |             |      |      | 50 Sq Ft Max - Over 96"  |      |
| HPF                                                       | 2" Hybrid Pleat - Semi-Opaque                   | 108"        | 108" | 108" | 67"                      | 60"  |
|                                                           |                                                 |             |      |      | 55 Sq Ft Max - Up to 96" |      |
| HPR                                                       | 2" Hybrid Pleat - Blackout                      | 108"        | 94"  | 82"  | 53"                      | 48"  |

### NOTES:

- 1) Top-Down / Bottom-Up is **not available** with 1-1/4"
- 2) For fabrics showing less than 108" Drop @ 72" wide, a square foot restriction applies and is noted
- 3) Minimum Width for Top-Down/Bottom-Up is **30" Right Side Control** & **35" Left Side Control**  
Control Side ⇒ Location of Charging Port & Reset Button

# SOMFY AUTOMATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

## SOMFY AUTOMATION

- Features the same headrail and bottomrail as Cordless Lift, and Continuous Cord Loop. Fabric wrapped rails are available **for a surcharge**. Color-coordinated rails are available at **no additional charge**. Must be specified when ordering.



| SOMFY AUTOMATION - SIZE STANDARDS |                  |                 |
|-----------------------------------|------------------|-----------------|
|                                   | Bottom-Up        |                 |
|                                   | Cellular Fabrics | 2" Hybrid Pleat |
| Minimum NET Width                 | 18"              | 18"             |
| Maximum Width                     | 120"             | 120"            |
| Minimum Height                    | 12"              | 12"             |
| Maximum Height                    | 108"             | 108"            |

### NOTES:

- 1) Max height varies by width and fabric type. Refer to chart on page 42
  - 2) End Mount not available
  - 3) Not Available with 1-1/4"
- \*\*The minimum inside mount width is 19" when ordered with hold-down brackets

| SOMFY AUTOMATION - 2-on-1 HEADRAIL SIZE STANDARDS |                  |                 |
|---------------------------------------------------|------------------|-----------------|
|                                                   | Bottom-Up        |                 |
|                                                   | Cellular Fabrics | 2" Hybrid Pleat |
| Minimum NET Width (per panel)                     | 18"              | 18"             |
| Minimum NET Width (overall)                       | 36"              | 36"             |
| Maximum Width (per panel)                         | 120"             | 120"            |
| Maximum Width (overall)                           | 144"             | 144"            |
| Minimum Height                                    | 12"              | 12"             |
| Maximum Height                                    | 108"             | 108"            |

### NOTES:

- 1) Max height varies by width and fabric type. Refer to chart on page 42
- 2) End Mount not available
- 3) Not Available with 1-1/4"

## FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

|                           | Cellular       | Hybrid Pleat   |
|---------------------------|----------------|----------------|
| <b>Inside (IB) Mounts</b> |                |                |
| Headrail unit             | - 1/4"         | - 1/4"         |
| Shade height              | ordered height | ordered height |
| Fabric width              | - 3/8"         | - 3/8"         |
| <b>Outside (OB) Mount</b> |                |                |
| Headrail unit             | ordered width  | ordered width  |
| Shade height              | ordered height | ordered height |
| Fabric width              | - 1/8"         | - 1/8"         |

**NOTE:** Measurements may vary  $\pm 1/8"$

## MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

### Powerwand Not Mounted to Headrail

Cellular & Hybrid Pleat

|                                      |        |
|--------------------------------------|--------|
| <b>Inside (IB) Mount</b>             |        |
| Minimum mounting depth               | 3/4"   |
| Minimum mounting depth, flush mount: | 2-1/8" |
| <b>Outside (OB) Mount</b>            |        |
| Minimum flat vertical surface        | 1-1/2" |

### External Battery - Mounted to the back of the Headrail

Cellular & Hybrid Pleat

|                                     |        |
|-------------------------------------|--------|
| <b>Inside (IB) Mount</b>            |        |
| Minimum mounting depth              | 2-5/8" |
| Minimum mounting depth, flush mount | 3-1/4" |
| <b>Outside (OB) Mount</b>           |        |
| Minimum flat vertical surface       | 1-1/2" |

Extension Brackets required for Battery - Mounted to the back of the Headrail

## SOMFY AUTOMATION SIZE STANDARDS

| SOMFY AUTOMATION<br>MAXIMUM HEIGHTS<br>Bottom-Up |                                                 |             |      |      |                          |      |
|--------------------------------------------------|-------------------------------------------------|-------------|------|------|--------------------------|------|
| CODE                                             | SHADE NET WIDTH TO:                             | 18" – 72" * | 84"  | 96"  | 108"                     | 120" |
| S50                                              | SoftStyle Beginnings - Semi-Opaque              | 108"        | 108" | 108" | 108"                     | 108" |
|                                                  |                                                 |             |      |      | 75 Sq Ft Max - Over 96"  |      |
| S51                                              | SoftStyle Beginnings - Double Cell              | 108"        | 108" | 108" | 100"                     | 90"  |
|                                                  |                                                 |             |      |      | 70 Sq Ft Max - Over 96"  |      |
| S11                                              | Softstyle Semi-Opaque - Small Single Cell       | 108"        | 108" | 108" | 93"                      | 84"  |
|                                                  |                                                 |             |      |      | 85 Sq Ft Max - Over 96"  |      |
| S21                                              | Softstyle Semi-Opaque - Large Single Cell       | 108"        | 108" | 108" | 108"                     | 102" |
|                                                  |                                                 |             |      |      | 60 Sq Ft Max - Over 96"  |      |
| S31                                              | Softstyle Semi-Opaque - Double Cell             | 108"        | 108" | 108" | 80"                      | 72"  |
| S13                                              | Softstyle Blackout - Small Single Cell          | 108"        | 108" | 108" | 108"                     | 108" |
| S23                                              | Softstyle Blackout - Large Single Cell          | 108"        | 108" | 108" | 108"                     | 108" |
|                                                  |                                                 |             |      |      | 55 Sq Ft Max - Over 96"  |      |
| S32                                              | SoftStyle 1/2" Double Cell Double Cell Blackout | 108"        | 108" | 108" | 73"                      | 66"  |
|                                                  |                                                 |             |      |      | 70 Sq Ft Max - Up to 96" |      |
|                                                  |                                                 |             |      |      | 50 Sq Ft Max - Over 96"  |      |
| S61                                              | Softstyle Subdue Blackout                       | 108"        | 108" | 105" | 67"                      | 60"  |
|                                                  |                                                 |             |      |      | 70 Sq Ft Max - Over 96"  |      |
| HPF                                              | 2" Hybrid Pleat - Semi-Opaque                   | 108"        | 108" | 108" | 93"                      | 84"  |
|                                                  |                                                 |             |      |      | 55 Sq Ft Max - Over 96"  |      |
| HPR                                              | 2" Hybrid Pleat - Blackout                      | 108"        | 108" | 108" | 73"                      | 66"  |

### NOTES:

- 1) Somfy Automation not available with 1-1/4" Fabrics
- 2) 2-on-1 Minimum Panel Width 18"
- 3) 2-on-1 Maximum Width (overall) is 144"
- 4) For fabrics showing less than 108" Drop @ 72" wide, a square foot restriction applies and is noted

# POWERWAND CONFIGURATION SPECIFICATIONS

## POWERWAND



### POWERWAND - SIZE STANDARDS

|                               | Cellular Fabrics |
|-------------------------------|------------------|
| Minimum NET Width - Bottom-Up | 21"              |
| Maximum Width                 | 120"             |
| Minimum Height                | 12"              |
| Maximum Height                | 108"             |

#### NOTES:

- 1) PowerWand **not available** with 1-1/4" & 2" Hybrid Pleat
- 2) Max height varies by width and fabric type. Refer to chart on page 47  
The minimum inside mount width is 22" when ordered with hold-down brackets

**PLEASE NOTE-** At narrower widths the bottomrail may not travel smoothly during operation. This is an inherent characteristic and not considered a defect.

### Powerwand – 2-on-1- SIZE STANDARDS

| Two-on-One Headrail           |                  |
|-------------------------------|------------------|
|                               | Cellular Fabrics |
| Minimum NET Width - Per Panel | 24-1/4"          |
| Minimum NET Width - Overall   | 48-1/2"          |
| Maximum Width - Per Panel     | 120"             |
| Maximum Width - Overall       | 144"             |
| Minimum Height                | 12"              |
| Maximum Height                | 108"             |

Powerwand is not available with 1-1/4" or Hybrid pleat

**NOTE:** Max height varies by width and fabric type. Refer to chart on page 39

## FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Cellular Fabrics

| Inside (IB) Mounts |                |
|--------------------|----------------|
| Headrail unit      | – 1/4"         |
| Shade height       | ordered height |
| Fabric width       | – 3/8"         |
| Outside (OB) Mount |                |
| Headrail unit      | ordered width  |
| Shade height       | ordered height |
| Fabric width       | – 1/8"         |

**NOTE:** Measurements may vary  $\pm 1/8"$

**NOTE:** PowerWand is **not available** with Hybrid Pleat or 1-1/4"

## MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Cellular Fabrics

| Inside (IB) Mount                    |        |
|--------------------------------------|--------|
| Minimum mounting depth               | 3/4"   |
| Minimum mounting depth, flush mount: | 2-1/8" |
| Outside (OB) Mount                   |        |
| Minimum flat vertical surface        | 1-1/2" |

## POWERWAND SIZE STANDARDS

| POWERWAND<br>MAXIMUM HEIGHTS |                                                 |             |      |      |                          |      |
|------------------------------|-------------------------------------------------|-------------|------|------|--------------------------|------|
| CODE                         | SHADE NET WIDTH TO:                             | 21" – 72" * | 84"  | 96"  | 108"                     | 120" |
| S50                          | SoftStyle Beginnings - Semi-Opaque              | 108"        | 108" | 108" | 108"                     | 108" |
|                              |                                                 |             |      |      | 55 Sq Ft Max - Over 96"  |      |
| S51                          | SoftStyle Beginnings - Double Cell              | 108"        | 108" | 108" | 73"                      | 66"  |
|                              |                                                 |             |      |      | 55 Sq Ft Max - Over 96"  |      |
| S11                          | Softstyle Semi-Opaque - Small Single Cell       | 108"        | 108" | 108" | 73"                      | 66"  |
|                              |                                                 |             |      |      | 65 Sq Ft Max - Over 96"  |      |
| S21                          | Softstyle Semi-Opaque - Large Single Cell       | 108"        | 108" | 108" | 87"                      | 78"  |
|                              |                                                 |             |      |      | 50 Sq Ft Max - Up to 96" |      |
| S31                          | Softstyle Semi-Opaque - Double Cell             | 100"        | 85"  | 75"  | 60"                      | 54"  |
|                              |                                                 |             |      |      | 80 Sq Ft Max - Over 96"  |      |
| S13                          | Softstyle Blackout - Small Single Cell          | 108"        | 108" | 108" | 106"                     | 96"  |
|                              |                                                 |             |      |      | 80 Sq Ft Max - Over 96"  |      |
| S23                          | Softstyle Blackout - Large Single Cell          | 108"        | 108" | 108" | 106"                     | 96"  |
|                              |                                                 |             |      |      | 55 Sq Ft Max - Up to 96" |      |
| S32                          | SoftStyle 1/2" Double Cell Double Cell Blackout | 108"        | 94"  | 82"  | 60"                      | 54"  |
|                              |                                                 |             |      |      | 45 Sq Ft Max - Up to 96" |      |
| S61                          | Softstyle Subdue Blackout                       | 90"         | 77"  | 67"  | 46"                      | 42"  |


### NOTES:

- 1) PowerWand is not available with 1-1/4" and Hybrid Pleat
- 2) PowerWand minimum panel width is 21"
- 3) PowerWand 2-on-1 Minimum Panel Width 24-1/4"
- 4) PowerWand 2-on-1 Maximum Width (overall) is 144"
- 5) For fabrics showing less than 108" Drop @ 72" wide, a square foot restriction applies and is noted


# VERTICAL APPLICATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

- Fits rectangular window and door openings
- Opens and closes from side to side; ideal for sliding glass doors & French doors
- Five fabric stacking options:
  - 1) left stack
  - 2) right stack
  - 3) split stack (center opening)
  - 4) center stack
  - 5) two fabric combo



## Top Rail Dimensions



| VERTICAL APPLICATION – SIZE STANDARDS      |                               |                            |                               |                        |                        |
|--------------------------------------------|-------------------------------|----------------------------|-------------------------------|------------------------|------------------------|
|                                            | Cellular                      |                            | Beginnings                    | 2" Hybrid Pleat        | 1-1/4" Single Cell     |
|                                            | Large Single Cell Semi-Opaque | Large Single Cell Blackout | Large Single Cell Semi-Opaque | Semi-Opaque & Blackout | Semi-Opaque & Blackout |
| Min. Width                                 | 12"                           | 12"                        | 12"                           | 12"                    | 12"                    |
| Max. Width <b>Side &amp; Center Stack</b>  | 168"                          | 168"                       | 120"                          | 120"                   | 120"                   |
| Max. Width <b>Split Stack</b>              | 336"                          | 336"                       | 240"                          | 240"                   | 240"                   |
| Max. Width <b>Two Fabric Combo</b>         | 168"                          | 168"                       | 120"                          | N/A                    | 120"                   |
| Min. Height                                | 24"                           | 24"                        | 24"                           | 24"                    | 24"                    |
| Max. Height                                | 120"                          | 120"                       | 120"                          | 120"                   | 120"                   |
| Max Sq. ft. <b>Side &amp; Center Stack</b> | 120/panel                     | 120/panel                  | 100/ panel                    | 100/ panel             | 100/ panel             |
| Max Sq. ft. <b>Split Stack</b>             | 120/panel                     | 120/panel                  | 100/ panel                    | 100/ panel             | 100/ panel             |
| Max Sq. ft. <b>Two Fabric Combo</b>        | 120/panel                     | 120/panel                  | 100/ panel                    | 100/ panel             | 100/ panel             |

NOTE: Vertical Application **not available** with Small Single or Double Cell Cellular fabrics or Subdue Blackout

NOTE: Stack is 6-1/2" space per side when fully opened, regardless of shade width

- Split stack up to 336"
- Two Fabric Combo Shade:
  - Not available for Hybrid Pleat
  - Hardware color follows the fabric that stacks on the left
  - CANNOT combine two different pleat sizes
  - Max width use the smaller of the two fabrics

## Standard Valance Returns

|               |        |
|---------------|--------|
| 3/4" Pleat    | 3-1/4" |
| 1-1/4" Pleat  | 4"     |
| Hybrid Fabric | 4-3/8" |

## VERTICAL APPLICATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

### FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.  
Measurements may vary +/- 1/8".

|                           | Cellular       | Hybrid Pleat   |
|---------------------------|----------------|----------------|
| <b>Inside (IB) Mount</b>  |                |                |
| Headrail unit             | - 1/2"         | - 1/2"         |
| Shade height              | - 1/2"         | - 1/2"         |
| Valance width (non-flush) | + 1-1/4"       | + 1-1/4"       |
| Valance width (flush)     | - 1/8"         | - 1/8"         |
| <b>Outside (OB) Mount</b> |                |                |
| Headrail unit             | - 1/2"         | - 1/2"         |
| Shade height              | ordered height | ordered height |
| Valance width             | + 1-1/4"       | + 1-1/4"       |
| <b>Standard Returns</b>   |                |                |
| Outside Mount             | 3-1/8"         | 4-1/4"         |
| Inside Non Flush Mount*   | 1-1/2"         | 1-1/2"         |

### MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

|                                      | Cellular | Hybrid Pleat |
|--------------------------------------|----------|--------------|
| <b>Inside (IB) Mount</b>             |          |              |
| Minimum mounting depth               | 15/16"   | 15/16"       |
| Minimum mounting depth, flush mount: | 3-5/8"   | 4-1/2"       |
| <b>Outside (OB) Mount</b>            |          |              |
| Minimum flat vertical surface        | 5/8"     | 5/8"         |

\*For each spacer block, 1/2" will be added to the length of the valance returns. For extension brackets, 2" will be added unless otherwise specified.

### HARDWARE COLOR

- Refer to the hardware color Guide and reference guide for the 10 coordinating configuration colors available.

### EXCLUSIONS

- All 9/16" Single, Double Cell, and Large Single Subdue Blackout


### VERTICAL APPLICATION ORDERING NOTES

- Specify inside (IB), outside (OB), inside non flush mount, or flush mount.
- Specify stacking configuration – left stack, right stack, split stack, or center stack. On split stack shades, both panels will be of equal width, unless otherwise specified. Center stacks are a surcharge option.
- Inside non flush mount valance returns are 1-1/2" if returns are selected\*
- Standard handle height is 40" to 50" from bottom of moving rail; specify any desired variation from this standard.
- Standard installation hardware (brackets) provided.
- Also refer to vertical application measuring in "General Information" section. NOTE: Cut-outs can be done on movable and stationary rail. 1" is the only cut-out width available for Vertical Application shades. 6" is the maximum cut-out height and the height is measured from the floor to the top of the desired cut-out location.

Cut-outs are not available on 2" Hybrid Pleat.

# CLASSIC SKYLIGHT CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.




This easy to operate system holds shades in place.  
Perfect for skylights and other windows beyond reach.




- Hardware color: Aspen White (785)
- Manually operated with handle
- Ends of headrail, moving rail and anchor rail are enclosed by side tracks
- Features 2-cell fabric gasket attached to headrail; eliminates light leakage when shade is closed
- 5' adjustable extension pole – extends to 10'

| STACK LOCATION: |        |      | WINDOW POSITION: |        |            |
|-----------------|--------|------|------------------|--------|------------|
|                 |        |      |                  |        |            |
| Top             | Bottom | Side | Vertical         | Sloped | Horizontal |

Note: Pleats will have a vertical orientation when side stack is ordered.



Optional Extension Pole  
Extends 5' to 10'  
(Part #400036-81511)



## FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

| Inside (IB) Mount  |                |
|--------------------|----------------|
| Headrail unit      | – 3/16"        |
| Shade height       | ordered height |
| Fabric width       | – 3/4"         |
| Outside (OB) Mount |                |
| Headrail unit      | + 3/4"         |
| Shade height       | ordered height |
| Fabric width       | ordered width  |

NOTE: Measurements may vary  $\pm 1/8$ "

NOTE: All finished dimensions include side tracks.

## CLASSIC SKYLIGHT – SIZE STANDARDS

|                    | Cellular    |
|--------------------|-------------|
|                    | All Fabrics |
| Min. Width         | 18"         |
| Max. Width         | 60"         |
| Min. Height        | 12"         |
| Max. Height        | 72"         |
| Max Area (sq. ft.) | 25          |

NOTE: Classic Skylight is **not available** with 2" Hybrid Pleat or 1-1/4" Pleat Fabrics

NOTE: Shades over 36" wide require support cords.  
Rail stiffener is required when shade is over 42" wide.

## CLASSIC SKYLIGHT SIDE STACK – SIZE STANDARDS

|                    | Cellular    |
|--------------------|-------------|
|                    | All Fabrics |
| Min. Width         | 12"         |
| Max. Width         | 72"         |
| Min. Height        | 18"         |
| Max. Height        | 60"         |
| Max Area (sq. ft.) | 25          |

NOTE: Classic Skylight is **not available** with 2" Hybrid Pleat or 1-1/4" Pleat Fabrics

## MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

| Inside (IB) Mount                    |        |
|--------------------------------------|--------|
| Minimum mounting depth IB:           | 1-1/4" |
| Minimum mounting depth, flush mount: | 2-1/2" |
| Outside (OB) Mount                   |        |
| Minimum flat vertical surface        | 1"     |

# SKYLIGHT WITH AUTOMATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

## SKYLIGHT WITH AUTOMATION

Motorized Skylights are different than Classic Skylight. Key differences include:

- Headrail and Bottomrail are identical and are the same rail used with standard Motorized shades.



Bliss and SOMFY Automation:

- Fabric stacks to the top of the window – between the moving rail and headrail



| SKYLIGHT with Automation – SIZE STANDARDS |                      |
|-------------------------------------------|----------------------|
|                                           | All Cellular Fabrics |
| Minimum Width                             | 18"                  |
| Maximum Width                             | 48"                  |
| Minimum Height                            | 12"                  |
| Maximum Height                            | 72"                  |

\* Skylight Automation not available with 2" Hybrid Pleat or 1-1/4" Fabrics

### Features

- Inside Mount only
- White Tiara (661) aluminum head and bottom rails. White vinyl side rails
- Use radio frequency controlled Bliss or Somfy Automation motors
- Wireless remote control operates individual or groups of shades

### Operation & Installation Tips

- Skylight with Bliss and Somfy Automation have the option of an external battery pack that can be installed on the back of the headrail. Consider adding a Battery Extension Cable to the order for installation flexibility. The part may be daisy-chained for additional flexibility.
- Shades installed into windows with metal casings may have a reduced radio frequency range, or may not operate at all
- Do not let the antenna on the motor touch any metal objects. This may interfere with signals from the remote control.
- Make sure to leave the top of the headrail open (motor exposed), do not cover; especially with metal materials. This could result in a reduced radio frequency range for the remote control or the shade may not operate at all.
- Motorized Skylights will NOT operate properly if installed in a completely horizontal application. The minimum recommended slope is 5%.

## FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

| Inside (IB) Mount |                |
|-------------------|----------------|
| Headrail unit     | – 3/16"        |
| Shade height      | ordered height |
| Fabric width      | – 1-1/4"       |

## HEADRAIL & BOTTOMRAIL DIMENSIONS

|                                      |        |
|--------------------------------------|--------|
| Depth of Rail                        | 2"     |
| Depth of Rail & Bracket              | 2-1/4" |
| Depth of Rail, Side Tracks & Bracket | 2-1/2" |
| Height of Rail                       | 1-1/2" |

NOTE: Skylight is **not available** with 2" Hybrid Pleat or 1-1/4" Fabrics

NOT AVAILABLE with PowerWand.

## MOUNTING REQUIREMENTS

- Should not be more than 1/2" out of square to perform as intended
- The widest width of the window cannot exceed the narrowest width of the window by more than 3/8"
- For Skylight Automation the shade must be mounted with the fabric at the top or the highest point in the window.

### Bliss Automation

#### External Battery - Mounted away from the Headrail

| Inside (IB) Mounts         |        |
|----------------------------|--------|
| Minimum mounting depth, IB | 2-1/2" |

#### External Battery - Mounted to the back of the Headrail

| Inside (IB) Mounts         |        |
|----------------------------|--------|
| Minimum mounting depth, IB | 3-1/2" |

### NOTE:

The dimensions of the external battery add an extra 1" to the mounting depth requirements if it is mounted to the back of the headrail.

# SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

## ARCHES

Refer to "Extra Charge Options" for Surcharge and Price Information

### INSIDE MOUNT

Locate shape below.

Width: Measure exact width(s)

Height: Measure exact height(s)

### OUTSIDE MOUNT

Locate shape below.

Width: Measure desired width(s)

Height: Measure desired height(s)

## FAN-FOLD ARCHES


### NON-MOVABLE ARCH (PERFECT ARCH = EXACT 1/2 CIRCLE, TEMPLATE REQUIRED)

#### FAN-FOLD STATIONARY PERFECT ARCH

Must be perfect arch.



Come standard with arch disc



Width (Diameter)

|             | SIZE STANDARDS    |                                          |
|-------------|-------------------|------------------------------------------|
|             | SoftStyle         | SoftStyle                                |
|             | Large Semi-Opaque | Double Cell - Semi-Opaque & All Blackout |
| Min. Width  | 12"               | 12"                                      |
| Max. Width  | 72"               | 60"                                      |
| Min. Height | 6"                | 6"                                       |
| Max. Height | 36"               | 30"                                      |

Not available with Beginnings Double Cell, 1-1/4" Pleat or 2" Hybrid Pleat


Note: Straight Side Arch is Not Available with Fan-Fold Stationary Perfect Arch




### MOVABLE ARCH (PERFECT ARCH = EXACT 1/2 CIRCLE, TEMPLATE REQUIRED)

#### FAN-FOLD OPERABLE PERFECT ARCH

Must be perfect arch. Specify L or R arch orientation when ordering.



Shown Here - Fan Fold Left



Width (Diameter)

|             | SIZE STANDARDS    |                                          |
|-------------|-------------------|------------------------------------------|
|             | SoftStyle         | SoftStyle                                |
|             | Large Semi-Opaque | Double Cell - Semi-Opaque & All Blackout |
| Min. Width  | 12"               | 12"                                      |
| Max. Width  | 72"               | 60"                                      |
| Min. Height | 6"                | 6"                                       |
| Max. Height | 36"               | 30"                                      |

Not available with Small Single, Beginnings Double Cell, 1-1/4" Pleat or 2" Hybrid Pleat

Note: Straight Side Arch is Not Available with Fan-Fold Operable Perfect Arch



Note: all fan-fold arches require the use of small, clear clips to be installed around the outer edge, which holds the fabric in place. The fabric must be slid out of the clips before the arch can be operated.


### NON-MOVABLE ELLIPTICAL ARCH (TEMPLATE REQUIRED)

#### FAN-FOLD STATIONARY ELLIPTICAL ARCH

Non-perfect arch.



Come standard with arch disc



Width (Diameter)

|             | SIZE STANDARDS            |                                          |
|-------------|---------------------------|------------------------------------------|
|             | SoftStyle                 | SoftStyle                                |
|             | Large & Small Semi-Opaque | Double Cell - Semi-Opaque & All Blackout |
| Min. Width  | 12"                       | 12"                                      |
| Max. Width  | 72"                       | 60"                                      |
| Min. Height | 1/4 width (6" min)        | 1/4 width (6" min)                       |
| Max. Height | 1/2 width                 | 1/2 width                                |

Not available with Beginnings Double Cell, 1-1/4" Pleat or 2" Hybrid Pleat


Note: Straight Side Arch is Not Available with Fan-Fold Stationary Elliptical Arch




## TOP-DOWN MOVABLE ARCH (TEMPLATE REQUIRED)

#### TOP-DOWN OPERABLE PERFECT ARCH

Must be perfect arch. (Template required)



Fabric Pleats Oriented Horizontally.




Width (Diameter)

|             | SIZE STANDARDS    |                                          |
|-------------|-------------------|------------------------------------------|
|             | SoftStyle         | SoftStyle                                |
|             | Large Semi-Opaque | Double Cell - Semi-Opaque & All Blackout |
| Min. Width  | 18"               | 12"                                      |
| Max. Width  | 72"               | 60"                                      |
| Min. Height | 6"                | 6"                                       |
| Max. Height | 36"               | 30"                                      |


Not available with Small Single, Beginnings Double Cell, 1-1/4" Pleat or 2" Hybrid Pleat

#### TOP-DOWN OPERABLE ELLIPTICAL ARCH

Non-perfect arch. (Template required)



Fabric Pleats Oriented Horizontally.



Width (Diameter)

|                  | SIZE STANDARDS    |                                          |
|------------------|-------------------|------------------------------------------|
|                  | SoftStyle         | SoftStyle                                |
|                  | Large Semi-Opaque | Double Cell - Semi-Opaque & All Blackout |
| Min. Width       | 18"               | 18"                                      |
| Max. Width       | 72"               | 60"                                      |
| Min. Arch Height | 1/4 width         | 1/4 width                                |
| Max. Height      | 60"               | 60"                                      |

Not available with Small Single, Beginnings Double Cell, 1-1/4" Pleat or 2" Hybrid Pleat



Optional Top-Down Movable Arch Extension Pole

Extends 5' to 10' (Part #400037-0007)

Available as Inside (IB) Mount ONLY

Specify arch trim at order entry:

661 Tiara White

320 Rich Cream

Top-down arches will have a "flared" look to them when lowered. This is a natural characteristic of this product.  
Arch trim kit included with Top-Down arches - available in White Tiara (661) & Rich Cream (320) - See the hardware guides for color example.

# SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

## CIRCLES, QUARTER CIRCLES & ANGLE CUTS (TEMPLATE REQUIRED)

Refer to "Extra Charge Options" for Surcharge and Price Information

### INSIDE MOUNT

Locate shape of window.

Width: Measure exact width(s)

Height: Measure exact height(s)

Diagonal: Measure height of diagonal(s) (for Angle Cuts)

### OUTSIDE MOUNT


Locate shape of window.

Width: Measure desired width(s)

Height: Measure desired height(s)


Diagonal: Measure length of diagonal(s) (for Angle Cuts)

## CIRCLES & QUARTER CIRCLE (TEMPLATE REQUIRED)



| SIZE STANDARDS        |             |
|-----------------------|-------------|
|                       | All Fabrics |
| Min. Width (diameter) | 12"         |
| Max. Width (diameter) | 42"         |
| Min. Height           | N/A         |
| Max. Height           | N/A         |

Not available with 2" Hybrid Pleat




| SIZE STANDARDS |             |
|----------------|-------------|
|                | All Fabrics |
| Min. Width     | 12"         |
| Max. Width     | 42"         |
| Min. Height    | N/A         |
| Max. Height    | N/A         |

Not available with 2" Hybrid Pleat

Non-operable ONLY

## ANGLE CUTS (TEMPLATE REQUIRED)

### ANGLED TOP (TEMPLATE REQUIRED)



- Shaded area represents the non-movable area of the shade. The fabric will stack below the dotted line.
- Cordlock must always be at the lower end of the headrail

#### Operable Angle Top


|                      | SoftStyle Semi-<br>Opaque Fabrics | SoftStyle Blackout<br>Fabrics | SoftStyle Double<br>Cell Fabrics |
|----------------------|-----------------------------------|-------------------------------|----------------------------------|
| Minimum Height (L/R) | 12"                               | 12"                           | 12"                              |
| Maximum Height       | 84"                               | 72"                           | 84"                              |
| Maximum Area (sq ft) | 60                                | 60                            | 30                               |
| MINIMUM SLOPE WIDTH  |                                   |                               |                                  |
| 0 - 30 Angle         | 12                                | 12                            | 12                               |
| MAXIMUM SLOPE WIDTH  |                                   |                               |                                  |
| 0 - 30 Angle         | 60"                               | 60"                           | 60"                              |

#### Non-Operable Angle Top


|                      | SoftStyle Semi-<br>Opaque Fabrics | SoftStyle Blackout<br>Fabrics | SoftStyle Double<br>Cell Fabrics |
|----------------------|-----------------------------------|-------------------------------|----------------------------------|
| Minimum Height (L/R) | 3"                                | 3"                            | 3"                               |
| Maximum Height       | 84"                               | 72"                           | 84"                              |
| Maximum Area (sq ft) | 60                                | 60                            | 30                               |
| MINIMUM SLOPE WIDTH  |                                   |                               |                                  |
| 0 - 30 Angle         | 12                                | 12                            | 12                               |
| MAXIMUM SLOPE WIDTH  |                                   |                               |                                  |
| 0 - 30 Angle         | 60"                               | 60"                           | 60"                              |

NOTE: Angle Top is **not available** with 2" Hybrid Pleat or 1-1/4" Fabrics

### HEXAGON & OCTAGON (TEMPLATE REQUIRED)



Hexagon



Octagon


| SIZE STANDARDS |              |
|----------------|--------------|
|                | All Fabrics* |
| Min. Width     | 8"           |
| Max. Width     | 30"          |
| Min. Height    | 8"           |
| Max. Height    | 30"          |

\*Not available with 2" Hybrid Pleat

- Minimum width and minimum height – 8"
- Maximum width and maximum height – 30"

Non-operable ONLY

## TRAPEZOID (ALL PATTERNS) (TEMPLATE REQUIRED)



Non-operable ONLY

| SIZE STANDARDS |              |
|----------------|--------------|
|                | All Fabrics* |
| Min. Width     | 8"           |
| Max. Width     | 72"          |
| Min. Height    | 9"           |
| Max. Height    | 96"          |

\*Not available with 2" Hybrid Pleat

- Minimum width – 8"
- Maximum width of long rail – 72"
- Maximum reduction for short rail – 9" per side
- Maximum height – 96"
- Maximum area (sq. ft.) – 40

## SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

### ARCHES & QUARTER CIRCLES

#### FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

| Inside (IB) Mount  |                |
|--------------------|----------------|
| Rail unit          | - 3/16"        |
| Arch height        | ordered height |
| Fabric width       | - 3/8"         |
| Outside (OB) Mount |                |
| Rail unit          | + 3/16"        |
| Arch height        | ordered height |
| Fabric width       | ordered width  |

NOTE: Measurements may vary  $\pm 1/8$ "

#### MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

| Inside (IB) Mount                    |        |
|--------------------------------------|--------|
| Minimum mounting depth:              |        |
| Standard installation bracket        | 1-1/4" |
| Minimum mounting depth, flush mount: |        |
| Standard installation bracket        | 2-1/4" |
| Outside (OB) Mount                   |        |
| Minimum flat vertical surface        | 1"     |

### CIRCLES

#### FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

| Inside (IB) Mount  |               |
|--------------------|---------------|
| Rail unit          | - 1/16"       |
| Arch height        | - 3/32"       |
| Fabric width       | - 3/8"        |
| Outside (OB) Mount |               |
| Rail unit          | + 3/32"       |
| Arch height        | + 1/32"       |
| Fabric width       | ordered width |

NOTE: Measurements may vary  $\pm 1/8$ "

#### MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

| Inside (IB) Mount             |        |
|-------------------------------|--------|
| Minimum mounting depth        | 1-7/8" |
| Outside (OB) Mount            |        |
| Minimum flat vertical surface | 5/8"   |

### ANGLES

#### FINISHED DIMENSIONS

Finished dimensions vary depending on the degree of the angle.

NOTE: Measurements may vary  $\pm 1/8$ "

#### MOUNTING REQUIREMENTS

| Inside (IB) Mount                    |        |
|--------------------------------------|--------|
| Minimum mounting depth:              |        |
| Standard installation bracket        | 1-1/4" |
| Minimum mounting depth, flush mount: |        |
| Standard installation bracket        | 2-1/4" |
| End mount bracket                    | 2"     |
| Outside (OB) Mount                   |        |
| Minimum flat vertical surface        | 1"     |

### SPECIALTY SHAPES

#### FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

| Inside (IB) Mount  |                |
|--------------------|----------------|
| Rail unit          | - 3/16"        |
| Arch height        | ordered height |
| Fabric width       | - 3/8"         |
| Outside (OB) Mount |                |
| Rail unit          | + 3/16"        |
| Arch height        | ordered height |
| Fabric width       | ordered width  |

NOTE: Measurements may vary  $\pm 1/8$ "

#### MOUNTING REQUIREMENTS

SAME AS ARCHES & QUARTER CIRCLES

## SIZE STANDARDS SUMMARY BY CONFIGURATION & FABRIC

| CELLULAR                       |                             |                                  | 2" HYBRID PLEAT | 1-1/4"          |          |
|--------------------------------|-----------------------------|----------------------------------|-----------------|-----------------|----------|
| All Semi-<br>Opaque<br>Fabrics | Subdue<br>Blackout<br>(S61) | All other<br>Blackout<br>Fabrics | All Fabrics     | Semi-<br>Opaque | Blackout |

### Standard Cordlock

|                       |      |      |      |     |
|-----------------------|------|------|------|-----|
| Min Width (net) *     | 8"   | 8"   | 8"   | N/A |
| Max Width             | 72"  | 72"  | 72"  |     |
| Max Width - End Mount | 36"  | 36"  | 36"  |     |
| Min Height            | 12"  | 12"  | 12"  |     |
| Max Height            | 120" | 120" | 120" |     |
| Max Area (Sq/Ft)      | 50   | 40   | 60   |     |

### Standard Cordlock - Top-Down

|                       |     |     |     |     |
|-----------------------|-----|-----|-----|-----|
| Min Width (net) *     | 10" | 10" | 10" | N/A |
| Max Width             | 60" | 60" | 60" |     |
| Max Width - End Mount | 36" | 36" | 36" |     |
| Min Height            | 12" | 12" | 12" |     |
| Max Height            | 96" | 96" | 96" |     |
| Max Area (Sq/Ft)      | 50  | 40  | 60  |     |

### Standard Cordlock - Top-Down/ Bottom-Up

|                       |     |     |     |     |
|-----------------------|-----|-----|-----|-----|
| Min Width (net) *     | 10" | 10" | 10" | N/A |
| Max Width             | 60" | 60" | 60" |     |
| Max Width - End Mount | 36" | 36" | 36" |     |
| Min Height            | 12" | 12" | 12" |     |
| Max Height            | 96" | 96" | 96" |     |
| Max Area (Sq/Ft)      | 50  | 40  | 60  |     |

### Standard Cordlock - Two-On-One Headrail

|                               |      |      |      |     |
|-------------------------------|------|------|------|-----|
| Min Width (per panel) (net) * | 8"   | 8"   | 8"   | N/A |
| Min Width (overall)           | 16"  | 16"  | 16"  |     |
| Max Width (per panel)         | 72"  | 72"  | 72"  |     |
| Max Width (overall)           | 120" | 120" | 120" |     |
| Max Width - End Mount         | 36"  | 36"  | 36"  |     |
| Min Height                    | 12"  | 12"  | 12"  |     |
| Max Height                    | 120" | 120" | 120" |     |
| Max Area (Sq/Ft)              | 50   | 40   | 60   |     |

### Continuous Cord Loop

|                       |      |      |      |      |     |
|-----------------------|------|------|------|------|-----|
| Min Width (net)       | 18"  | 18"  | 18"  | 18"  | N/A |
| Max Width             | 120" | 120" | 120" | 120" |     |
| Max Width – End Mount | 48"  | 48"  | 48"  | 42"  |     |
| Min Height            | 12"  | 12"  | 12"  | 12"  |     |
| Max Height            | 120" | 120" | 120" | 120" |     |
| Max Area (Sq/Ft)      | 100  | 90   | 100  | 60   |     |

### Continuous Cord Loop - Top-Down/Bottom-Up

|                       |      |      |      |      |     |
|-----------------------|------|------|------|------|-----|
| Min Width (net)       | 24"  | 24"  | 24"  | 24"  | N/A |
| Max Width             | 120" | 120" | 120" | 120" |     |
| Max Width – End Mount | 48"  | 48"  | 48"  | 42"  |     |
| Min Height            | 12"  | 12"  | 12"  | 12"  |     |
| Max Height            | 120" | 120" | 120" | 120" |     |
| Max Area (Sq/Ft)      | 100  | 90   | 100  | 60   |     |

### Continuous Cord Loop - Two-On-One Headrail

|                             |      |      |      |      |     |
|-----------------------------|------|------|------|------|-----|
| Min Width (per panel) (net) | 18"  | 18"  | 18"  | 18"  | N/A |
| Min Width (overall)         | 36"  | 36"  | 36"  | 36"  |     |
| Max Width (per panel)       | 100" | 96"  | 96"  | 102" |     |
| Max Width (overall)         | 120" | 120" | 120" | 120" |     |
| Min Height                  | 12"  | 12"  | 12"  | 12"  |     |
| Max Height                  | 120" | 120" | 120" | 120" |     |
| Max Area (Sq/Ft)            | 83   | 80   | 80   | 60   |     |

# SIZE STANDARDS SUMMARY BY CONFIGURATION & FABRIC

| CELLULAR                       |                             |                                  | 2" HYBRID PLEAT | 1-1/4"          |          |
|--------------------------------|-----------------------------|----------------------------------|-----------------|-----------------|----------|
| All Semi-<br>Opaque<br>Fabrics | Subdue<br>Blackout<br>(S61) | All other<br>Blackout<br>Fabrics | All Fabrics     | Semi-<br>Opaque | Blackout |

## Cordless Lift System

|                       |      |     |     |      |      |      |
|-----------------------|------|-----|-----|------|------|------|
| Min Width (net)       | 16"  | 16" | 16" | 16"  | 16"  | 16"  |
| Max Width             | 120" | 84" | 96" | 120" | 120" | 120" |
| Max Width - End Mount | 48"  | 48" | 48" | 42"  | N/A  | N/A  |
| Min Height            | 12"  | 12" | 12" | 12"  | 12"  | 12"  |
| Max Height            | 84"  | 84" | 84" | 84"  | 84"  | 84"  |
| Max Area (Sq/Ft)      | 70   | 49  | 56  | 60   | 60   | 60   |

## Cordless Lift System - Top-Down/ Bottom-Up

|                       |     |     |     |      |     |     |
|-----------------------|-----|-----|-----|------|-----|-----|
| Min Width (net)       | 16" | 16" | 16" | 16"  | 18" | 18" |
| Max Width             | 96" | 84" | 96" | 120" | 96" | 96" |
| Max Width - End Mount | 48" | 48" | 48" | 42"  | N/A | N/A |
| Min Height            | 12" | 12" | 12" | 12"  | 12" | 12" |
| Max Height            | 84" | 84" | 84" | 84"  | 84" | 84" |
| Max Area (Sq/Ft)      | 56  | 49  | 56  | 60   | 56  | 56  |

## Cordless Lift - Two-On-One Headrail

|                              |      |      |      |      |      |      |
|------------------------------|------|------|------|------|------|------|
| Min Width (per panel) (net)  | 16"  | 16"  | 16"  | 16"  | 16"  | 16"  |
| Min Width (overall)          | 32"  | 32"  | 32"  | 32"  | 32"  | 32"  |
| Max Width (per panel)        | 100" | 84"  | 96"  | 100" | 96"  | 96"  |
| Max Width (overall)          | 120" | 120" | 120" | 120" | 120" | 120" |
| Min Height                   | 12"  | 12"  | 12"  | 12"  | 12"  | 12"  |
| Max Height                   | 84"  | 84"  | 84"  | 84"  | 84"  | 84"  |
| Max Area (per panel) (Sq/Ft) | 70   | 49   | 56   | 60   | 60   | 60   |

## Cordless Lift - Three-On-One Headrail

|                              |      |      |      |      |     |
|------------------------------|------|------|------|------|-----|
| Min Width (per panel) (net)  | 16"  | 16"  | 16"  | 16"  | N/A |
| Min Width (overall)          | 48"  | 48"  | 48"  | 48"  |     |
| Max Width (per panel)        | 120" | 84"  | 96"  | 120" |     |
| Max Width (overall)          | 174" | 174" | 174" | 174" |     |
| Min Height                   | 12"  | 12"  | 12"  | 12"  |     |
| Max Height                   | 84"  | 84"  | 84"  | 84"  |     |
| Max Area (per panel) (Sq/Ft) | 70   | 49   | 56   | 60   |     |

## Cordless Lift & Lock

|                       |     |     |     |     |     |
|-----------------------|-----|-----|-----|-----|-----|
| Min Width (net)       | 10" | 10" | 10" | 10" | N/A |
| Max Width             | 84" | 84" | 84" | 84" |     |
| Max Width - End Mount | 48" | 48" | 48" | 48" |     |
| Min Height            | 12" | 12" | 12" | 12" |     |
| Max Height            | 84" | 84" | 84" | 84" |     |
| Max Area (Sq/Ft)      | 49  | 49  | 49  | 49  |     |

## Cordless Lift & Lock - Top-Down/ Bottom-Up

|                       |     |     |     |     |     |
|-----------------------|-----|-----|-----|-----|-----|
| Min Width (net)       | 16" | 16" | 16" | 16" | N/A |
| Max Width             | 84" | 84" | 84" | 84" |     |
| Max Width - End Mount | 48" | 48" | 48" | 42" |     |
| Min Height            | 12" | 12" | 12" | 12" |     |
| Max Height            | 84" | 84" | 84" | 84" |     |
| Max Area (Sq/Ft)      | 49  | 49  | 49  | 49  |     |

## Cordless Lift & Lock - Two-On-One Headrail

|                              |      |      |      |      |     |
|------------------------------|------|------|------|------|-----|
| Min Width (per panel) (net)  | 10"  | 10"  | 10"  | 10"  | N/A |
| Min Width (overall)          | 20"  | 20"  | 20"  | 20"  |     |
| Max Width (per panel)        | 84"  | 84"  | 84"  | 84"  |     |
| Max Width (overall)          | 168" | 168" | 168" | 168" |     |
| Min Height                   | 12"  | 12"  | 12"  | 12"  |     |
| Max Height                   | 84"  | 84"  | 84"  | 84"  |     |
| Max Area (per panel) (Sq/Ft) | 49   | 49   | 49   | 49   |     |

## Cordless Lift & Lock - Three-On-One Headrail

|                              |      |      |      |      |     |
|------------------------------|------|------|------|------|-----|
| Min Width (per panel) (net)  | 10"  | 10"  | 10"  | 10"  | N/A |
| Min Width (overall)          | 30"  | 30"  | 30"  | 30"  |     |
| Max Width (per panel)        | 84"  | 84"  | 84"  | 84"  |     |
| Max Width (overall)          | 168" | 168" | 168" | 168" |     |
| Min Height                   | 12"  | 12"  | 12"  | 12"  |     |
| Max Height                   | 84"  | 84"  | 84"  | 84"  |     |
| Max Area (per panel) (Sq/Ft) | 49   | 49   | 49   | 49   |     |

## SIZE STANDARDS SUMMARY BY CONFIGURATION & FABRIC

| CELLULAR                       |                             |                                  | 2" HYBRID PLEAT | 1-1/4"          |          |
|--------------------------------|-----------------------------|----------------------------------|-----------------|-----------------|----------|
| All Semi-<br>Opaque<br>Fabrics | Subdue<br>Blackout<br>(S61) | All other<br>Blackout<br>Fabrics | All Fabrics     | Semi-<br>Opaque | Blackout |

### TriLight Shades - Continuous Cord Loop

|                       |           |         |           |           |     |
|-----------------------|-----------|---------|-----------|-----------|-----|
| Min Width (net)       | 24"       | 24"     | 24"       | 24"       | N/A |
| Max Width             | 83" - 96" | 83"-96" | 83" - 96" | 83" - 96" |     |
| Max Width - End Mount | 48"       | 48"     | 48"       | 42"       |     |
| Min Height            | 12"       | 12"     | 12"       | 12"       |     |
| Max Height            | 96"       | 96"     | 96"       | 96"       |     |
| Max Area (Sq/Ft)      | 64        | 50      | 50        | 60        |     |

\* The cellular fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < cellular max width.

\*\* Willa Sheer maximum width is 83"

### TriLight Shades - Cordless

|                       |           |         |           |           |     |
|-----------------------|-----------|---------|-----------|-----------|-----|
| Min Width (net)       | 16"       | 16"     | 16"       | 16"       | N/A |
| Max Width             | 83" - 96" | 83"-96" | 83" - 96" | 83" - 96" |     |
| Max Width - End Mount | 48"       | 48"     | 48"       | 42"       |     |
| Min Height            | 12"       | 12"     | 12"       | 12"       |     |
| Max Height            | 84"       | 84"     | 84"       | 84"       |     |
| Max Area (Sq/Ft)      | 56        | 49      | 49        | 60        |     |

\* The cellular fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < cellular max width.

\*\* Willa Sheer maximum width is 83"

### TriLight Shades - Cordless Lift & Lock

|                       |     |     |     |     |     |
|-----------------------|-----|-----|-----|-----|-----|
| Min Width (net)       | 12" | 12" | 12" | 12" | N/A |
| Max Width             | 84" | 84" | 84" | 84" |     |
| Max Width - End Mount | 48" | 48" | 48" | 42" |     |
| Min Height            | 12" | 12" | 12" | 12" |     |
| Max Height            | 84" | 84" | 84" | 84" |     |
| Max Area (Sq/Ft)      | 49  | 49  | 49  | 49  |     |

\* The cellular fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < cellular max width.

\*\* Willa Sheer maximum width is 83"

### Vertical Application

|                                          |           |     |           |           |           |           |
|------------------------------------------|-----------|-----|-----------|-----------|-----------|-----------|
| Min Width                                | 12"       | N/A | 12"       | 12"       | 12"       | 12"       |
| Max Width <b>Side &amp; Center Stack</b> | 168"      |     | 168"      | 120"      | 120"      | 120"      |
| Max Width <b>Split Stack</b>             | 336"      |     | 336"      | 240"      | 240"      | 240"      |
| Max Width <b>Two Fabric Combo</b>        | 168"      |     | 168"      | N/A       | 120"      | 120"      |
| Min Height                               | 24"       |     | 24"       | 24"       | 24"       | 24"       |
| Max Height                               | 120"      |     | 120"      | 120"      | 120"      | 120"      |
| Max Area <b>Side &amp; Center Stack</b>  | 120/Panel |     | 120/Panel | 100/Panel | 100/Panel | 100/Panel |
| Max Area <b>Split Stack</b>              | 120/Panel |     | 120/Panel | 100/Panel | 100/Panel | 100/Panel |
| Max Area <b>Two Fabric Combo</b>         | 120/Panel |     | 120/Panel | N/A       | 100/Panel | 100/Panel |

## SIZE STANDARDS SUMMARY BY CONFIGURATION & FABRIC

| CELLULAR                  |                        |                                      | 2" HYBRID PLEAT | 1-1/4"      |          |
|---------------------------|------------------------|--------------------------------------|-----------------|-------------|----------|
| Large & Small Semi-Opaque | Large & Small Blackout | Double Cell - Semi-Opaque & Blackout | All Fabrics     | Semi-Opaque | Blackout |

### Classic Skylight

|                  |     |     |     |     |
|------------------|-----|-----|-----|-----|
| Min Width        | 18" | 18" | 18" | N/A |
| Max Width        | 60" | 60" | 60" |     |
| Min Height       | 12" | 12" | 12" |     |
| Max Height       | 72" | 72" | 72" |     |
| Max Area (Sq/Ft) | 25  | 25  | 25  |     |

### Classic Skylight – Side Stack

|                  |     |     |     |     |
|------------------|-----|-----|-----|-----|
| Min Width        | 12" | 12" | 12" | N/A |
| Max Width        | 72" | 72" | 72" |     |
| Min Height       | 18" | 18" | 18" |     |
| Max Height       | 60" | 60" | 60" |     |
| Max Area (Sq/Ft) | 25  | 25  | 25  |     |

### Skylight with Bliss or SOMFY Automation

|                  |     |     |     |     |
|------------------|-----|-----|-----|-----|
| Min Width        | 18" | 18" | 18" | N/A |
| Max Width        | 48" | 48" | 48" |     |
| Min Height       | 12" | 12" | 12" |     |
| Max Height       | 72" | 72" | 72" |     |
| Max Area (Sq/Ft) | N/A | N/A | N/A |     |

### Non-Movable Perfect Arch (Fan-Fold)

|            |     |     |     |     |
|------------|-----|-----|-----|-----|
| Min Width  | 12" | 12" | 12" | N/A |
| Max Width  | 72" | 60" | 60" |     |
| Min Height | 6"  | 6"  | 6"  |     |
| Max Height | 36" | 30  | 30  |     |

\*Beginnings Double Cell N/A

### Movable Perfect Arch (Fan-Fold)

|            |     |     |     |     |
|------------|-----|-----|-----|-----|
| Min Width  | 12" | 12" | 12" | N/A |
| Max Width  | 72" | 60" | 60" |     |
| Min Height | 6"  | 6"  | 6"  |     |
| Max Height | 36" | 30  | 30  |     |

\*Small Single and Beginnings Double Cell N/A

### Non-Movable Elliptical Arch (Fan-Fold)

|            |                        |     |     |     |
|------------|------------------------|-----|-----|-----|
| Min Width  | 12"                    | 12" | 12" | N/A |
| Max Width  | 72"                    | 60" | 60" |     |
| Min Height | 1/4 width (6" minimum) |     |     |     |
| Max Height | 1/2 width              |     |     |     |

\*Beginnings Double Cell N/A

### Top-Down Movable Perfect Arch

|            |     |     |     |     |
|------------|-----|-----|-----|-----|
| Min Width  | 18" | 18" | 18" | N/A |
| Max Width  | 72" | 60" | 60" |     |
| Min Height | 6"  | 6"  | 6"  |     |
| Max Height | 36" | 30  | 30  |     |

\*Small Single and Beginnings Double Cell N/A

### Top-Down Movable Elliptical Arch

|            |           |           |           |     |
|------------|-----------|-----------|-----------|-----|
| Min Width  | 18"       | 18"       | 18"       | N/A |
| Max Width  | 72"       | 60"       | 60"       |     |
| Min Height | 1/4 width | 1/4 width | 1/4 width |     |
| Max Height | 60"       | 60"       | 60"       |     |

If width more than 66", Max Length 60", Width more than 72", max Length 48", MAX Height - 60" FOR ALL FABRICS

\*Small Single and Beginnings Double Cell N/A