Product ST-5400

Revision Date 5/22/2015

Revision I



Safety Data Sheet

SECTION 1: IDENTIFICATION

Product Name ST-5400

Identifier Uses Inhibited Hydrochloric Acid

Supplier Clear Water Technologies, LLC

13560 Colombard Court Fontana, California 92337

Tel: 844.429.8324

Contact Person info@clearwatertech.com

Emergency Telephone 24-HOUR EMERGENCY TELEPHONE: INFOTRAC: I-800-535-5053 INTERNATIONAL#: I-

352-323-3500

SECTION 2: HAZARDS IDENTIFICATION

Appearance Clear, reddish-brown liquid.
Color Clear, reddish-brown liquid.

Odor Pungent.

Pictogram(s)



Signal Word Danger

Hazard Statements H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage

 $\label{protective} \textbf{Precautionary Statements} \qquad \qquad \textbf{P280 Wear protective gloves/ protective clothing/eye protection/face protection.}$

P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/physician

P271 Use only outdoors or in a well-ventilated area.

Contains 2-butoxyethanol

prop-2-yn-1-ol hydrogen chloride

GHS Classification

Physical and Chemical Hazards Not classified

Human Health Acute Tox 4 - H332, Skin Corr. IA - H314

Environment Not classified

OSHA Regulatory Status This product is Hazardous under the OSHA Hazard communication Standard.

Inhalation Inhalation of product mists, vapors, fog and other airborne forms of any particle size may

cause irritation to mucous membranes and respiratory tract. Symptoms of exposure may include nasal discomfort and coughing. High or prolonged inhalation exposure may lead to corrosion of mucous membranes with temporary lung irritation and cough, difficulty breathing, shortness of breath and/or pulmonary edema. Gross exposure may cause death.

Avoid contact.

Ingestion Exposure to liquid product may cause severe irritation and possible burns to inner linings of

mouth, esophagus and gastrointestinal tract. Gross ingestion may cause death. Do $\ensuremath{\mathsf{NOT}}$

ingest.

Skin contact Exposure to liquid product may cause severe irritation to skin, and possible burns. Symptoms

of exposure may include redness, swelling or pain. Depending on the length of exposure and amount of acid, effects could include dermatitis, permanent scarring or death. Avoid contact.

Exposure to liquid product or product vapor may cause severe irritation to eyes, and possibly

burns or eye damage. Symptoms of exposure may include redness, swelling, tearing or pain.

Splashed liquid may cause permanent blindness. Avoid contact.

Routes of Exposure No Information available.

SECTION 3: Composition/Information on Ingredients

Composition Comments Confidential business information has been removed without affecting the overall safety

information on the safety data sheet.

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General Information General first aid, rest, warmth and fresh air.

Inhalation If this product is inhaled, move the exposed person to fresh air promptly. Seek medical

attention if symptoms persist. Check for breathing and pulse. If breathing is difficult, give oxygen (six liters per minute). If breathing has stopped, give artificial respiration. Keep the

exposed person warm and at rest.

Ingestion Do NOT induce vomiting unless directed to do so by medical personnel. If this product is

ingested, give the exposed person plenty of water and seek medical attention promptly. Have the exposed person lie down and keep warm. Give the exposed person large amounts of water. Give the exposed person at least one ounce of milk of magnesia or aluminum hydroxide gel in an equal amount of water. If unavailable, give the white of two (2) or three

(3) eggs. Never give anything by mouth to an unconscious person.

Skin contact If this product contacts the skin, immediately flush the affected area with plenty of clean

running water for at least fifteen (15) minutes. If the product penetrates the clothing, promptly remove the contaminated clothing or shoes, and flush the affected area as described. Seek medical attention if irritation persists. Keep affected area cool.

Eye contact If the product contacts the eyes, immediately flush eyes with plenty of clean running water

for at least fifteen (15) minutes, lifting the upper and lower eyelids occasionally. Remove contact lenses if worn. Do NOT try to neutralize the acid. Seek medical attention if irritation

persists. Apply cool packs on eyes while transporting victim to medical facility.

Most important symptoms and effects, both acute and delayed

General Information

Eye contact

Inhalation Inhalation of product mists, vapors, fog and other airborne forms of any particle size may

cause irritation to mucous membranes and respiratory tract. Symptoms of exposure may include nasal discomfort and coughing. High or prolonged inhalation exposure may lead to corrosion of mucous membranes with temporary lung irritation and cough, difficulty breathing, shortness of breath and/or pulmonary edema. Gross exposure may cause death.

Avoid contact.

Ingestion Exposure to liquid product may cause severe irritation and possible burns to inner linings of

mouth, esophagus and gastrointestinal tract. Gross ingestion may cause death. Do NOT

ingest.

Skin contact Exposure to liquid product may cause severe irritation to skin, and possible burns. Symptoms

of exposure may include redness, swelling or pain. Depending on the length of exposure and amount of acid, effects could include dermatitis, permanent scarring or death. Avoid contact. Exposure to liquid product or product vapor may cause severe irritation to eyes, and possibly

burns or eye damage. Symptoms of exposure may include redness, swelling, tearing or pain.

Splashed liquid may cause permanent blindness. Avoid contact.

Routes of Exposure No Information available.

Most important symptoms and effects, both acute and delayed

Treat Symptomatically.

SECTION 5: Firefighting Measures

Auto Ignition Temperature (°C) Flammability Limit - Lower (%) Flammability Limit - Upper (%) Flash point No Information available.
No Information available.
No Information available.
No Information available.

Extinguishing Media

Use dry chemical, foam or carbon dioxide to extinguish fire. Water is NOT recommended as adding water to acid can generate large amounts of heat.

Hazardous combustion products
Unusual Fire & Explosion Hazards

Combustion may lead to the release of oxides of hydrogen and hydrogen chloride. May generate flammable, potentially explosive hydrogen gas on contact with most metals. Explosive concentrations of hydrogen may accumulate inside metal equipment. Hydrochloric acid fumes may be released from heating under fire conditions.

Special Fire Fighting Procedures Protective equipment for firefighters

Use water to cool containers exposed to a fire.

Fire fighters should wear full protective equipment, including a NIOSH-approved self-contained breathing apparatus with full face piece operated in the pressure demand or other

positive pressure mode.

SECTION 6: Accidental Release Measures

Personal Precautions Environmental Precautions Spill Clean Up Methods

For personal protection, see section 8.

Keep out of drains, municipal sewers, open bodies of water and water course.

Safely stop source of spill. Clean up spills immediately. Restrict non-essential personnel from the area. Wear protective clothing, goggles and respirator if ventilation is not adequate. Do NOT flush into sewer or storm drain. Dike spill area and neutralize with alkaline material (lime, sodium bicarbonate, soda ash); then soak up with an inert material (sand, vermiculite, earth). Place into a non-metal chemical waste container for disposal according to local, state or federal regulations at an approved chemical waste reprocessing facility. Neutralize residue with lime or soda ash and flush spill area.

SECTION 7: Handling and Storage

Handling Use proper personal protection when handling (refer to Section 8).

Usage Description Store closed containers in a cool, dry, well-ventilated area with acid-resistant floors. Keep

out of direct sunlight and away from water, heat and incompatible materials. When diluting, always add product to water; do NOT add water to the product. This product is stable under

normal conditions of handling and storage.

Storage Precautions The recommended shelf life is two (2) years. It is recommended that products be retested if

stored for more than two (2) years. Under ideal storage conditions, the shelf life is almost

indefinite.

Specific End Use(s) The identified uses are in section 1 of this Safety Data Sheet.

SECTION 8: Exposure Controls/Personal Protection

Protective Equipment









Component	STD	TWA (8 hrs.)		STEL (15mins)		Notes
2-butoxyethanol	OSHA	50ppm	240mg/m3			
hydrogen chloride	OSHA			5ppm	7mg/m3	

Ingredient Comments

OSHA

Process Conditions Provide eyewash, quick drench.

Engineering Measures

General mechanical ventilation is recommended for enclosed areas.

exposure. When using respirator cartridges, they must be changed frequently to assure

breakthrough exposure does not occur.

Hand Protection Use neoprene, polyvinyl chloride (PVC) or rubber gloves to minimize skin contact.

Eye Protection To avoid contact with eyes, use chemical splash goggles. Face shield is recommended. Eye

wash station should be available in the work area.

Hygiene Measures DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before

eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or

moke.

SECTION 9: Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

Appearance Clear, reddish-brown liquid.
Color Clear, reddish-brown liquid.

Odor Pungent.

Odor Threshold - Lower No Information available.

Odor Threshold - Upper No Information available.

pH-Value, Conc. Solution 1.0

Melting point No Information available.

Initial boiling point and boiling

range

Vapor pressure

Vapor Density (air=1)

178.0 °F

No Information available.

No Information available.

Flashpoint No Information available.

Evaporation rate No Information available.

Flammability State No Information available.

Flammability Limit - Lower (%) No Information available.

Flammability Limit - Upper (%) No Information available.

Relative density 1.16 @ 68.0 °F

Bulk Density No Information available.

Solubility Completely soluble in water.

Decomposition temperature No Information available.

Partition coefficient; n-octanol/water No Information available.

 $\begin{tabular}{lll} \textbf{Auto Ignition Temperature (°C)} & No Information available. \end{tabular}$

Viscosity No Information available.

Explosive Properties No information available.

Oxidizing properties No Information available.

Molecular Weight No Information available.

Volatile Organic Compound No Information available.

SECTION 10: Stability and Reactivity

Reactivity Most metals, hydroxides, amines, alkalis/caustics, cyanides, sulfides, strong oxidizers,

carbonates, hypochlorites and formaldehyde. May react violently with incompatible

substance, releasing toxic and/or flammable gases.

Stability This product is stable at ambient temperatures and atmospheric pressures.

Hazardous Polymerization Hazardous polymerization is not expected to occur under normal temperatures and

pressures.

Hazardous Decomposition Products Heat can cause evolution of gaseous hydrogen chloride.

Conditions to Avoid Avoid exposing to contact with Most metals, hydroxides, amines, alkalis/caustics, cyanides,

sulfides, strong oxidizers, carbonates, hypochlorites and formaldehyde. May react violently

with incompatible substance, releasing toxic and/or flammable gases.

Materials to Avoid Avoid exposing to contact with Most metals, hydroxides, amines, alkalis/caustics, cyanides,

sulfides, strong oxidizers, carbonates, hypochlorites and formaldehyde. May react violently

with incompatible substance, releasing toxic and/or flammable gases.

SECTION 11: Toxicological Information

Toxicological Information No toxicological information for the overall finished product

Acute Toxicity (Oral LD50) >180.00mg/kg Rat
Acute Toxicity (Dermal LD50) No Information available.
Acute Toxicity (Inhalation LC50) >635.00mg/l (vapors) Rabbit

Skin Corrosion/Irritation No Information available.

Respiratory Sensitization
Skin Sensitization
Reproductive Toxicity:
No Information available.
No Information available.
No Information available.

Germ Cell Mutagenicity: Genotoxicity - In Vitro Genotoxicity - In Vivo

Carcinogenicity:

Carcinogenicity No Information available.

NTP - Carcinogenicity

The product and its components are not listed.

OSHA - Carcinogenicity

The product and its components are not listed.

IARC Carcinogenicity 2-butoxyethanol: 3 IARC Group 3 Not classifiable as to its carcinogenicity to humans.

hydrogen chloride: 3 IARC Group 3 Not classifiable as to its carcinogenicity to humans.

Specific Target Organ Toxicity - Single Exposure:

STOT - Single Exposure No Information available.

Specific Target Organ Toxicity - Repeated Exposure:

STOT - Repeated Exposure No Information available.

SECTION 12: Ecological Information

Ecotoxicity No Information available.

Acute Toxicity - Fish No Information available.

Acute Toxicity - Aquatic No Information available.

Invertebrates

Acute Toxicity - Aquatic Plants No Information available.

Degradability No information available.

Bioaccumulative Potential

Mobility No information available

Results of PBT and vPvB Assessment The product does not contain any PBT or vPvB Substances.

Other Adverse Effects None known.

SECTION 13: Disposal Considerations

Waste Management When handling waste, consideration should be made to the safety precautions applying to

handling of the product.

Disposal Methods Do NOT dump into any sewers, on the ground or into any body of water. Rinse containers

before disposal. Since emptied containers contain product residue, follow label warnings even after container is emptied. Do NOT reuse empty containers. Dispose in accordance with

all applicable federal, state and local laws and regulations.

SECTION 14: Transport Information

UN No. (DOT/TDG)

UN No. (IMDG)

UN No. (ICAO)

DOT Proper Shipping Name

1789 - HYDROCHLORIC ACID

1789 - HYDROCHLORIC ACID

1789 - HYDROCHLORIC ACID

1789 - HYDROCHLORIC ACID

TDG Proper Shipping Name 1789 - HYDROCHLORIC ACID

DOT Hazard Class 8

DOT Hazard Label Class 8 - Corrosive

TDG Class 8
TDG Label(s) 8
IMDG Class 8
ICAO Class 8

Transport Labels



DOT PackGroup

IMDG Pack Group II

Air Pack Group II

EMS F-A, S-B

Environmentally Hazardous
Substance/Marine Pollutant

SECTION 15: Regulatory Information

US Federal Regulations

 $SARA\,Section\,302\,Extremely\,Hazardous\,Substances\,Tier\,II\,Threshold\,Planning\,Quantities$

The Following ingredients are listed prop-2-yn-1-ol

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

The Following ingredients are listed prop-2-yn-1-ol

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

The Following ingredients are listed prop-2-yn-1-ol

SARA 313 Emission Reporting

The Following ingredients are listed prop-2-yn-1-ol

CAA Accidental Release Prevention

The Following ingredients are listed acetophenone

prop-2-yn-1-ol hydrogen chloride

OSHA Highly Hazardous Chemicals

The Following ingredients are listed hydrogen chloride

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

The Following ingredients are listed None Listed.

California Air Toxics "Hot Spots" (A-I)

The Following ingredients are listed

California Air Toxics "Hot Spots" (A-Ii)

The Following ingredients are listed Massachusetts "Right To Know" List

The Following ingredients are listed

2-butoxyethanol acetophenone prop-2-yn-1-ol hydrogen chloride

None Listed.

None Listed.

Rhode Island "Right To Know" List

The Following ingredients are listed prop-2-yn-1-ol

Minnesota "Right To Know" List

The Following ingredients are listed 2-butoxyethanol

acetophenone prop-2-yn-1-ol hydrogen chloride

New Jersey "Right To Know" List

The Following ingredients are listed 2-butoxyethanol

acetophenone prop-2-yn-1-ol hydrogen chloride


Pennsylvania "Right To Know" List

The Following ingredients are listed

2-butoxyethanol acetophenone prop-2-yn-1-ol hydrogen chloride

SECTION 16: Other Information

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA)



HAZARDOUS MATERIAL INFORMATION SYSTEM (HMIS)

Health	3
Flammability	0
Physical Hazard	1
Personal Protection	Н

Revision Comments

Revision Date 5/22/2015 Revision I

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.