

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name 7-11 Hedgesville	Facility Type Food Service Establishment	
Licensee Name 7-11 Inc.	Facility Telephone # 304	
Facility Address 4716 Hedgesville Rd Hedgesville , WV	Licensee Address 8949 Williamsport Pike 28320 Falling Waters , WV 25419	
Inspection Information		
Inspection Type Routine	Inspection Date 03/30/2018	Total Time Spent 1.75

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Walk in cooler	36
Chili and cheese machine	140
Upper condiment	36
Hot dog roller	150
Chilled half and half	38
Pizza hot hold	157
Under counter condiment cooler	36

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3BaySink	Chemical				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 0

Observed Non-Critical Violations
Total # 3
Repeated # 0
4-602.13 - NONFOOD CONTACT SURFACES OBSERVATION: Condiment storage containers at main check out need cleaned (under counter)
6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR OBSERVATION: Faucet at 3-Bay sink (back) leaking and needs repaired
6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS OBSERVATION: Wall fan needs cleaned in bathroom


Inspection Outcome

Comments

Disclaimer

Person in Charge

Sanitarian



Jodi Cook



Keith Allison