



Classic II™ Service Bodies

The Service Body that Leads the Industry



Shown with optional equipment

Expect more standard features and more exclusive options with the Classic II™!

DEPENDABLE | DURABLE | RUGGED | VERSATILE



- PATENTED hidden hinges
- EXCLUSIVE standard features and option packages
- LEGENDARY quality and durability
- TIMELESS design, maximized for efficiency



There may be other service bodies, but there's only one Classic II™ Body



The Classic II offers an unbeatable combination of standard features, useful options, and the advantages of more than 50 years of refinement. This service body is designed for efficiency today and built to last.

Classic II™ Service Bodies



EXCLUSIVE
TRIPLE
PROTECTION

1

A40-A60 Coating Weight Steel

2

E-Coat Primer

3

Powder Coat Finish


The C2-50 Options Package

This Classic II is equipped with the C2-50 Options Package, a group of our most popular and most exclusive options. C2-50 includes:

- 
 - Latch-Matic® remote locking system with audible alarm
- 
 - Bright finish aluminum treadplate guards on front of body panels and on top of tailgate
- 
 - Compartment and cargo area lighting system activated by the key fob
- 
 - Extend-A-Shelf™ modular drawer unit provides easy installation and removal

Individual items from this package can be purchased separately

Aluminum & Steel Features



A40-A60 Coating Weight Pressed Steel Diamond Plate Floor and Tailgate Inner Panel Industry exclusive A40-A60 coating weight steel diamond plate surface provides additional corrosion protection and better traction. Patent pending.

- 1/8" Aluminum diamond plate floor



Slam Action Tailgate Features a polished, stainless steel handle and double-panel construction. Stainless steel locking rods, hinge rods and striker channels

- Rugged, double-panel aluminum construction



Pooched Bumper White Powder Coated steel. Pooched design provides slip resistant step surface

- Independently mounted with L.E.D. lights (also available for steel body)





Rectangular Tail Lights Provides modern look and are leak resistant



Removable Stainless Steel Tailgate Knee Braces Allow the tailgate to swing down completely



Rugged Classic II Understructure Fully unitized welding, with U-beam girders braced and reinforced at all critical points. Acrylic E-Coat primed and coated with a tough, water-based undercoating that meets all environmental standards

- All aluminum understructure



Heavy-Duty Compartment Doors 18 Gauge outer door skin with double-paneled construction and internal reinforcement make these the thickest and strongest doors in the industry


- Heavy-gauge, all aluminum compartment door



Exclusive Dual-Pro® Seal System Patented design increases clear door openings in every compartment of the body. Large, automotive quality bubble-type seal and mechanical seal provide a dual line of defense against weather



Patented Hidden Hinges Industry exclusive overlapping door construction resists forcible entry. Robust, concealed hinge design provides protection against corrosion without requiring frequent lubrication or maintenance. Fully adjustable and easily replaced without damage to body or door



Complete Stainless Steel Rotary Locks Attractive appearance with no exposed fasteners; rust resistant. Features a double bolted, high quality locking cylinder; adjustable striker pins; and an O-ring seal to prevent water intrusion



Nitrogen Strut Door Holders All vertical compartment doors are equipped with nitrogen strut door holders. Internal dampeners control the opening and closing of doors



Aluma-Fill® Aluminum fuel fill receptacle protects truck body from accidental nicks and scratches

DA Package Body

- L.E.D. marker lights and tail lights
- White Powder Coat finish
- Independently mounted pooched bumper

NOTE: Not all available in all sizes and compartment layouts

Characteristics of features specific to Aluminum Body. All unmarked features are the same for both steel and aluminum models.

There may be other service bodies, but there's only one Classic II™ Body



Latch-Matic® with Optional Audible Alarm System

- One touch simultaneously locks or unlocks all compartments on the body
- Two high quality key fob transmitters with 25' range
- Optional audible alarm is enabled by locking doors with the key fob transmitter
- Proven, automotive quality components with concealed wiring and hardware
- Compartment doors can be locked individually with keys (provided)
- Three-year limited warranty on parts and service



Compartment Lighting System

- Works in conjunction with the Latch-Matic system
- Lights are activated when compartment doors are unlocked
- Lights go off when doors are locked
- Programmed to go off automatically after 10 minutes
- Lights feature impact resistant Lexan lenses
- Additional light for cargo bed also available

Bumpers

Reading Bumpers are constructed of heavy-duty A40-A60 coating weight steel and are protected by acrylic E-Coat priming. They are offered in a wide array of styles and feature deck plate, safety step, or all-weather slip resistant surfaces.

Independently Mounted Single and Dual Wheel, Recessed and Non-Recessed Pooched Slip Resistant Surface

Available only on certain models.



Single Wheel Bumper with L.E.D. lights



Dual Wheel Bumper with L.E.D. lights




Single Wheel Recessed Bumper with L.E.D. lights




Dual Wheel Recessed Bumper with L.E.D. Lights


Other Bumper Options




Pooched Bumper




Deck Plate Step Bumper




Lighted Pooched Bumper



Deck Plate Step Bumper with Recess



Pooched Bumper with Recess



Safety Step Bumper

Drawer Units



Extend-A-Shelf™

- Most economical compartment drawer system
- Three drawers with patented grab handles which permit easy one-handed operation and help secure drawers when compartment door is closed
- Shelves operate on 250 lb. capacity ball bearings



E-Z Slide

- Moderately priced compartment drawer system
- Smooth operating 250 lb. capacity full extension ball bearing slides
- Equipped with three drawers (single drawer models are available for horizontal compartments)
- Also available as a stand-alone 5-drawer module



Grip n' Glide

- Competitively priced compartment drawer system
- 250 lb. capacity drawers with full extension ball bearing slides
- Ergonomically designed grips provide single hand "grab & pull" operation of drawers
- Equipped with three drawers

Rhino Linings® TUFF STUFF®



- Available as a factory-installed option
- Offers watertight and airtight truck bed protection
- Prohibits rust, corrosion and surface abrasion while providing a slip resistant surface
- 1/8" Thick graphite gray coating application is very resistant to damage from impact

Powder Coating



- Polyester powder is sprayed on the body, then melted to form a highly durable white finish (other colors available)
- Resistant to corrosion, chemicals, humidity, scratches, chips, and impact
- Brighter finish
- Tolerant of UV exposure

Classic II™ Models

Standard Service Bodies

- For single and dual wheel configurations
- Available in 78", 98", 108", and 132" sizes
- Can be ordered with C2-50 (see opening spread)



Standard Service Body — 108SW ("A" side shown) with recessed tail lights and optional independently mounted pooched bumper



Spacemaker® Service Bodies

- Feature top-opening compartments that provide 15% more storage space
- Redesigned lids are reinforced and feature two pneumatic props and rotary catches with push button release, permitting easy one-handed closure from either end
- Available in same configurations and sizes as standard bodies
- Can be ordered with the C2-50 (see opening spread)

Low Profile Service Bodies

- Body is 5" lower than standard bodies for better visibility
- Available in same configurations and sizes as standard bodies
- Spacemaker style also available
- Can be ordered with the C2-50 (see opening spread)



Spacemaker Low Profile Service Body SLP108DW ("B" side shown) Model shown features Spacemaker compartments with recessed tail lights, optional removable overhead ladder rack, and deck plate step bumper with recess



Enclosures for Classic II™ Bodies

Need a service body with a bit more storage or perhaps an enclosed work space? Reading Enclosed Bodies are the answer. Equipped with spacious outside storage compartments and featuring a completely enclosed cargo and work area, Reading enclosed bodies offer the best of both worlds.

108DW Panel Body 50 Series

("B" side shown) With optional recessed safety step bumper, and recessed tail lights.



Panel Bodies

- Available in heights of 50", 60" and 72" for most models
- Rear doors close and lock securely with 2-point locking system
- Available in galvanized steel or in fuel-saving aluminum
- Protected by acrylic E-Coat priming
- Enclosed area has three full length shelves on each side (four shelves on 72 series) to provide carrying space for long-handled tools and equipment

108DW Tapered Panel Body 60 Series

("B" side shown)
With recessed tail lights
and optional pocked bumper



Spacemaster Bodies

- Available in heights of 48" and 57"
- Enclosed work area, plus four lift-up doors
 - Upper roadside compartments permit direct access from the interior
 - Upper exterior doors feature pneumatic struts and T-handle locks
- Available in galvanized steel or in fuel-saving aluminum
- Protected by acrylic E-Coat priming

108DW Spacemaster Body 57 Series


("A" side shown) With recessed tail lights and optional recessed safety step bumper



Classic II™ Aluminum Service Bodies

Expect more standard features and better fuel economy!

The Aluminum Classic II offers an unbeatable combination of standard features, useful options, and the know-how of over 25 years of refinement. This service body is designed for efficiency today, and built to last for tomorrow.



**ESTIMATED
FUEL
SAVINGS**

Savings based on government fuel saving guide website - www.fueleconomy.gov



ALUMINUM SERVICE BODIES | RUGGED | SUSTAINABLE | RESPONSIBLE



- INCREASED payload capacity
- LESS WEAR and tear on chassis
- GREATER residual value at the end of life cycle
- INHERENTLY corrosion resistant
- EASILY recycled

Dimensional Data: Standard Bodies – Single Wheel

Model	Approx. Wt.		Cab-to-Axle	A	B	C	D	Approx. Compartment Clear Door Openings				
	Steel	Alum.						E	F	G	H	I
**78-SWs	858 lbs.	472 lbs.	40"	18"	42"	18"	78"	12-1/2"x35-1/4"	40-1/2"x14"	12-1/2"x35-1/4"	56-1/2"x14"	12-1/2"x18-1/8"
**LP-78SWs	818 lbs.	450 lbs.	40"	18"	42"	18"	78"	12-1/2"x30-1/4"	40-1/2x9"	12-1/2"x30-1/4"	56-1/2"x9"	12-1/2"x18-1/8"
^98-SWs	1026 lbs.	563 lbs.	56"	28"	48"	22"	98"	22-1/2"x35-1/4"	46-1/2"x14"	16-1/2"x35-1/4"	66-1/2"x14"	16-1/2"x18-1/8"
*U98-SWs	1026 lbs.	563 lbs.	56"	28"	48"	22"	98"	22-1/2"x35-1/4"	46-1/2"x14"	16-1/2"x35-1/4"	66-1/2"x14"	16-1/2"x18-1/8"
LP98-SWs	976 lbs.	537 lbs.	56"	28"	48"	22"	98"	22-1/2"x30-1/4"	46-1/2"x9"	16-1/2"x30-1/4"	66-1/2"x9"	16-1/2"x18-1/8"
*ULP98-SWs	976 lbs.	537 lbs.	56"	28"	48"	22"	98"	22-1/2"x30-1/4"	46-1/2"x9"	16-1/2"x30-1/4"	66-1/2"x9"	16-1/2"x18-1/8"
*U108-SWs	1045 lbs.	575 lbs.	60"	34-3/4"	47"	26-1/4"	108"	29-1/4"x35-1/4"	45-1/2"x14"	20-3/4"x35-1/4"	69-3/4"x14"	20-3/4"x18-1/8"
*ULP108-SWs	990 lbs.	545 lbs.	60"	34-3/4"	47"	26-1/4"	108"	29-1/4"x30-1/4"	45-1/2"x9"	20-3/4"x30-1/4"	69-3/4"x9"	20-3/4"x18-1/8"

Installers Notes:

- * Universal mounting
- ** E-Z mounting installation not available on these models
- s Equipped with spring shackle offsets (see diagrams below). Contact your Reading Distributor for dimensions of offsets
- ^ Available in aluminum


Standard Bodies – Dual Wheel

Model	Approx. Wt.		Cab-to-Axle	A	B	C	Approx. Compartment Clear Door Openings					J	K	L	M
	Steel	Alum.					E	F	G	H	I				
98-DWs	1135 lbs.	625 lbs.	56"	93"	50"	21-1/2"	22-1/2"x35-1/4"	46-1/2"x14"	16-1/2"x35-1/4"	66-1/2"x14"	16-1/2"x18-1/8"	28"	48"	22"	98"
LP98-DWs	1075 lbs.	591 lbs.	56"	93"	50"	21-1/2"	22-1/2"x30-1/4"	46-1/2"x9"	16-1/2"x30-1/4"	66-1/2"x9"	16-1/2"x18-1/8"	28"	48"	22"	98"
^U108-DW	1252 lbs.	689 lbs.	60"	93"	50"	21-1/2"	29-1/4"x35-1/4"	45-1/2"x14"	20-3/4"x35-1/4"	69-3/4"x14"	20-3/4"x18-1/8"	34-3/4"	47"	26-1/4"	108"
ULP108-DW	1192 lbs.	656 lbs.	60"	93"	50"	21-1/2"	29-1/4"x30-1/4"	45-1/2"x9"	20-3/4"x30-1/4"	69-3/4"x9"	20-3/4"x18-1/8"	34-3/4"	47"	26-1/4"	108"
U1086-DW	1304 lbs.	717 lbs.	60"	93"	60"	16-1/2"	29-1/4"x35-1/4"	45-1/2"x14"	20-3/4"x35-1/4"	69-3/4"x14"	20-3/4"x18-1/8"	34-3/4"	47"	26-1/4"	108"
ULP1086-DW	1249 lbs.	687 lbs.	60"	93"	60"	16-1/2"	29-1/4"x30-1/4"	45-1/2"x9"	20-3/4"x30-1/4"	69-3/4"x9"	20-3/4"x18-1/8"	34-3/4"	47"	26-1/4"	108"


Installer's Notes:

- s Equipped with spring shackle offsets (see diagrams below). Contact your Reading Distributor for dimensions of offsets
- ^ Available in aluminum


Models 78-SW, 98-SW, U98-SW, and U108-SW



"A" Compartment Layout



"B" Compartment Layout †



Standard Shelf and Divider Equipment

All shelves removable, all dividers removable and adjustable. Dividers interchangeable on most shelves. (8) shelves: 78, 98, and108 models. (6) shelves: LP78, LP98, and LP108 models. (32) dividers: 78, 98 models. (40) dividers: 108 models


All Models Available With:

"A" or "B" compartment layout both sides. Combination "AB" with "A" layout on roadside and "B" layout on curbside


"LP" denotes low profile model number. Bumpers are optional at additional cost

† This compartment layout not available with DA Package and could affect leadtime


Low Profile Models LP78-SW, LP98-SW, ULP98-SW, and ULP108-SW



"A" Compartment Layout




"B" Compartment Layout †




Rear View


Models 98DW, U108DW, and U1086DW



"A" Compartment Layout



"B" Compartment Layout †



Rear View

Standard Shelf and Divider Equipment

All shelves removable, all dividers removable and adjustable. Dividers interchangeable on most shelves. (8) shelves: 78, 98, and108 models. (6) shelves: LP78, LP98, and LP108 models. (32) dividers: 78 and 98 models. (40) dividers: 108 models

All Models Available With:


"A" or "B" compartment layout both sides. Combination "AB" with "A" layout on roadside and "B" layout on curbside

"LP" denotes low profile model number


Bumpers are optional at additional cost

† This compartment layout not available with DA Package and could affect leadtime


Low Profile Models LP98-DW, ULP108-DW, and ULP1086-DW



"A" Compartment Layout



"B" Compartment Layout †



Rear View

Spacemaker® Bodies – Single Wheel

Model	Approx. Wt.		Cab-to-Axle	A	B	C	D	Approx. Compartment Clear Door Openings				
	Steel	Alum.						E	F	G	H	I
**S78-SWs	1018 lbs.	560 lbs.	40"	18"	42"	18"	78"	12-1/2"x35-1/4"	40-1/2"x14"	12-1/2"x35-1/4"	56-1/2"x14"	12-1/2"x18-1/8"
**SLP-78SWs	978 lbs.	538 lbs.	40"	18"	42"	18"	78"	12-1/2"x30-1/4"	40-1/2x9"	12-1/2"x30-1/4"	56-1/2"x9"	12-1/2"x18-1/8"
S98-SWs	1189 lbs.	654 lbs.	56"	28"	48"	22"	98"	22-1/2"x35-1/4"	46-1/2"x14"	16-1/2"x35-1/4"	66-1/2"x14"	16-1/2"x18-1/8"
*US98-SWs	1189 lbs.	654 lbs.	56"	28"	48"	22"	98"	22-1/2"x35-1/4"	46-1/2"x14"	16-1/2"x35-1/4"	66-1/2"x14"	16-1/2"x18-1/8"
SLP98-SWs	1139 lbs.	626 lbs.	56"	28"	48"	22"	98"	22-1/2"x30-1/4"	46-1/2"x9"	16-1/2"x30-1/4"	66-1/2"x9"	16-1/2"x18-1/8"
*USLP98-SWs	1139 lbs.	626 lbs.	56"	28"	48"	22"	98"	22-1/2"x30-1/4"	46-1/2"x9"	16-1/2"x30-1/4"	66-1/2"x9"	16-1/2"x18-1/8"
*US108-SWs	1307 lbs.	719 lbs.	60"	34-3/4"	47"	26-1/4"	108"	29-1/4"x35-1/4"	45-1/2"x14"	20-3/4"x35-1/4"	69-3/4"x14"	20-3/4"x18-1/8"
*USLP108-SWs	1257 lbs.	691 lbs.	60"	34-3/4"	47"	26-1/4"	108"	29-1/4"x30-1/4"	45-1/2"x9"	20-3/4"x30-1/4"	69-3/4"x9"	20-3/4"x18-1/8"


Installers notes:
* Universal mounting
** E-Z mounting installation not available on these models
s Equipped with spring shackle offsets (see diagrams below). Contact your Reading Distributor for dimensions of offsets

Spacemaker® Bodies – Dual Wheel


Model	Approx. Wt.		Cab-to-Axle	A	B	C	D	Approx. Compartment Clear Door Openings					J	K	L	M
	Steel	Alum.						E	F	G	H	I				
S98-DWs	1377 lbs.	757 lbs.	56"	93"	50"	21-1/2"	13-1/4"	22-1/2"x35-1/4"	46-1/2"x14"	16-1/2"x35-1/4"	66-1/2"x14"	16-1/2"x18-1/8"	28"	48"	22"	98"
SLP98-DWs	1317 lbs.	724 lbs.	56"	93"	50"	21-1/2"	13-1/4"	22-1/2"x30-1/4"	46-1/2x9"	16-1/2"x30-1/4"	66-1/2"x9"	16-1/2"x18-1/8"	28"	48"	22"	98"
US108-DW	1442 lbs.	793 lbs.	60"	93"	50"	21-1/2"	13-1/4"	29-1/4"x35-1/4"	45-1/2"x14"	20-3/4"x35-1/4"	69-3/4"x14"	20-3/4"x18-1/8"	34-3/4"	47"	26-1/4"	108"
USLP108-DW	1382 lbs.	760 lbs.	60"	93"	50"	21-1/2"	13-1/4"	29-1/4"x30-1/4"	45-1/2"x9"	20-3/4"x30-1/4"	69-3/4"x9"	20-3/4"x18-1/8"	34-3/4"	47"	26-1/4"	108"
US1086-DW	1566 lbs.	861 lbs.	60"	93"	60"	16-1/2"	9-1/4"	29-1/4"x35-1/4"	45-1/2"x14"	20-3/4"x35-1/4"	69-3/4"x14"	20-3/4"x18-1/8"	34-3/4"	47"	26-1/4"	108"
USLP1086-DW	1511 lbs.	831 lbs.	60"	93"	60"	16-1/2"	9-1/4"	29-1/4"x30-1/4"	45-1/2"x9"	20-3/4"x30-1/4"	69-3/4"x9"	20-3/4"x18-1/8"	34-3/4"	47"	26-1/4"	108"

Installer's notes:
s Equipped with spring shackle offsets (see diagrams below). Contact your Reading Distributor for dimensions of offsets


Models S78-SW, S98-SW, US98-SW, and US108-SW



"A" Compartment Layout




"B" Compartment Layout †




Rear View


Low Profile Models SLP78-SW, SLP98-SW, USLP98-SW, and USLP108-SW



"A" Compartment Layout




"B" Compartment Layout †




Rear View


Models S78-DW, S98-DW, US98-DW, and US108-DW



"A" Compartment Layout




"B" Compartment Layout †




Rear View


Low Profile Models SLP78-DW, SLP98-DW, USLP98-DW, and USLP108-DW



"A" Compartment Layout



"B" Compartment Layout †



Rear View

Standard Shelf and Divider Equipment

All shelves removable, all dividers removable and adjustable. Dividers interchangeable on most shelves. (8) shelves: 78, 98, and108 models. (6) shelves: LP78, LP98, and LP108 models. (32) dividers: 78 and 98 models. (40) dividers: 108 models. Each top compartment has 15 dividers

All Models Available With:

"A" or "B" compartment layout both sides. Combination "AB" with "A" layout on roadside and "B" layout on curbside

"LP" denotes low profile model number

Bumpers are optional at additional cost

† This compartment layout not available with DA Package and could affect leadtime

Standard Shelf and Divider Equipment

All shelves removable, all dividers removable and adjustable. Dividers interchangeable on most shelves. (8) shelves: 78, 98, and108 models. (6) shelves: LP78, LP98, and LP108 models. (32) dividers: 78 and 98 models. (40) dividers: 108 models. Each top compartment has 15 dividers.

All Models Available With:

"A" or "B" compartment layout both sides. Combination "AB" with "A" layout on roadside and "B" layout on curbside.

"LP" denotes low profile model number.

Bumpers are optional at additional cost.


Floor area 42" clear between wheel boxes. NO WHEEL BOXES ON 98-DW OR 108-DW MODELS.

† This compartment layout not available with DA Package and could affect leadtime

132 Bodies and Spacemaster Tops

132 Bodies

Model	Approx. Wt.	Cab-to-Axle	Approx. Clear Door Openings						
			A	B	C	D	E	F	G
UR132AB-DW	1600 lbs.	84"	22-1/2"x35-1/4"	48-1/4"x14"	20-3/4"x35-1/4"	72-1/2"x14"	20-3/4"x18-1/8"	35"x35-1/4"	11-1/2"x35-1/4"
ULPR132AB-DW	1515 lbs.	84"	22-1/2"x30-1/4"	48-1/4"x9"	20-3/4"x30-1/4"	72-1/2"x9"	20-3/4"x18-1/8"	35"x30-1/4"	11-1/2"x30-1/4"
USR132AB-DW	1831 lbs.	84"	22-1/2"x35-1/4"	48-1/4"x14"	20-3/4"x35-1/4"	72-1/2"x14"	20-3/4"x18-1/8"	35"x35-1/4"	11-1/2"x35-1/4"
USLPR132AB-DW	1746 lbs.	84"	22-1/2"x30-1/4"	48-1/4"x9"	20-3/4"x30-1/4"	72-1/2"x9"	20-3/4"x18-1/8"	35"x30-1/4"	11-1/2"x30-1/4"



LP132AB-DW Height : Same as LP108
S132AB-DW and SLP132AB-DW Height: Same as S108 and SLP108
Optional crane reinforcement available at added cost upon request. Reading also manufactures “Cranemaster” bodies which are specifically engineered for crane use. See separate literature or Reading’s website for specifications on Reading’s Cranemaster 6000 and 8000 bodies.


Standard Shelf and Divider Equipment
All shelves and dividers removable and adjustable. (9) shelves and (40) dividers included
† This compartment layout not available with DA Package and could affect leadtime

Spacemaster Tops

Model	Approx. Wt.*		Cab-to-axle	A	B	F	G	H	I	J	K
	Steel	Alum.									
SPM48-98SW**	599 lbs.	303 lbs.	56"	98"	49"	62-1/2"	13-1/4"	48-1/2"	7-1/2"	75"	8-1/2"x42-3/4"
SPM57-98SW**	641 lbs.	348 lbs.	56"	98"	49"	62-1/2"	13-1/4"	48-1/2"	7-1/2"	75"	12-1/2"x42-3/4"
SPM48-98DW	641 lbs.	353 lbs.	56"	98"	49"	74"	18-1/4"	50"	11"	86-1/2"	8-1/2"x42-3/4"
SPM57-98DW	722 lbs.	397 lbs.	56"	98"	49"	74"	18-1/4"	50"	11"	86-1/2"	12-1/2"x42-3/4"
SPM48-U108SW**	583 lbs.	316 lbs.	60"	108"	54"	62-1/2"	13-1/4"	48-1/2"	7-1/2"	75"	8-1/2"x48-3/4"
SPM57-U108SW**	673 lbs.	366 lbs.	60"	108"	54"	62-1/2"	13-1/4"	48-1/2"	7-1/2"	75"	12-1/2"x48-3/4"
SPM48-U108DW	668 lbs.	367 lbs.	60"	108"	54"	74"	18-1/4"	50"	11"	86-1/2"	8-1/2"x48-3/4"
SPM57-U108DW	758 lbs.	417 lbs.	60"	108"	54"	74"	18-1/4"	50"	11"	86-1/2"	12-1/2"x48-3/4"
SPM57-UR132DW	985 lbs.	—	84"	132"	42"s	80"	18-1/4"	50"	11"	92"	12-1/2"x39-1/4"
SPM57-UR132HDDW	985 lbs.	—	84"	132"	42"s	80"	18-1/4"	50"	11"	92"	12-1/2"x39-1/4"

Standard Shelf and Divider Equipment
All models feature 1 shelf and 4 dividers in curbside front compartment only
Shelves are removable and dividers are adjustable and removable

*Denotes Spacemaster top weight only. **Available factory installed only. ▲ NOTE: SPM57-UR132 and SPM57-UR132HD have (3) "K" compartments each side, equally spaced







Dimensions and specifications for lower compartment areas correspond to Reading service bodies with equivalent model numbers (minus prefix SPM48 or SPM57) shown above
† This compartment layout not available with DA Package and could affect leadtime

Heavy-Duty Bodies

Model	Approx. Wt.	Cab-to-axle	Approx. Compartment Clear Door Openings						
			A	B	C	D	E	F	G
HDR108AB	1414 lbs.	60"	29-1/4"x38-1/2"	45-1/2"x14"	20-3/4"x38-1/2"	69-3/4"x14"	20-3/4"x21-3/8"	—	—
HDR120AB	1761 lbs.	72"	36-1/2"x38-1/2"	48-1/2"x14"	20-3/4"x38-1/2"	72-1/2"x14"	20-3/4"x21-3/8"	—	—
HDR132AB	2182 lbs.	84"	22-1/2"x38-1/2"	48-1/4"x14"	20-3/4"x38-1/2"	72-1/2"x14"	20-3/4"x21-3/8"	35"x21-3/8"	11-1/2"x38-1/2"
HDR150AB	2536 lbs.	102"	20-1/2"x38-1/2"	48-1/4"x14"	20-3/4"x38-1/2"	72-1/2"x14"	20-3/4"x21-3/8"	—	—

Heavy-duty bodies are designed for chassis 1 1/2 ton and over with dual rear wheels



Standard Shelf and Divider Equipment
All shelves and dividers removable and adjustable. (6) shelves HD108 model, (6) shelves HD120 model, (9) shelves HD132 model, (14) shelves HD150 model
Dividers:
A total of 40 dividers
Bumpers are optional equipment available at additional cost.
Optional crane reinforcement available at added cost upon request. Reading also manufactures Cranemaster bodies which are specifically engineered for crane use. See separate literature or Reading’s website for specifications on Reading’s Cranemaster 6000 and 8000 bodies
† This compartment layout not available with DA Package and could affect leadtime

Panel Tops







Dimensions and specifications for lower compartment areas correspond to Reading service bodies with equivalent model numbers (minus prefix PA/TPA-50, PA/TPA-60, or PA/TPA-72) shown below

50 Series – 50" inside head clearance						
Model	Approx. Wt.*		Dimensions			
	Steel	Alum.	A	B	C	Length
PA50-98SW**	425 lbs.	224 lbs.	63-1/2 lbs.	7-1/2"	48-1/2"	98"
TPA50-98SW**	469 lbs.	276 lbs.	64"	7-3/4"	48-1/2"	98"
PA50-98-DW	528 lbs.	258 lbs.	76"	13"	50"	98"
TPA50-98DW	572 lbs.	278 lbs.	76-1/2"	13-1/4"	50"	98"
PA50-108SW**	440 lbs.	233 lbs.	63-1/2"	7-1/2"	48-1/2"	108"
TPA50-108SW**	484 lbs.	253 lbs.	64"	7-3/4"	48-1/2"	108"
PA50-108DW	551 lbs.	267 lbs.	76"	13"	50"	108"
TPA50-108DW	595 lbs.	287 lbs.	76-1/2"	13-1/4"	50"	108"
PA50-1086DW	561 lbs.	279 lbs.	75"	7-1/2"	60"	108"
TPA50-1086DW	601 lbs.	297 lbs.	76-1/2"	8-1/4"	60"	108"

*Denotes panel top weight only **Available factory installed only

72 Series – 72" inside head clearance						
Model	Approx. Wt.*		Dimensions			
	Steel	Alum.	A	B	C	Length
PA72-108DW*	734 lbs.	373 lbs.	76"	13"	50"	108"
TPA72-108DW	782 lbs.	395 lbs.	76-1/2"	13-1/4"	50"	108"
PA72-1086DW	744 lbs.	385 lbs.	75"	7-1/2"	50"	108"
TPA72-1086DW	784 lbs.	403 lbs.	76-1/2"	8-1/4"	50"	108"
PA72-108HD	789 lbs.	—	76"	13"	50"	108"
TPA72-108HD	833 lbs.	—	76-1/2"	13-1/4"	50"	108"
PA72-120HD	888 lbs.	—	76"	13"	50"	120"
TPA72-120HD	938 lbs.	—	76-1/2"	13-1/4"	50"	120"
PA72-132	972 lbs.	—	76"	13"	50"	132"
TPA72-132	1026 lbs.	—	76-1/2"	13-1/4"	50"	132"
PA72-132HD	972 lbs.	—	76"	13"	50"	132"
TPA72-132HD	1026 lbs.	—	76-1/2"	13-1/4"	50"	132"
PA72-150HD	1082 lbs.	—	76"	13"	50"	150"
TPA72-150HD	1143 lbs.	—	76-1/2"	13-1/4"	50"	150"

*Denotes panel top weight only



60 Series – 60" inside head clearance						
Model	Approx. Wt.*		Dimensions			
	Steel	Alum.	A	B	C	Length
PA60-98SW**	480 lbs.	224 lbs.	63-1/2 lbs.	7-1/2"	48-1/2"	98"
TPA50-98SW**	524 lbs.	276 lbs.	64"	7-3/4"	48-1/2"	98"
PA50-98-DW	615 lbs.	258 lbs.	76"	13"	50"	98"
TPA50-98DW	659 lbs.	278 lbs.	76-1/2"	13-1/4"	50"	98"
PA50-108SW**	515 lbs.	233 lbs.	63-1/2"	7-1/2"	48-1/2"	108"
TPA50-108SW**	559 lbs.	253 lbs.	64"	7-3/4"	48-1/2"	108"
PA50-108DW	660 lbs.	267 lbs.	76"	13"	50"	108"
TPA50-108DW	704 lbs.	287 lbs.	76-1/2"	13-1/4"	50"	108"
PA50-1086DW	670 lbs.	279 lbs.	75"	7-1/2"	60"	108"
TPA50-1086DW	710 lbs.	297 lbs.	76-1/2"	8-1/4"	60"	108"
PA60-108HD	646 lbs.	—	76"	13"	50"	108"
TPA60-108HD	690 lbs.	—	76-1/2"	13-1/4"	50"	108"
PA60-120HD	721 lbs.	—	76"	13"	50"	120"
TPA60-120HD	771 lbs.	—	76-1/2"	13-1/4"	50"	120"
PA60-132	820 lbs.	—	76"	13"	50"	132"
TPA60-132	874 lbs.	—	76-1/2"	13-1/4"	50"	132"
PA60-132HD	820 lbs.	—	76"	13"	50"	132"
TPA60-132HD	874 lbs.	—	76-1/2"	13-1/4"	50"	132"
PA60-150HD	929 lbs.	—	76"	13"	50"	150"
TPA60-150HD	990 lbs.	—	76-1/2"	13-1/4"	50"	150"

*Denotes panel top weight only **Available factory installed only

Additional Options




- L.E.D. Lighting**
- Bright, long lasting L.E.D. lights



- Master Locking**
- Steel slide bar simultaneously locks all of the compartment doors on a service body's side
 - Spring loaded for easy manual operation




- Aluma-Chock®**
- Aluminum chock block holders
 - Can be ordered as single or dual per body side
 - Protects the body from nicks and scratches from repeated insertion and removal of chock blocks




- Pipe Vise Rack**
- Rugged steel construction
 - Holds pipe sections securely in place


Steel Ladder Racks




Removable Overhead Ladder Rack



Removable Side Mount Ladder Rack (Angular Rack Shown, Flat Rack Also Available)



Removable Overhead Ladder Rack for Panel Body




Side Mount Ladder Rack for Panel Body

Steel Sliding Tops


- Available in two or three sections (depending on body size)
- Slides on full-length galvanized steel tracks
- Secured with a two-point positive action stainless steel T-handle lock



Models
ST78 – ST108HD



Models
ST120HD – ST150HD



Overhead Material Rack

- Heavy-gauge square tubing
- Constructed from 1/8" wall thickness, 1-1/2" x 1-1/2" and 2" x 2" high-strength steel square tubing
- Optional 11" extension available for taller cabs
- Universally designed rack fits single wheel and dual wheel service bodies from 98" up to and including 132" lengths
- High gloss black Powder Coat finish
- 1200 lb. Capacity



* Payload will effect vehicle handling
** Cannot be used with a sliding top

The Reading Group has a full line of trucks built for the long haul.



Cut-Away Van Bodies



Steel Contractor Bodies



Steel Stake and Platform Bodies



Steel Landscaper



Utility Bodies



Dump Bodies



Dry Freight Van Bodies



Redi-Dek™



Forestry Bodies



Steel Service Bodies



Drop Side Dump Bodies



Aluminum Service Bodies



Composite Landscaper



S.M.A.R.T. Racks



Composite Platform Bodies



Service Vans
57" and 75" single and dual wheel



TheReadingGroup.us

Locations
Abington, PA
Atlanta, GA
Bowmansville, PA

Cleveland, OH
Clinton, MD
Columbus, OH
Denver, PA

LaGrange, TX
Louisville, KY
Pontiac, MI
Portland, OR

Reading, PA
Seneca, PA
Suffolk, VA
Tampa, FL

SOLD AND SERVICED LOCALLY BY

All dimensions subject to plus or minus tolerance of 1/4" and all dimensions and specifications are subject to change without notice. Some items displayed in photographs are optional. Alumna-Fill, Alumna-Chock, Dual-Pro, Extend-A-Shelf, Grip-n-Glide, Latch-Matic, Marauder, Reading, Redi-Dek, Rhino Linings, Rugged American, S.M.A.R.T. Racks, Spacemaker, Tool-Mates, and TUFF STUFF are registered trademarks of The Reading Group, LLC in the United States and some foreign countries. The Reading kangaroo is a trademarked image and may not be reproduced or used without express permission from The Reading Group.

TRG10-CII-15M-07

© 2010 The Reading Group, LLC