


# GLOVE SELECTION GUIDE



## LEATHER MATERIALS

### COWHIDE GRAIN

- Excellent comfort and durability
- Good abrasion resistance and dexterity
- Resists oil and water
- Smooth finish



### COWHIDE SPLIT

- Good abrasion resistance
- Economical
- Rough suede like finish



### PIGSKIN

- Excellent comfort and dexterity
- Superior performance in wet applications
- Superior breathability



### DEERSKIN

- Superior dexterity
- Extremely comfortable and soft



## GENERAL PURPOSE MATERIALS

### COTTON

- Excellent comfort and breathability
- Good abrasion resistance
- Moderate heat protection in heavyweight styles
- Economical



### POLY/COTTON

- Polyester and cotton blend
- Moderate abrasion resistance
- Excellent dexterity and breathability



### JERSEY

- Superior fit and comfort
- Moderate heat protection



## COATED & CHEMICAL RESISTANT MATERIALS

### NATURAL RUBBER/LATEX

- Resists cuts, punctures and slashes
- Superior elasticity



### POLYURETHANE

- Excellent dexterity and flexibility
- Superior grip and abrasion resistance
- Resists many chemicals



### PVC/VINYL

- Excellent resistance to many oils, chemicals and acids
- Provides good abrasion resistance
- Good flexibility



### NITRILE (SYNTHETIC RUBBER)

- Resists abrasions, snags, cuts and punctures
- Excellent resistance to many oils, fuels, acids and solvents
- Suitable for people with latex allergies
- Superior dexterity



### FOAM NITRILE

- Absorbs oils better than flat coating
- Superior grip in oil and grease environments
- Resists abrasions, snags, cuts and punctures



## CUFF MATERIALS

### STARCHED

Laminated double layer of fabric, minimal protection

### CANVAS

Single layer of cotton, minimal protection

### DENIM

Single layer of fabric, minimal protection

### PLASTICIZED (PE)

Washable polyethylene layer sandwiched by fabric layers, moderate protection

### RUBBERIZED

Durable rubber layer sandwiched by fabric layers, excellent protection

### LEATHER

Heavy layer of split cowhide, superior protection

## CUFF STYLES

### SAFETY CUFF



### KNIT WRIST CUFF



### GAUNTLET CUFF



### SLIP-ON CUFF



### BEADED CUFF



## LIGHTWEIGHT POLYURETHANE PALM COATED GLOVES

- Excellent abrasion resistance
- Premium comfort and breathability
- 13-gauge seamless polyester knit provides ultimate dexterity and reduces hand fatigue
- Superior dry grip
- Knit wrist • Ultra soft polyurethane coated palm
- EN 388 Performance Levels: 4114 • EN 420 Dexterity Level: 5

**Applications:** Clean room environments, quality control, electronics assembly and general manufacturing



Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
<b>Black</b>		
SAX694	6	
SAX695	7	
SAX696	8	
SAX697	9	
SAX698	10	
SAX699	11	

Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
<b>White</b>		
SA0161	6	
SA0162	7	
SA0163	8	
SA0164	9	
SA0165	10	
SA0166	11	



## HI-TECH ASSEMBLY PALM COATED GLOVES

- Seamless 13-gauge 100 % black nylon liner
- Abrasion, tear and small cut resistant
- Open back eliminates perspiration and offers superb user comfort
- Grey polyurethane-coated palm
- Anatomical shape facilitates movement

**Applications:** Car mechanics, handling of greasy parts, industrial assembly, precision mechanics



Case Qty: 72

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SA0085	B0500BS-06	6	
SA0086	B0500BM-07	7	
SA0087	B0500BL-08	8	
SA0088	B0500BXL-09	9	



## HYFLEX® 11-600/11-601 GLOVES

- Light-duty polyurethane palm coating, knit nylon liner
- Silicone-free • Seamless
- Snug fit for maximum dexterity and tactile sensitivity
- New palm dipping technology – keeps back of hands and knuckles open, reducing hand fatigue and promoting comfort and coolness
- Accepted for use in Canadian food processing facilities

**Applications:** Electronics assembly and computer assembly



Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
<b>11-600 (WHITE PALM, WHITE LINER)</b>			
SAW968	1160011060	6	
SAW969	1160011070	7	
SAW970	1160011080	8	
SAW971	1160011090	9	
SAW972	1160011100	10	
SAW973	1160011110	11	
<b>11-601 (GREY PALM, BLACK LINER)</b>			
SAW974	107035	6	
SAW975	107036	7	
SAW976	107037	8	
SAW977	107038	9	
SAW978	110578	10	



# COATED GLOVES

## PX130 GLOVES

- Lightweight and stretchable liner for an optimized fit and feel
- Good abrasion resistance thanks to the polyurethane coating on the palm
- Elasticated knitwrist cuff to ensure snug fit
- Excellent comfort and dexterity
- Added benefit of an increased oil grip
- EN 420 dexterity level 5 rating enables hands to operate at peak performance without ever letting comfort or dexterity slip
- Gauge: 15
- Liner: Nylon
- Unlined

**Applications:** General handling, general maintenance, printing industry, handling of small/fine parts

**Case Qty: 240**

Model No.	Mfg. No.	Size	Price /Each
SDP581	1114396	6	
SAL996	1114397	7	
SAL997	1114398	8	
SAL998	1114399	9	
SAL999	1114400	10	



SAL998

## HYFLEX® 11-618 GLOVES

- Black polyurethane palm coated
- Ultra-light weight glove maximizing touch and precision for delicate handling operations
- Ideal for workers who need a higher level of touch and precision in dry or slightly oily applications
- Ultralight weight 18-gauge seamless liner enhances flexibility, tactility and handling efficiency
- The ultralight glove is just 0.8-mm thick in total, providing high dexterity with high abrasion resistance (Level 3)
- Silicone-free

**Applications:** Light assembly requiring high degree of precision, picking and lifting small pieces, finishing works

**Case Qty: 144**

Model No.	Mfg. No.	Size	Price /Each
SEI717	112074	Small	
SEI718	112075	Medium	
SEI719	112076	Large	
SEI720	112077	X-Large	



SEI717

## NITRILE FOAM PALM COATED GLOVES

- Ultra light nitrile foam palm coating offers maximum breathability and tactile sensitivity
- 13-gauge seamless polyester shell provides a cool comfortable fit
- Superior dexterity, comfort and wet grip reduces hand fatigue
- Excellent abrasion resistance
- Knit wrists prevents debris from entering the glove
- EN 388 Performance Levels: 4021 • EN 420 Dexterity Level: 5

**Applications:** Metal stamping, material handling, automotive assembly and small oily parts handling

**Case Qty: 144**

Model No.	Size	Price /Each
SBA611	6	
SBA612	7	
SBA613	8	
SBA614	9	
SBA615	10	
SBA616	11	



SBA613

## HYFLEX® 11-800/11-801 GLOVES

- Light-duty foam nitrile palm coating
- Knit nylon liner
- Excellent grip in light oil applications, oil is channelled away from the glove surface
- Highest level of comfort and protection
- Resistant to snags and abrasions
- Accepted for use in Canadian food processing facilities

**Applications:** Automotive assembly, handling small parts (especially where oil is present)

**Case Qty: 144**

Model No.	Mfg. No.	Size	Price /Each
11-800 (GREY PALM, WHITE LINER)			
SAW921	103330	6	
SAW922	103331	7	
SAW923	103332	8	
SAW924	103333	9	
SAW925	103334	10	
SAW926	103346	11	

Model No.	Mfg. No.	Size	Price /Each
11-801 (BLACK PALM, GREY LINER)			
SAW962	103381	6	
SAW963	103382	7	
SAW964	103383	8	
SAW965	103384	9	
SAW966	103385	10	
SAW967	103386	11	



SAW921



SAW962

## G40 NITRILE COATED GLOVES

- Better oil and industrial grease grip than the previous G40 Nitrile Glove
- Silicone-free, nitrile foam coated
- Washable – maintains the EN388 ratings through at least five wash cycles
- Ecofriendly packaging – no separate insert, no printed bags, less waste
- EN 388 rating of 4131
- EN 420 dexterity level 5
- Color coded hem for sizing

**Applications:** Metal, glass and wood handling, automotive and aerospace assembly



Case Qty: 60

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAQ347	40225	Small	
SAQ348	40226	Medium	
SAQ349	40227	Large	
SAQ350	40228	X-Large	
SAQ351	40229	2X-Large	



SAQ349

## LIGHTWEIGHT NITRILE FOAM PALM COATED GLOVES

- Lightweight nitrile foam palm coating
- 13-gauge seamless knitted polyester shell
- Excellent abrasion resistance
- Superior dexterity, comfort and wet grip reduces hand fatigue
- Knit wrist
- Palm coating provides a cool comfortable fit
- EN 388 Performance Levels: 4021
- EN 420 Dexterity Level: 5

**Applications:** Metal stamping, material handling, automotive assembly and small oily parts handling



Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SAM629	6	
SAM630	7	
SAM631	8	
SAM632	9	
SAM633	10	
SAM634	11	



SAM630

## HYFLEX® 11-840 GLOVES

- Lightweight, multi-purpose glove
- Enhanced dry grip and abrasion performance
- 20% more breathable than earlier formulations for cooler, drier hands
- ANSI Level 5 abrasion resistance
- Three times the abrasion performance of other lightweight knit-dipped gloves
- Form-fitting liner is snug, second-skin tailoring
- Matches the natural contours of the hand to create a more comfortable wearing experience
- Silicone free for product protection
- Coating: Nitrile foam
- Thickness: 15-Gauge
- Cuff: Knit wrist
- Colour: Gray
- Liner: Nylon/spandex

**Applications:** Assembly of small & medium parts, feeding production lines, general handling, raw material reception, screwing & unscrewing parts



Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SDM676	113036	6	
SDM677	113037	7	
SDM678	113038	8	
SDM679	113039	9	
SDM680	113040	10	
SDM681	113041	11	



SDM676



# COATED GLOVES

## ZX-1 PREMIUM NITRILE FOAM PALM COATED GLOVES

- Sanitized® coating inhibits bacteria, minimizes odour development, and promotes freshness
- Black foam nitrile palm coating for optimal grip in dry, wet and oily conditions
- Grey seamless nylon/spandex 15-gauge shell for optimal dexterity
- Foam nitrile coating improves abrasion resistance
- Premium comfort and breathability reduces hand fatigue
- Knit wrist prevents dirt and debris from entering the glove
- EN 388 Performance Levels: 4131
- EN 420 Dexterity Level: 5

**Applications:** Automotive, small parts handling, quality inspection, assembly and maintenance, manufacturing



Priced per Pair

Model No.	Size	Price /Each
SDP438	6	
SDP439	7	
SDP440	8	
SDP441	9	
SDP442	10	
SDP443	11	



SDP441

## ZX-2 PREMIUM 3/4 NITRILE & NITRILE FOAM PALM COATED GLOVES

- Sanitized® coating inhibits bacteria, minimizes odour development, and promotes freshness
- Black foam nitrile palm coating for maximum grip in dry, wet and oily conditions
- Purple flat nitrile 3/4 coating to prevent liquids from permeating through the glove shell
- Grey seamless nylon/spandex 18-gauge shell for maximum dexterity
- Premium comfort and breathability reduces hand fatigue
- Knit wrist prevents dirt and debris from entering the glove
- EN 388 Performance Levels: 4121

**Applications:** Automotive, small parts handling, assembly and maintenance, manufacturing, wet/oily applications



Priced per Pair

Model No.	Size	Price /Each
SDP444	7	
SDP445	8	
SDP446	9	
SDP447	10	
SDP448	11	



SDP446

## ZX-30° PREMIUM FOAM PVC PALM COATED ACRYLIC LINED GLOVES

- Sanitized® coating inhibits bacteria, minimizes odour development, and promotes freshness
- Foam PVC palm coating offers excellent breathability, dexterity and durability, while providing a superior wet or dry grip
- 15-gauge seamless nylon/spandex shell with 100% acrylic lining for superior cold protection
- Uncoated back permits breathability and limits perspiration
- Exceptional comfort and fit
- Resists abrasions, cuts and punctures
- Meets EN 511 standards for extreme cold protection maintaining flexibility in temperatures up to -50°C
- EN 511 Contact Cold Resistance Level: 2
- EN 388 Performance Levels: 3232

**Applications:** Cold/outdoor environments, fishing industry, glass/wood handling, construction, general maintenance



Priced per Pair

Model No.	Size	Price /Each
SFQ726	Medium (7)	
SFQ727	Large (8)	
SFQ728	X-Large (9)	
SFQ729	2X-Large (10)	



SFQ726

## HYFLEX® 11-818 GLOVES

- A thin yet strong glove perfect for a variety of tasks
- The HyFlex® 11-818 provides the perfect balance between comfort and protection to the wearer
- The glove contains Ansell FORTIX™ technology, a patent-pending nitrile foam coating, which offers a level 4 abrasion resistance without compromising the breathability of the glove
- The ultra-thin palm coating provides a bare hand-like feel and a high level of grip to handle small and fine parts
- Thickness: 18-gauge • Cuff: Knit wrist • Colour: Blue • Liner: Nylon/spandex

**Applications:** Assembly of dry parts, feeding the lines, fine mounting of small nuts and bolts, handling of small/fine parts, mounting & dismounting parts, screwing, unscrewing, ultra-fine mechanical applications

Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SDM259	111714	7	
SDM260	111715	8	
SDM261	111716	9	
SDM262	111717	10	
SDM263	111718	11	

Ansell



SDM259

## SHOWA 377 GLOVES

- Thin dipped blue nitrile coated glove
- Black foam nitrile coated palm ensures excellent grip
- Elastic knit-wrist holds the glove firmly on the arm for enhanced fit
- Liquid resistant
- Launderable

**Applications:** Mechanical and automotive, constructions, machine assembly, handling oily objects, limited chemical splash and refineries

Case Qty: 72

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SEI864	377-06	Small	
SEI865	377-07	Medium	
SEI866	377-08	Large	
SEI867	377-09	X-Large	
SEI868	377-10	2X-Large	

SHOWA  
Always Innovating. Never Imitating.



SEI864

## ZORB-IT™ SPONGE NITRILE PALM COATED GLOVES

- Zorb-IT™'s unique, patent-pending "sponge nitrile" technology is changing the rules of what a flat-dip nitrile glove can be
- The sponge nitrile produces an extra-absorbent nitrile dip that conforms and adheres to the nylon shell like no other glove
- Beats the competition in laundering nearly three-to-one, and absorbs almost twice as much oil and grease while still delivering a sure grip
- Stands up to repeated washing with no shrinkage
- Accepted for use in Canadian food processing facilities
- Made of FDA compliant materials

**Applications:** General maintenance, oily parts handling, automotive maintenance, and shipping and receiving

Case Qty: 72

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAK964	4550XS-06	X-Small	
SAK965	4550S-07	Small	
SAK966	4550M-08	Medium	
SAK967	4550L-09	Large	
SAK968	4550XL-10	X-Large	

SHOWA  
Always Innovating. Never Imitating.



SAK966

## PREMIUM NITRILE PALM COATED GLOVES

- 15-gauge seamless nylon knit provides ultimate dexterity and reduces hand fatigue
- Superior abrasion, cut and puncture resistance
- Fluorescent green shell and green coating offers maximum visibility
- Premium comfort and breathability
- Excellent dry grip • Durable nitrile coated palm
- Knit wrist prevents dirt and debris from entering the glove
- Accepted for use in Canadian food processing facilities
- EN 388 Performance Levels: 4121

**Applications:** Manufacturing, maintenance, small parts handling, laboratory, painting and janitorial

Case Qty: 144

Priced per Pair

Model No.	Size	Price /Each
SEI851	7	
SEI852	8	
SEI853	9	
SEI854	10	
SEI855	11	

ZENITH®  
Safety Products



SEI854

# COATED GLOVES

## NITRI-FLEX LITE® NITRILE PALM COATED GLOVES

- Seamless nylon knit gloves with a textured green nitrile palm coat
- Resist cuts, snags and abrasion with non slip grip
- Snug fitting knit wrist glove is extremely flexible
- Accepted for use in Canadian food processing facilities

**Applications:** Construction, general maintenance and shipping & receiving



SQ137

Case Qty: 72

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SQ136	4500S-7	Small	
SQ137	4500M-8	Medium	
SQ138	4500L-9	Large	
SQ139	4500XL-10	X-Large	

## HYFLEX® 11-920 GLOVES

- Special nylon fine gauge liner
- Ansell Grip Technology™ nitrile coating on palm repels oils and other lubricants away from the surface via microscopic channels
- Increases surface contact for enhanced grip and control
- Prevents oil penetration and reduces the risk of dermatitis and liquid exposure
- Provides softness, comfort and breathability to the glove
- Ergonomic, natural fit
- Available in a wide range of sizes to protect more workers
- Accepted for use in Canadian food processing facilities

**Applications:** Engine and transmission assembly, handling machine parts free from shavings and sharp edges, handling small castings, gears and other abrasive edged parts, light metal fabrication and parts handling, light stamping in oily environments and product inspection



SAY772

Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAY772	104456	6	
SAY773	104457	7	
SAY774	104458	8	
SAY775	104459	9	
SAY776	104460	10	
SAY777	104461	11	

## HYFLEX® 11-900 GLOVES

- Light-duty nitrile coating on palm, white knit nylon liner
- Excellent dry grip for applications involving small to medium sized parts
- Abrasion resistance
- Oil repellency, nitrile coating prevents oil from penetrating through the glove, protecting hands from dermatitis
- Accepted for use in Canadian food processing facilities

**Applications:** Automotive assembly and metal fabrication.



SAW979

Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAW979	103347	6	
SAW980	103348	7	
SAW981	103349	8	
SAW982	103350	9	
SAW983	103351	10	

## LIGHTWEIGHT NITRILE COATED GLOVES

- 13-gauge seamless polyester knit provides ultimate dexterity and reduces hand fatigue
- Superior abrasion, cut and puncture resistance
- Premium comfort and breathability
- Excellent dry grip
- Durable nitrile coated palm
- Knit wrist prevents dirt and debris from entering the glove
- EN 388 Performance Levels: 4123 • EN 420 Dexterity Level: 5

**Applications:** Metal stamping, material handling, automotive assembly and small parts handling



SAO159

Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SAO157	7	
SAO158	8	
SAO159	9	
SAO160	10	
SAP355	11	

## BLACK POLYESTER NITRILE COATED GLOVES

- 13-gauge seamless polyester knit provides ultimate dexterity and reduces hand fatigue
- Black liner with grey palm hides the dirt and extends life
- Superior abrasion, cut and puncture resistance
- Premium comfort and breathability
- Excellent dry grip • Durable nitrile coated palm
- Knit wrist prevents dirt and debris from entering the glove
- EN 388 Performance Levels: 4123 • EN 420 Dexterity Level: 5



Priced per Pair

Case Qty: 120

Model No.	Size	Price /Each
SAP931	7	
SAP932	8	
SAP933	9	
SAP934	10	
SAP935	11	



## MEDIUMWEIGHT NITRILE COATED GLOVES – INTERLOCK LINING

- Interlock cotton lining
- Superior abrasion, cut and puncture resistance
- Excellent comfort and breathability
- Greater dexterity than heavyweight
- Open back coating provides a cool and comfortable fit
- Knit wrist eliminates dirt and debris from entering the glove

**Applications:** Light to medium fabrication, material handling, automotive, and general maintenance



Priced per Pair

Case Qty: 120

Model No.	Size	Price /Each
SAO150	7	
SAO151	8	
SAO152	9	
SAO153	10	
SAO154	11	



## MEDIUMWEIGHT NITRILE COATED GLOVES – COTTON LINING

- 13-gauge seamless knitted cotton shell
- Resists abrasion, cut and punctures
- Excellent dexterity and dry grip
- Open back 3/4 coating provides a cool comfortable fit
- Knit wrist prevents dirt and debris from entering the glove

**Applications:** Metal stamping, material handling, automotive, small parts handling and general maintenance



Priced per Pair

Case Qty: 120

Model No.	Size	Price /Each
SAM646	7	
SAM647	8	
SAM648	9	
SAM649	10	



## HYLITE® 47-400 GLOVES

- Nitrile-coated, interlock knit-lined, medium-duty
- Outwear cotton up to 12 to 1, light leather 5 to 1 and PVC coated gloves 3 to 1
- Exceptional snag, puncture, abrasion and cut resistance
- Extra comfort
- Accepted for use in Canadian food processing facilities

**Applications:** Assembly, inspection, medium-duty handling, light fabrication, shipping & receiving and maintenance

Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAW984	103451	7	
SAW985	103452	8	
SAW986	103453	8.5	
SAW987	103454	9	
SAW988	103455	10	





# COATED GLOVES

## ACTIVARMR® 97-013 HI-VIZ™ GLOVES

- Medium-duty glove with exclusive nitrile/polyurethane coating provides excellent wet/dry grip
- Techcor® Knitting Technology offers enhanced protection from cuts and abrasions without sacrificing comfort or dexterity
- Contrast vivid orange colour and retroreflective logo increases visibility and safety
- 13 gauge liner offers comfort for all day wear; ergonomically designed to reduce hand fatigue
- Silicone-free
- Meets EN388 Level 2 for cut resistance
- Cuff style: Knit wrist
- Liner: Nylon
- Unlined

**Applications:** Handling abrasive or rugged materials, maintenance/repair, carpentry, assembly, heavy equipment operation, digging/trenchwork, general material handling

**Ansell**

Case Qty: 72

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SDR731	114775	7	
SDR732	114776	8	
SDR733	114777	9	
SDR734	114778	10	
SDR735	114779	11	



SDR731

## ATLAS FIT® 300 COATED GLOVES

- Durable rubber coating
- Cotton/polyester lining provides extremely comfortable fit
- Rough textured gripping
- An elastic knit-wrist secures the glove above the wrist for comfort and prevents debris from entering the glove
- Launderable

**Applications:** Construction, landscaping, carpentry, floor tiling, maintenance, masonry, garbage collection, highway work, roofing, shipping and receiving

**SHOWA**  
Always Innovating. Never Imitating.

Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
BLUE			
SAO815	300-07	Small	
SAO816	300-08	Medium	
SAO817	300-09	Large	
SAO818	300-10	X-Large	
GREEN			
SAO819	310-XS	X-Small	
SAO820	310-S	Small	
SAI304	310-M	Medium	
SAI305	310-L	Large	
SAO823	310-XL	X-Large	



SAO815

SAO819

## POWERFLEX® 80-100 GLOVES

- Natural rubber latex, crinkle finish
- Soft seamless poly/cotton knit liner
- Superior wet and dry grip
- Combination of cut, abrasion and puncture resistance
- Fully-coated thumb provides added protection in this high-risk area
- Uncoated back allows air to circulate which keeps hands cooler and drier
- Ergonomically designed, unbelievable comfort
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 1, EN388 Level 2 for cut resistance

**Applications:** General maintenance, shipping and receiving, assembly, concrete and brick handling and lumber handling

**Caution:** This product contains natural rubber latex which may cause allergic reactions in some individuals

**Ansell**

Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAY841	103496	6	
SAY842	103497	7	
SAY843	103498	8	
SAY844	103499	9	
SAY845	103500	10	



SAY841



## SHOWA® 341 GLOVES

- High levels of flexibility and softness
- Engineered waterproof latex coating to palm and fingertips
- Elasticated wrist provides a secure and comfortable fit
- Breathable 13-gauge polyester/cotton liner
- Excellent dexterity and tactility
- Ergonomic design that replicates the natural curvature of a human hand helps to reduce fatigue
- Seamless for optimum comfort
- Antibacterial and anti-odour treatment
- Liner: Nylon
- Unlined

**Applications:** Construction material, handling, general handling, light assembly, maintenance

**Case Qty:** 144



**Priced per Pair**

Model No.	Mfg. No.	Size	Price /Each
SDP567	341S-06	Small (6)	
SDP568	341M-07	Medium (7)	
SDP569	341L-08	Large (8)	
SDP570	341XL-09	X-Large (9)	



SDP567

## SHOWA® 306 GLOVES

- Full foam latex coating coupled with an additional latex grip coating to the palm and fingertips
- Seamless 13-gauge nylon/polyester knitted liner
- Water repellent
- Breathable coating technology
- Long lasting grip performance in wet and dry conditions
- Aerated foam latex provides cushioning from minor impacts
- Soft, comfortable fit
- Anatomical hand shape design helps prevent hand fatigue
- Liner: Nylon
- Unlined

**Applications:** Banksmen, handling construction materials, handling insulation, labouring, outdoor wet work, warehousing

**Case Qty:** 144



**Priced per Pair**

Model No.	Mfg. No.	Size	Price /Each
SDP571	306S-06	Small (6)	
SDP572	306M-07	Medium (7)	
SDP573	306L-08	Large (8)	
SDP574	306XL-09	X-Large (9)	
SDP575	306XXL-10	2X-Large (10)	



SDP571

## NATURAL RUBBER LATEX COATED GLOVES

- Natural rubber latex palm coating
- 10-gauge seamless knitted poly/cotton shell
- Resists abrasion, cuts and punctures
- Exceptional comfort and fit
- Palm coating provides a cool comfortable fit
- Textured coating provides superior wet and dry grip
- Knit wrist prevents debris from entering the glove
- EN 388 Performance Levels: 2144 • EN 420 Dexterity Level: 5

**Applications:** Glass handling, construction, wood handling, masonry and general maintenance

**Case Qty:** 120



**Priced per Pair**

Model No.	Size	Price /Each
SEB865	7	
SAL255	8	
SAL256	9	
SAL257	10	
SAL258	11	



SAL258

## NATURAL RUBBER LATEX COATED GLOVES

- Natural rubber latex palm coating
- 13-gauge seamless knitted polyester shell provides a comfortable fit
- Resists abrasion, cuts and punctures
- Crinkle finish coating provides superior wet and dry grip
- Knit wrist prevents debris from entering the glove • EN 388 Performance Levels: 2121

**Applications:** Glass handling, construction, wood handling, automotive, masonry and general maintenance/manufacturing



**Priced per Pair**

Model No.	Size	Price /Each
SFM541	7	
SFM542	8	
SFM543	9	
SFM544	10	



SFM541

# COATED GLOVES

## HIGH VISIBILITY RUBBER COATED ACRYLIC-LINED GLOVES

- 100% acrylic thermal lining offers superior cold protection
- 7-gauge seamless terry knitted and brushed liner
- Resists abrasions, cuts and punctures
- Exceptional comfort and fit
- Natural rubber latex palm coating
- Uncoated back permits breathability and limits perspiration
- Fluorescent yellow shell and blue coating offer maximum visibility
- Crinkle finish coating provides superior wet and dry grip
- EN 388 Performance Levels: 3143
- EN 511 Contact Cold Resistance Level: 1



**Applications:** Fishing industry, cold/outdoor environments, glass/wood handling masonry and general maintenance

**Case Qty:** 60

**Priced per Pair**

Model No.	Size	Price /Each
SEC797	7	
SEC798	8	
SEC799	9	
SEC800	10	
SEC801	11	



SEC799

## POWERFLEX® T° HI-VIZ YELLOW™ 80-400

- Natural rubber latex-coated acrylic thermal liner
- Excellent insulation for cold environment
- Strong combination of abrasion, liquid repellency and dry grip
- Superior flexibility and dexterity
- Uncoated back allows for air circulation to keep hands drier
- Ergonomically designed for unmatched fit and comfort
- Palm-coated crinkle finish
- Accepted for use in Canadian food processing facilities



**Applications:** Fishing industry, cold storage, winter transportation, unheated warehouses, yard and field work, freight handling.

**Case Qty:** 72

**Priced per Pair**

Model No.	Mfg. No.	Size	Price /Each
SEA278	103513	7	
SEA279	103510	8	
SEA280	103511	9	
SEA281	103512	10	
SEA282	103514	11	



SEA278

## NATURAL RUBBER LATEX PALM COATED CRINKLE FINISH GLOVES

- High density 100% cotton jersey lining
- Exceptional cut and abrasion resistance
- Superior comfort and flexibility
- Crinkle finish coating provides superior grip
- Safety cuff provides added protection



**Applications:** Glass handling, sheet metal handling and general handling of any sharp-edged materials

**Case Qty:** 120

**Priced per Pair**

Model No.	Size	Price /Each
SAN435	10	



SAN435

Can't find what  
you're looking for?  
Call us today!



## NATURAL RUBBER LATEX PALM COATED FLEECE LINED GLOVES

- Natural rubber latex palm coating
- 10-gauge seamless knitted poly/cotton shell
- Warm fleece lining
- Resists abrasion, cuts and punctures
- Exceptional comfort and fit
- Textured coating provides superior wet and dry grip
- Palm coated • Knit wrist
- EN 388 Performance Levels: 2144 • EN 420 Dexterity Level: 5

**Applications:** Glass handling, construction, wood handling, masonry and general maintenance

**Case Qty:** 120

Model No.	Size	Price /Each
SAN431	8	
SAN432	9	
SAN433	10	
SAN434	11	

**ZENITH®**  
Safety Products

**Priced per Pair**



SAN434

## ATLAS THERMA FIT® 451 COATED GLOVES

- Crinkle finish natural rubber palm coating
- Warm fleece lined shell with a knit wrist
- Exceptional warmth as well as a snug fit for excellent dexterity
- Improved grip for wet and dry conditions

**Applications:** Sheet metal, metal stamping as well as glass manufacturers and glaziers, agricultural and general assembly applications

**Case Qty:** 72

Model No.	Mfg. No.	Size	Price /Each
SAJ985	451S-07	Small	
SAJ986	451M-08	Medium	
SAJ987	451L-09	Large	
SAJ988	451XL-10	X-Large	

**SHOWA**  
Always Innovating. Never Imitating.

**Priced per Pair**



SAJ985

## HYCRON® 27-805 GLOVES

- Heavy-duty nitrile coated
- Outwears standard heavy-duty leather palm gloves by 3 to 1
- Soft jersey knitting eliminates seams from the working areas for greater comfort
- Excellent dry grip and superior service when handling rough, abrasive materials
- Excellent resistance to snags, puncture, abrasions, cuts, grease and oils
- Fully coated, 2 1/2" safety cuff
- Accepted for use in Canadian food processing facilities

**Applications:** Heavy-duty handling of castings, cores and fabricated metal, production handling of fabricated building materials (concrete block, brick, tile, lumber, drywall plywood)

**Case Qty:** 144

Model No.	Mfg. No.	Size	Price /Each
SAY787	103478	10	

**Ansell**

**Priced per pair**



## HEAVYWEIGHT NITRILE COATED SAFETY CUFF GLOVES

- High density 100 % cotton jersey lining
- Superior abrasion, cut and puncture resistance
- Exceptional durability, grip and flexibility
- Safety cuff
- Full coating for maximum protection • Palm coating provides a cool comfortable fit
- EN 388 Performance Levels: 4232

**Applications:** Rough industrial applications, sheet metal handling, fabrication workshops and automotive

**Case Qty:** 120

Model No.	Size	Price /Each
<b>FULLY COATED</b>		
SAN445	10	
SAN446	11	
<b>PALM COATED</b>		
SAN447	10	
SAN448	11	

**ZENITH®**  
Safety Products

**Priced per Pair**



SAN446

SAN447

# COATED GLOVES

## HEAVYWEIGHT NITRILE FULLY COATED KNIT WRIST GLOVES

- High density 100 % cotton jersey lining
- Superior abrasion, cut and puncture resistance
- Exceptional durability, grip and flexibility
- Knit wrist prevents debris from entering the glove
- EN 388 Performance Levels: 4232

**Applications:** Rough industrial applications, sheet metal handling, fabrication workshops and automotive



Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SAN441	8	
SAN442	9	
SAN443	10	
SAN444	11	

## THE KNIT PICKER KPG® VINYL GLOVES

- Lightweight, breathable vinyl coating and textured finish for sure grip
- 100% cotton seam free knit liner
- Outwears cotton many times on straight abrasion
- Machine washable

**Applications:** Furniture manufacturing, automotive subassembly, general maintenance, inspection, packaging, shipping, receiving, light fabrication and general assembly



Case Qty: 72

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SLIP-ON			
SC414	9605-08	Small	
SC415	960M-09	Medium	
SA600	960L-10	Large	
KNIT WRIST			
SC416	9615-08	Small	
SC417	961M-09	Medium	
SC418	961L-10	Large	

## VINYL IMPREGNATED GLOVES

- Stretch fit provides excellent dexterity
- Abrasion and water resistance
- Rough surface for a superior grip
- Colour: Red

**Applications:** Assembly work, bottling plants, warehousing, packaging, maintenance



Case Qty: 300

Priced per Pair

Model No.	Description	Price /Each
SEF065	Ladies	
SEF066	Men's	

## GET CLEAN

*Industrial handsoap with scrubbing particles for stubborn grease and grime*

**TRY SOME TODAY!**



Model JG223  
See page 331





# CUT RESISTANT GLOVES

**NOTE:** Cut-resistant gloves are extremely cut-resistant but not cut-proof. Do not subject to high-speed or highly serrated blades. Always disconnect power before cleaning or removing slicer blades.

## ACTIVARMR® 80-813

- Combines high levels of flame resistance and cut protection
- ARC flash-hazard category 2, helps protect workers against electrical hazards
- Special, soft foam coating ensures a secure grip in wet, oily and dry environments
- Ergonomic design provides superior comfort, dexterity and flexibility
- Meets EN407 Level 4 resistance to flammability
- Meets ANSI/ISEA 105 Level 4, EN388 Level 5 for cut resistance

**Applications:** Equipment assembly, facility & machinery maintenance, heavy duty metal handling, heavy equipment maintenance

**Case Qty:** 144

Model No.	Mfg. No.	Size	Price /Each
SEB814	103535	6	
SEB815	103536	7	
SEB816	103537	8	
SEB817	103538	9	
SEB818	103539	10	
SEB819	103540	11	

**Ansell**

**Priced per Pair**



## HPPE POLYURETHANE-COATED GLOVES

- Stretchable seamless HPPE liner
- HPPE (high performance polyethylene) liner is an extremely strong fibre
- Breathable polyurethane palm coating
- Excellent cut, abrasion and tear resistance
- Elastic knit wrist • Wrinkle finish provides a superior grip
- Cut Resistance: EN 388 Level 3
- EN 388 Performance Levels: 4342 • EN 420 Dexterity Level: 5

**Case Qty:** 144

Model No.	Size	Price /Each
SFV077	7	
SFV078	8	
SFV079	9	
SFV080	10	
SFV081	11	

**ZENITH®**  
Safety Products

**Priced per Pair**



## HPPE POLYURETHANE-COATED GLOVES

- Stretchable seamless HPPE liner
- HPPE (high performance polyethylene) liner is an extremely strong fibre
- Breathable polyurethane palm coating
- Superior cut, abrasion, and tear resistance
- Elastic knit wrist • Provides a superior grip
- Cut resistance: ANSI/ISEA 105 Level 4/EN 388 Level 5
- Accepted for use in Canadian Food Processing Facilities
- EN 388 Performance Levels: 4542

**Case Qty:** 144

Model No.	Size	Price /Each
SFU948	6	
SEF166	7	
SEF167	8	
SEF168	9	
SEF169	10	
SEF170	11	

**ZENITH®**  
Safety Products

**Priced per Pair**



## HYFLEX® 11-501 GLOVES

- Intercept Technology® yarn liner developed by Ansell and Dupont™
- Lightweight fit and feel with superior cut resistance
- Outstanding dexterity
- Superior oil grip, tactile sensitivity, dexterity and comfort
- Cut prevention improves productivity and profitability
- Teal foam nitrile palm coating
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 4, EN388 Level 4 for cut resistance

**Applications:** Automotive assembly, sheet metal assembly, handling sharp small parts, handling glass

**Case Qty:** 144

Model No.	Mfg. No.	Size	Price /Each
SAW951	103364	6	
SAW952	103365	7	
SAW953	103366	8	
SAW954	103367	9	
SAW955	103368	10	

**Ansell**

**Priced per Pair**





# CUT RESISTANT GLOVES

## HYFLEX® 11-511

- An unprecedented combination of cut resistance and dexterity with improved durability
- Lightweight and ergonomically designed with incredible cut protection and a relaxed fit
- Features Intercept Technology® yarn - developed by Ansell and DuPont which incorporates Kevlar® Stretch Armor Technology
- Extended cuff provides additional cut protection in the highly sensitive wrist area
- New foam nitrile formulation provides longer wear for increased durability
- Offers superior grip and tactility in light oil or dry environments, therefore providing sure grip of product and assurance when handling sharp objects and knives
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 4, EN388 Level 4 for cut resistance

**Applications:** Door and wood framing, glass installation, knife handling, maintenance operations, paper slitting, sharp small part handling, sheet metal press and small part stamping

**Case Qty:** 144

**Priced per Pair**

Model No.	Mfg. No.	Size	Price /Each
SEB171	1151111060	6	
SEB172	1151111070	7	
SEB173	1151111080	8	
SEB174	1151111090	9	
SEB175	1151111100	10	
SEB176	1151111110	11	

**Ansell**



## SHOWA S-TEX 376 GLOVES

- 3/4 coated nitrile with an additional coating of foam nitrile on the palm and fingertips
- Seamless 13 gauge Hagane Coil® knitted liner
- Protects from oils, grease and abrasion
- Long lasting grip performance in wet and oily conditions
- Manufactured using an ergonomically designed hand mold that replicates the natural curvature of the human hand
- Wrist protection
- Cuff: Knit
- Meets ANSI/ISEA 105 Level 4, EN388 Level 4 for cut resistance

**Industries:** Automotive, construction, manufacturing, steel and metals

**Case Qty:** 120

**Priced per Pair**

Model No.	Mfg. No.	Size	Price /Each
SDL507	S-TEX376S-06	Small	
SDL508	S-TEX376M-07	Medium	
SDL509	S-TEX376L-08	Large	
SDL510	S-TEX376XL-09	X-Large	

**SHOWA**  
Always Innovating. Never Imitating.



## FOAM NITRILE COATED ARAMID GLOVES

- Stretchable seamless 13-gauge Aramid liner
- Foam nitrile palm coating provides optimal grip in light oil and wet conditions
- Excellent cut, abrasion and tear resistance
- Elastic knit wrist
- Meets EN388 Level 5 for cut resistance
- EN 388 Performance Levels: 3524

**Applications:** Component assembly, waste handling, automotive and metal handling

**Case Qty:** 120

**Priced per Pair**

Model No.	Size	Price /Each
SEC137	7	
SAP923	8	
SAP924	9	
SAP925	10	
SAP926	11	
SEC138	12	

**ZENITH**  
Safety Products



## LATEX COATED TWARON® GLOVES

- Natural rubber latex palm coating
- Seamless 10 gauge Twaron® liner
- Excellent cut, tear and puncture resistance
- Elastic knit wrist
- Wrinkle finish provides a superior grip
- Meets EN388 Level 4 for cut resistance • EN 388 Performance Levels: 2434

**Applications:** Material handling, automotive, glass handling and waste handling

**Case Qty:** 120

**Priced per Pair**

Model No.	Size	Price /Each
SAP927	8	
SAP928	9	
SAP929	10	
SAP930	11	

**ZENITH**  
Safety Products



## ATLAS® GRIP KV300 GLOVES

- Offers outstanding dexterity, greater comfort with the added benefit of an ergonomic design
- Wrinkle finish flat dipped rubber, with a knit wrist and a 100% Kevlar® Aramid shell
- Cut-resistant glove is also breathable
- Colour: Blue
- Meets ANSI/ISEA 105 level 3 for cut resistance, EN388 level 4 for cut resistance

Case Qty: 12



Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SEC412	KV300-7	7	
SEC413	KV300-8	8	
SEC414	KV300-9	9	
SEC415	KV300-10	10	



## HYFLEX® 11-510 GLOVES

- Unique product design engineered for light to medium cut protection applications
- Designed to provide cut protection in applications where abrasion resistance and dexterity are a "must have"
- Protects hands from abrasion in the palm area as well as the back of the hand, giving workers more confidence when working in restrictive spaces
- Sure grip and protection
- Knitted with Kevlar® yarn from DuPont™, offers flexibility and comfort
- New ComfortFlex cuff provides additional protection as well as a soft feel around the sensitive wrist area
- Black foam nitrile ensures a sure grip in light oil and dry applications
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 2, EN388 Level 3 for cut resistance

**Applications:** Carpentry, HVAC, pipefitting, final assembly, glass installation, maintenance operations, sheet metal press, small part stamping, small part handling, small scale stamping & assembly, and wiring

Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SEB165	103412	6	
SEB166	103413	7	
SEB167	103414	8	
SEB168	103415	9	
SEB169	103416	10	
SEB170	103417	11	



Ansell

## HYFLEX® 11-435 GLOVES

- Eco-friendly, water-based polyurethane palm coating
- Enhanced dexterity and comfort
- Gray palm coat hides soil and provides long wear reducing overall replacement costs
- Cut-resistant liner has a unique combination of Dyneema®, Nylon, Lycra®, and glass fibre
- Ultra strong fibres provide extreme resistance to cuts and burrs
- Anti-static for improved safety in critical areas
- Silicone free
- Meets ANSI/ISEA 105 level 3 for cut resistance, EN388 level 5 for cut resistance

**Applications:** Cutting small dry or lightly oiled parts, handling glass or metal sheets, handling sharp-edged objects, maintenance, pre-assembling, stamping

Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SDM670	111048	6	
SDM671	111049	7	
SDM672	111050	8	
SDM673	111051	9	
SDM674	111052	10	
SDM675	111053	11	



Ansell

## SHOWA® 430 GLOVES

- Forged with cut-resistant materials, Showa® 430 provides cutting edge resistance with a flexible, comfortable feel
- Constructed with a 10-gauge seamless knit liner and flat dipping into a proprietary sponge coating
- Flat-dipped bi-polymer
- Sponge palm coating
- Added benefit of an increased oil grip
- EN 420 dexterity level 5 rating enables hands to operate at peak performance without ever letting comfort or dexterity slip
- Liner: HPPE
- Meets ANSI/ISEA 105 Level 4 for cut resistance

**Applications:** Glass & glazing, oily applications, bottling, small parts assembly

Case Qty: 12

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SDP576	430-07	7	
SDP577	430-08	8	
SDP578	430-09	9	
SDP579	430-10	10	
SDP580	430-11	11	



# CUT RESISTANT GLOVES

## SALT & PEPPER KNIT WITH BLACK POLYURETHANE PALM GLOVES

- Breathable polyurethane palm coating
- Floats on water
- High energy absorption and low elongation
- Anatomically formed for added comfort
- Resistant to abrasion, moisture, UV rays, mildew, chemicals and detergents
- Cut resistance unaffected by washing
- Colour: Black on salt & pepper
- Meets EN388 Level 3 for cut resistance



Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAN298	Y9248-7S&P	7	
SAN299	Y9248-8S&P	8	
SAN300	Y9248-9S&P	9	
SAN301	Y9248-10S&P	10	



## HYFLEX® 11-624 GLOVES

- Advanced cut protection with ergonomic design
- Dyneema®, Spandex® and nylon liner combined for excellent dexterity
- Yarn combination molds naturally to prevent hand fatigue
- Polyurethane coating provides a sure grip in dry and light oil applications
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 2, EN388 Level 3 for cut resistance

**Applications:** Assembly areas for use when handling metal components, glass handling and installation, small parts stamping, forming, machining and bending of small parts



Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAW989	104777	6	
SAW990	104778	7	
SAW991	104779	8	
SAW992	104780	9	
SAW993	104781	10	
SAW994	104782	11	



## HY-FLEX® 11-518 GLOVES

- Blue polyurethane palm coating
- New Dyneema® Diamond Technology HPPE yarn offers an unmatched combination of cut protection, comfort and dexterity in an 18-gauge glove
- Soft, sheer Dyneema® Diamond fiber breathes to keep hands cool and dry and moves freely with the motion of the hand for a more comfortable fit
- Polyurethane coating provides a sure grip in light oil and dry applications and excellent resistance to abrasion
- The ultralight fabric and tailored fit of the 11-518 create a barehand-like sensation of contact when performing tasks that demand high tactility
- ANSI level 2 cut protection, EN388 level 3 for cut resistance

**Application:** Handling/Assembly of small or ultra-fine dry sharp parts, packaging areas with risk of cut, wiring



Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SEI847	111708	Small	
SEI848	111709	Medium	
SEI849	111710	Large	
SEI850	111711	X-Large	



## HYFLEX® 11-627 GLOVES

- Dyneema® innovative yarn liner with polyurethane coating
- Exceptional cut resistance with an optimal level of Dyneema®
- Lycra® and nylon combined for excellent dexterity
- Polyurethane palm coating for excellent grip
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 1, EN388 Level 3 for cut resistance

**Applications:** Automotive, metal, glass, aeronautics, white goods manufacturing



Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAV080	1162711060	6	
SAV081	1162711070	7	
SAV082	1162711080	8	
SAV083	1162711090	9	
SAV084	1162711100	10	



## HPPE FOAM NITRILE-COATED GLOVES

- Stretchable seamless liner
- HPPE (high performance polyethylene) liner is an extremely strong fibre
- Breathable nitrile palm coating
- Excellent abrasion and tear resistance
- Elastic knit wrist
- Provides a superior grip
- Meets EN388 Level 3 for cut resistance
- EN 388 Performance Levels: 4342

Case Qty: 144

Model No.	Size	Price /Each
SFU852	7	
SFU853	8	
SFU854	9	
SFU855	10	
SFU856	11	

**ZENITH®**  
Safety Products

Priced per Pair



## HPPE FLAT NITRILE-COATED GLOVES

- Stretchable seamless liner
- HPPE (high performance polyethylene) liner is an extremely strong fibre
- Breathable nitrile palm coating
- Excellent abrasion and tear resistance
- Elastic knit wrist
- Provides a superior grip
- Meets EN388 Level 3 for cut resistance
- EN 388 Performance Levels: 4342
- Accepted for use in Canadian Food Processing Facilities

Case Qty: 144

Model No.	Size	Price /Each
SEB090	7	
SEB091	8	
SEB092	9	
SEB093	10	
SEB094	11	

**ZENITH®**  
Safety Products

Priced per Pair



## HPPE FLAT NITRILE-COATED GLOVES

- Stretchable, seamless liner
- HPPE (High-Performance Polyethylene) liner is an extremely strong fibre
- Breathable nitrile palm-coating
- Excellent abrasion, cut, puncture and tear resistance
- Elastic knit wrist
- Provides a superior grip
- Gauge: 13
- EN 388 Performance Levels: 4544
- Cut Resistance: EN 388 Level 5, ANSI/ISEA 105 Level 4

Case Qty: 144

Model No.	Size	Price /Each
SGD506	5	
SGD507	6	
SGD563	7	
SGD564	8	
SGD565	9	
SGD566	10	
SGD567	11	

**ZENITH®**  
Safety Products

Priced per Pair



# Ask us about volume prices!

In many cases you will benefit from quantity prices.





# CUT RESISTANT GLOVES

## HYFLEX® 11-731 GLOVES

- Combination of ultra lightweight comfort and cut protection
- Light duty 18 gauge seamless liner provides enhanced flexibility and tactility
- Dirt-masking coating colour hides dirt in environments with dirt exposure
- INTERCEPT™ Technology cut resistance yarn exceeds industry standards
- Proprietary technology offers increased comfort and dexterity
- Meets EN388 Level 4 for cut resistance

Case Qty: 12

Priced per Pair

Model No.	Size	Price /Each
SGB961	6	
SGB962	7	
SGB963	8	
SGB964	9	
SGB965	10	
SGB966	11	

## HYFLEX® 11-751 CUT RESISTANT GLOVES

- INTERCEPT™ Technology™ delivers excellent cut performance
- Increased abrasion resistance and durability for prolonged use and wear
- Lightweight, flexible liner provides enhanced comfort in a dirt-masking design
- Bare hand-like dexterity, tactility, flexibility
- Durable, high tactility coating
- Meets ANSI/ISEA 105 Level 5 for cut resistance

Case Qty: 12

Priced per Pair

Model No.	Size	Price /Each
SFW192	6	
SFW193	7	
SFW194	8	
SFW195	9	
SFW196	10	
SFW197	11	

## KEVLAR® STRING KNIT GLOVES

- 100% Kevlar®, 7 gauge string knit glove
- Offers cut protection and corrosion resistance while providing seamless comfort, dexterity and breathability
- Ambidextrous design extends wear life and improves savings
- Meets EN388 Level 3 for cut resistance
- Applications: Metal, automotive, glass handling and handling of sharp objects

Case Qty: 12

Priced per Pair

Model No.	Size	Price /Each
SFP792	7	
SFP793	8	
SFP794	9	
SFP795	10	

## KEVLAR® STRING KNIT GLOVES WITH SINGLE SIDED PVC DOTS

- 100% Kevlar®, 7 gauge string knit glove with PVC dots
- Offers cut protection and corrosion resistance while providing seamless comfort, dexterity and breathability
- Ambidextrous design extends wear life and improves savings
- PVC dots provide excellent grip and abrasion resistance
- Meets EN388 Level 3 for cut resistance
- Applications: Metal, automotive, glass handling and handling of sharp objects

Case Qty: 12

Priced per Pair

Single Dot Model No.	Size	Price /Each
SFP796	7	
SFP797	8	
SFP798	9	
SFP799	10	

## KEVLAR® STRING KNIT GLOVES WITH DOUBLE SIDED PVC DOTS

- 100% Kevlar®, 7 gauge string knit glove with PVC dots
- Offers cut protection and corrosion resistance while providing seamless comfort, dexterity and breathability
- Ambidextrous design extends wear life and improves savings
- PVC dots provide excellent grip and abrasion resistance
- Meets EN388 Level 3 for cut resistance
- Applications: Metal, automotive, glass handling and handling of sharp objects

Case Qty: 12

Priced per Pair

Double Dot Model No.	Size	Price /Each
SFP800	7	
SFP801	8	
SFP802	9	
SFP803	10	



**Ansell**



**Ansell**



**ZENITH®**  
Safety Products



**ZENITH®**  
Safety Products



**ZENITH®**  
Safety Products





## WHITE KNIT WITH WHITE POLYURETHANE PALM GLOVES

- Floats on water
- High energy absorption and low elongation
- Anatomically formed for added comfort
- Resistant to abrasion, moisture, UV rays, mildew, chemicals and detergents
- Cut resistance unaffected by washing
- Colour: White on white
- Meets EN388 level 2 for cut resistance



Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAJ773	Y9266-7	7	
SAJ774	Y9266-8	8	
SAJ775	Y9266-9	9	
SAJ776	Y9266-10	10	



## DOTTED MEDIUM WEIGHT KEVLAR® KNIT GLOVES

- 100% Kevlar® string type
- Continuous cuff
- PVC dots provide increased grip on wet or dry surfaces
- Colour: Blue on yellow
- Meets ANSI/ISEA 105 Level 2 for cut resistance



Case Qty: 120

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAJ924	1887-S	Small	
SAJ925	1887-M	Medium	
SAJ926	1887-L	Large	



SAJ924

## KEVLAR® KNIT GLOVES WITH PVC DOTS

- 100% Kevlar® knit gloves with PVC dots on both sides provide quality cut protection when grip is necessary
- Ambidextrous design
- Excellent dexterity and comfort
- Continuous cuff
- Colour: Blue on yellow
- Meets ANSI/ISEA 105 Level 2 for cut resistance

Applications: Automotive, sheet metal and metal stamping



Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SQ279	1811	Small	
SQ280	1810	Large	



## KEVLAR® KNIT GLOVES

100% Kevlar® string knit glove with a continuous cuff is the solution for many high performance metal working and general industrial applications requiring these properties:

- High tensile strength
- Low density
- Resistance to corrosion
- Cut protection without sacrificing comfort and dexterity
- Ambidextrous
- Colour: Yellow
- Meets ANSI/ISEA 105 Level 2 for cut resistance



Case Qty: 120

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
LIGHT WEIGHT			
SAS480	Y1701S	Small	
SAS481	Y1701M	Medium	
SAS482	Y1701L	Large	
MEDIUM LIGHT WEIGHT			
SA0851	1876S	Small	
SA0852	1876M	Medium	
SA0853	1876L	Large	

Case Qty: 120

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
MEDIUM WEIGHT			
SQ273	1800S	Small	
SQ274	1800M	Medium	
SQ275	1800L	Large	
HEAVY WEIGHT			
SA0854	1802S	Small	
SA0855	1802M	Medium	
SA0856	1802L	Large	



SQ227

# CUT RESISTANT GLOVES

## HYFLEX® 11-500 GLOVES

- Black foam nitrile palm coating
- Cut resistant stretch Kevlar® liner provides a comfortable fit
- Excellent protection from nuisance nicks and abrasion
- Excellent choice when working with sharp edged materials and tools
- Unique foam nitrile coating channels away oil from the surface of the gloves
- Extended cuff offers extra cut protection around the wrist
- Sure grip in light oil applications
- Soil hiding black palm
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 2, EN388 Level 2 for cut resistance

**Applications:** Automotive assembly, handling sharp and/or pointed small parts, handling wire harnesses, sheet metal assembly, durable goods assembly, maintenance

**Ansell**



Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAW931	103335	6	
SAW932	103336	7	
SAW933	103337	8	
SAW934	103338	9	
SAW935	103339	10	
SAW936	103325	11	

## HYFLEX® 11-644 GLOVES

- Ansell Cut Protection Technology™ combines a proprietary blend of high performance polyethylene yarn with a polyurethane palm coating
- Molds naturally to the hand--preventing fatigue
- Soft and cool to the skin for all-day comfort
- Exclusive engineered yarn combination provides exceptional precision, dexterity, and flexibility when handling small parts
- Proprietary gray polyurethane coating provides a sure grip in both light oil and dry applications
- Increases worker assurance when handling sharp objects
- Excellent resistance to tears and punctures
- Gray palm coating hides soil providing longer wear and reducing overall replacement costs
- Polyurethane provides excellent abrasion resistance for long life
- Product can be washed and re-used without any loss of cut protection
- Meets ANSI/ISEA 105 Level 2, EN388 Level 2 for cut resistance

**Applications:** Aerospace, automotive, construction, electronics, glass products, metal fabrication, paper manufacturing, plastic & rubber manufacturing, transportation

**Ansell**



Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SDM682	111673	6	
SDM683	111674	7	
SDM684	111675	8	
SDM685	111676	9	
SDM686	111677	10	
SDM687	111678	11	
SDM688	111679	12	

## MECHANICS+ 4018 GLOVES

- High comfort and dexterity
- Cut and abrasion-resistant knuckle patch
- Synthetic leather palm provides reliable grip in dry or light oil situations
- Hook and loop closure for secure fit
- Machine washable
- Meets ANSI/ISEA 105 Level 5 for cut resistance

**Applications:** Shop work, general work, mechanical work

**HexArmor**  
the science of safety.



Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAP648	4018-S	Small	
SAP649	4018-M	Medium	
SAP650	4018-L	Large	
SAP651	4018-XL	X-Large	
SAP652	4018-XXL	2X-Large	

## JACKSON SAFETY\* G60 PURPLE NITRILE\* CUT RESISTANT GLOVES

- High level of cut resistance with enhanced dexterity, grip and comfort
- Ambidextrous and breathable with a flexible dotted palm for better grip
- Meets ANSI Level 3, EN388 level 3 for cut resistance

**Applications:** Metal fabrication, glass handling, handling of sharp objects, automotive assembly

**Kimberly-Clark**  
PROFESSIONAL\*



Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAQ352	97430	Small (7)	
SAQ353	97431	Medium (8)	
SAQ354	97432	Large (9)	
SAQ355	97433	X-Large (10)	
SAQ356	97434	2X-Large (11)	

## POINTGUARD™ X GLOVES

- Highest needlestick resistance available provided by the layering of SuperFabric® brand material
- Tested using 25 gauge needles • Highest levels of cut-resistance on noted enhanced areas
- Recommended use as an under-glove solution with appropriate top-glove combination
- Lightweight spandex shell with elastic wrist support • Machine washable
- Meets ANSI/ISEA 105 Level 5 for cut resistance

**Applications:** Waste recycling and sorting, waste water treatment/sewage, hospital waste handling and laundry and correctional facility pat-downs/searches

**HexArmor**  
the science of safety.  
Priced per Pair



Model No.	Mfg. No.	Size	Price /Each
SAN777	6044-XS	X-Small	
SAN778	6044-S	Small	
SAN779	6044-M	Medium	
SAN780	6044-L	Large	
SAN781	6044-XL	X-Large	

## T-FLEX® PLUS SEAMLESS GLOVES

- Dyneema®-Spectra®, engineered fibre
- Coated glove offers superior dexterity and grip
- 13-gauge seamless knit glove for high performance, cut resistant technology
- Thermax® lined knit for warmth
- Stretch feel and breathable comfort
- Ambidextrous
- Fully launderable
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 level 4 for cut resistance

**Applications:** Sheet metal, food processing, meat and poultry industry

Case Qty: 12

**SHOWA**  
Always Innovating. Never Imitating.  
Priced per Glove



Model No.	Mfg. No.	Size	Price /Each
SAP622	8113-06	X-Small	
SAP623	8113-07	Small	
SAP624	8113-08	Medium	
SAP625	8113-09	Large	
SAP626	8113-10	X-Large	

### DOTTED STYLE

SAL093	8113C-06	X-Small	
SAL094	8113C-07	Small	
SAL095	8113C-08	Medium	
SAL096	8113C-09	Large	
SAL097	8113C-10	X-Large	

## HANDGUARD II GLOVES

- The patented combination of Kevlar®, Spectra® and stainless steel makes this a heavy-duty glove
- Unmatched combination of cut resistance and comfort
- Excellent thermal properties
- Ambidextrous
- Colour: White
- Meets ANSI/ISEA 105 Level 5 for cut resistance

Case Qty: 6

**WHIZARD**  
PROTECTIVE  
WEAR  
**JOMAC**  
CANADA  
Priced per Glove



Model No.	Mfg. No.	Size	Price /Each
SQ233	333019	X-Small	
SQ234	333021	Small	
SQ235	333023	Medium	
SQ236	333025	Large	
SQ237	333027	X-Large	

## STAINLESS STEEL MESH GLOVES

- This double interlocked metal mesh ambidextrous glove is formed using state-of-the-art micro plasma welding techniques. The result is stronger, smoother, hermetically sealed ring connections that have no gaps or weak spots.
- The self-adjusting tensioning system allows for easy fit with no straps or buckles to fasten. There is no fabric cuff to wear out or become contaminated. The glove is easy to clean.
- Meets ANSI/ISEA 105 Level 5 for cut resistance

Priced per Glove

Model No.	Mfg. No.	Size	Price /Each
SAI315	CM030001	X-Small	
SAI316	CM030002	Small	
SAI317	CM030003	Medium	
SAI318	CM030004	Large	
SAI319	CM030005	X-Large	



Micro plasma weld



Resistance weld

Micro plasma welds create value. Links are stronger so the gloves wear longer. There is also a lower risk of contamination because, unlike resistance-welded mesh rings, micro plasma welded rings leave no gaps to trap soil.

**JOMAC**  
CANADA

## PROTECT YOUR HANDS... USE THE CORRECT GLOVE FOR YOUR APPLICATION



### POLYMERS

Naturally occurring and man-made polymers are essential building blocks of hand protection. Specific polymers protect workers from specific hazards. There is no ideal glove that works in every situation. Best® utilizes a variety of polymer coatings and fabrics, designed for a variety of tasks.

#### NEOPRENE (POLYCHLOROPRENE, CR)

Strong, durable neoprene gloves provide excellent protection from physical hazards such as cuts and abrasions and also provide excellent chemical resistance for protection from exposure to organic and inorganic acids. Neoprene gloves also provide excellent protection from many organic solvents, oils, greases and petrochemicals and resist degradation from ozone, sunlight and oxidation. In addition, neoprene remains functional and flexible at temperatures ranging from -10° to 300°F (-23° to 150°C).



Neoprene

#### NITRILE (ACRYLONITRILE-BUTADIENE RUBBER)

Nitrile, a versatile synthetic copolymer, is used to make a variety of gloves ranging from heavy-duty work gloves to ultra-thin medical and clean room gloves. Nitrile coating provides tough protection from physical hazards such as cut, puncture or abrasion. Nitrile-dipped gloves also provide chemical resistance to petrochemicals (especially fuels), oils, greases, pesticides and other agricultural chemicals while providing excellent dexterity.



Nitrile

#### VITON® (FLUOROELASTOMER)

Viton® provides excellent chemical resistance to fuels used in the aerospace industry. It provides excellent protection from exposure to aromatic hydrocarbons such as benzene, toluene or xylene. Viton® gloves are available in unsupported version only. For working with extremely hazardous chemicals such as carcinogenic or highly toxic chemicals, Viton® works where no other glove works.



Viton®

#### NATURAL RUBBER

Natural rubber, the most elastic substance known, is found in over two hundred plants including the rubber tree (Hevea Brasiliensis), the source of natural rubber latex used to manufacture gloves. Natural rubber is a flexible and soft, yet tough and durable coating that provides excellent protection from physical hazards and provides an outstanding grip. Natural rubber provides excellent protection from exposure to aqueous chemicals such as acids and caustics, and limited protection from alcohols and ketones. Natural rubber gloves do not hold up well in organic solvents, oils, greases or fuels such as kerosene or gasoline.

**CAUTION: Natural rubber latex has been shown to cause allergic reactions in sensitised individuals.**



Natural Rubber

#### PVC (POLYVINYL CHLORIDE)

PVC is an economical synthetic thermoplastic polymer that is exceptionally durable. PVC gloves provide excellent protection from limited chemical exposure and physical hazard protection. They are noted for being durable and function well in temperatures ranging from -30° up to 212°F (-34° up to 100°C).



PVC

#### BUTYL® (BUTYL RUBBER)

Butyl® rubber's tight molecular structure provides excellent chemical resistance to gases and ketones. Butyl® gloves are manufactured in unsupported version only and are used by the military for protection from chemical warfare agents. Butyl® rubber is severely affected by exposure to fuels and aliphatic and aromatic hydrocarbon solvents.



Butyl®

### TYPES OF GLOVES

#### DISPOSABLE GLOVES

This category of unsupported gloves is generally characterised as a thin-gauge glove that is not intended for repeated use. They may have a donning agent such as powder or a polyurethane slip coating, or powder-free.

#### LAMINATED GLOVES

This special nitrile-coated fabric is made by transfer-coating the nitrile polymer onto a textured surface and then laminating the nitrile film onto Sanitized® poly-cotton fabric for superior comfort and flexibility.

#### IMPREGNATED GLOVES

This special nitrile or PVC-coated fabric is made by knife-coating nitrile or PVC directly onto Sanitized® cotton fabric.

#### SUPPORTED GLOVES

These gloves offer a polymer coating over a cotton, nylon or aramid liner. The textile substrate imparts adds strength and resistance to abrasion, cuts and punctures.

#### UNSUPPORTED GLOVES

These are polymer gloves with no textile lining. These gloves include heavyweight, medium weight or disposable gloves. They may be chlorinated or have a cotton flock lining for easier donning.

#### CUT RESISTANT GLOVES

This special category is characterized by the utility of the gloves and includes either polymer-coated gloves or special high performance yarns that are designed to impart cut-resistance or combinations of these.





# CHEMICAL RESISTANT GLOVES

## SOLVEX® 37-155 GLOVES

- High performance nitrile compound provides an outstanding combination of chemical resistance and strength
- Offers superior snag, puncture and abrasion protection over rubber or neoprene gloves
- Colour: Green

Priced per Pair

Model No.	Size	Price /Each
SAX989	7	
SAX990	8	
SAX991	9	
SAX992	10	
SAX993	11	

**Ansell**

SAX989



## SOL-VEX® UNSUPPORTED NITRILE 37-175 GLOVES

- Embossed, flock-lined
- Good protection against snags, punctures, abrasions and cuts
- Outstanding combination of strength and chemical resistance, when exposed to aromatic and petroleum solvents, as well as caustics and animal fats, they won't swell, weaken or degrade
- Superior choice over rubber or neoprene
- 13" length, 15-mil thick
- Accepted for use in Canadian food processing facilities

**Applications:** Food processing (red meat, poultry, vegetables, fruit, dairy and canning), automotive assembly and painting, aerospace and automotive degreasing, chemical processing, oil refining, petrochemicals, machining operations using cutting oil and coolants, metal fabrication, graphic arts, printing cleanup, furniture manufacturing, electronics (semiconductors, circuit board manufacturing)

Priced per Pair

Model No.	Size	Price /Each
SAW941	6	
SAW942	7	
SAW943	8	
SAW944	9	
SAW945	10	
SAW946	11	

**Ansell**

SAW941



## FLOCKED-LINED GREEN NITRILE GLOVES

- Silicone-free
- Cotton flock-lined
- Raised diamond pattern provides superior grip
- Resistant to cuts, puncture and abrasion
- 13" length, 15-mil thick
- Accepted for use in Canadian food processing facilities

**Applications:** Food processing, plant maintenance, chemical processing, automotive and printing

Priced per Pair

Model No.	Size	Price /Each
SEF083	7	
SEF084	8	
SEF085	9	
SEF086	10	
SEF087	11	

**ZENITH**  
Safety Products

SEF085



## UNLINED GREEN NITRILE GLOVES

- Silicone-free
- Lightweight unlined nitrile gloves
- Raised diamond pattern provides superior grip
- Resistant to cuts, puncture, and abrasion
- 13" length, 11-mil thick
- Accepted for use in Canadian food processing facilities

**Applications:** Food processing, plant maintenance, chemical processing, automotive and printing

Priced per Pair

Model No.	Size	Price /Each
SEF222	7	
SEF223	8	
SEF224	9	
SEF225	10	
SEF226	11	

**ZENITH**  
Safety Products

SEF224



OFFICE  
PRODUCTS

INSTRUMENTS,  
SCALES &  
ELECTRICAL

SHIPPING &  
PACKAGING

TOOLS &  
EQUIPMENT

WELDING &  
METALWORKING

SAFETY  
EQUIPMENT  
& SUPPLIES

JANITORIAL &  
MAINTENANCE

MATERIAL  
HANDLING &  
STORAGE

585



# CHEMICAL RESISTANT GLOVES

## UNLINED GREEN NITRILE GLOVES

- Unlined for improved dexterity
- Raised diamond pattern provides superior grip
- Resistant to cuts, puncture and abrasion • 15" length, 22-mil thick
- Accepted for use in Canadian food processing facilities

**Applications:** Food processing, plant maintenance, chemical processing, automotive and printing

**Case Qty:** 144

**Priced per Pair**

Model No.	Size	Price /Each
SEF080	8	
SEF081	9	
SEF082	10	

**ZENITH®**  
Safety Products

SEF080



## NITRI-SOLVE® GLOVES

- Nitri-Solve® provides excellent protection against abrasion, punctures, cuts and snags
- Resistant to a broad range of solvents, animal fats and other chemicals
- Case-hardened finish enhances both chemical and abrasion resistance and makes it easy to pull on and off
- Non-slip grip makes wet work easier and safer
- Available in flock-lined and unlined styles in varying thickness and lengths
- Each hand is embossed with glove size for ease of pairing after laundering
- Colour: Green • Accepted for use in Canadian food processing facilities • Made of FDA compliant materials

**Applications:** Food processing, hazmat splash protection, laboratories, janitorial, paint applications, fuel handling and refineries

**Priced per Pair**

Model No.	Mfg. No.	Size	Length"	Thickness Mils	Case Qty	Price /Each
<b>FLOCK-LINED</b>						
SA578	730S-07	7	13	15	144	
SA579	730M-08	8	13	15	144	
SA580	730L-09	9	13	15	144	
SA576	730XL-10	10	13	15	144	
SA577	730XXL-11	11	13	15	144	
<b>UNLINED</b>						
SA566	717S-07	7	13	11	144	
SA567	717M-08	8	13	11	144	
SA568	717L-09	9	13	11	144	
SA564	717XL-10	10	13	11	144	
SA565	717XXL-11	11	13	11	144	
<b>UNLINED, HEAVY-DUTY</b>						
SA0807	737M-8	8	15	22	72	
SA0808	737L-9	9	15	22	72	
SA0809	737XL-10	10	15	22	72	
SA0810	737XXL-11	11	15	22	72	

SA580



SA568



**SHOWA**  
Always Innovating. Never Imitating.

SA0808



## NSK24™ NITRI-SOLVE KNIT-LINED NITRILE GLOVES

- Super flexible, watertight nitrile glove
- Interlock knit lining offers an added degree of comfort and protection
- Provides excellent protection from an array of solvents, oils and acids
- Rough finish texture delivers a sure grip in even the most oily and wet applications • Length: 14", 24-mil thick

**Applications:** Oily greasy applications, refineries, protection from hexavalent chromium, protection from fuels, food handling applications

**Case Qty:** 72

**Priced per Pair**

Model No.	Mfg. No.	Size	Price /Each
SAN698	NSK24M-09	9	
SAN699	NSK24L-10	10	
SAN700	NSK24XL-11	11	

SAN698



**SHOWA**  
Always Innovating. Never Imitating.

## SILVER SHIELD® 4H SERIES GLOVES

- Flexible Silver Shield® laminate film construction
- Resistant to over 280 different chemicals: alcohols, aliphatics, aromatics, chlorinated compounds, ketones, esters
- Resists permeation and breakthrough by an array of toxic/hazardous chemicals
- Low cost, disposable gloves
- Does not contain chemical accelerators that can cause allergic reactions
- Ambidextrous • Can be used as a secondary liner glove • 2.7-mil thick

**Applications:** Chemical/petrochemical laboratories, spill cleanups, hazmat control operations and medical labs

**Case Qty:** 50

**Priced per Pair**

Model No.	Mfg. No.	Length"	Size	Price /Each
SAJ958	SSG/6	14 1/2	X-Small	
SAJ959	SSG/7	14 1/2	Small	
SAJ960	SSG/8	14 1/2	Medium	
SAJ961	SSG-9	16	Large	
SAJ962	SSG/10	16	X-Large	
SAJ963	SSG/11	16	2X-Large	

**Honeywell**  
**NORTH**

SAJ958



## STANSOLV® Z-PATTERN GRIP GLOVES

- Unique Z-pattern feature provides an excellent grip
- The lightweight A-10 provides outstanding dexterity and protection
- A-15, AF-18 and A-18 are all double-dipped to insure a leakproof barrier against chemical permeation
- Resistant to cuts, punctures and abrasion
- Made of FDA compliant materials

**Applications:** Plating, chemical processing, meat and poultry processing, degreasing operations, solvent washing and acid etching

Case Qty: 12

Priced per Pair

Model No.	Mfg. No.	Size	Gauge"	Price /Each
STYLE A-18 DOUBLE DIPPED, UNLINED, LENGTH 18" - 22 MIL				
SN788	A-18-7	7	0.022	
SN789	A-18-8	8	0.022	
SN790	A-18-9	9	0.022	
SN791	A-18-10	10	0.022	
SN792	A-18-11	11	0.022	

Case Qty: 72

Priced per Pair

Model No.	Mfg. No.	Size	Gauge"	Price /Each
STYLE AF-18 DOUBLE DIPPED, FLOCK LINED, LENGTH 13" - 18 MIL				
SN773	AF-18-6	6	0.018	
SN774	AF-18-7	7	0.018	
SI808	AF-18-8	8	0.018	
SI809	AF-18-9	9	0.018	
SI810	AF-18-10	10	0.018	
SN775	AF-18-11	11	0.018	



SN788

**MAPA**  
PROFESSIONAL

## PROTECTOR™ NITRILE GLOVES

- AFR-282 heavyweight blend gloves are economical and provide outstanding protection
- Blue nitrile blend over-dip • Resistant to cuts, punctures and abrasion
- Flock lined natural rubber body provides excellent comfort and flexibility
- Embossed chain grip prevents fluids and greasy solids build-up on working surface
- Two-tone construction provides visual indicator of glove wear-through
- Length: 13", 28-mil thick
- Made of FDA compliant materials

**Applications:** Chemical processing, acid cleaning, construction, food processing, metal machining, plating, agriculture chemicals, plant and janitorial maintenance

Case Qty: 72

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SN793	AFR-282-S	Small	
SN794	AFR-282-M	Medium	
SN795	AFR-282-L	Large	
SN796	AFR-282-XL	X-Large	
SN797	AFR-282-2XL	2X-Large	



SN795

**MAPA**  
PROFESSIONAL

## STANSOLV® EMBOSSED Z-PATTERN GRIP GLOVES

- The most liquid-tight knit-lined nitrile glove available
- Shell-and-liner construction prevents leaks paths, normally caused by liner fibers penetration of the nitrile shell
- The soft, two-way-stretch interlock cotton liner absorbs perspiration and helps provide insulation
- Lightweight nitrile shell provides excellent comfort and dexterity
- Z-pattern grip channels fluids off the working surface to insure a secure grip
- Made of FDA compliant material
- Medium weight, length 14", 11-mil thick
- Accepted for use in Canadian food processing facilities

**Applications:** Chemical processing, construction, maintenance, metal fabrication, petrochemical processing and seafood processing

Case Qty: 72

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SN740	AK-22-7	7	
SN741	AK-22-8	8	
SN742	AK-22-9	9	
SN743	AK-22-10	10	
SN744	AK-22-11	11	



SN740

**MAPA**  
PROFESSIONAL

# CHEMICAL RESISTANT GLOVES

## NITRI-DEX™ GLOVES

- "Hybrid" nitrile glove offers chemical performance, with the fit, feel and comfort associated with low modulus gloves
- Unique glove with tractor tread grip and hand specific design
- Packaged in a conceptually revolutionary poly bag that has specific compartments for the left and right hand, to facilitate one-hand specific use opportunities that exist in food and pharmaceutical industries
- Colour: Blue • 12" length, 9-mil thick • Made of FDA compliant materials
- Accepted for use in Canadian food processing facilities

**Applications:** Food processing, agricultural produce, janitorial/sanitation, automotive, aeronautics, pharmaceutical/manufacturing

Case Qty: 150

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SA0779	707XS-06	6	
SA0803	707S-07	7	
SA0804	707M-08	8	
SA0805	707L-09	9	
SA0834	707XL-10	10	
SA0835	707XXL-11	11	



SA0805

## ALPHATEC™ 58-535B GLOVES

- Nitrile with Ansell Grip Technology™
- New anatomical hand shape
- Easier donning
- Good grip
- Excellent chemical protection, repel oils and other lubricants
- Provides dexterity, comfort and touch sensitivity without any compromise in chemical protection
- Reducing hand fatigue and carpal tunnel syndrome related injuries
- Fully coated with 14", 13-mil thick knitted seamless liner
- Accepted for use in Canadian food processing facilities

**Applications:** Chemical handling, agriculture, automotive / OEM, mining, aerospace, printing

Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
SDS926	7	
SDS927	8	
SDS928	9	
SDS929	10	
SDS930	11	



SDS926

## SHOULDER LENGTH NITRILE GLOVES

- Seamless nitrile makes glove water tight
- Elastic closure near the shoulder ensures dryness and comfort
- Rough finish for excellent wet grip and abrasion resistance
- Shoulder length; 26" length, 30-mil thick

**Applications:** Commercial and recreational fishing, chemical handling, food processing, maintenance and cleanup, handling greasy and oily equipment

Case Qty: 12

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAP527	772M-08	Medium	
SAP528	772L-09	Large	
SAP529	772XL-10	X-Large	



SAP527

## NATURAL RUBBER LATEX CANNERS

- Unlined
- Embossed diamond pattern provides superior grip
- Chlorinated for easy donning
- Beaded cuff for added tear resistance
- 12" length, 18-mil thick

**Applications:** Food processing, plant maintenance and janitorial applications

Case Qty: 144

Priced per Pair

Model No.	Size	Price /Each
SEI692	7	
SEI693	8	
SEI694	9	
SEI695	10	



SEI694

## NATURAL RUBBER LATEX GLOVES

- Embossed diamond pattern provides superior grip
- Chlorinated for easy donning
- 12" length, flock lined
- **18-mil gloves:** Accepted for use in Canadian food processing facilities

**Applications:** Food processing, plant maintenance and janitorial applications

Case Qty: 144

Priced per Pair

Model No.	Size	Price /Each
15 MILS		
SEF204*	7	
SEF205*	8	
SEF206*	9	
SEF207*	10	

\*Silicone-free



SEF204

## VERSATOUCH® 297 NATURAL RUBBER GLOVES

- Medium-duty natural rubber unsupported latex
- Cotton flock-lined • Increased snag, puncture, abrasions and cut resistance
- High degree of tensile strength
- Excellent sensitivity
- Added wrist and forearm protection
- Improved grip on wet or dry objects
- 12" length, 20-mil thick, pebble-embossed
- Accepted for use in Canadian food processing facilities

**Applications:** Canning and food processing, Agriculture, Automotive assembly, Chemical plants, Janitorial, Petroleum refineries, Plant maintenance, Pharmaceutical manufacturing

**Caution:** These products contain natural rubber latex which may cause allergic reactions in some individuals.

Case Qty: 144

Priced per Pair

Model No.	Size	Price /Each
SAW947	7	
SAW948	8	

Case Qty: 144

Priced per Pair

Model No.	Size	Price /Each
SAW949	9	
SAW950	10	



SAW947

**Ansell**

## VALUE MASTER® NATURAL RUBBER GLOVES

- Provides unequalled value, comfort and flexibility, outstanding tactile sensitivity, strength, dexterity and elasticity
- Form-fitting 100% natural rubber-latex
- Features a self-flushing tractor-tread pattern that provides an excellent grip, wet or dry, and encourages run-off of fluids often trapped by diamond-shaped embossed patterns

- 12" length, 18-mil thick
- Resists a wide range of chemicals, including animal fats, caustics, acids, oils, salts, alcohols and detergents
- Available in four sizes for a perfect fit as well as unlined, either amber or flock lined, yellow



### AMBER

- The amber Value Master® is chlorinated to provide extra, case-hardened chemical resistance and to ease donning and doffing

### YELLOW

- The yellow Value Master® features 100% cotton flocking for added comfort

SA626



SC463



Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Description	Size	Price /Each
SA627	VM-S	Flock Lined, 12"	Small	
SA626	VM-M	Flock Lined, 12"	Medium	
SA625	VM-L	Flock Lined, 12"	Large	
SA628	VM-XL	Flock Lined, 12"	X-Large	

Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Description	Size	Price /Each
SC462	VMU-S	Unlined, 12"	Small	
SC463	VMU-M	Unlined, 12"	Medium	
SC464	VMU-L	Unlined, 12"	Large	
SC465	VMU-XL	Unlined, 12"	X-Large	

## VERSATOUCH® 392 GLOVES

- Medium-duty unsupported, unlined, natural rubber latex
- Pebble-embossed, pinked cuff
- Excellent dexterity, tensile strength and elasticity
- Excellent grip on wet or dry surfaces
- Good choice for snag, punctures, abrasion and cut resistance
- Protection against chemical hazards
- 12" length, 20-mil thick
- Accepted for use in Canadian food processing facilities

**Applications:** Food processing, poultry, small parts assembly, pharmaceutical manufacturing, janitorial and plant maintenance

**Caution:** These products contain natural rubber latex which may cause allergic reactions in some individuals.

Case Qty: 144

Priced per Pair

Model No.	Size	Price /Each
SAX939	6.5	
SAX940	7	
SAX941	7.5	
SAX942	8	
SAX943	8.5	

Case Qty: 144

Priced per Pair

Model No.	Size	Price /Each
SAX944	9	
SAX945	9.5	
SAX946	10	
SAX947	11	



SAX939

**Ansell**



# CHEMICAL RESISTANT GLOVES

## NATURAL RUBBER LATEX HEAVYWEIGHT GLOVES

- Silicone-free
- Provides superior protection from water-based chemicals such as acids, alkalis, alcohols and caustics
- Heavy rolled bead cuff for excellent tear resistance
- Smooth finish resists punctures and snags
- Unlined for less risk of product contamination
- 30-mil thickness

**Applications:** Chemical handling, plating, sandblasting, plant maintenance and laboratories

**Case Qty:** 72

Model No.	Description	Price /Each
SAP220	14"	
SAP221	18"	



**Priced per Pair**

SAP220



## ORANGE HEAVYWEIGHT 208 SERIES GLOVES

- 29-mil palm is 50% thicker than most standard flock-lined glove
- Increased tensile strength and puncture/cut protection against chemical and physical hazard
- 100% cotton flock lining increases user comfort
- Recessed diamond design provides grip on wet or dry objects
- 13" length, 29-mil thick

**Applications:** Chemical processing, petroleum refineries, plant maintenance, heavy equipment assembly and clean-up

**Caution:** This product contains natural rubber latex which may cause allergic reactions in some individuals

**Case Qty:** 144

Model No.	Mfg. No.	Size	Colour	Price /Each
SAX914	0020811070	Small	Citrus Orange	
SAX915	0020811080	Medium	Citrus Orange	
SAX916	0020811090	Large	Citrus Orange	
SAX917	0020811100	X-Large	Citrus Orange	
SAX918	0020811110	2X-Large	Citrus Orange	



**Priced per Pair**

SAX914



## VERSATOUCH® 87-370 GLOVES

- High resistance to water based chemicals
- Tough general purpose, flock lined, natural rubber latex glove
- Roughened finish for excellent grip in damp conditions
- Beaded cuff for tear resistance and easy pull on
- Extra length fluted cuff for ventilation and maximum protection

Model No.	Mfg. No.	Size	Price /Each
SDS980	119061	Small (6.5)	
SDS981	119062	Medium (7.5)	
SDS982	119063	Large (8.5)	
SDS983	119064	X-Large (9.5)	



**Priced per Pair**

SDS980



## HEAVYWEIGHT BLACK RUBBER GLOVES

- High resistance to water-based chemicals
- Comfortable and sensitive natural rubber latex glove withstands rough treatment
- Beaded cuff for tear resistance and easy pull on
- Longer gauntlet style cuff for extra protection
- Ideal for use in heavy industry, assembly, maintenance work and local authorities
- Length: 12", 30-mil thick
- CE complex design
- Accepted for use in Canadian food processing facilities

**Applications:** Chemical, fishing, agriculture, assembly, mining, janitorial, sanitation

**Case Qty:** 144

Model No.	Mfg. No.	Size	Price /Each
SAJ993	G17K/459-S	Small	
SAJ994	G17K/459-M	Medium	
SAJ995	G17K/459-L	Large	
SAJ996	G17K/459-XL	X-Large	
SAJ997	G17K/459-XXL	2X-Large	



**Priced per Pair**

SAJ995



## ASTROFLEX™ NATURAL LATEX RUBBER GLOVES

- Blue natural latex rubber coated nylon liner with unique knitted elastic cuff for superb fit and comfort
- High tensile strength and resilience for use in water soluble liquids
- Crinkled gripping surface for safer wet and dry grip
- Pinked cuff
- 50-mil thick

**Applications:** Machining, fishing, glass handling, sanitation, maintenance, handling water soluble chemicals



Case Qty: 120

Priced per Pair

Model No.	Mfg. No.	Length"	Size	Price /Each
SAP536	Astroflex-7	12	7	
SAP537	Astroflex-8	12	8	
SAP538	Astroflex-9	12	9	
SAP539	Astroflex-10	13	10	

SAP536



## BLUE-GRIP™ HEAVYWEIGHT NATURAL RUBBER LATEX GLOVES

- Unique etched surface of the Blue-Grip™ provides a non-slip grip even on hard-to-grasp materials
- Heavy gauge rubber gives excellent mechanical and chemical protection, high cut resistance and tear strength
- Interlock knit cotton liner absorbs perspiration for all-day comfort, provides easy on-off, thermal protection
- Curved-finger, contoured palm design for excellent fit, low hand fatigue
- Pinked cuff, launderable
- Made of FDA compliant materials
- 45-mil thickness
- Accepted for use in Canadian food processing facilities

**Applications:** Food processing, handling frozen food, hot containers, agricultural chemicals, oyster farming, masonry, sheet metal assembly, glass handling and maintenance



Case Qty: 48

Priced per Pair

Model No.	Mfg. No.	Length"	Size	Price /Each
SN727	LL-301-S	12	Small	
SN728	LL-301-M	12	Medium	
SN729	LL-301-L	12	Large	
SN730	LL-301-XL	13	X-Large	

SN728



## G29 SOLVENT GLOVES

- Neoprene blend construction designed for protection from solvents
- Silicone-free
- Powder-free
- 12-mil thick fingertips, 9-mil thick palm
- Not made with natural rubber latex
- Ambidextrous to improve usage efficiency
- Highest level of dexterity per EN420:2003 standard
- Qty/box: 50 gloves



Case Qty: 10

Priced per Box

Model No.	Mfg. No.	Length"	Size	Price /Each
SDP379	49822	12	X-Small (6)	
SDP380	49823	12	Small (7)	
SDP381	49824	12	Medium (8)	
SDP382	49825	12	Large (9)	
SDP383	49826	12	X-Large (10)	
SDP384	49827	12	2X-Large (11)	

SDP379



## NEOPRENE™ 29-865 GLOVES

- Flock-lined unsupported neoprene, embossed
- Increase chemical and abrasion resistance over standard neoprene gloves
- Broad-spectrum protection
- Excellent resistance to a wide range of chemicals, including oils, acids, caustics and solvents
- 13" length, 18-mil thick
- Accepted for use in Canadian food processing facilities

**Applications:** Petrochemicals, degreasing, electronics, refining, handling oils, acids, caustics, alcohols and solvents

Case Qty: 144

Priced per Pair

Model No.	Size	Price /Each
SAX979	7	
SAX980	8	
SAX981	9	
SAX982	10	

SAX979



# CHEMICAL RESISTANT GLOVES

## NEOPRENE/NATURAL RUBBER LATEX GLOVES

- Silicone-free
- Natural rubber latex with blue neoprene over-dip
- Cotton flock-lined
- Raised diamond pattern provides superior grip
- Superior chemical resistance
- 12" length, 20-mil thick
- Accepted for use in Canadian food processing facilities

**Applications:** Food processing, plant maintenance, chemical processing, automotive and printing

**Case Qty:** 120

Model No.	Size	Price /Each
SAM650	7	
SAM651	8	
SAM652	9	
SAM653	10	

**ZENITH®**  
Safety Products

**Priced per Pair**



SAM650

## PREMIUM GRADE NEOPRENE GLOVES

- Caustics, oils, greases and solvents resistant
- Excellent all-round protection against physical hazards such as abrasion and cuts
- Choice of smooth or rough grip
- Heavyweight thickness
- One size

**Applications:** Degreasing, petrochemicals, refining, metal fabricating, plating, galvanizing and general material handling

**Case Qty:** 72

Model No.	Mfg. No.	Length"	Grip	Price /Each
SC454	6780	12	Smooth	
SC455	6780R	12	Rough	
SC456	6784	14	Smooth	
SC457	6784R	14	Rough	

**SHOWA**  
Always Innovating. Never Imitating.

**Priced per Pair**



SC454

SC455

## TEMP-TEC® INSULATED NEOPRENE GLOVES

- Unique multi-layer construction to avoid the thin spots and pinholes common to single-dipped supported gloves
- Durable 100% neoprene for excellent dexterity, mechanical and chemical protection
- Soft absorbent interlock liner adds comfort, easy on/off, high and low temperature
- Roughed grip non-abrasive over dip provides a positive non-slip grip
- Two-colour construction for a visual indicator of glove wear through
- Contoured palm and curved fingers assure excellent fit and dexterity
- Launderable
- Heavyweight thickness
- Made of FDA compliant materials
- Accepted for use in Canadian food processing facilities

**Applications:** Hot melt adhesive manufacturing, cleaning operations, petrochemical hot sampling, plastic extrusion operations, resin hot sampling.

**Case Qty:** 6

Model No.	Length"	Size	Price /Each
SAN268	17	8	
SAN269	17	9	
SAM869	17	10	

**MAPA**  
PROFESSIONAL

**Priced per Pair**



SAM869

## SHOWA® 3415 GLOVES

- Protects against a wide range of chemicals including acids, caustics, solvents, greases and oils
- Flexible neoprene coating provides great comfort and dexterity
- 15-Gauge seamless polyester knitting
- Rough particle finish offers good resistance to abrasion
- Constructed with seamless polyester to prevent irritation
- An ergonomically designed hand former replicates the natural shape of the human hand, thus reduces hand fatigue and enhances fit and comfort

SF1903



**Priced per Pair**

**SHOWA**  
Always Innovating. Never Imitating.

Model No.	Mfg. No.	Size	Price /Each
SF1903	3415S-08	Small (8)	
SF1904	3415M-09	Medium (9)	
SF1905	3415L-10	Large (10)	
SF1906	3415XL-11	X-Large (11)	

## SHOWA® 3416 GLOVES

- Mainly used outdoors and can withstand increases in temperature and direct sunlight (i.e. improved UV degradation resistance)
- Used in conjunction with overhead cranes, hoists or winches
- Tactile non-slip grip
- 13-gauge seamless cut-resistant engineered fibre
- Fully coated neoprene
- Rough particle finish
- Endless Sling Type 5: Most versatile and widely used sling. The economical answer to most lifting problems. Ideal for vertical, choker and basket hitches
- Cut Resistance: ANSI/ISEA 105 Level 4, EN 388 Level 5
- Colour: Black

SGC450



**Priced per Pair**

**SHOWA**  
Always Innovating. Never Imitating.

Model No.	Mfg. No.	Size	Price /Each
SGC450	3416S-08	Small	
SGC451	3416M-09	Medium	
SGC452	3416L-10	Large	
SGC453	3416XL-11	X-Large	

## SNORKEL® 04-644 GLOVES

- Jersey lining provides cushioned comfort and moderate insulation
- Excellent wet grip
- Flexible PVC coated glove
- Optimum abrasion resistance
- Excellent chemical resistance to petrochemicals and acids

**Applications:** Fisheries, petrochemicals refining, handling equipment and abrasive materials coated with acids, caustics, solvents, grease and oil

**Case Qty:** 72

**Priced per Pair**

Model No.	Size	Price /Each
SAX959	8	
SAX960	9	
SAX961	10	
SAX962	11	

**Ansell**



SAX959

## PVC DOUBLE DIPPED GLOVES

- Double dipped PVC offers superior durability, abrasion and chemical resistance
- Cotton jersey lining
- Rough coating provides optimal grip
- Resistant to most oils, acids, greases and solvents
- Colour: Green

**Applications:** Fisheries, petrochemical industry, mining

**Case Qty:** 60

**Priced per Pair**

Model No.	Description	Price /Each
SEE800	Gauntlet 12"	
SEE801	Gauntlet 14"	
SEE802	Gauntlet 18"	
SEE803	Knit Wrist	

**ZENITH®**  
Safety Products



SEE803

SEE800

## PVC ULTRA FLEXIBLE GLOVES

- Silicone-free
- Premium ultra flexible PVC coating
- Seamless 13-gauge interlock lining
- Pre-formed shape for ultimate dexterity, comfort and tactile sensitivity
- Double dipped PVC offers superior durability, abrasion and chemical resistance
- 12" length
- Rough coating provides optimal grip
- Colour: Blue

**Applications:** Fisheries, general maintenance, automotive, petrochemical industry

**Case Qty:** 120

**Priced per Pair**

Model No.	Size	Price/Each
SAP878	9	
SAP879	10	

**ZENITH®**  
Safety Products



SAP878

## PVC ROUGH FINISH GLOVES

- Bright yellow PVC on cotton interlock lining
- Resistant to most oils, acids, greases and solvents
- Rough coating provides optimal grip
- Colour: Yellow

**Applications:** Fisheries, petrochemical industry, mining

**Case Qty:** 120

**Priced per Pair**

Model No.	Description	Price /Each
SEE797	Gauntlet 12"	
SEE798	Gauntlet 14"	
SEE799	Knit Wrist	

**ZENITH®**  
Safety Products



SEE797

SEE799

**ZENITH®**  
Safety Products

**Safety Products  
for Industry**





# CHEMICAL RESISTANT GLOVES

## PVC SMOOTH FINISH GLOVES

- Bright red PVC on cotton interlock lining
- Resistant to most oils, acids, greases and solvents
- Ideal for general chemical handling
- Colour: Red

**Applications:** Fisheries, general maintenance, petrochemical industry

**ZENITH®**  
Safety Products

Priced per Pair

Case Qty: 120

Model No.	Description	Price /Each
SEE804	Gauntlet 12"	
SEE805	Gauntlet 14"	
SEE806	Knit Wrist	



## INSULATED ROUGH TOUGH® PVC GLOVES

- PVC coated glove with a triple-layer construction resists chemicals and abrasion
- Unique crinkle finish for excellent grip

**Applications:** Municipalities, cold storage, trash collection, fishing and lumber industries

**SHOWA**  
Always Innovating. Never Imitating.

Priced per Pair

Case Qty: 48

Model No.	Mfg. No.	Description	Price /Each
SA532	276-10	Safety Cuff	
SC461	274-10	Gauntlet 14"	



## BEMAC PETROCHIEF® GLOVES

- Red PVC/NBR blended coating designed to handle petroleum products
- Resists most oils, acids, fats, alcohols and glycol ethers
- Performs well in temperature ranging from 25°F to 150°F
- Available in 10 1/2" gauntlet and safety cuff jersey lined

**JOMAC**  
CANADA

Priced per Pair

Model No.	Mfg. No.	Description	Case Qty	Price /Each
SAI404	PC830	Safety Cuff Jersey Lined	72	
SAI405	PC893	Safety Cuff Jersey/Foam Lined	72	
SAL117	PC889L	10 1/2" Gauntlet/Foam Lined	36	

SAI404



## PVC WINTER LINED GLOVES

- Bright orange PVC on jersey liner
- Resistant to most oils, acids, greases and solvents
- Foam fleece lining offers added warmth
- Colour: Orange

**Applications:** Fisheries, petrochemical industry, mining, outdoor winter conditions

**ZENITH®**  
Safety Products

Priced per Pair

Model No.	Description	Case Qty	Price /Each
SDN591	Gauntlet 12"	36	
SDN590	Knit Wrist	36	
SDN592	Safety Cuff	36	



## POLAR GRIP® 23-700 GLOVES

- PVC-coated rough finish that remains soft when cold
- Excellent foam insulation against cold temperatures
- Curved fingers, wing thumb and soft insulating lining provide comfort
- Offers resistance to oils, acids, caustics and alcohols
- Rough finish surface provides excellent grip for handling of both wet and dry materials
- Nylon liner
- Accepted for use in Canadian food processing facilities

**Applications:** Fishing industry, cold storage, construction, winter transportation, yard and field work, freight handling and trash collection

**Ansell**

Case Qty: 144

Priced per Pair

Model No.	Length"	Size	Price /Each
SEA274	11	9	
SEB089	11	10	



## WINTER MONKEY GRIP® GLOVES

- PVC-coated foam-insulated
- Tough PVC coating stays soft when cold
- Keep hands warm and dry
- Protect from abrasion
- Curved fingers, wing thumb, and soft jersey lining make them very comfortable
- Fully coated
- Accepted for use in Canadian food processing facilities

**Applications:** Cold storage, winter transportation, yard and field work, unheated warehouses, construction

**Ansell**

Case Qty: 72

Priced per Pair

Model No.	Description	Size	Price /Each
SBA992	Knit Wrist	10	
SBA993	Safety Cuff	10	
SEE953	Raised Finish, Safety Cuff	10	



SBA993

## WINTER HI VIZ™ 23-491 GLOVES

- Stays soft when cold
- Keeps hands warm and dry
- Chemical resistant
- Resist abrasion and oils
- Comfortable
- Knit wrist

**Applications:** Cold storage, winter transportation, laboratories, yard and field work, unheated warehouse and construction

**Ansell**

Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
SEA273	X-Large	



SEA273

## ATLAS® TEMRES 282 GLOVES

- Breathable polyurethane coating
- Insulated acrylic liner for cold applications
- Excellent wet/dry grip
- Provides protection from liquids in cold conditions
- Thin, durable coating maximizes comfort and flexibility in very cold working environments
- Nitrile-coated fingertips for added protection

**Applications:** Outdoor work, cold weather construction, transportation, maintenance, janitorial, cold storage, highway work and freight handling

**SHOWA**  
Always Innovating. Never Imitating.

Case Qty: 6

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SEG975	282M-08	Medium	
SEG976	282L-09	Large	
SEG977	282XL-10	X-Large	
SEH643	282XXL-11	2X-Large	



SEG975

# DISPOSABLE GLOVES

## HEAVYWEIGHT ULTRA GRIPPER ORANGE NITRILE GLOVES

- Fully textured ultra gripper tire pattern provides maximum wet and dry grip
- Exceptional tactile sensitivity
- Beaded cuff for added strength
- Protects against oil, grease and organic solvents

- Superior puncture and tear resistance
- Latex and powder-free
- Material: Nitrile
- Thickness: 8-mil
- Grade: AQL 1.5



**Applications:** Manufacturing, maintenance, small parts handling, laboratory, painting and janitorial

**Case Qty: 10**

**Priced per Box of 100 Gloves**

Model No.	Size	Price /Each
SGC404	Medium	
SGC405	Large	
SGC406	X-Large	
SGC407	2X-large	



## BLACK NITRILE GLOVES

- Pure 100% premium nitrile
- Features textured fingertips
- Exceptional tactile sensitivity
- Beaded cuff for added strength
- Protects against oil, grease and organic solvents
- Superior puncture resistance

- Latex and powder free
- Ambidextrous design
- Not for medical use
- Thickness: 4.5-mil
- AQL: 1.5
- Accepted for use in Canadian food processing facilities



**Applications:** Manufacturing, maintenance, small parts handling, laboratory, painting and janitorial

**Case Qty: 10**

**Priced per Box of 100 Gloves**

Model No.	Size	Price /Each
SEB085	Small	
SEB086	Medium	
SEB087	Large	
SEB088	X-Large	
SED981	2X-large	



## HEAVYWEIGHT BLACK NITRILE GLOVES

- Fully textured diamond pattern provides maximum wet and dry grip
- Exceptional tactile sensitivity
- Beaded cuff for added strength
- Protects against oil, grease and organic solvents

- Superior puncture and tear resistance
- Latex and powder-free
- 8-mil, AQL 1.5
- Accepted for use in Canadian food processing facilities



**Applications:** Manufacturing, maintenance, small parts handling, laboratory, painting and janitorial

**Case Qty: 10 boxes**

**Priced per Box of 50 Gloves**

Model No.	Size	Price /Each
SDL990	X-Small	
SEK261	Small	
SEK262	Medium	
SEK263	Large	
SEK264	X-Large	
SEK265	2X-Large	



## TOUCHNTUFF® GLOVES

- Nitrile with smooth fingertips
- Contains absolutely no fillers, silicones or plasticizers
- Provide three times the puncture resistance of competitive latex or vinyl gloves
- Durable yet soft for improved comfort
- Smooth fingertips for exceptional grip
- Powder-free • Rolled cuff • 5-mil • AQL 1.5
- Accepted for use in Canadian food processing facilities

**Applications:** Manufacturing, maintenance and cleanup, intricate parts handling, laboratory analysis/technical work

**Case Qty: 10**

**Priced per Box of 100 Gloves**

Model No.	Size	Price /Each
92-600 SMOOTH FINGERTIPS		
SAW927	Small	
SAW928	Medium	
SAW929	Large	
SAW930	X-Large	
92-675 TEXTURED FINGERTIPS		
SAW937	Small	
SAW938	Medium	
SAW939	Large	
SAW940	X-Large	



**Ansell**

## N-DEX® NIGHTHAWK™ GLOVES

- Textured fingertips
- Patented accelerator-free nitrile formulation
- Low-modulus comfort and feel
- Static-dissipative properties (ESD)
- 4-mil • 9" length • AQL 1.5
- Colour: Black

**Applications:** Automotive, electronic assembly, laboratory, law-enforcement and security environments



**SHOWA**  
Always Innovating. Never Imitating.

Case Qty: 20

Priced per Box of 50 Gloves

Model No.	Mfg. No.	Size	Price /Each
POWDER-FREE, TEXTURED FINGERTIPS			
SAL084	7700PFTS	Small	
SAL085	7700PFTM	Medium	
SAL086	7700PFTL	Large	
SAL087	7700PFTXL	X-Large	

## N-DEX® 7500PF NITRILE GLOVES

- 100% Nitrile
- Rolled cuff prevents dirt from entering the glove
- Second-skin feel significantly reduces hand fatigue
- Reduced risk of allergies
- Thickness: 4-mil
- Powder-Free
- Accepted for use in Canadian Food Processing Facilities/Not for Medical Use



**SHOWA**  
Always Innovating. Never Imitating.

Priced per Box of 100 Gloves

Model No.	Mfg. No.	Size	Price /Each
SGC455	7500PF-XS	X-Small	
SGC456	7500PF-S	Small	
SGC457	7500PF-M	Medium	
SGC458	7500PF-L	Large	
SGC459	7500PF-XL	X-Large	

## EXAMINATION GRADE NITRILE GLOVES

- Pure 100% premium nitrile
- Textured surface provides superior wet and dry grip
- Exceptional tactile sensitivity
- USP grade corn starch for powdered gloves
- Beaded cuff for added strength
- Protects against oil, grease and organic solvents
- Superior puncture resistance
- Latex-free
- Ambidextrous design
- Not for medical use
- 9.5" length
- AQL 1.5
- Accepted for use in Canadian food processing facilities

**Applications:** Manufacturing, maintenance, small parts handling, laboratory applications and automotive



**ZENITH**  
Safety Products

Case Qty: 10

Priced per Box of 100 Gloves

Model No.	Size	Price /Each
4-MIL, POWDERED		
SEA916	X-Small	
SAP320	Small	
SAP321	Medium	
SAP322	Large	
SAP323	X-Large	
SEA917	2X-Large	

Case Qty: 10

Priced per Box of 100 Gloves

Model No.	Size	Price /Each
4-MIL, POWDER-FREE		
SEA918	X-Small	
SAP324	Small	
SAP325	Medium	
SAP326	Large	
SAP327	X-Large	
SEA919	2X-Large	

Case Qty: 10

Priced per Box of 100 Gloves

Model No.	Size	Price /Each
3.5-MIL, POWDER-FREE		
SDM041	Small	
SDM042	Medium	
SDM043	Large	
SDM044	X-Large	
SDM268	2X-Large	

## N-DEX® GLOVES

- N-Dex®'s low-modulus formulation reduces hand fatigue caused by elastomeric stress
- Provides much greater puncture resistance than natural rubber and vinyl disposables
- Available in both lightly powdered, USP vegetable starch and powder-free styles
- Acceptable for food and pharmaceutical applications
- Extremely puncture resistant, once violated N-Dex® gloves readily tear so the wearer knows the glove should be replaced
- Accepted for use in Canadian food processing facilities
- 100% nitrile glove
- Made of FDA compliant materials
- Ambidextrous
- Not intended for medical use

### N-DEX® ORIGINAL 7005 INDUSTRIAL GRADE GLOVES

- 4-mil
- 9.5" length
- AQL 4.0
- Lightly powdered



### N-DEX® PLUS 8005 INDUSTRIAL GRADE GLOVES

- 8-mil
- 9.5" length
- AQL 4.0
- Powder-free



**SHOWA**  
Always Innovating. Never Imitating.

Case Qty: 20

Priced per Box of 100 Gloves

Model No.	Mfg. No.	Size	Price /Each
SAL254	7005XS	X-Small	
SA561	7005S	Small	
SN581	7005M	Medium	
SN582	7005L	Large	
SAF954	7005XL	X-Large	

Case Qty: 20

Priced per Box of 50 Gloves

Model No.	Mfg. No.	Size	Price /Each
SAK070	8005PF-S	Small	
SAK071	8005PF-M	Medium	
SAK072	8005PF-L	Large	
SAK073	8005PF-XL	X-Large	



# DISPOSABLE GLOVES

## QUALATRILE™ XC CLEAN ROOM WHITE NITRILE GLOVES

- Processed and packaged for ISO 5 (Class 100) clean room applications
- 100% powder-free nitrile and manufactured without plasticizers, silicone or powders
- Features superior snags and puncture resistance, excellent flexibility and a fresh clean scent
- Beaded cuff add strength and make for easier donning
- Textured surface for enhanced wet/dry grip
- Antistatic
- Can be used for ISO 5 (Class 100) applications
- Packaged in a double-bag dispensing system to meet clean room donning protocols
- Thickness: 5-mil • AQL 1.5

**Applications:** Clean rooms, microelectronics, pharmaceutical and laboratory areas, food industries



Case Qty: 10

Priced per Box of 100 Gloves

Model No.	Mfg. No.	Size	Price /Each
<b>9" LENGTH</b>			
SM740	Q095S	Small	
SM741	Q095M	Medium	
SM742	Q095L	Large	
SM743	Q095X	X-Large	
<b>12" LENGTH</b>			
SM745	Q125S	Small	
SM746	Q125M	Medium	
SM747	Q125L	Large	
SM748	Q125X	X-Large	

## PURPLE NITRILE\* EXAM GLOVES

- Latex-free
- Powder-free
- Textured fingertips
- Ambidextrous
- Beaded cuff
- Thickness: 6-mil
- AQL 1.5
- Approval/Certification(s): Class 2 Medical Device



Case Qty: 10

Priced per Box

Model No.	Mfg. No.	Size	Qty /Box	Price /Each
<b>9.5" LENGTH</b>				
SAQ782	55080	X-Small	100	
SAQ783	55081	Small	100	
SAQ784	55082	Medium	100	
SAQ785	55083	Large	100	
SAQ786	55084	X-Large	90	
<b>12" LENGTH</b>				
SAQ787	55090	X-Small	50	
SAQ788	50601	Small	50	
SAQ789	50602	Medium	50	
SAQ790	50603	Large	50	
SAQ791	50604	X-Large	50	

## QUALATRILE™ BLUE NITRILE DISPOSABLE GLOVES

- Formulation ensures a tough, durable glove free of objectionable chemical odours and harsh, irritating deodorants
- Beaded cuffs
- Textured palms and fingers offer exceptional wet or dry grip
- Pure 100% nitrile polymer
- Absolutely no natural rubber latex proteins, fillers, extenders or additives
- Rugged – three times more puncture-resistant than vinyl or natural rubber latex gloves of equal thickness
- Comfortable – flexible silky feel eliminates the tiring, constant hand pressure of latex gloves
- Thickness: 5-mil • AQL 1.5

**Applications:** Automotive, laboratories, food handling, general industrial, janitorial



Case Qty: 10

Priced per Box of 100 Gloves

Model No.	Mfg. No.	Length"	Size	Price /Each
<b>POWDERED</b>				
SN844	BQP09-S	9	Small	
SN845	BQP09-M	9	Medium	
SN846	BQP09-L	9	Large	
SN847	BQP09-XL	9	X-Large	
<b>POWDER-FREE</b>				
SAI803	BQF09-S	9	Small	
SAI804	BQF09-M	9	Medium	
SAI805	BQF09-L	9	Large	
SAI806	BQF09-XL	9	X-Large	
SAI807	BQF12-S	12	Small	
SAI808	BQF12-M	12	Medium	
SAI809	BQF12-L	12	Large	
SAI810	BQF12-XL	12	X-Large	

## 93-260 CHEMICAL RESISTANT DISPOSABLE GLOVE

- Three layer design for superior protection against harsh chemicals including acids, solvents and bases
- Thin mil construction provides enhanced tactility and dexterity
- Extra soft material and ergonomic design for outstanding fit, feel and flexibility for longer wear time
- Lower acceptable pinhole rate (0.65 AQL) and extended cuff for reliable protection against hazardous substances
- Silicone free formulation and processing ensure better product protection
- Ambidextrous with a beaded cuff
- Thickness: 7.8-mil



Priced per Box of 50 Gloves

Model No.	Mfg. No.	Size	Price /Each
SGB967	93260060	X-Small	
SGB968	93260070	Small	
SGB969	93260080	Medium	
SGB970	93260090	Large	
SGB971	93260100	X-Large	
SGB972	93260110	2X-Large	

## BIODEGRADABLE GLOVES

- 100% nitrile with Eco Best Technology®
- Performs same as non-EBT nitrile disposable gloves
- 100% biodegradable • Decreased risk of allergies
- Zero natural rubber latex proteins • High performance of protection • Rolled cuff
- Second skin fit and feel • Powder-Free
- Accepted for use in Canadian food processing facilities



Priced per Box of 100 Gloves

Model No.	Size	Price /Each
GREEN		
SFQ706	X-Small	
SFQ707	Small	
SFQ708	Medium	
SFQ709	Large	
SFQ710	X-Large	
SFQ711	2X-Large	

Priced per Box of 100 Gloves

Model No.	Size	Price /Each
BLACK		
SFV254	X-Small	
SFV255	Small	
SFV256	Medium	
SFV257	Large	
SFV258	X-Large	
SFV259	2X-Large	



## EXAMINATION GRADE NITRILE/VINYL GLOVES

- Blend of premium nitrile and vinyl
- Strength and durability of nitrile with the comfort and affordability of vinyl
- Latex-free • Powder-free
- Exceptional tactile sensitivity
- Beaded cuff for added strength
- Ambidextrous design
- 4-mil thickness
- AQL 1.5
- Not for medical use
- Accepted for use in Canadian food processing facilities



**Applications:** Manufacturing, maintenance, small parts handling, laboratory, painting and janitorial

**Case Qty: 10**

Priced per Box of 100 Gloves

Model No.	Size	Price /Each
SEH163	Small	
SEH164	Medium	
SEH165	Large	
SEH166	X-Large	
SEH167	2X-Large	



## KLEENGUARD\* G10 NITRILE BLUE GLOVES

- Designed for maximum dexterity
- For food handling and chemical processing
- Latex-free • Powder-free
- AQL 1.5 • 4.72-mil • Colour: Blue
- Accepted for use in Canadian food processing facilities



**Case Qty: 10**

Priced per Box of 100 Gloves

Model No.	Mfg. No.	Size	Price /Each
SAQ332	57370	X-Small	
SAQ333	57371	Small	
SAQ334	57372	Medium	
SAQ335	57373	Large	
SAQ336	57374	X-Large (Box of 90 gloves)	



## EXAMINATION GRADE VINYL GLOVES

- Pure 100% premium vinyl
- Exceptional fingertip sensitivity
- Soft and stretchable for comfortable wear
- USP grade corn starch for powdered gloves
- Beaded cuff for added strength
- Ambidextrous design • Thickness: 4-mil
- Length: 9.5" • AQL 1.5
- Not for medical use
- Accepted for use in Canadian food processing facilities



**Applications:** Light manufacturing, maintenance, food processing, laboratory applications, painting and janitorial

**Case Qty: 10**

Priced per Box of 100 Gloves

**Case Qty: 10**

Priced per Box of 100 Gloves

Model No.	Size	Price /Each
POWDERED		
SAP329	Small	
SAP330	Medium	
SAP331	Large	
SAP332	X-Large	

Model No.	Size	Price /Each
POWDER-FREE		
SAP333	X-Small	
SAP334	Small	
SAP335	Medium	
SAP336	Large	
SAP337	X-Large	



# DISPOSABLE GLOVES

## DURA-TOUCH® 34-725 GLOVES

- Smooth vinyl
- Offer near "bare hand" dexterity and sensitivity
- Rolled cuff • Clear, 3-mil • AQL 1.5
- Powder-free
- Accepted for use in Canadian food processing facilities

**Applications:** Food handling and preparation, light manufacturing, maintenance and cleanup, painting, janitorial use

**Ansell**

Case Qty: 10

Priced per Box of 100 Gloves

Model No.	Size	Price /Each
SEE771	Small	
SEE772	Medium	
SEE773	Large	
SEE774	X-Large	



## EXAMINATION GRADE BLUE VINYL GLOVES

- Pure 100% premium vinyl
- Exceptional fingertip sensitivity
- Soft and stretchable for comfortable wear
- Beaded cuff for added strength
- USP grade corn starch powdered glove
- Ambidextrous design
- Thickness: 4-mil • AQL 1.5
- Not for medical use
- Accepted for use in Canadian food processing facilities

**ZENITH®**  
Safety Products

Case Qty: 10

Priced per Box of 100 Gloves

Model No.	Size	Price /Each	Model No.	Size	Price /Each
POWDERED			POWDER-FREE		
SAQ700	Small		SEI484	Small	
SAQ701	Medium		SEI485	Medium	
SAQ702	Large		SEI486	Large	
SAQ703	X-Large		SEI487	X-Large	



## QUALATEX® MIRACLE GRIP™ HIGH RISK LATEX GLOVES

- Ideal for applications requiring more than the traditional 6 mils glove protection
- The high risk series delivers added insurance against glove snags, punctures and tears
- Non-slip beaded 12" cuff makes for easy donning and resistance to roll-down
- Ambidextrous • 13-mil • AQL 1.5
- Meets all NFPA requirements

**Applications:** Law enforcement, emergency medicine providers, correctional facilities and food processing

**QRP**  
GLOVES & FINGERCOTS

Case Qty: 10

Priced per Box of 50 Gloves

Model No.	Mfg. No.	Size	Price /Each
POWDER-FREE			
SAJ741	MGHR-S	Small	
SAJ742	MGHR-M	Medium	
SAJ743	MGHR-L	Large	
SAJ744	MGHR-XL	X-Large	
SAP522	MGHR-2XL	2X-Large	



## VERSATOUCH® 34-750 DISPOSABLE GLOVES

- Offers near "barehanded" dexterity and sensitivity
- No seams to leak or split
- Liquid proof, with no point of weakness
- Pre-powdered
- More comfortable to wear and easier to put on and remove without tearing
- Gloves contain no talcum powder which might contaminate products
- Ambidextrous
- Accepted for use in Canadian food processing facilities
- Length: 9" • Thickness: 5-mil • Finish: Smooth
- Cuff: Beaded cuff • Colour: Blue
- Material: Vinyl

**Ansell**

Case Qty: 10

Priced per Box of 100 Gloves

Model No.	Mfg. No.	Size	Price /Each
SDN459	119065	Small	
SDN460	119066	Medium	
SDN461	119067	Large	
SDN462	119068	X-Large	



600

MATERIAL  
HANDLING &  
STORAGE

JANITORIAL &  
MAINTENANCE

SAFETY  
EQUIPMENT  
& SUPPLIES

WELDING &  
METALWORKING

TOOLS &  
EQUIPMENT

SHIPPING &  
PACKAGING

INSTRUMENTS,  
SCALES &  
ELECTRICAL

OFFICE  
PRODUCTS

## TOUCHNTUFF® XT 69-318 GLOVES

- Textured latex • Low protein
- Contains no silicone-based materials in formulation
- Powder-free • Rolled cuff
- Natural • 5-mil • AQL 1.5
- Accepted for use in Canadian food processing facilities
- Class 2 Medical Device

**Applications:** Food processing and handling, laboratory analysis/technical work, quality control, electronics assembly, light-duty maintenance and cleanup

**Caution:** This product contains natural rubber latex which may cause allergic reactions in some individuals.

Case Qty: 10

Priced per Box of 100 Gloves

Model No.	Size	Price /Each
SAY727	Small	
SAY728	Medium	
SAY729	Large	
SAY730	X-Large	

## EXAMINATION GRADE LATEX GLOVES

- Pure 100% premium Malaysian natural latex
- Textured surface on powder-free gloves provides superior wet and dry grip
- Exceptional tactile sensitivity
- USP grade corn starch for powdered gloves
- Beaded cuff for added strength
- Ambidextrous design
- 9.5" length, 4-mil thick • AQL 1.5
- Not for medical use
- Accepted for use in Canadian food processing facilities

**Applications:** Light manufacturing, maintenance, food processing, laboratory applications and quality control

Case Qty: 10

Priced per Box of 100 Gloves

Model No.	Size	Price /Each
POWDERED		
SAP338	X-Small	
SAP339	Small	
SAP340	Medium	
SAP341	Large	
SAP342	X-Large	

Case Qty: 10

Priced per Box of 100 Gloves

Model No.	Size	Price /Each
POWDER-FREE		
SAP343	X-Small	
SAP344	Small	
SAP345	Medium	
SAP346	Large	
SAP347	X-Large	

## BEST® LATEX GLOVES

- Natural colour latex features a textured finish that ensures excellent barrier protection without compromising tactile sensitivity
- Lightly powdered
- 9.5" length, 5-mil thick
- Accepted for use in Canadian food processing facilities
- Class 2 medical device

**Applications:** Auto body, clinical laboratory and critical environments

Case Qty: 10

Priced per Box of 100 Gloves

Model No.	Mfg. No.	Size	Price /Each
SAJ735	500XS	X-Small	
SA546	500S	Small	
SA545	500M	Medium	
SA544	500L	Large	
SAJ736	500XL	X-Large	

## TOUCHNTUFF® 69-210 GLOVES

- Smooth finish latex • Low protein
- Highest degree of dexterity • Strength and comfort
- Powdered • Rolled cuff
- Natural • 5-mil • AQL 1.5
- Accepted for use in Canadian food processing facilities

**Applications:** Food processing and handling, laboratory analysis/technical work, intricate parts handling, quality control, electronics assembly, light-duty maintenance and cleanup

**Caution:** This product contains natural rubber latex which may cause allergic reactions in some individuals.

Case Qty: 10

Priced per Box of 100 Gloves

Model No.	Size	Price /Each
SAY723	Small	
SAY724	Medium	
SAY725	Large	
SAY726	X-Large	

**Ansell**



**ZENITH®**  
Safety Products



**SHOWA**  
Always Innovating. Never Stopping.



**Ansell**







**RMP-ECO® cleaning products are the  
Green solution to industrial cleaning.**

**All RMP-ECO® products are  
UL ECOLOGO® certified. RMP-ECO® is  
safe for you and the environment.**





## WALL-MOUNTED WIRE GLOVE DISPENSER

- Designed for quick and easy glove dispensing
- Wall-mounting hardware included
- Style: Wall-Mounted
- Colour: White
- Disposable glove boxes sold separately



Model No.	Description	Overall Depth	Overall Width	Overall Height	Price /Each
SGC541	Holds a single box	4"	11"	3"	
SGC542	Holds two boxes	4"	11"	10-3/4"	

## DELUXE TRIPLE GLOVES DISPENSERS

- Constructed of clear crystal acrylic
- Mounted horizontally allowing to change one box without affecting the others
- Will hold most disposable glove boxes
- Dispenser size: 20" W x 4" D x 11 13/16" H
- Gloves not included



Model No.	Mfg. No.	Description	Price /Each
SA0743	GD03DL	Deluxe triple dispenser	

## LATEX FINGERCOTS

### FINGER COTS

- 3-mil latex material
- Textured finish fingertips
- Protects objects handled from skin salts, flakes and oils
- Protects skin from dyes, and chemical and solvent splash
- High level of comfort, abrasion resistance and tactile sensitivity
- Tissue weight sheer film for maximum dexterity and relief from finger fatigue
- Economical and convenient



### CLEAN ROOM ANTISTATIC LATEX

- Proprietary anti-static agent yields average surface resistance of  $5 \times 10^{12} \Omega$  per square surface unit
- Recommended for use with Class II static sensitive devices (thresholds above 1000 V)
- ISO 5 (Class 100) clean room processed and packaged in ESD-safe inner bags
- ESD-safe inner bags are double-bagged in nitrogen-flushed pouch packs and immobilized to prevent charge generation



Case Qty: 20

Priced per Package

Model No.	Mfg. No.	Size	Price /Each
LOW-POWDER, 1440/PKG.			
SM720	2CS	Small	
SM721	2CM	Medium	
SM722	2CL	Large	
SM723	2CXL	X-Large	
POWDER-FREE, 720/PKG.			
SAM740	5JS	Small	
SAM741	5JM	Medium	
SAM742	5JL	Large	
SAM743	5JXL	X-Large	

Case Qty: 20

Priced per Package

Model No.	Mfg. No.	Size	Price /Each
ANTI-STATIC, 720/PKG.			
SM728	7CS	Small	
SM729	7CM	Medium	
SM730	7CL	Large	
SM731	7CXL	X-Large	

## DISPOSABLE POLYETHYLENE GLOVES

- Most economical glove • Short term use • Talc-free
- Offers mild chemical resistance
- Thin enough for fingertip sensitivity
- 1-mil, ambidextrous
- Length: 11"



Case Qty: 20

Priced per Box of 500 Gloves

Model No.	Size	Price /Each
SEK352	Small	
SEK353	Medium	
SEK354	Large	
SEK355	X-Large	



# PERFORMANCE GLOVES

## ZM100 MECHANIC GLOVES

- Ergonomic style and superior comfort
- Hook and loop cuff permits an adjustable fit
- Synthetic leather palm and fingers offer superior tactility and protection
- Improved dexterity, grip and durability

**Applications:** Automotive, small parts handling, maintenance, manufacturing, most industrial applications

**Case Qty:** 12

Model No.	Size	Price/Each
SEB047	Medium	
SEB048	Large	
SEB049	X-Large	
SEB050	2X-Large	



SEB048

## ZM200 MECHANIC GLOVES

- Ergonomic style combined with stylish look
- Hook and loop cuff permits an adjustable fit
- Synthetic leather palm and fingers offer superior tactility and protection
- Stretchable nylon on knuckles improves dexterity and comfort
- Textured patches on palm and thumb permits superior grip and durability

**Applications:** Automotive, small parts handling, maintenance, manufacturing, most industrial applications

**Case Qty:** 12

Model No.	Size	Price/Each
SEB051	Medium	
SEB052	Large	
SEB053	X-Large	
SEB054	2X-Large	



SEB052

## ZM300 MECHANIC GLOVES

- Ergonomic style and superior comfort
- Grain leather palm and fingers improve tactility and protection
- Hook and loop cuff permits an adjustable fit
- Leather reinforced thumb and fingers offer increased durability
- Improved dexterity and grip

**Applications:** Automotive, small parts handling, maintenance, manufacturing, most industrial applications

**Case Qty:** 12

Model No.	Size	Price/Each
SEB228	Medium	
SEB229	Large	
SEB230	X-Large	
SEB231	2X-Large	



SEB229

## ZM400 PREMIUM MECHANIC GLOVES

- Ergonomic style combined with stylish look and premium features
- Hook and loop cuff permits an adjustable and secure fit
- Reinforced Kevlar® stitching for maximum strength and durability
- PVC dots on palm and fingers for an enhanced grip
- Stretchable nylon on knuckles improves dexterity and comfort
- Ventilation holes between fingers for maximum breathability
- Textured patches on palm, finger tips and thumb crotch increase protection and durability

**Applications:** Automotive, small parts handling, maintenance, manufacturing, most industrial applications

**Case Qty:** 12

Model No.	Size	Price/Each
SEH739	Medium	
SEH740	Large	
SEH741	X-Large	
SEH742	2X-Large	



SEH740

## ZM500 HI-VIZ CUT RESISTANT MECHANIC GLOVES

- Reinforced full palm HPPE liner that meets EN388 cut level 5
- Hi-viz yellow spandex back for maximum visibility
- Terry towel thumb for wiping perspiration
- Textured patches on palm, finger tips and thumb crotch increase protection and durability
- Ergonomic style combined with stylish look and premium features
- Hook and loop cuff permits an adjustable and secure fit

**Applications:** Automotive, small parts handling, maintenance, manufacturing, petrochemical and most industrial applications

**Case Qty:** 36

Model No.	Size	Price/Each
SDP433	Medium	
SDP434	Large	
SDP435	X-Large	
SDP436	2X-Large	



SDP434

## MEN'S UTILITY GLOVES

- All purpose glove with unlimited household and shop uses
- Easy entry, elastic cuff designed with TPR (Thermal Plastic Rubber) hook and loop closure provides a secure fit
- Two-way form fitting Spandex top increases ventilation, comfort and fit
- Interior seam stitching prevents snagging
- Reinforced Dura-Fit™ synthetic leather thumb, index and middle fingertips provide strength and protection
- Dura-Fit™ synthetic palm offers maximum durability and breathes like leather
- Lycra®, panels between fingers add comfort and ventilation
- Colour: Black



Case Qty: 120

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAN720	H15-05-008	Small	
SAN721	H15-05-009	Medium	
SAN722	H15-05-010	Large	
SAN723	H15-05-011	X-Large	



SAN720

## ORIGINAL GLOVES

- New and improved fingertip design
- Ultra-thin molded TPR (thermal plastic rubber) hook and loop cuff closure
- Easy-entry, elastic cuff
- Two-way, form-fitting stretch Spandex top
- Index finger knuckle reinforcement band
- Lycra® insert panels between fingers
- Smooth surface thumb and index finger
- Tapered Clarino® synthetic leather on index, middle and ring fingertips
- Long-life Clarino® synthetic leather palm
- Concealed interior seam stitching
- Easy-on, easy-off pull-tab



Case Qty: 120

Priced per Pair

Size	Yellow Model No.	Mfg. No.	Blue Model No.	Mfg. No.	Black Model No.	Mfg. No.	Price /Each
X-Small	-	-	-	-	SAN421	MG-05-007	
Small	SAN885	MG-01-08	SAN895	MG-03-08	SAN422	MG-05-008	
Medium	SAN886	MG-01-09	SAN896	MG-03-09	SAN423	MG-05-009	
Large	SAN887	MG-01-10	SAN897	MG-03-10	SAN424	MG-05-010	
X-Large	SAN888	MG-01-11	SAN898	MG-03-11	SAN425	MG-05-011	
2X-Large	SAN889	MG-01-12	SAN899	MG-03-12	SAN497	MG-05-012	



SAN421

## HEAVY-DUTY GLOVES

- Two-way, stretch Spandex top increases ventilation, comfort and fit
- Anatomically-designed TPR (thermal plastic rubber) moulded rib panels offer flexible protection for back of hand and fingers
- Genuine professional-grade leather palm and fingertips offer the finest in comfort and protection
- Lightly padded palm reduces bulk for increased grip and control
- Palm-pattern guards side of hand against wear and abrasion
- Stretch Lycra® panels between fingers add comfort and ventilation
- Spyder-patterned leather surface provides superior grip under all working conditions
- Moulded TPR (Thermal Plastic Rubber) cuff tab with hook and loop closures provides secure
- Elastic cuff increases comfort
- Padded knuckle provides maximum flexibility and protection fit



Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAP852	CG40-75-008	Small	
SAP853	CG40-75-009	Medium	
SAP854	CG40-75-010	Large	
SAP855	CG40-75-011	X-Large	
NKB671	CG40-75-012	2X-Large	



SAP852

## FASTFIT® GLOVES

- Elastic cuff provides easy on/off flexibility
- Durable and dexterous synthetic leather palm
- TrekDry® material top helps keep hands dry and comfortable
- TPR (Thermal Plastic Rubber) hook and loop closure for a secure fit to the wrist
- Machine washable



Priced per Pair

Size	Black Model No.	Mfg. No.	Blue Model No.	Mfg. No.	Red Model No.	Mfg. No.	High-Visibility Orange Model No.	Mfg. No.	Price /Each
Small	SAR878	MFF-05-008	SAR873	MFF-03-008	SAR868	MFF-02-008	SAR882	MFF-09-008	
Medium	SAR879	MFF-05-009	SAR874	MFF-03-009	SAR869	MFF-02-009	SAR883	MFF-09-009	
Large	SAR857	MFF-05-010	SAR875	MFF-03-010	SAR870	MFF-02-010	SAR884	MFF-09-010	
X-Large	SAR880	MFF-05-011	SAR876	MFF-03-011	SAR871	MFF-02-011	SAR885	MFF-09-011	
2X-Large	SAR881	MFF-05-012	SAR877	MFF-03-012	SAR872	MFF-02-012	SAR886	MFF-09-012	



SAR882



# PERFORMANCE GLOVES

## PROFLEX® 710 HEAVY-DUTY UTILITY GLOVES

- Padded palm with Tena-Grip™ reinforcement
- Tena-Grip™-reinforced fingertips and thumb saddle
- Technical hex-stretch knit construction
- Neoprene knuckle pad
- Low-profile molded hook and loop closure with ID space
- Pull-on tab for easy on/off
- EN 388: 3132
- Patent pending
- **Applications:** Heavy duty work, construction, framing/carpentry, roofing, mechanics, service techs, tool/machine operation

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SFQ458	17042	Small	
SFQ459	17043	Medium	
SFQ460	17044	Large	
SFQ461	17045	X-Large	
SFQ462	17046	2X-Large	



SFQ458

## PROFLEX® 710CR HEAVY-DUTY AND CUT RESISTANCE GLOVES

- Armortex®-backed palm for enhanced cut protection
- Padded palm with Tena-Grip™ reinforcement
- Technical hex-stretch knit construction
- Neoprene knuckle pad
- Low-profile molded hook and loop closure with ID space
- Pull-on tab for easy on/off
- EN 388: 4544 D; ANSI/ASTM Cut A4
- Patent Pending
- **Applications:** Heavy duty work, construction, assembly/fabrication, sheet metal, sharp edge material handling, electrical, pulp & paper, mechanics' service techs, tool/machine operation

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SFM485	17122	Small	
SFM486	17123	Medium	
SFM487	17124	Large	
SFM488	17125	X-Large	
SFM489	17126	2X-Large	



SFM485

## PROFLEX® 815 QUICKCUFF™ UTILITY GLOVES

- Durable synthetic leather palm
- Reinforced thumb saddle wear area
- Breathable poly mesh construction
- QuickCuff™ elastic gauntlet fit with ID space
- Pull-on tab for easy on/off
- Certification(s): EN 388: 2121
- Patent pending
- **Application:** General work, warehousing/distribution, light assembly/fabrication, service techs, landscaping, maintenance, freight/baggage

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SFQ468	17202	Small	
SFQ469	17203	Medium	
SFQ470	17204	Large	
SFQ471	17205	X-Large	
SFQ472	17206	2X-Large	



SFQ468

## PROFLEX® 820 HIGH ABRASION HANDLING GLOVES

- Abrasion resistant Tena-Grip™ palm and fingers
- Tena-Grip™-reinforced thumb saddle
- Technical hex-stretch knit construction
- Neoprene knuckle pad
- Low-profile molded hook and loop closure with ID space
- Pull-on tab for easy on/off
- Certification(s): EN 388: 3132
- Patent pending
- **Application:** Warehousing/distribution, assembly/fabrication, material handling, construction, package delivery

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SFQ463	17242	Small	
SFQ464	17243	Medium	
SFQ465	17244	Large	
SFQ466	17245	X-Large	
SFQ467	17246	2X-Large	



SFQ463

## PROFLEX® 816 THERMAL FLIP-TOP GLOVES

- Fleece-lined mitten converts to half-finger gloves
- Mitten pocket and thumb stow easily when not in use
- Weather-resistant outer shell
- Durable synthetic leather palm
- Contoured gathered elastic cuff w/ ID space
- Soft thumb nose/brow wipe area
- Reflective accents
- Certifications: EN 388: 2231 X
- Patent pending

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SFU610	17342	Small	
SFU611	17343	Medium	
SFU612	17344	Large	
SFU613	17345	X-Large	
SFU614	17346	2X-Large	



## PROFLEX® 817 REINFORCED THERMAL UTILITY GLOVES

- Dual-zone 3M™ Thinsulate™ Insulation
- Weather-resistant ripstop outer shell + DWR finish
- Rugged AX Suede™ palm and fingertip reinforcements
- Touch screen capable thumb and index finger
- Extended neoprene cuff with hook and loop closure and ID space
- Neoprene knuckle pad
- Soft thumb nose/brow wipe area
- Reflective accents
- Certifications: EN 388: 2423 X
- Patent pending

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SFU615	17352	Small	
SFU616	17353	Medium	
SFU617	17354	Large	
SFU618	17355	X-Large	
SFU619	17356	2X-Large	



## PROFLEX® 818WP PERFORMANCE THERMAL WATERPROOF UTILITY GLOVES

- Dual-zone 3M™ Thinsulate™ Insulation
- Waterproof/windproof breathable membrane insert
- Weather-resistant ripstop outer shell + DWR finish
- Tough Tena-Grip™ palm + touch screen capabilities
- Extended neoprene cuff with hook and loop closure and ID space
- Neoprene knuckle pad
- Soft thumb nose/brow wipe area
- Reflective accents
- Certifications: EN 388: 3322 X
- Patent pending

Priced per Pair

Black Model No.	Mfg. No.	Orange Model No.	Mfg. No.	Size	Price /Each
SFU625	17382	SFU630	17392	Small	
SFU626	17383	SFU631	17393	Medium	
SFU627	17384	SFU632	17394	Large	
SFU628	17385	SFU633	17395	X-Large	
SFU629	17386	SFU634	17396	Small	



## PROFLEX® 819WP EXTREME THERMAL WATERPROOF GLOVES

- Dual-zone 3M™ Thinsulate™ Insulation
- Waterproof/windproof breathable membrane insert
- Weather-resistant ripstop outer shell + DWR finish
- Gauntlet cuff with internal elastic cinch cord
- Rugged AX Suede™ palm and fingertip reinforcements
- Touchscreen capable thumb and index finger
- Neoprene knuckle pad
- Soft thumb nose/brow wipe area
- Reflective accents
- Certifications: EN 388: 3423 X
- Patent pending

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SFU635	17402	Small	
SFU636	17403	Medium	
SFU637	17404	Large	
SFU638	17405	X-Large	
SFU639	17406	2X-Large	



# PERFORMANCE GLOVES

## WIND RESISTANT COLD WEATHER GLOVES

- Laminated wind barrier provides critical wind-resistance
- Hook and loop top closure provides a secure fit with outerwear
- C40 3M™ Thinsulate™ traps warm air to help regulate your body temperature
- AX™ Double Connect touchscreen capable thumb and index finger
- Rugged Armortex® palm and thumb reinforcement
- Layered palm construction reduces material bunching
- Removable spring clip keeps your gloves organized for easy storage



Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SEF237	MCW-WR-008	Small	
SEF555	MCW-WR-009	Medium	
SEF556	MCW-WR-010	Large	
SEF557	MCW-WR-011	X-Large	
SEF241	MCW-WR-012	2X-Large	



SEF237

## MECHANIX WEAR DURAHIDE™ LEATHER SERIES

### THE ORIGINAL® GLOVES

- Flexible TPR closure provides a secure fit to the wrist
- Form-fitting TrekDry® material keeps your hands cool and comfortable while you work
- Double-stitched index finger and thumb reinforcement
- Pinched fingertip construction improves fingertip strength
- DuraHide™ leather fourchettes improve finger durability
- DuraHide™ leather palm provides extreme abrasion resistance



Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SFU696	LFF-75-008	Small	
SFU697	LFF-75-009	Medium	
SFU698	LFF-75-010	Large	
SFU699	LFF-75-011	X-Large	
SFU700	LFF-75-012	2X-Large	



SFU696

### FASTFIT® GLOVES

- Comfortable stretch elastic cuff provides easy on and off flexibility
- Form-fitting TrekDry® material keeps your hands cool and comfortable while you work
- DuraHide™ leather thumb reinforcement
- Pinched fingertip construction improves fingertip strength
- Anatomically designed two-piece palm eliminates material bunching in the palm
- DuraHide™ leather palm provides extreme abrasion resistance



Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SFU691	LFG-75-008	Small	
SFU692	LFG-75-019	Medium	
SFU693	LFG-75-010	Large	
SFU694	LFG-75-011	X-Large	
SFU695	LFG-75-012	2X-Large	



SFU691

### M-PACT® GLOVES

- Flexible TPR closure provides a secure fit to the wrist
- Form-fitting TrekDry® material keeps your hands cool and comfortable while you work
- Double-stitched index finger and thumb reinforcement
- Pinched fingertip construction improves fingertip strength
- DuraHide™ leather fourchettes improve finger durability
- DuraHide™ leather palm provides extreme abrasion resistance



Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SFU701	LMP-75-008	Small	
SFU702	LMP-75-009	Medium	
SFU703	LMP-75-010	Large	
SFU704	LMP-75-011	X-Large	
SFU705	LMP-75-012	2X-Large	



SFU701

# IMPACT/ANTI-VIBRATION GLOVES

## M-PACT® GLOVES

- Molded Thermal Plastic Rubber (TPR) provides impact protection to the fingers and knuckles
- Poron® XRD™ palm padding absorbs shock and vibration
- Form-fitting TrekDry® top material helps keep hands dry and comfortable
- Rubberized grip material on the thumb and index finger provides durable gripping power
- TPR hook and loop closure for a secure fit to the wrist
- Machine washable



SFU793



SED998



Priced per Pair

Size	Model No. Black/Grey	Mfg. No.	Model No. Red	Mfg. No.	Model No. Covert	Mfg. No.	Model No. Black/Grey Slip-On Cuff	Mfg. No.	Price /Each
Small	SED998	MPT-58-008	SEE003	MPT-52-008	SEE013	MPT-55-008	SFU793	MPC-58-08	
Medium	SED999	MPT-58-009	SEE004	MPT-52-009	SEE014	MPT-55-009	SFU794	MPC-58-08	
Large	SEE000	MPT-58-010	SEE005	MPT-52-010	SEE015	MPT-55-010	SFU795	MPC-58-08	
X-Large	SEE001	MPT-58-011	SEE006	MPT-52-011	SEE016	MPT-55-011	SFU796	MPC-58-08	
2X-Large	SEE002	MPT-58-012	SEE007	MPT-52-012	SEE017	MPT-55-012	SFU797	MPC-58-08	

## M-PACT 2® HEAVY-DUTY GLOVES

- Flexible knuckle with high density EVA foam padding underneath
- TPR closure with hook and loop provides a secure fit
- TPR ribbing for impact and abrasion protection
- Reinforcement panel in high wear areas for increased durability
- Rubberized grip panels provide excellent gripping power
- Anatomically designed reinforcement panels
- Extended length embossed neoprene cuff for added protection



Case Qty: 120

Priced per Pair

Model No. Black	Mfg. No.	Size	Price /Each
SAN965	MP2-05-08	Small	
SAN966	MP2-05-09	Medium	
SAN967	MP2-05-10	Large	
SAN968	MP2-05-11	X-Large	
SAN969	MP2-05-12	2X-Large	



SAN965



## CR5 M-PACT® CUT RESISTANT GLOVES

- Impact Guard™ protects first knuckle with EVA foam padding
- Thermal Plastic Rubber (TPR) knuckle guard and pinch-point finger protection
- ANSI-107 compliant TrekDry® material helps keep hands cool and comfortable
- Synthetic palm with an internal layer of Armortex® delivers CE level 5 cut resistance
- XRD® palm padding absorbs impact and vibration
- Embossed and textured index and thumb provide grip



Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SFU966	SMP-C91-008	Small (8)	
SFU967	SMP-C91-009	Medium (9)	
SFU968	SMP-C91-010	Large (10)	
SFU969	SMP-C91-011	X-Large (11)	
SFU970	SMP-C91-012	2X-Large (12)	



SFU966





# IMPACT/ANTI-VIBRATION GLOVES

## ORHD® KNIT CR3A3 GLOVE

- High-visibility 13-gauge machine knit polyester shell
- Thermoplastic Rubber (TPR) knuckle and metacarpal impact protection
- Thermoplastic Rubber (TPR) impact resistant finger guards
- Thermoplastic Rubber (TPR) pinch point fingertip protection
- Nitrile dipped and textured palm provides cut-resistance
- 3 mm internal palm padding absorbs shock and vibration
- Extended slip-on cuff
- Machine washable



Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SGB951	KHD-GP-008	Small (8)	
SGB952	KHD-GP-009	Medium (9)	
SGB953	KHD-GP-010	Large (10)	
SGB954	KHD-GP-011	X-Large (11)	
SGB955	KHD-GP-012	2X-Large (12)	



SGB951

## ORHD® KNIT CR5A5 GLOVE

- 13-gauge knit shell is constructed with CR5 cut resistant material
- Thermoplastic Rubber (TPR) knuckle and metacarpal impact protection
- Thermoplastic Rubber (TPR) impact resistant finger guards
- Thermoplastic Rubber (TPR) pinch point fingertip protection
- Textured nitrile coated palm and fingers improve grip in slick conditions
- 3 mm internal palm padding absorbs shock and vibration
- Extended cuff with TPR hook and loop closure
- Machine washable



Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SGB956	KHD-CR-008	Small (8)	
SGB957	KHD-CR-009	Medium (9)	
SGB958	KHD-CR-010	Large (10)	
SGB959	KHD-CR-011	X-Large (11)	
SGB960	KHD-CR-012	2X-Large (12)	



SGB956

**aurora tools®**

**Canada's Best Value  
in Industrial Tools!**

# IMPACT/ANTI-VIBRATION GLOVES

## ANTI-IMPACT GLOVE LINERS

Fingerless four-way stretch poly/cotton lycra glove makes an excellent liner for leather work gloves. Visco-elastic polymer (VEP) full palm padding absorbs and dissipates shock. Also available with split leather palm for abrasion resistance in applications where it will be used on its own. Ideal for general assembly and material handling applications.



Priced per Glove

Model No. Right	Mfg. No.	Model No. Left	Mfg. No.	Size	Price /Each
<b>GLOVE LINER</b>					
SR191	501-00XS-R	SR196	501-00XS-L	X-Small	
SR192	501-00S-R	SR197	501-00S-L	Small	
SR193	501-00M-R	SR198	501-00M-L	Medium	
SR194	501-00L-R	SR199	501-00L-L	Large	
SR195	501-00XL-R	SR200	501-00XL-L	X-Large	
<b>SPLIT LEATHER PALM</b>					
SR203	501-10XS-R	SR208	501-10XS-L	X-Small	
SR204	501-10S-R	SR209	501-10S-L	Small	
SR205	501-10M-R	SR210	501-10M-L	Medium	
SR206	501-10L-R	SR211	501-10L-L	Large	
SR207	501-10XL-R	SR212	501-10XL-L	X-Large	



## PREMIUM IMPACT & REPETITIVE STRAIN PROTECTIVE GLOVES

Fingerless glove provides excellent protection in applications where constant impact or vibration is a concern. Visco-elastic polymer (VEP) palm and thumb crotch padding absorbs and dissipates shock. Detachable leather wrist support for wrist repetitive strain protection. Nylon Lycra® with grain leather palm for abrasion resistance in applications where it will be used on its own. Ideal for heavy industrial use, jackhammer, grinding and impact tool applications.



Priced per Glove

Model No. Right	Mfg. No.	Model No. Left	Mfg. No.	Size	Price /Each
<b>GRAIN LEATHER PALM</b>					
SR263	704-20XS-R	SR268	704-20XS-L	X-Small	
SR264	704-20S-R	SR269	704-20S-L	Small	
SR265	704-20M-R	SR270	704-20M-L	Medium	
SR266	704-20L-R	SR271	704-20L-L	Large	
SR267	704-20XL-R	SR272	704-20XL-L	X-Large	

SR263



## PROFLEX® 9015F(X) CERTIFIED ANTI-VIBRATION GLOVES WITH DORSAL PROTECTION

- Certification(s): ANSI S2.73/ISO 10819-certified AV protection; EN 388:3122
- Patented Nu2O2® gel polymer palm pad
- Abrasion resistant pigskin leather palm
- Molded TPR armor provides dorsal protection
- Low-profile hook and loop closure with pull-on tab



Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAI282	16232	Small	
SAI283	16233	Medium	
SAI284	16234	Large	
SAI285	16235	X-Large	
SAI286	16236	2X-Large	

SAI282



## BLACKMAXX VIBRATION DAMPENING GLOVES

- Economical vibration dampening gloves coated with "pods" of lightweight cellular chloroprene
- Uses encapsulated air to cushion and dampen vibration, giving the user good dexterity, a lightweight feel and reduced bunching
- 60% kevlar, 40% cotton seamless knit
- 7 gauge liner to incorporate excellent protection from slash injuries



Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SED170	4731	Medium	
SED171	4732	Large	
SED172	4733	X-Large	

SED170



OFFICE  
PRODUCTS

INSTRUMENTS,  
SCALES &  
ELECTRICAL

SHIPPING &  
PACKAGING

TOOLS &  
EQUIPMENT

WELDING &  
METALWORKING

SAFETY  
EQUIPMENT  
& SUPPLIES

JANITORIAL &  
MAINTENANCE

MATERIAL  
HANDLING &  
STORAGE

# LEATHER GLOVES

## LINED GRAIN COWHIDE FITTERS GLOVES

- Cotton-lined palm keeps hands dry
- Resist oil and water absorption better than split leather
- Superior abrasion resistance
- Excellent comfort and durability
- Rubberized cuff
- Gunn cut pattern with wing thumb style
- Full leather-tipped fingers and knuckle strap provide increased protection

**Applications:** Material handling, fabrication, metal handling and construction



Priced per Pair

Model No.	Description	Size	Case Qty	Price /Each
SAS502	Standard Quality	Ladies	120	
SM582	Standard Quality	Medium	120	
SAJ023	Standard Quality	Large	120	
SAP232	Standard Quality	X-Large	60	
SM583	Standard Quality, 4" Gauntlet Cuff	Large	120	
SAP223	Double Palm & Index, Premium Quality	Large	120	
SAP233	Premium Quality	Large	120	

SAP223



SM583



## STANDARD QUALITY UNLINED GRAIN COWHIDE FITTERS GLOVES

- Unlined palm for improved dexterity and sensitivity
- Resist oil and water absorption better than split leather
- Superior abrasion resistance
- Excellent comfort and durability
- Rubberized cuff
- Gunn cut pattern with wing thumb style
- Full leather-tipped fingers and knuckle strap provide increased protection

**Applications:** Material handling, fabrication, metal handling and construction



Priced per Pair

Case Qty: 120

Model No.	Size	Price /Each
SEC139	Ladies	
SEB100	Medium	
SA619	Large	
SEB101	X-Large	
SEB102	2X-Large	

SA619



SEC139



## STANDARD QUALITY GRAIN COWHIDE LEATHER GLOVES

- Superior abrasion resistance
- Unlined, full grain cowhide palm and index finger
- Full split leather 4" gauntlet cuff
- Gunn cut pattern with wing thumb style

**Applications:** Material handling, fabrication, metal handling and construction



Priced per Pair

Case Qty: 120

Model No.	Description	Size	Price /Each
SI842	Split Back	Large	
SDP097	Split Back	X-Large	
SDP098	Split Back	2X-Large	
SM592	Grain Cowhide Back	Large	

SI842



SM592



## GRAIN COWHIDE FITTERS STANDARD QUALITY GLOVES

- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water absorption better than split leather
- Rubberized safety cuff
- Gunn cut pattern with wing thumb style
- Full leather-tipped fingers and knuckle strap

**Applications:** Material handling, fabrication, metal handling and construction



SEK242

Case Qty: 120

Priced per Pair

Model No.	Description	Size	Price /Each
SEK239	High Visibility Green	Large	
SEK242	High Visibility Orange	Large	

## GRAIN COWHIDE FURNITURE LEATHER GLOVES

- Standard quality
- Durable construction
- Resists oil and water
- Cotton-lined patch palm style
- Starched safety cuff
- Gunn cut pattern with wing thumb style
- Smooth grain leather finish

**Applications:** Material handling, fabrication, metal handling and construction



Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SAN270	Large	

## GRAIN COWHIDE PATCH PALM FITTERS GLOVES

- Smooth grain cowhide leather construction
- Superior abrasion resistance
- Excellent comfort and durability
- Absorbent cotton-lined palm
- Resists oil and water absorption better than split leather
- Patch palm design delivers added savings
- Gunn cut pattern with wing thumb style
- Full leather-tipped fingers and knuckle strap provide increased protection

**Applications:** Material handling, fabrication, metal handling and construction



YC386

Case Qty: 120

Priced per Pair

Model No.	Description	Size	Price /Each
YC386	Standard Quality, Plasticized Cuff	Large	
SEC594	Standard Quality, 4 3/4" Gauntlet Cuff	Large	
SAP230	Standard Quality, Rubberized Cuff	X-Large	
SAP234	Premium Quality, Rubberized Cuff	X-Large	

## GRAIN COWHIDE DRIVERS GLOVES

- Standard quality
- Excellent comfort, durability and dexterity
- Oil and water resistant
- Smooth leather finish
- Unlined palm
- Gunn cut pattern with keystone thumb style
- Provides a snug fit and a good sense of touch

**Applications:** Forklift and truck driver use, construction and farm equipment handling



SM585

Case Qty: 120

Priced per Pair

Model No.	Description	Size	Price /Each
SM584	Standard Quality	Small	
SM585	Standard Quality	Medium	
SM586	Standard Quality	Large	
SM587	Standard Quality	X-Large	
SFV191	Premium Quality	Small	
SFV192	Premium Quality	Medium	
SFV193	Premium Quality	Large	
SFV194	Premium Quality	X-Large	



# LEATHER GLOVES

## GRAIN COWHIDE ROPERS GLOVES

- Standard quality
- Oil and water resistant
- Excellent comfort, durability and dexterity
- Snug fit and good sense of touch
- Ropers' style comes with adjustable strap with snap
- Smooth leather finish

**Applications:** Forklift and truck driver use, construction and farm equipment operators



SM590

Case Qty: 120

Priced per Pair

Model No.	Description	Size	Price /Each
SM588	Standard Quality	Small	
SM589	Standard Quality	Medium	
SM590	Standard Quality	Large	
SM591	Standard Quality	X-Large	
SFV183	Premium Quality	Small	
SFV184	Premium Quality	Medium	
SFV185	Premium Quality	Large	
SFV186	Premium Quality	X-Large	

## SPLIT COWHIDE FITTERS GLOVES

- Grade: Premium quality
- Top split leather cowhide construction
- Good abrasion resistance
- Absorbent cotton-lined palm
- Full leather-tipped fingers and knuckle strap
- Launderable PE cuff on order **SAP226**
- Gunn cut pattern with wing thumb style
- **SEI496** is sewn with DuPont® Kevlar® stitching for added seam strength and durability

**Applications:** Material handling, fabrication, metal handling and construction



SAP227



SAP226



SEI496

Priced per Pair

Model No.	Description	Size	Case Qty	Price /Each
SAS503	Rubberized Cuff	Ladies	120	
SG281	Rubberized Cuff	Medium	120	
SD602	Rubberized Cuff	Large	120	
SD603	Rubberized Cuff	X-Large	120	
SAP229	Rubberized Cuff	2X-Large	60	
SAP298	Rubberized 4" Gauntlet Cuff	Large	72	
SAP227	Solid colour cotton and rubberized cuff	Large	120	
SAP226	PE Cuff	Large	120	
SEI496	Rubber cuff, Kevlar, Blue	Large	120	



SAP298

## STANDARD QUALITY DOUBLE PALM SPLIT COWHIDE FITTERS GLOVE

- Double layer of leather for premium protection
- Ultimate abrasion resistance
- Absorbent cotton-lined palm
- Rubberized safety cuff
- Gunn cut pattern with wing thumb style
- Full leather-tipped fingers and knuckle strap

**Applications:** Heavy-duty material handling, fabrication and metal handling



SM578

SD604

SE349



SM579

Priced per Pair

Model No.	Description	Size	Case Qty	Price /Each
SM578	Outside Double Palm & Index Finger	Large	120	
SM579	Outside Double Palm & Index Finger, 4" Gauntlet Cuff	Large	72	
SD604	Outside Double Palm, Index Finger & Finger Tips	Large	60	
SE349	Inside Double Palm & Index Finger	Large	120	

## STANDARD QUALITY SPLIT COWHIDE LEATHER GLOVES

- Top split cowhide leather construction
- Good abrasion resistance
- Unlined palm
- Gunn cut pattern with wing thumb style
- Full split leather cuff

**Applications:** Material handling, fabrication, metal handling and construction



SAL592

Case Qty: 120

Priced per Pair

Model No.	Description	Size	Price /Each
SAL592	2" Cuff	Large	
SAL253	4" Cuff	Large	

## PREMIUM QUALITY HI-VIZ SPLIT COWHIDE FITTERS GLOVES

- Good abrasion resistance
- Absorbent cotton-lined palm
- Full leather-tipped fingers and knuckle strap
- Two gray reflective stripes offer maximum visibility
- Gunn cut pattern with wing thumb style
- Rubberized safety cuff



SED160

Case Qty: 120

Priced per Pair

Model No.	Colour	Size	Price /Each
SED160	Fluorescent Yellow	Large	
SEK236	Fluorescent Orange	Large	

## SPLIT COWHIDE FITTERS GLOVES

- Good abrasion resistance
- Absorbent cotton-lined palm
- Starched safety cuff
- Gunn cut pattern with wing thumb style
- Full leather-tipped fingers and knuckle strap

**Applications:** Material handling, fabrication, metal handling and construction



SAP224



SM575



SM576

Priced per Pair

Model No.	Description	Size	Case Qty	Price /Each
SM575	Standard Quality	Large	120	
SAP228	Standard Quality	X-Large	72	
SM576	Standard Quality, 4" Gauntlet Cuff	Large	120	
SAP224	Premium Quality	Large	120	

## SPLIT COWHIDE PATCH PALM FITTERS GLOVES

- Good abrasion resistance
- Absorbent cotton-lined palm
- Patch palm design
- Starched safety cuff
- Gunn cut pattern with wing thumb style
- Full leather-tipped fingers and knuckle straps

**Applications:** Material handling, fabrication, metal handling and construction



SAP225



SAN382



SAN636

Priced per Pair

Model No.	Description	Size	Price /Each
SAN636	Standard Quality, Denim Cuff	Large	
SAN382	Standard Quality, Striped Cuff	Large	
SAP231	Standard Quality, Striped Cuff	X-Large	
SAP225	Premium Quality, Striped Cuff	Large	

# LEATHER GLOVES

## SPLIT COWHIDE LEATHER PALM GLOVES

- Rugged split cowhide leather construction
- Good abrasion resistance
- Cotton back provides superior breathability
- Clute cut pattern with straight thumb style
- Knit wrist

**Applications:** Material handling, automotive, assembly and construction



Case Qty: 300

Model No.	Description	Size	Price /Each
SM572	Standard Quality, White Back, Patch Palm	Large	
SN266	Standard Quality, White Back	Ladies	
SAP274	Standard Quality, White Back	Medium	
SA616	Standard Quality, White Back	Large	
SAP294	Standard Quality, White Back	X-Large	
SM573	Standard Quality, White Back, Full Index Finger	Large	
SAP297	Standard Quality, Striped Back	Large	
SAP296	Premium Quality, White Back	Large	



SAP296



SM573



SAP297



SM572

## SPLIT BACK DRIVERS GRAIN PALM GLOVES

- Standard quality
- Grain leather provides excellent dexterity and abrasion resistance
- Unlined palm with a split leather back
- Gunn-cut design with keystone thumb and elastic back
- Ideal for use in construction, machine operation utility work, and many other general applications

Case Qty: 120

Model No.	Size	Price /Each
SAJ651	Small	
SAJ652	Medium	
SAJ653	Large	
SAJ654	X-Large	



Priced per Pair



SAJ651

## SPLIT PIGSKIN FITTERS GLOVES

- Standard quality
- Good abrasion resistance and dexterity
- Superior comfort and breathability
- Performs better than cowhide grain or split leather in wet applications
- Absorbent cotton-lined palm
- Starched safety cuff
- Gunn cut pattern with wing thumb style
- Full leather-tipped fingers and knuckle strap

**Applications:** Material handling, fabrication and construction

Case Qty: 120

Model No.	Size	Price /Each
SAO156	Large	
SAP353	X-Large	



Priced per Pair



SAO156

## GRAIN PIGSKIN FITTERS GLOVES

- Good abrasion resistance and dexterity
- Superior comfort and breathability
- Performs better than cowhide grain or split leather in wet applications
- Starched safety cuff
- Gunn cut pattern with wing thumb style
- Full leather-tipped fingers and knuckle strap

**Applications:** Material handling, fabrication and construction

Case Qty: 120

Model No.	Description	Size	Price /Each
STANDARD QUALITY			
SM580	Cotton-Lined Palm	Large	
SDP099	Unlined Palm	Large	
SDP100	Unlined Palm	X-Large	
PREMIUM QUALITY			
SAP222	Cotton-Lined Palm, Rubberized Cuff	Large	



Priced per Pair



SM580

## PREMIUM COWHIDE KEVLAR® STITCHED DRIVERS GLOVES

- Unlined premium grain cowhide leather palm with split cowhide back provides superior comfort, durability and dexterity
- Driver style pattern features a smooth leather finish, and provides a snug fit for a greater sense of touch
- Keystone thumb and elastic wrist band ensure a comfortable fit
- Kevlar® stitching improves seam strength and reduces seam burnout
- Ideal for forklift and truck drivers as well as operators of construction and farm equipment



Priced per Pair

Case Qty: 120

Model No.	Size	Price /Each
SDK966	Medium	
SDK967	Large	
SDK968	X-Large	



SDK967

## SPLIT BACK PREMIUM QUALITY GRAIN COWHIDE LEATHER GLOVES

- Superior abrasion resistance
- Unlined, full grain cowhide palm
- Full split leather 4" gauntlet cuff
- Kevlar® stitching improves seam strength and reduces seam burnout
- Gunn cut pattern with wing thumb style



Priced per Pair

Case Qty: 120

Model No.	Size	Price /Each
SFV121	Small	
SFV122	Medium	
SFV123	Large	
SFV124	X-Large	



SFV121

## HPPE LINED SPLIT COWHIDE CUT RESISTANT GLOVES

- Seamless fitted 10-gauge HPPE liner
- Made out of extremely strong fibres of HPPE (high performance polyethylene)
- Superior cut, abrasion and tear resistance
- Sewn with Twaron® thread for higher seam strength and resistance
- Rubberized safety cuff
- Full leather-tipped fingers and knuckle strap
- Meets ASTM ANSI Level A6 and EN 388 Level 3 for cut resistance
- EN 388 Performance Levels: 4344F



Priced per Pair

Case Qty: 120

Model No.	Size	Price /Each
SDN114	Large (9)	
SDN162	X-Large (10)	



SDN114

## HYD-TUF® GLOVES

- Medium to heavy-duty nitrile coated
- Outperform standard cotton and leather gloves
- Nitrile coating resists snags, punctures, abrasions and cuts
- Excellent dry grip and repelling oil, grease and grime
- Snug and comfortable fit
- Safety cuff
- Accepted for use in Canadian food processing facilities

### HYD-TUF 52-547 GLOVES

- Driver's style, with cloth back and soft jersey lining

Case Qty: 144

Model No.	Size	Price /Each
SAW956	9	
SAW957	10	

### HYD-TUF 52-590 GLOVES

- Medium to heavy-duty A.C.P. impregnated **winter gloves**

Case Qty: 72

Model No.	Size	Price /Each
SEA275	9	
SEA276	10	



Priced per Pair

SAW956





# LEATHER GLOVES

## STANDARD QUALITY GRAIN COWHIDE LEATHER GLOVES

- Standard quality cow grain palm and index leather
- Top split cowhide leather back and cuff construction
- Hook and loop tab for adjustable fit
- 5" cuff provides superior protection
- Gunn cut pattern with wing thumb style
- Exceptional durability



Priced per Pair

Case Qty: 72

Model No.	Size	Price /Each
SEE287	Small	
SEE288	Medium	
SEE289	Large	
SEE290	X-Large	
SEE291	2X-Large	



## STANDARD QUALITY GOAT GRAIN GLOVES

- Standard quality goat grain palm and index leather
- Top split goatskin leather back and cuff construction
- Hook and loop tab for adjustable fit
- 5" cuff provides superior protection
- Gunn cut pattern with wing thumb style
- Exceptional dexterity



Priced per Pair

Case Qty: 72

Model No.	Size	Price /Each
SEB752	Small	
SEB733	Medium	
SEB734	Large	
SEB735	X-Large	
SEB736	2X-Large	



Can't find what  
you're looking for?  
Call us today!



# WINTER LINED LEATHER GLOVES

## GRAIN COWHIDE FURNITURE LEATHER COTTON FLEECE-LINED GLOVES

- Standard quality
- Full cotton fleece lining provides moderate warmth
- Resists oil and water
- Durable, tough furniture leather construction
- Patch palm & safety cuff provides added protection
- Gunn cut pattern with wing thumb style
- Smooth grain leather finish

**Applications:** Material handling, fabrication, metal handling and construction.



Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SEA198	Large	

## GRAIN FURNITURE LEATHER FITTERS ACRYLIC BOA-LINED GLOVES

- Standard quality
- Excellent abrasion resistance
- Provides superior warmth
- Resists oil and water well
- Patch palm design
- Starched safety cuff
- Full leather-tipped fingers and knuckle strap
- Gunn cut pattern with wing thumb style
- Smooth grain leather finish

**Applications:** Extreme cold material handling, fabrication, metal handling and construction.



SAP290

Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
SAP290	Large	
SDL886	X-Large	
SDL887	2X-Large	

## GRAIN COWHIDE FITTERS ACRYLIC BOA-LINED GLOVES

- Provides superior warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Gunn cut pattern with wing thumb style
- Full leather-tipped fingers and knuckle strap

**Applications:** Extreme cold material handling, fabrication, metal handling and construction.



SDL883

Case Qty: 72

Priced per Pair

Model No.	Description	Size	Price /Each
SEI681	Standard Quality Rubberized Safety Cuff, Patch Palm	Large	
SA0053	Premium Quality Rubberized Safety Cuff	Large	
SDL882	Premium Quality Rubberized Safety Cuff	X-Large	
SDL883	Premium Quality Rubberized Safety Cuff	2X-Large	

## PREMIUM QUALITY HI-VIZ GRAIN COWHIDE FITTERS THINSULATE™-LINED GLOVES

- Premium construction, superior quality
- 100-g Thinsulate™ liner provides superior warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Full leather-tipped fingers and knuckle strap
- Two gray reflective stripes offer maximum visibility
- Gunn cut pattern with wing thumb style
- Rubberized safety cuff



SED428

Case Qty: 72

Priced per Pair

Model No.	Colour	Size	Price /Each
SED428	Fluorescent Yellow	Large	
SEK237	Fluorescent Orange	Large	

# WINTER LINED LEATHER GLOVES

## THINSULATE™ LINED GRAIN COWHIDE FITTERS GLOVES

- Provides superior warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Provides good dexterity
- Resists oil and water well
- Gunn cut pattern with wing thumb style
- Full leather-tipped fingers and knuckle strap

**Applications:** Extreme cold material handling, fabrication, metal handling and construction.

**Case Qty:** 72

Model No.	Description	Size	Price /Each
SAS501	Premium Quality, 100-g Thinsulate™	Ladies	
SM613	Premium Quality, 100-g Thinsulate™	Large	
SEH040	Standard Quality, 100-g Thinsulate™	Large	
SAP246	Premium Quality, 100-g Thinsulate™	X-Large	
SDL885	Premium Quality, 100-g Thinsulate™	2X-Large	
SEI642	Standard Quality, Patch Palm, 40-g Thinsulate™	Large	

**ZENITH®**  
Safety Products

**Priced per Pair**



## GOAT GRAIN STANDARD QUALITY FLEECE-LINED GLOVES

- Standard quality goat grain palm and index leather
- Split cowhide leather back and cuff construction
- Hook and loop tab for adjustable fit
- 5" cuff provides superior protection
- Exceptional dexterity
- Gunn cut pattern with wing thumb style
- Palm and back cotton fleece liner provides added warmth

**Case Qty:** 72

Model No.	Size	Price /Each
SEE313	Medium	
SEE314	Large	
SEE315	X-Large	

**ZENITH®**  
Safety Products

**Priced per Pair**



## GRAIN COWHIDE DRIVERS & ROPERS FLEECE-LINED GLOVES

- Superior abrasion resistance
- Resists oil and water well
- Excellent comfort and durability
- Provides moderate warmth
- Drivers' style comes with elastic wrist
- Ropers' style comes with adjustable strap with snap

**Applications:** Forklift and truck drivers, operators of construction and farm equipment.

**Case Qty:** 120

Model No.	Description	Size	Price /Each
<b>STANDARD QUALITY</b>			
SM616	Drivers	Small	
SM617	Drivers	Medium	
SM618	Drivers	Large	
SM619	Drivers	X-Large	
SAP250	Drivers	2X-Large	
SAP215	Ropers	Small	
SAP216	Ropers	Medium	
SAP217	Ropers	Large	
SAP218	Ropers	X-Large	
<b>PREMIUM QUALITY</b>			
SFV195	Drivers	Small	
SFV196	Drivers	Medium	
SFV197	Drivers	Large	
SFV198	Drivers	X-Large	
SFV187	Ropers	Small	
SFV188	Ropers	Medium	
SFV189	Ropers	Large	
SFV190	Ropers	X-Large	

**ZENITH®**  
Safety Products

**Priced per Pair**



## SPLIT COWHIDE FITTERS FULL COTTON FLEECE-LINED GLOVES

- Standard quality
- Good abrasion resistance
- Safety cuff
- Gunn cut pattern with wing thumb style
- Full leather-tipped fingers and knuckle strap

**Applications:** Moderate cold material handling, fabrication, metal handling and construction

**Case Qty:** 120

Model No.	Size	Price /Each
SD613	Large	
SAP299	X-Large	

**ZENITH®**  
Safety Products

**Priced per Pair**



# WINTER LINED LEATHER GLOVES

## SPLIT COWHIDE FITTERS FOAM FLEECE-LINED GLOVES

- Premium quality
- Provides excellent warmth
- Good abrasion resistance
- Rubberized cuff
- Gunn cut pattern with wing thumb style
- Full leather-tipped fingers and knuckle strap

**Applications:** Moderate/extreme cold material handling, fabrication, metal handling and construction



Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
SAP240	Medium	
SAP241	Large	
SAP242	X-Large	
SDL884	2X-Large	



SAP241



SAP240

## SPLIT COWHIDE FITTERS ACRYLIC BOA-LINED GLOVES

- Premium quality
- Provides superior warmth
- Good abrasion resistance
- Rubberized safety cuff
- Gunn cut pattern with wing thumb style
- Full leather-tipped fingers and knuckle strap provide increased protection

**Applications:** Extreme cold material handling, fabrication, metal handling and construction



Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
SD614	Large	
SAP247	X-Large	
SDL890	2X-Large	



SD614



SAP247

## THINSULATE™-LINED SPLIT COWHIDE FITTERS GLOVES

- Premium quality
- Good abrasion resistance
- Provides superior warmth
- Good dexterity
- Rubberized safety cuff
- Gunn cut pattern with wing thumb style
- Full leather-tipped fingers and knuckle strap

**Applications:** Extreme cold material handling, fabrication, metal handling and construction



SAL544



SAP249



SM609



SAN637

Case Qty: 72

Priced per Pair

Model No.	Size	Lining Weight g	Price /Each
SAS500	Ladies	100	
SAN637	Medium	100	
SAL544	Large	40	
SM609	Large	100	
SAP248	X-Large	100	
SAP249	2X-Large	100	

## PREMIUM QUALITY HI-VIZ SPLIT COWHIDE FITTERS THINSULATE™-LINED GLOVES

- Good abrasion resistance
- 100-g Thinsulate™ liner provides superior warmth
- Full leather-tipped fingers and knuckle strap
- Two gray reflective stripes offer maximum visibility
- Gunn cut pattern with wing thumb style
- Rubberized safety cuff



Case Qty: 72

Priced per Pair

Model No.	Colour	Size	Price /Each
SED161	Fluorescent Yellow	Large	
SEK238	Fluorescent Orange	Large	



SED161

OFFICE PRODUCTS

INSTRUMENTS, SCALES & ELECTRICAL

SHIPPING & PACKAGING

TOOLS & EQUIPMENT

WELDING & METALWORKING

SAFETY EQUIPMENT & SUPPLIES

JANITORIAL & MAINTENANCE

MATERIAL HANDLING & STORAGE



# WINTER LINED LEATHER GLOVES

## GRAIN COWHIDE LEATHER FLEECE-LINED GLOVES

- Standard quality construction
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Full leather-tipped fingers and knuckle strap
- Gunn cut pattern with wing thumb style
- 2 1/2" elastic cuff eliminates dirt and debris from entering the glove



SEB613

Case Qty: 12

Priced per Pair

Model No.	Size	Price /Each
SEH145	Medium	
SEB613	Large	

## GRAIN COWHIDE FITTERS COTTON FLEECE-LINED PATCH PALM GLOVES

- Standard quality
- Superior abrasion resistance
- Provides moderate warmth
- Excellent comfort and durability
- Resists oil and water absorption better than split leather
- Patch palm design
- Rubberized safety cuff
- Gunn cut pattern with wing thumb style
- Full leather-tipped fingers and knuckle strap



SR521

**Applications:** Moderate cold material handling, fabrication, metal handling and construction

Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SR521	Large	
SAM023	X-Large	
SDL881	2X-Large	

## GRAIN COWHIDE FITTERS COTTON FLEECE-LINED GLOVES

- Standard quality
- Full cotton fleece lining provides moderate warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water absorption better than split leather
- Gunn cut pattern with wing thumb style
- Full leather-tipped fingers and knuckle strap

**Applications:** Moderate cold material handling, fabrication, metal handling and construction



SAP245



SD605



Priced per Pair



SEF236

Case Qty: 120

Model No.	Description	Size	Price /Each
SM610	Rubberized Safety Cuff	Ladies	
SD605	Rubberized Safety Cuff	Large	
SAP245	Rubberized Safety Cuff	X-Large	
SEF236	Gauntlet Cuff	Large	

## GRAIN PIGSKIN FITTERS COTTON FLEECE-LINED GLOVES

- Standard quality
- Smooth top grain construction
- Good abrasion resistance
- Provides moderate warmth
- Superior comfort and breathability
- Good dexterity
- Performs well in wet applications
- Gunn cut pattern with wing thumb style
- Full leather-tipped fingers and knuckle strap

**Applications:** Moderate cold material handling, fabrication and construction



Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SAP295	Large	



## PREMIUM QUALITY GRAIN PIGSKIN FOAM FLEECE LINED GLOVES

- Fitter glove with shorter driver style cuff
- Premium pigskin leather construction
- Superior performance in wet applications
- Good abrasion resistance
- Full leather tipped fingers and knuckle strap
- Full red foam fleece lining provides excellent warmth

**Applications:** Moderate cold material handling, fabrication and construction

Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SDL465	Small	
SDL021	Medium	
SDS860	Large	
SDS861	X-Large	
SDN053	2X-Large	



# WINTER LINED LEATHER GLOVES

## GRAIN PIGSKIN FITTERS ACRYLIC BOA-LINED GLOVES

- Premium quality
- Good abrasion resistance
- Boa lining provides superior warmth
- Superior comfort and breathability
- Good dexterity
- Performs well in wet applications
- Full leather-tipped fingers and knuckle strap
- Gunn cut pattern with wing thumb style
- Safety cuff

**Applications:** Extreme cold material handling, fabrication and construction

**Case Qty:** 72

**ZENITH®**  
Safety Products

**Priced per Pair**

Model No.	Description	Size	Price /Each
SAP300	Superior Quality, Rubberized Cuff	Large	
SDL888	Superior Quality, Rubberized Cuff	X-Large	
SDL889	Superior Quality, Rubberized Cuff	2X-Large	



## THINSULATE™-LINED GRAIN PIGSKIN FITTERS GLOVES

- Premium quality
- Good abrasion resistance
- Provides superior warmth
- Superior comfort and breathability
- Performs well in wet applications
- Good dexterity
- Full leather-tipped fingers and knuckle strap
- Rubberized safety cuff
- Gunn cut pattern with wing thumb style
- 100-g Thinsulate™ lining

**Applications:** Extreme cold material handling, fabrication and construction

**Case Qty:** 72

**ZENITH®**  
Safety Products

**Priced per Pair**

Model No.	Size	Price /Each
SM615	Large	
SAP251	X-Large	
SDL892	2X-Large	



## GRAIN COWHIDE FITTERS FOAM FLEECE-LINED GLOVES

- Standard quality
- Provides excellent warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Full leather-tipped fingers and knuckle strap
- Gunn cut pattern with wing thumb style
- Rubberized safety cuff

**Applications:** Moderate/extreme cold material handling, fabrication, metal handling and construction

**Case Qty:** 72

**ZENITH®**  
Safety Products

**Priced per Pair**

Model No.	Size	Price /Each
SM611	Large	
SDL891	X-Large	



## BOA-LINED PREMIUM GRAIN LEATHER MITTEN

- Full boa lining provides superior warmth and comfort
- Premium grain cowhide leather has excellent abrasion resistance
- Double-shirred elastic front provides optimal fit
- Suitable for cold weather applications and environments
- Applications include outdoor recreational activities, railroad maintenance, material handling, equipment and heavy machinery operation, general-purpose and construction
- Size: Large
- Thumb Style: Wing

**Model No.** SGF640  
**Price/Each \$**

**ZENITH®**  
Safety Products



OFFICE  
PRODUCTS

INSTRUMENTS,  
SCALES &  
ELECTRICAL

SHIPPING &  
PACKAGING

TOOLS &  
EQUIPMENT

WELDING &  
METALWORKING

SAFETY  
EQUIPMENT  
& SUPPLIES

JANITORIAL &  
MAINTENANCE

MATERIAL  
HANDLING &  
STORAGE

# WELDING GLOVES

## WELDERS' DEERSKIN TIG GLOVES

- Premium split deerskin leather construction
- Designed for precision welding applications
- Superior fit and dexterity
- Double thumb strap extends wear life
- 4" gauntlet cuff provides superior protection
- Exceptionally soft finish
- Clute cut pattern with straight thumb style
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance



Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SM597	Small	
SM598	Medium	
SM599	Large	
SM600	X-Large	
SAP293	2X-Large	



## WELDERS' PIGSKIN TIG GLOVES

- Premium grain pigskin leather construction
- Designed for precision welding applications
- Excellent fit and dexterity
- Exceptional durability
- Double thumb strap extends wear life
- 4" gauntlet cuff provides superior protection
- Clute cut pattern with straight thumb style
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance



Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SAN639	Small	
SAN640	Medium	
SAN641	Large	
SAN642	X-Large	



## WELDERS' SOFTOUCH™ PIGSKIN TIG GLOVES

- Seamless index finger construction provides unobstructed control over small diameter welding rods and ultra light TIG torches
- Extra long cuff offers wrist and forearm protection against heat
- 4" split pigskin cuff, seamless index finger
- Clute cut pattern with straight thumb style
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance



Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
610-2008M	Medium	
610-2008	Large	



## WELDERS' STANDARD QUALITY GLOVES

- Rugged split cowhide leather construction
- Excellent abrasion resistance
- Thermal cotton palm lining provides added heat protection
- Weltd seams at all critical points
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance



Case Qty: 72

Priced per Pair

Model No.	Description	Style	Size	Price /Each
SAO130	Gloves	Gunn & Wing	Large	
SAO131	One-Finger Mitt	Clute & Wing	Large	



## OUTSIDE DOUBLE PALM & THUMB WELDER'S GLOVES

- Top split cowhide leather construction
- Excellent abrasion resistance
- Outside double palm and thumb extend wear life
- Thermal cotton palm lining provides added heat protection
- Weltd seams at all critical points
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance



Case Qty: 72

Priced per Pair

Model No.	Description	Style	Size	Price /Each
SAO128	Gloves	Gunn & Wing	Large	
SAP352	Gloves	Gunn & Wing	X-Large	
SAO129	One-Finger Mitt	Clute & Wing	Large	



## WELDERS' PREMIUM QUALITY GLOVES

- Premium split cowhide leather construction
- Excellent abrasion resistance
- Outside double palm and thumb extend wear life
- Thermal cotton palm lining provides added heat protection
- Welded seams at all critical points
- Gunn cut pattern with wing thumb style
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance



Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
SAN635	Large	

## WELDERS' PREMIUM QUALITY FOAM LINED GLOVES

- Premium split cowhide leather construction
- Excellent abrasion resistance
- Full reinforced thumb strap extends wear life
- Cotton covered foam lining provides superior heat protection
- Welded seams at all critical points
- Gunn cut pattern with wing thumb style
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance



Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
SAN277	Large	

## WELDERS' COMFOFLEX™ PREMIUM QUALITY GLOVES

- Heat and flame resistant shoulder split cowhide
- Fully sock lined for added comfort
- 13 1/2" long with reinforced thumb
- Gunn cut pattern with straight thumb style
- Fully welded DuPont® Kevlar® stitched seams for higher seam strength and flame resistance



Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
610-0328	Large	

## WELDERS' COMFOFLEX™ PREMIUM LINED GLOVES

- Flame retardant, air cushioned, sweat absorbent lining
- Provides incomparable comfort and extra insulation
- Buck tan, heat resistant side split cowhide
- Outside double palm and thumb extend wear life
- Gunn cut pattern with wing thumb style
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance



610-2000

Case Qty: 72

Priced per Pair

Model No.	Description	Price /Each
610-2000	Welding Gloves	
610-2178	One-Finger Mitts	
610-2076	Pigskin Gloves	

## WELDERS' PIPELINER GLOVES

- Premium split cowhide leather exterior construction
- Full grain cowhide leather interior provides incomparable comfort
- Protective leather patch on back of left hand
- Excellent abrasion resistance
- Reinforced thumb extends wear life
- Gunn cut pattern with straight thumb style
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance



Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
SAV008	Large	
SEB930	X-Large	



# WELDING GLOVES

## WELDERS' PREMIUM COWHIDE TIG GLOVES

- Premium grain cowhide leather construction
- Unparalleled fit and dexterity with exceptional durability
- Weltered seams and straight thumb for expert control
- 4" gauntlet cuff provides superior protection
- Designed for precision welding applications
- Gunn cut pattern with straight thumb style
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance



Priced per Pair

Case Qty: 72

Model No.	Size	Price /Each
SDL992	Medium	
SDL993	Large	
SDL994	X-Large	



## WELDERS' HEAVY-DUTY GENERAL PURPOSE PREMIUM COWHIDE GLOVES

- Premium grain cowhide leather construction with split cowhide leather palm
- Unlined palm for increased comfort and dexterity
- 6" gauntlet cuff for increased protection
- Reinforced thumb extends wear life
- Gunn cut pattern with straight thumb style
- Fully welted DuPont® Kevlar® stitched seams for higher seam strength and flame resistance



Priced per Pair

Case Qty: 72

Model No.	Size	Price /Each
SDL995	Medium	
SDL996	Large	
SDL997	X-Large	



## WELDER'S COMFOFLEX® PEARL DEERSKIN GLOVES

- 14 1/2" incredibly soft, genuine North American deer hides
- Flame retardant, air cushioned, sweat absorbent lining
- Thick pliable layer of protection that easily molds to your hand for added comfort
- Gunn cut pattern with straight thumb style
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance



Priced per Pair

Case Qty: 40

Model No.	Size	Price /Each
610-2850	Large	



## HIGH HEAT HAND SHIELDS

- Aluminized PFR rayon reflects 95% radiant heat
- 5-ply DuPont® Kevlar® sewn and split cowhide backing for extra durability
- Leather and elastic strap system
- Sold individually



Priced per Shield

Case Qty: 144

Model No.	Description	Price /Each
SE549	Premium Hand Shield	



SE549

## FABRICATOR GLOVES

- High-dexterity glove designed exclusively for intricate fabrication of sheet metal, welding and bodywork
- 100% genuine leather construction
- Three heat-resistant cowhide panels on heel, inside, and outer edge of palm
- Fingertip reinforcements on index, middle and ring fingers
- Dual-layer leather knuckle band
- Plush, suede deerskin top and fingers
- Stretch Kevlar® protective wedge insert
- Oversize, easy-entry, hook and loop closure
- CE approved



Priced per Pair

Case Qty: 120

Model No.	Mfg. No.	Size	Price /Each
SAN869	MFG-05-008	Small (8)	
SAN870	MFG-05-009	Medium (9)	
SAN871	MFG-05-010	Large (10)	
SAN872	MFG-05-011	X-Large (11)	
SAN873	MFG-05-012	2X-Large (12)	



## HOT MILL TOP QUALITY GLOVES

- Exceptional comfort, insulation and superior heat protection
- 24-oz., gauntlet cuff
- Provides protection up to 400°F (204°C)
- Colour: White
- Made in Canada

**Applications:** Tire manufacturing, plastic extrusions, heat treating and metal industries



Case Qty: 120

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAI321	436G	Large	



SAI321

## CARBO-KING™ HEAT PROTECTIVE MITTS & GLOVES

- Patented Carbo-King™ material with Melton lining
- For applications up to 900°F
- Lightweight and pliable 15 oz. material
- Fabric does not fray like conventional fiberglass products
- Ambidextrous
- Reduce costs by adding a cover mitt
- Made in Canada

**Note:** The degree of heat resistance a glove may offer is directly related to the duration of exposure and weight of the object being handled



Case Qty: 24

Priced per Pair

Model No.	Mfg. No.	Description	Size	Price /Each
SAP573	M340CA-L	Mitt	Large	
SAP574	436CA-L	Glove	Large	
SAP575	H-280-CA	Cover Mitt	Large	



SAP573



SAP574



SAP575

## FELT-LINED KEVLAR® GLASS MITTS & GLOVES

- Protects up to 900°F
- 22 oz. heavyweight Kevlar® blended with fiberglass material
- Fully lined
- Size: Large
- Colour: Yellow
- Made in Canada



Case Qty: 12

Priced per Pair

Model No.	Mfg. No.	Description	Price /Each
SAK009	M340KGL	13" Mitt, Ambidextrous	
SA505	M342KG	15" Mitt	



SA505

# HEAT RESISTANT

## HOT MILL GLOVES

- Top quality heavy cotton fabric construction
- Heavy cotton-lined palm provides superior heat resistance
- **SEF068** 32-oz. lined palm for increased heat protection
- 4" gauntlet cuff provides extra protection

**Applications:** Forging, foundries, plastic extrusions and other operations that require heat protection



Case Qty: 120

Model No.	Heat Protection	Description	Size	Price /Each
SEF067	Up to 302° F (150°C)	24-oz. Yellow Palm	X-Large	
SEF068	Up to 482°F (250°C)	32-oz. Green Palm	X-Large	

SEF067

Priced per Pair

SEF068

## CHAR-GUARD™ HEAT-RESISTANT GLOVES

- Comfortable non-woven liner to provide flexibility and fit
- Superior tactile dexterity
- Non-slip grip
- Heat-resistant coating protects up to 500°F
- Can withstand multiple washings
- Black colour extends wearable life as it does not show dirt and grime easily
- Accepted for use in Canadian food processing facilities

**Applications:** Hot castings for intermittent heat, lab sampling with hot glassware or moldings, plastic molding, plant maintenance controls up to 500°F, food processing and service



Case Qty: 12

Model No.	Mfg. No.	Size	Length"	Price /Each
SAP618	8814-07	7	14	
SAP619	8814-08	8	14	
SAP620	8814-09	9	14	
SAP621	8814-10	10	14	

Priced per Pair

SAP618

## HEAT-RESISTANT LEATHER GLOVES

- Specially tanned split cowhide leather gloves are foam-insulated
- Provide HIGH HEAT protection for handling very hot metals and other hot handling jobs
- Leather is resistant to cuts and abrasions and remains flexible in high heat situations
- Made extra large for easy donning and removal

Case Qty: 12

Model No.	Description	Price /Each
SA516	2" Cuff	
SA514	5" Cuff	

Priced per Pair

SA514

SA516

## ALUMINIZED GLOVES

- Designed with a combination of heat-resistant palm and an aluminized back to deflect heat
- Fully aluminized style
- For extreme situations where temperatures are higher and molten splash and flame is present
- 14" overall length

Model No.	Description	Price /Each
SA509	Aluminized Back	
SA510	Aluminized Back, One-Finger Mitt	
SA507	Fully Aluminized	
SA508	Fully Aluminized, Mitt	

Priced per Pair

SA507

SA509

## TERRY CLOTH LINED TWARON® GLOVES

- 100% Twaron® shell with seamless terry cloth liner
- Flame and cut resistant, will not burn or melt
- Terry cloth liner provides added insulation and comfort
- Excellent protection and dexterity
- Heat protection up to 700°F (371°C)
- Fabric Weight: 32 oz.
- Lining: Terry Cloth
- Cuff Style: Gauntlet/Knit Wrist

**Applications:** Foundries, steel manufacturing, heat and general industrial applications



SDP437

Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
SDP437	Large	

## KEVLAR®/NOMEX® KNIT GLOVES

- Cotton lining provides comfort
- Outside provides excellent thermal properties allowing you to handle hot objects
- Protects up to 500°F
- Ambidextrous
- Made in Canada
- Meets ANSI/ISEA 105 level 2 for cut resistance



SAR526

Case Qty: 144

Priced per Each

Model No.	Mfg. No.	Size	Price /Each
SAR526	2610S	Small	
SAR527	2610M	Medium	
SAR528	2610L	Large	

## DRAGON SERIES - EXTREME HI-HEAT GLOVES

- Outer shell of 100% Kevlar® for extreme heat protection of up to 1000°F (535°C)
- Fully lined with a 100% wool terry liner
- Seamless knit construction results in unparalleled dexterity and comfort for a high-heat glove
- Colour: Yellow
- Meets ASTM ANSI level A4 for cut resistance

Case Qty: 12

Priced per Pair

Model No.	Description	Price /Each
SF902	12" Glove, Extra Layer of Leather Lining	



SF902

## TERRY CLOTH GLOVES

- 24 oz. heavyweight terry knit fabric provides abrasion and heat resistance
- Offers excellent insulation and allows heat to disperse rapidly
- Heat protection up to 390°F (200°C)
- Absorbs liquids and perspiration for added dexterity and comfort
- Ambidextrous design
- Fabric Weight: 24 oz.
- Material: Terry Cloth
- Lining: Unlined

**Applications:** Sharp metal handling, steel manufacturing, foundries, glass handling, heat and general industrial applications



SDP089

Case Qty: 120

Priced per Pair

Model No.	Cuff Style	Size	Price /Each
SDP089	Slip-On	Large	
SDP090	Knit Wrist	Large	



# INSPECTION GLOVES

## POLY/COTTON INSPECTION GLOVES

- Keep hands clean during inspections
- Protect products from fingerprints, contamination, scratches and static
- Can be used as a perspiration absorbing liner for gloves
- SEE783 and SEE784 are accepted for use in Canadian food processing facilities

**Applications:** General inspection lines, assembly, glove liner



Priced per Pair

Model No.	Cuff	Size	Material	Case Qty	Price /Each
LIGHTWEIGHT LISLE					
SEE783	Unhemmed	Ladies	80% cotton and 20% polyester blend	1200	
SEE784	Unhemmed	Men's	80% cotton and 20% polyester blend	1200	
MEDIUMWEIGHT					
SEE785	Hemmed	Ladies	50% cotton and 50% polyester blend	600	
SEE786	Hemmed	Men's	50% cotton and 50% polyester blend	600	
MEDIUMWEIGHT					
SEE789	Knit Wrist	Ladies	48% cotton and 52% polyester blend	600	
SEE790	Knit Wrist	Men's	48% cotton and 52% polyester blend	600	

SEE784



SEE790



SEE786

## COTTON INSPECTION GLOVES

- Keep hands clean during inspections
- Protect products from fingerprints, contamination, scratches and static
- Can be used as a perspiration absorbing liner for gloves
- 100% heavyweight cotton
- Accepted for use in Canadian food processing facilities

**Applications:** General inspection lines, assembly, glove liner



Priced per Pair

Case Qty: 600

Model No.	Cuff	Size	Price /Each
SEE787	Hemmed	Ladies	
SEE788	Hemmed	Men's	

SEE788



## NYLON INSPECTION GLOVES

- Low-lint nylon yarn offers premium product protection
- Maximum dexterity and sensitivity
- Keep hands clean during inspections
- Protect products from fingerprints, contamination, scratches and static
- Hemmed cuff provides secure fit

**Applications:** Electronics inspection lines and assembly, paint line inspection and low lint applications



Priced per Pair

Case Qty: 600

Model No.	Size	Price /Each
SDS931	Ladies, X-Small	
SEE791	Ladies	
SEE792	Men's	

SEE792



## PARADE/WAITER'S GLOVES

- Seaming detail on back
- 100% white cotton
- Hemmed cuff provides secure fit
- Accepted for use in Canadian food processing facilities

**Applications:** Police, waiters, funeral homes, and general inspection



Priced per Pair

Case Qty: 600

Model No.	Size	Price /Each
SEE793	Small	
SEE794	Medium	
SEE795	Large	
SEE796	X-Large	

SEE795



## PREMIUM STRING KNIT GLOVES

- Cotton, nylon and spandex blend
- Elastic knit wrist
- Optimal fit
- Superior comfort
- Premium dexterity and sensitivity
- Accepted for use in Canadian food processing facilities

**Applications:** Ideal for automotive assembly, material handling, parts handling, and as a glove liner

**Case Qty:** 300

Model No.	Size	Price /Each
SED611	Small	
SED612	Medium	
SED613	Large	

**ZENITH®**  
Safety Products

**Priced per Pair**



SED611

## POLY/COTTON STRING KNIT GLOVES

- Seamless string knit design provides excellent comfort and breathability
- 65% cotton and 35% polyester blend, 7 gauge
- Reversible pattern extends wear life and improves savings
- Knit wrist provides secure fit and prevents debris from entering the glove
- **Heavyweight:** Accepted for use in Canadian food processing facilities

**Applications:** Parts handling, maintenance, assembly, glove liner and food processing

**Case Qty:** 300

**Priced per Pair**

Model No.	Size	Price /Each
<b>STANDARD WEIGHT</b>		
SDS937	X-Small	
SDS938	Small	
SDS939	Medium	
SDS940	Large	
SDS941	X-Large	
SDS942	2X-Large	

**Case Qty:** 300

**Priced per Pair**

Model No.	Size	Price /Each
<b>HEAVYWEIGHT</b>		
SEE932	X-Small	
SEE933	Small	
SEE934	Medium	
SEE935	Large	
SEE936	X-Large	
SEE937	2X-Large	

**ZENITH®**  
Safety Products



SEE932

## POLYESTER STRING KNIT GLOVES

- Seamless string knit design provides excellent comfort and breathability
- 100% polyester
- Elastic knit wrist
- Polyester offers resistance to water absorption remaining lightweight even when wet

**Applications:** Automotive, clean rooms, assembly and parts handling, glove liner and food processing

**Case Qty:** 300

**Priced per Pair**

Model No.	Size	Gauge	Price /Each
SGD514	Small	10	
SEF199	Medium	10	
SEF200	Large	10	
SGD515	X-Large	10	
SGC361	X-Small	15	
SGC362	Ladies	15	
SGC363	Men's	15	

**ZENITH®**  
Safety Products



SEF199

## INSULATOR® 78-101/78-150 GLOVES

- Hand warmer in cold, damp working environments
- May be used as an under glove
- Ambidextrous

**Applications:** Handling chilled or refrigerated products, fishing industry, utilities, construction, general maintenance

**Case Qty:** 144

Model No.	Colour	Size	Price /Each
SEA277	Blue	One Size	
SEA308	White	One Size	

**Ansell**

**Priced per Pair**



SEA277

SEA308

# KNIT & CANVAS GLOVES

## NATURAL POLY/COTTON DOTTED GLOVES

- PVC dots provide excellent grip and abrasion resistance
- 65% cotton and 35% polyester blend, 7 gauge
- Natural colour poly/cotton seamless string knit provides a cool comfortable fit
- Ambidextrous, both sides dotted version extends wear life
- **Heavyweight:** Accepted for use in Canadian food processing facilities

**Applications:** General maintenance, shipping and receiving, assembly and parts handling

Case Qty: 240



Priced per Pair

Model No.	Size	Price /Each
<b>ONE SIDE DOTTED, LIGHTWEIGHT</b>		
SDS943	X-Small	
SDS944	Small	
SDS945	Medium	
SDS946	Large	
SDS947	X-Large	
<b>ONE SIDE DOTTED, HEAVYWEIGHT</b>		
SEE938	X-Small	
SEE939	Small	
SEE940	Medium	
SEE941	Large	
SEE942	X-Large	
<b>BOTH SIDES DOTTED, HEAVYWEIGHT</b>		
SEE943	Small	
SEE944	Medium	
SEE945	Large	
SEE946	X-Large	



SEE941

## WHITE POLY/COTTON DOTTED GLOVES

- PVC dots provide excellent grip and abrasion resistance
- Bleached white poly/cotton seamless string knit provides a cool comfortable fit
- Ambidextrous, both sides dotted version extends wear life
- Accepted for use in Canadian food processing facilities

**Applications:** General maintenance, shipping and receiving, assembly and parts handling

Case Qty: 240



Priced per Pair

Model No.	Size	Price /Each
<b>ONE SIDE DOTTED</b>		
SAN489	Small	
SAN490	Medium	
SAN491	Large	
SAN492	X-Large	
<b>BOTH SIDES DOTTED</b>		
SAN493	Small	
SAN494	Medium	
SAN495	Large	
SAN496	X-Large	



SAN489

## MULTICOLOUR POLY/COTTON DOTTED GLOVES

- PVC dots provide excellent grip and abrasion resistance
- Poly/cotton seamless string knit provides a cool comfortable fit
- Multicolour hides the dirt and extends wear life

**Applications:** General maintenance, shipping and receiving, assembly and parts handling

Case Qty: 240



Priced per Pair

Model No.	Size	Price /Each
SAM662	Small	
SAM663	Large	



SAM662

## COTTON CANVAS DOTTED PALM GLOVES

- PVC dots provide excellent grip and abrasion resistance
- Excellent comfort, dexterity and breathability
- Moderate abrasion resistance
- Knit wrist provides secure fit and prevents debris from entering the glove

**Applications:** Material handling, automotive, assembly and construction

Case Qty: 240



Priced per Pair

Model No.	Size	Price /Each
SEE947	Small	
SEE948	Large	



SEE947

## PVC PALM COATED GLOVES

- String knit design for excellent breathability and comfort
- PVC palm coating provides superior abrasion resistance, grip and durability
- Knit wrist eliminates dirt and debris from entering the glove
- Black on white

**Applications:** Parts handling, assembly and metal stamping



Case Qty: 240

Priced per Pair

Model No.	Size	Price /Each
SAP211	Small	
SAP212	Medium	
SAP213	Large	
SAP214	X-Large	



SAP211

## COTTON CANVAS GLOVES

- Excellent comfort, dexterity and breathability
- Moderate abrasion resistance
- Knit wrist provides secure fit and prevents debris from entering the glove
- Heavier weights provide enhanced protection and extended wear

**Applications:** Material handling, automotive, assembly, construction



Case Qty: 300

Priced per Pair

Model No.	Fabric Weight oz	Size	Price /Each
SEE846	7	Large	
SEE847	8	Medium	
SEE848	8	Large	
SEE849	8	X-Large	
SEE850	12	Large	



SEE846

## BROWN JERSEY GLOVES

- Durable knit jersey fabric offers premium comfort
- 65% polyester and 35% cotton blend
- Good abrasion resistance
- Provides moderate warmth

**Applications:** Light-duty material handling, assembly, automotive and winter glove liner



Priced per Pair

Model No.	Description	Size	Case Qty	Price /Each
SEE949	Slip-On, Red Fleece Lining	Large	144	
SEE950	Knit Wrist	Large	300	

SEE950

SEE949





# JERSEY GLOVES

## SALT & PEPPER JERSEY GLOVES

- Durable knit jersey fabric offers premium comfort
- 65% polyester and 35% cotton blend
- Good abrasion resistance
- Knit wrist provides secure fit and prevents debris from entering the glove

**Applications:** Light-duty material handling, assembly, automotive and winter glove liner



Case Qty: 300

Priced per Pair

Model No.	Size	Price /Each
SEE951	Large	
SEE952	X-Large	



SEE951

## ORIGINAL SUPER GREEN KING™ GLOVES

- Unique extra heavy weight cotton fleece
- High quality fabric allows for repeated launderings with minimal colour loss
- Excellent comfort and warmth
- Snug green and white knit wrist maintains stretch even after numerous washing
- Size: Large
- Made in Canada



Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SED899	SGK	Large	



## SQUIDS® GRABBERS

- Easy to use with a comfortable feel
- Keeps gloves close at hand
- Clips to clothing, belts, tool belts and D-rings
- Breakaway feature
- Dielectric/non-conductive material

**Applications:** Carpentry, electrician, contractors, trades, roofing, construction, warehousing, maintenance, mechanics, HVAC, plumbing, mitten security



Model No.	Mfg. No.	Colour	Price /Each
<b>GRABBERS</b>			
SA0180	19112	Black	
SA0181	19117	Blue	
SA0182	19118	Orange	
SA0183	19119	Yellow	
<b>GRABBERS W/BELT CLIP</b>			
SA0184	19122	Black	
SA0185	19127	Blue	
SA0186	19128	Orange	
SA0187	19129	Yellow	



SA0182



SA0184

## HOTTEC™ HAND WARMERS

- HOTTEC™ warmers are air activated and made with all natural ingredients
- Simply remove them from their package, shake for approximately 30 seconds and feel the heat for up to 8 hours!
- Will fit almost anywhere; pockets, gloves, hats, winter liners for hard hats and almost any clothing accessory
- Dimensions: 3.74" W x 2.17" L
- Cold/Hot: Hot
- Single Use
- 3 year shelf life



Model No.	Mfg. No.	Description	Price /Each
SDN880	1070500-HT	Hand Warmers	



## CAN/CSA Z195 PROTECTIVE FOOTWEAR

This National Standard of Canada deals with protective footwear and includes requirements for resistance against toe impact, sole puncture, electric shock, chainsaws, as well as requirements for static discharge and electrical conductivity. Footwear that has been certified by CSA International to the CAN/CSA Z195-02 standard is eligible to bear our Protective Footwear Certification Markings.

### CSA CERTIFICATION MARK FOR CANADA

Indicates footwear is CSA-certified to Canadian national requirements

#### LABEL



#### DESCRIPTION

This serialized label indicates certification by CSA International and is only available through CSA.

#### LOCATION

This label will be side-stitched or heat-sealed inside the top of the tongue or inside the quarter lining of the right shoe.

## CLASSES OF PROTECTION One or more of these markings will appear on the outer side or the tongue of the right shoe

### PROTECTION MARKINGS

### SAFETY FEATURES

### RECOMMENDED USE



**Green triangle** indicates sole puncture protection with a Grade 1 protective toe to withstand impacts up to 125 Joules. Comparable to a 22.7 kg (50 lb) weight dropped from 0.6 m. Sole puncture protection is designed to withstand a force of not less than 1200 Newtons (270 lbs) and resist cracking after being subjected to 1.5 million flexes.

For any industry, especially construction and heavy work environments, where sharp objects, such as nails are present.



**Yellow triangle** indicates sole puncture protection with a Grade 2 protective toe to withstand impacts up to 90 Joules. Comparable to a 22.7 kg (50 lb) weight dropped from 0.4 m. Sole puncture protection is designed to withstand a force of not less than 1200 Newtons (270 lbs) and resist cracking after being subjected to 1.5 million flexes.

For light industrial work environments requiring puncture protection as well as toe protection.



**Blue rectangle** indicates Grade 1 protective toe without sole puncture protection. Grade 1 protective toe withstands impacts up to 125 Joules. Comparable to a 22.7 kg (50 lb) weight dropped from 0.6 m.

For industrial work environments not requiring puncture protection.



**Grey rectangle** indicates Grade 2 protective toe without sole puncture protection. Grade 2 protective toe withstands impacts up to 90 Joules. Comparable to a 22.7 kg (50 lb) weight dropped from 0.4 m.

For institutional and non-industrial work environments not requiring puncture protection.



**White label with green fir tree symbol** indicates chainsaw protective footwear. Protective features are designed into the boots to prevent a running chainsaw from cutting all the way through the boot uppers so as to protect the shins, ankles, feet and toes.

For forestry workers and others exposed to hand-held chain saws or other cutting tools.



**White rectangle with orange Greek letter omega** indicates soles that provide resistance to electric shock. Such certified footwear contains a sole and heel design assembly that, at the point of manufacturing, has electrical insulating properties intended to withstand 18 000 Volts and a leakage current not exceeding 1 mA.

For any industry where accidental contact with live electrical conductors can occur. Warning: Electrical Shock Resistance deteriorates with wear and in wet environments.



**Yellow rectangle with green "SD" and grounding symbol** indicates soles are static-dissipative. The outer soles are made from an antistatic compound, chemically bound into the bottom components, capable of dissipating an electrostatic charge in a controlled manner. The test criteria are 106 to 108 Ohms. Note that SD footwear without toe protection will not have sole protection certified by CSA.

For any industry where a static discharge can create a hazard for workers or equipment.



**Red rectangle with black "C" and grounding symbol** indicates soles are electrically conductive. The outer soles are made from a conductive compound that is permanently bound to the bottom components to provide electrical grounding of each foot. Test criteria are 0 to 500 000 Ohms.

For any industry where static discharge may create a hazard of explosion.

### MARKING

The right foot of each pair bears the following information permanently marked in a conspicuous location:

- Manufacturer's name, trade name, or CSA Master Contract number
- Date of manufacture by month and year or by date code
- Outsole construction style or name

### METATARSAL PROTECTION

Metatarsal Protection is intended to safeguard the upper foot (metatarsal bones) and toe areas. To meet CSA design requirements the footwear must provide sufficient width and height to cover the dorsum of the foot. Note that there is no CSA certification for metatarsal protection as the standard does not currently contain performance requirements.



## OLIVER® WORK BOOTS

- The gently-raised surface of the unique NANOLite footbed massages your feet as you walk, promoting greater blood flow to help reduce fatigue
- Unique COMFORT cushion Impact Absorption System provides superior protection for the heel and ball of the foot, helping reduce fatigue
- NATURE form toe caps have a wide profile shape and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap
- All-Terrain Dual-Density Soling Technology combines soft, shock-absorbing, low-density rubber for the midsole with high-density, hard-wearing rubber for the outsole
- Padded collar and tongue provide excellent comfort and support for the wearer
- PORON® XRD® metatarsal guard is comfortable, flexible and lightweight, but instantly hardens on impact for excellent protection
- Waterproof membrane liner keeps feet dry
- ESR-rated outsole

### 2400 SERIES WOMEN'S GENERAL PURPOSE WORK BOOTS

- Toe Type: Steel
- Sole Type: Puncture Resistant
- Plate Type: Non-metallic
- Height: 8"
- Built proportional to women's feet for the perfect fit

Model No.	Mfg. No.	Shoe Size	Price /Each
SGD848	OL24031-5	5	
SGD849	OL24031-5.5	5-1/2	
SGD850	OL24031-6	6	
SGD851	OL24031-6.5	6-1/2	
SGD852	OL24031-7	7	
SGD853	OL24031-7.5	7-1/2	
SGD854	OL24031-8	8	
SGD855	OL24031-8.5	8-1/2	

Model No.	Mfg. No.	Shoe Size	Price /Each
SGD856	OL24031-9	9	
SGD857	OL24031-9.5	9-1/2	
SGD858	OL24031-10	10	
SGD859	OL24031-10.5	10-1/2	
SGD860	OL24031-11	11	
SGD861	OL24031-11.5	11-1/2	
SGD862	OL24031-12	12	



SGD848

### 45 SERIES WORK BOOTS

- Toe Type: Non-metallic Toe
- Sole Type: Puncture Resistant
- Plate Type: Non-metallic
- Height: 8"
- Superior resistance to cutting and abrasion
- Excellent slip-resistance

Model No.	Mfg. No.	Shoe Size	Type	Price /Each
SGD833*	45680CS-6	6	Thermal	
SGD834*	45680CS-7	7	Thermal	
SGD835*	45680CS-7.5	7-1/2	Thermal	
SGD836*	45680CS-8	8	Thermal	
SGD837*	45680CS-8.5	8-1/2	Thermal	
SGD838*	45680CS-9	9	Thermal	
SGD839*	45680CS-9.5	9-1/2	Thermal	
SGD840*	45680CS-10	10	Thermal	
SGD841*	45680CS-10.5	10-1/2	Thermal	
SGD842*	45680CS-11	11	Thermal	
SGD843*	45680CS-11.5	11-1/2	Thermal	
SGD844*	45680CS-12	12	Thermal	
SGD845*	45680CS-13	13	Thermal	
SGD846*	45680CS-14	14	Thermal	
SGD847*	45680CS-15	15	Thermal	

\*600 g Thinsulate™ Ultra liner for sub-zero environments

Model No.	Mfg. No.	Shoe Size	Type	Price /Each
SGD818	45675CS-6	6	Regular	
SGD819	45675CS-7	7	Regular	
SGD820	45675CS-7.5	7-1/2	Regular	
SGD821	45675CS-8	8	Regular	
SGD822	45675CS-8.5	8-1/2	Regular	
SGD823	45675CS-9	9	Regular	
SGD824	45675CS-9.5	9-1/2	Regular	
SGD825	45675CS-10	10	Regular	
SGD826	45675CS-10.5	10-1/2	Regular	
SGD827	45675CS-11	11	Regular	
SGD828	45675CS-11.5	11-1/2	Regular	
SGD829	45675CS-12	12	Regular	
SGD830	45675CS-13	13	Regular	
SGD831	45675CS-14	14	Regular	
SGD832	45675CS-15	15	Regular	



SGD818

### 65 SERIES WORK BOOTS

- Toe Type: Steel
- Sole Type: Puncture Resistant
- Plate Type: Non-metallic

Model No.	Mfg. No.	Shoe Size	Height"	Price /Each
SGD803	65692S-6	6	10	
SGD804	65692S-7	7	10	
SGD805	65692S-7.5	7-1/2	10	
SGD806	65692S-8	8	10	
SGD807	65692S-8.5	8-1/2	10	
SGD808	65692S-9	9	10	
SGD809	65692S-9.5	9-1/2	10	
SGD810	65692S-10	10	10	
SGD811	65692S-10.5	10-1/2	10	
SGD812	65692S-11	11	10	
SGD813	65692S-11.5	11-1/2	10	
SGD814	65692S-12	12	10	
SGD815	65692S-13	13	10	
SGD816	65692S-14	14	10	
SGD817	65692S-15	15	10	

Model No.	Mfg. No.	Shoe Size	Height"	Price /Each
SGE658	65693S-6	6	14	
SGE659	65693S-7	7	14	
SGE660	65693S-7.5	7-1/2	14	
SGE661	65693S-8	8	14	
SGE662	65693S-8.5	8-1/2	14	
SGE663	65693S-9	9	14	
SGE664	65693S-9.5	9-1/2	14	
SGE665	65693S-10	10	14	
SGE666	65693S-10.5	10-1/2	14	
SGE667	65693S-11	11	14	
SGE668	65693S-11.5	11-1/2	14	
SGE669	65693S-12	12	14	
SGE670	65693S-13	13	14	
SGE671	65693S-14	14	14	
SGE672	65693S-15	15	14	



SGD803

## 8" MONSTER BOOTS

- Waterproof leather with breathable membrane and comfort-padded top collar
- Corrosion-resistant top hardware and catch-resistant speed lacing system
- Rubber toe guard and TPU external heel counter
- Lateral roll bars and heel cup for high-performance stability
- Insane Comfort Insole
- Dual-density polyurethane mid-sole provides insane comfort
- Anti-fatigue technology absorbs shock and returns energy
- Oil and acid-resistant rubber outsole
- Slip-resistant sole features deep lugs, multi-directional traction and durable contact zones to provides exceptional durability and traction
- Material: Leather
- Toe Type: Non-metallic Toe
- Sole Type: Plain
- Plate Type: Non-metallic
- Certification(s): CSA Green Triangle
- Waterproof: Impermeable



Model No.	Mfg. No.	Shoe Size	Price /Each
<b>BLACK BOOTS</b>			
SGE966	MNSTMP01-BK1-7	7	
SGE967	MNSTMP01-BK1-8	8	
SGE968	MNSTMP01-BK1-8.5	8-1/2	
SGE969	MNSTMP01-BK1-9	9	
SGE970	MNSTMP01-BK1-9.5	9-1/2	
SGE971	MNSTMP01-BK1-10	10	
SGE972	MNSTMP01-BK1-10.5	10-1/2	
SGE973	MNSTMP01-BK1-11	11	
SGE974	MNSTMP01-BK1-12	12	
SGE975	MNSTMP01-BK1-13	13	
SGE976	MNSTMP01-BK1-14	14	

<b>BROWN BOOTS</b>			
SGE977	MNSTMP01-BR1-7	7	
SGE978	MNSTMP01-BR1-8	8	
SGE979	MNSTMP01-BR1-8.5	8-1/2	
SGE980	MNSTMP01-BR1-9	9	
SGE981	MNSTMP01-BR1-9.5	9-1/2	
SGE982	MNSTMP01-BR1-10	10	
SGE983	MNSTMP01-BR1-10.5	10-1/2	
SGE984	MNSTMP01-BR1-11	11	
SGE985	MNSTMP01-BR1-12	12	
SGE986	MNSTMP01-BR1-13	13	
SGE987	MNSTMP01-BR1-14	14	

## 6" MONSTER BOOTS

- Waterproof leather with breathable membrane and comfort-padded top collar
- Corrosion-resistant top hardware and catch-resistant speed lacing system
- Rubber toe guard and TPU external heel counter
- Lateral roll bars and heel cup for high-performance stability
- Insane Comfort Insole
- Dual density polyurethane mid-sole provides insane comfort
- Anti-fatigue technology absorbs shock and returns energy
- Oil and acid-resistant rubber outsole
- Slip-resistant sole features deep lugs, multi-directional traction and durable contact zones to provides exceptional durability and traction
- Material: Leather
- Toe Type: Non-metallic Toe
- Sole Type: Plain
- Plate Type: Non-metallic
- Certification(s): CSA Green Triangle
- Waterproof: Impermeable



Model No.	Mfg. No.	Shoe Size	Price /Each
<b>BLACK BOOTS</b>			
SGE988	MNSTMP02-BK1-7	7	
SGE989	MNSTMP02-BK1-8	8	
SGE990	MNSTMP02-BK1-8.5	8-1/2	
SGE991	MNSTMP02-BK1-9	9	
SGE992	MNSTMP02-BK1-9.5	9-1/2	
SGE993	MNSTMP02-BK1-10	10	
SGE994	MNSTMP02-BK1-10.5	10-1/2	
SGE995	MNSTMP02-BK1-11	11	
SGE996	MNSTMP02-BK1-12	12	
SGE997	MNSTMP02-BK1-13	13	
SGE998	MNSTMP02-BK1-14	14	

<b>BROWN BOOTS</b>			
SGE999	MNSTMP02-BR1-7	7	
SGF001	MNSTMP02-BR1-8	8	
SGF002	MNSTMP02-BR1-8.5	8-1/2	
SGF003	MNSTMP02-BR1-9	9	
SGF004	MNSTMP02-BR1-9.5	9-1/2	
SGF005	MNSTMP02-BR1-10	10	
SGF006	MNSTMP02-BR1-10.5	10-1/2	
SGF007	MNSTMP02-BR1-11	11	
SGF008	MNSTMP02-BR1-12	12	
SGF009	MNSTMP02-BR1-13	13	
SGF010	MNSTMP02-BR1-14	14	

## MINER BOOTS

- Waterproof, closed-cell neoprene and B-Tek insulated sock
- -40°C/-40°F comfort-H6J14 rated
- Oil and acid-resistant rubber upper and outsole
- Rubber is extended to the top of the boot to increase protection from chemicals and the environment
- Internal metatarsal guard for protection in mining applications
- Cleated outsole design
- Comfort-crafted insole
- CSA / ASTM approved safety toe, plate and metatarsal protection with electric shock and electric hazard protection
- Colour: Black/Yellow/Forest
- Toe Type: Steel
- Sole Type: Plain
- Material: Rubber
- Waterproof: Impermeable



Model No.	Mfg. No.	Shoe Size	Price /Each
SGE955	COMFMM05-BAS-5	5	
SGE956	COMFMM05-BAS-6	6	
SGE957	COMFMM05-BAS-7	7	
SGE958	COMFMM05-BAS-8	8	
SGE959	COMFMM05-BAS-9	9	
SGE960	COMFMM05-BAS-10	10	
SGE961	COMFMM05-BAS-11	11	
SGE962	COMFMM05-BAS-12	12	
SGE963	COMFMM05-BAS-13	13	
SGE964	COMFMM05-BAS-14	14	
SGE965	COMFMM05-BAS-15	15	





# FOOT PROTECTION

## MUCK® WORK BOOTS

- Sock lining reduces under-foot friction and heat build-up, allowing for a more comfortable overall feel
- High-grade rubber exterior provides a tough, waterproof barrier
- EVA-contoured molded midsole provides additional support and comfort
- Ladder rung grips to improve stability

### CHORE COOL WORK BOOTS

- Toe Type: Steel
- Sole Type: Puncture Resistant
- Height: 16"
- Comfort Range: 4°C to 35°C (40°F to 95°F)
- Comfortable protection in warm working conditions
- Moisture-wicking XpressCool™ lining keeps feet cool



Model No.	Mfg. No.	Shoe Size	Price /Each
SGD871	CSCT-CSA-8	8	
SGD872	CSCT-CSA-9	9	
SGD873	CSCT-CSA-10	10	
SGD874	CSCT-CSA-11	11	
SGD875	CSCT-CSA-12	12	
SGD876	CSCT-CSA-13	13	
SGD877	CSCT-CSA-14	14	

### CHORE-HI PLAIN TOE WORK BOOTS

- Toe Type: Plain
- Sole Type: Plain
- Height: 16"
- ESR-rated outsole



Model No.	Mfg. No.	Shoe Size	Price /Each
SGE646	CHH-000A-5	5	
SGE647	CHH-000A-6	6	
SGE648	CHH-000A-7	7	
SGE649	CHH-000A-8	8	
SGE650	CHH-000A-9	9	
SGE651	CHH-000A-10	10	
SGE652	CHH-000A-11	11	
SGE653	CHH-000A-12	12	
SGE654	CHH-000A-13	13	
SGE655	CHH-000A-14	14	
SGE656	CHH-000A-15	15	
SGE657	CHH-000A-16	16	

### CHORE MET EXTREME WORK BOOTS

- Toe Type: Non-metallic Toe
- Sole Type: Puncture Resistant
- Height: 14"
- Comfort Range: -50°C to -1°C (-60°F to 30°F)
- Excellent protection in extreme-cold working conditions
- ESR-rated outsole
- Fleece lining for additional warmth
- 5 mm thermal foam footbed underfoot for additional warmth and comfort



Model No.	Mfg. No.	Shoe Size	Price /Each
SGD863	CMX-000-7	7	
SGD864	CMX-000-8	8	
SGD865	CMX-000-9	9	
SGD866	CMX-000-10	10	
SGD867	CMX-000-11	11	
SGD868	CMX-000-12	12	
SGD869	CMX-000-13	13	
SGD870	CMX-000-14	14	

### CHORE RESISTANT SERIES WORK BOOTS

- Sole Type: Plain
- Height: 16"
- RDR™ oil & chemical-resistant rubber
- V-Wave™ outsole with SR™ slip-resistant compound
- Also available with non-safety toe



Model No.	Mfg. No.	Shoe Size	Type	Price /Each
SGD898	CRTS-CSA-5	5	Steel	
SGD899	CRTS-CSA-6	6	Steel	
SGD900	CRTS-CSA-7	7	Steel	
SGD901	CRTS-CSA-8	8	Steel	
SGD902	CRTS-CSA-9	9	Steel	
SGD903	CRTS-CSA-10	10	Steel	
SGD904	CRTS-CSA-11	11	Steel	
SGD905	CRTS-CSA-12	12	Steel	
SGD906	CRTS-CSA-13	13	Steel	
SGD907	CRTS-CSA-14	14	Steel	
SGD908	CRTM-CSA-5	5	Steel Toe/Met Guard	
SGD909	CRTM-CSA-6	6	Steel Toe/Met Guard	
SGD910	CRTM-CSA-7	7	Steel Toe/Met Guard	
SGD911	CRTM-CSA-8	8	Steel Toe/Met Guard	
SGD912	CRTM-CSA-9	9	Steel Toe/Met Guard	
SGD913	CRTM-CSA-10	10	Steel Toe/Met Guard	
SGD914	CRTM-CSA-11	11	Steel Toe/Met Guard	
SGD915	CRTM-CSA-12	12	Steel Toe/Met Guard	
SGD916	CRTM-CSA-13	13	Steel Toe/Met Guard	
SGD917	CRTM-CSA-14	14	Steel Toe/Met Guard	

### CHORE CLASSIC WORK BOOTS

- Toe Type: Steel
- Sole Type: Puncture Resistant
- Height: 16"
- ESR-rated outsole



Model No.	Mfg. No.	Shoe Size	Lining	Price /Each
SGD878	CHF-CSAA-5	5	Fleece	
SGD879	CHF-CSAA-6	6	Fleece	
SGD880	CHF-CSAA-7	7	Fleece	
SGD881	CHF-CSAA-8	8	Fleece	
SGD882	CHF-CSAA-9	9	Fleece	
SGD883	CHF-CSAA-10	10	Fleece	
SGD884	CHF-CSAA-11	11	Fleece	
SGD885	CHF-CSAA-12	12	Fleece	
SGD886	CHF-CSAA-13	13	Fleece	
SGD887	CHF-CSAA-14	14	Fleece	
SGD888	CHS-CSAA-5	5	Airmesh	
SGD889	CHS-CSAA-6	6	Airmesh	
SGD890	CHS-CSAA-7	7	Airmesh	
SGD891	CHS-CSAA-8	8	Airmesh	
SGD892	CHS-CSAA-9	9	Airmesh	
SGD893	CHS-CSAA-10	10	Airmesh	
SGD894	CHS-CSAA-11	11	Airmesh	
SGD895	CHS-CSAA-12	12	Airmesh	
SGD896	CHS-CSAA-13	13	Airmesh	
SGD897	CHS-CSAA-14	14	Airmesh	

### ARCTIC PRO EXTREME CONDITIONS WORK BOOTS

- Toe Type: Steel
- Height: Tall
- 8 mm Flex-foam and fleece lining assure warmth in temperatures that can drop below 50°
- 2 mm thermal foam underfoot
- Also available in mid-height



Model No.	Mfg. No.	Shoe Size	Colour	Price /Each
SGD935	ACP-CSA-8	8	Brown	
SGD936	ACP-CSA-9	9	Brown	
SGD937	ACP-CSA-10	10	Brown	
SGD938	ACP-CSA-11	11	Brown	
SGD939	ACP-CSA-12	12	Brown	
SGD940	ACP-CSA-13	13	Brown	
SGD941	ACP-CSA-14	14	Brown	
SGD942	ACP-CSA0-8	8	Black	
SGD943	ACP-CSA0-9	9	Black	
SGD944	ACP-CSA0-10	10	Black	
SGD945	ACP-CSA0-11	11	Black	
SGD946	ACP-CSA0-12	12	Black	
SGD947	ACP-CSA0-13	13	Black	
SGD948	ACP-CSA0-14	14	Black	

## MONARCH ECONOMY KNEE BOOTS

- Durable 16" economy knee boot
- Designed for wet, muddy conditions where chemical resistance is not a factor
- Injected molded seamless construction
- Steel toe complies with ASTM F2413-11
- Reinforced shank
- Replaceable cushion insoles
- Pull-up and kick off lugs for easy on and off
- Cut off band for height adjustment
- Manufactured using a minimum of 88% pre-consumer recycled materials
- Cleated outsole
- 100% waterproof
- Plain toe also available



SC359

Model No.	Mfg. No.	Size	Price /Each
<b>STEEL TOE</b>			
SC359	86606-6	6	
SC360	86606-7	7	
SC361	86606-8	8	
SC362	86606-9	9	
SC363	86606-10	10	
SC364	86606-11	11	
SC365	86606-12	12	
SC366	86606-13	13	

## 16" ECONOMY BOOTS

- Excellent underfoot protection
- Designed to provide exceptional puncture resistance
- Injected molded seamless construction
- Full steel midsole
- Replaceable cushion insoles
- Pull-ups and kick off lug for easy on and off
- Cut off band for height adjustment
- Excellent for use in orchards, construction, vegetables fields, citrus groves, and agriculture
- Steel toe complies with ASTM F2413-11 and CSA Z195
- CSA Green Patch (sole protection and Grade 1 protective toe)



SAJ689

Model No.	Mfg. No.	Size	Price /Each
SAJ689	86622-6	6	
SAJ690	86622-7	7	
SAJ691	86622-8	8	
SAJ692	86622-9	9	
SAJ693	86622-10	10	
SAJ694	86622-11	11	
SAJ695	86622-12	12	
SAJ696	86622-13	13	

## SUREFLEX™ BOOTS

- Designed with high chemical and abrasion resistance properties
- 100% waterproof, high molecular weight PVC/nitrile sole and soft flexible, high performance PVC compound upper
- Steel toe complies with ASTM F2413-11
- Resists animal fats, petroleum, oils, grease and chemicals
- Orange slip-resistant Safety-Loc™ outsole
- Removable insole for added comfort
- Steel shank for firm arch support
- Kick-off lug for easy removal
- Excellent for use in chemicals, farming and food processing
- Plain toe also available

SAP795



SAP805

Model No.	Mfg. No.	Size	Price/Each
<b>6" WORK SHOE – STEEL TOE</b>			
SAP805	87981-6	6	
SAP806	87981-7	7	
SAP807	87981-8	8	
SAP808	87981-9	9	
SAP809	87981-10	10	
SAP810	87981-11	11	
SAP811	87981-12	12	
SAP812	87981-13	13	

Model No.	Mfg. No.	Size	Price/Each
<b>16" KNEE BOOT – STEEL TOE</b>			
SAP795	87982-6	6	
SAP796	87982-7	7	
SAP797	87982-8	8	
SAP798	87982-9	9	
SAP799	87982-10	10	
SAP800	87982-11	11	
SAP801	87982-12	12	
SAP802	87982-13	13	
SAP803	87982-14	14	
SAP804	87982-15	15	



## SERVUS® PRM™ II PVC BOOTS

- Seamless, injection molded footwear is 100% waterproof
- Flexible steel midsoles provides outstanding under-foot puncture protection
- Steel toe protection
- Open pattern outsole design self-cleans liquid and debris with every step, helping to prevent slip and trip hazards
- Height: 15"
- Colour: Black



by Honeywell



SGC051

Model No.	Mfg. No.	Size	Price /Each
SGC051	75125C-7	7	
SGC052	75125C-8	8	
SGC053	75125C-9	9	
SGC054	75125C-10	10	
SGC055	75125C-11	11	
SGC056	75125C-12	12	
SGC057	75125C-13	13	
SGC058	75125C-14	14	

## PRM™ PVC WORKBOOTS

- Seamless, injection molded footwear is 100% waterproof to ensure workers' feet are dry and comfortable
- Flexible steel midsoles provides outstanding under-foot puncture protection, steel toe protection
- Open pattern outsole design self-cleans liquid and debris with every step, helping to prevent slip and trip hazards



SDN823



by Honeywell

Model No.	Mfg. No.	Size	Price /Each
SDN823	75145C-7	7	
SDN824	75145C-8	8	
SDN825	75145C-9	9	
SDN826	75145C-10	10	
SDN827	75145C-11	11	

# FOOT PROTECTION

## BULLY

- Acid and oil-resistant Ultraflex™ compound
- Generous wider fit
- Self-cleaning outsole
- GelFlex fatigue resistant mid sole
- Slip resistant first impact heel strike design
- Also available in white
- Certified to CSA standard Z195

### RECOMMENDED APPLICATIONS:



SAL023

## BLACKHAWK RUBBER BOOT

- Made with lightweight thermoplastic rubber for better water resistance
- Features removable comfort made insole and self-cleaning outsole
- Colour: Black
- Certifications: CSA/ASTM Approved
- Waterproof



SGG382

Model No.	Mfg. No.	Size	Price /Each
<b>STEEL TOE</b>			
SAL013	9677-587-7	7	
SAL014	9677-587-8	8	
SAL015	9677-587-9	9	
SAL016	9677-587-10	10	
SAL017	9677-587-11	11	
SAL018	9677-587-12	12	
SAL019	9677-587-13	13	
<b>STEEL TOE/STEEL PLATE</b>			
SAL020	9679-587-7	7	
SAL021	9679-587-8	8	
SAL022	9679-587-9	9	
SAL023	9679-587-10	10	
SAL024	9679-587-11	11	
SAL025	9679-587-12	12	
SAL026	9679-587-13	13	

Other sizes available

Model No.	Mfg. No.	Size	Price /Each
<b>STEEL TOE</b>			
SGG411	LICO-MT01-BR1-7	7	
SGG413	LICO-MT01-BR1-8	8	
SGG415	LICO-MT01-BR1-9	9	
SGG417	LICO-MT01-BR1-10	10	
SGG419	LICO-MT01-BR1-11	11	
SGG421	LICO-MT01-BR1-12	12	
SGG423	LICO-MT01-BR1-13	13	
<b>STEEL TOE/STEEL PLATE</b>			
SGG388	LICO-MP01-BR1-7	7	
SGG390	LICO-MP01-BR1-8	8	
SGG392	LICO-MP01-BR1-9	9	
SGG394	LICO-MP01-BR1-10	10	
SGG396	LICO-MP01-BR1-11	11	
SGG398	LICO-MP01-BR1-12	12	
SGG400	LICO-MP01-BR1-13	13	

## HAZMAX® 16" KNEE BOOTS

- Steel toe complies with ASTM F2413-11 and CSA Z195
- CSA Green Patch (sole protection and Grade 1 protective toe)
- Steel toe, steel shank and steel mid-sole for complete protection
- One-piece injection molded construction, eliminates seams
- Boots are constructed of high viscosity and flexible PVC alloy
- Non-absorbent polyester lining for easy cleaning and quick drying
- Replaceable cushioned insoles
- Cut off bands
- Kick off lug
- For use in situations involving dangerous chemicals, gasses or biological hazards and waste
- Exceeds CSA standards for dielectric footwear
- Certified by SEI to meet the requirements of NFPA 1991, 2005 edition



SC620

Model No.	Mfg. No.	Size	Price/Each
SC620	87012-6	6	
SC621	87012-7	7	
SC622	87012-8	8	
SC623	87012-9	9	
SC624	87012-10	10	
SC625	87012-11	11	
SC626	87012-12	12	
SC627	87012-13	13	
SAP837	87012-14	14	
SAP838	87012-15	15	

## BOOT COVERS

### 12" LATEX HAZMAT

Made of 0.60 mm, high visibility yellow latex rubber, the Hazmat boot cover offers protection from a broad range of materials. Seamless covers provide a snug fit over existing footwear for an added layer of protection. The ribbed and textured sole provides traction on a variety of slippery surfaces. Strong enough to be worn many times, yet economical enough to be disposed of after a single use. 100% waterproof.



SD638

### 15" PVC BOOT/SHOE COVER

Made of a strong 0.20 mm PVC upper, heat-welded to a hard, embossed 0.50 mm PVC sole for superior slip resistance. Completely waterproof, equipped with an elastic top for easy pullover comfort and a secure snug fit. 100% waterproof.



Model No.	Mfg. No.	Size	Fits Size	Price /Each
<b>12" LATEX HAZMAT</b>				
SD588	97591-L	Large	7 - 9	
SD589	97591-XL	X-Large	10 - 12	
SAP794	97591-2X	2X-Large	13 - 16	
<b>15" PVC BOOT/SHOE COVER</b>				
SD636	97590-M	Medium	6 - 8	
SD637	97590-L	Large	9 - 11	
SD638	97590-XL	X-Large	12 - 14	

## WHITE PVC STEEL TOE BOOTS

- Designed for use where mild chemical resistance is required
- Designed to help processing plants comply with HACCP guidelines
- Injected molded seamless construction
- Steel toe style complies with ASTM F2413-11
- Safety-Lok outsole
- Reinforced steel shank for added safety and comfort
- Replaceable cushion insoles
- Cut-off bands for height adjustment
- Pull-up and kick-off lugs for easy on and off
- Plain toe also available



SC573

Model No.	Mfg. No.	Size	Price /Each
SC573	81012-6	6	
SC574	81012-7	7	
SC575	81012-8	8	
SC576	81012-9	9	
SC577	81012-10	10	
SC578	81012-11	11	
SC579	81012-12	12	
SC580	81012-13	13	

## MINER 49ER PROFESSIONAL MINING BOOTS

- Handcrafted 100% waterproof ozone-resistant natural rubber
- Heavy-duty cotton canvas lining
- Air-cushioned sole pockets
- Achilles tendon and ankle protection
- Oil and chemical-resistant nitrile lug sole
- Removable comfort felt insole
- ANSI MT/75 metatarsal protection
- CSA class #1 steel toe and plate
- CSA Omega – electric shock resistant



Model No.	Mfg. No.	Size	Price /Each
<b>REGULAR 14"</b>			
SAN663	VW 49-7	7	
SAN664	VW 49-8	8	
SAN665	VW 49-9	9	
SAN666	VW 49-10	10	
SAN667	VW 49-11	11	
SAN668	VW 49-12	12	
SAN669	VW 49-13	13	
<b>TALL 16"</b>			
SAN684	VW49T-7	7	
SAN685	VW49T-8	8	
SAN686	VW49T-9	9	
SAN687	VW49T-10	10	
SAN688	VW49T-11	11	
SAN689	VW49T-12	12	
SAN690	VW49T-13	13	

Other sizes available

## PVC OVERSHOES & OVERBOOTS

- Four-Way cleated outsole
- Heavy Flex-O-Thane PVC construction for added durability
- Premium overshoe and overboot protection
- Excellent cold weather flexibility
- Self-cleaning, slip resistance outsole
- Kick off lug for easy on and off
- Fits over most work shoes and boots

**Applications:** Construction, farming, utilities and food processing.



Model No.	Mfg. No.	Size	Price/Each
<b>4"</b>			
SED420	86010-XS	X-Small	
SAP584	86010-S	Small	
SAP585	86010-M	Medium	
SAP586	86010-L	Large	
SAP587	86010-XL	X-Large	
SED421	86010-2XL	2X-Large	
<b>10"</b>			
SED424	86020-XS	X-Small	
SAS322	86020-S	Small	
SAS323	86020-M	Medium	
SAS324	86020-L	Large	
SAS325	86020-XL	X-Large	
SED425	86020-2XL	2X-Large	
<b>17"</b>			
SED422	86030-XS	X-Small	
SAO188	86030-S	Small	
SAO189	86030-M	Medium	
SAO190	86030-L	Large	
SAO191	86030-XL	X-Large	
SED423	86030-2XL	2X-Large	

## HIP WADERS

- Superior, waterproof protection to the hips
- Steel toe and steel mid sole hip wader with Ultragrip® sipe outsole
- Injected molded seamless boot construction
- CSA Green Patch (sole protection and Grade 1 protective toe)
- Excellent cold weather flexibility
- Lightweight/durable PVC upper with polyester backing
- Adjustable polyester nylon strap
- Can be folded or rolled without cracking
- Resist oil, grease, gasoline, saltwater and ozone
- Non-absorbent lining
- Replaceable cushion insoles
- Measurement from heel to top of wader: Inseam 32", outseam 35"
- Excellent for use in utilities, municipalities, aquaculture and commercial fishing
- Steel toe complies with ASTM F2413-11 and CSA Z195



Model No.	Mfg. No.	Size	Price /Each
SAP602	86856-6	6	
SAP603	86856-7	7	
SAP604	86856-8	8	
SAP605	86856-9	9	
SAP606	86856-10	10	
SAP607	86856-11	11	
SAP608	86856-12	12	
SAP609	86856-13	13	

## CHEST WADERS

- Superior, waterproof protection
- Injected molded seamless boot construction
- Steel toe complies with ASTM F2413-11 and CSA Z195
- CSA Green Patch (sole protection and Grade 1 protective toe)
- Steel midsole
- Ultragrip® sipe outsole
- Excellent cold weather flexibility
- Durable, heavy-duty PVC upper with polyester backing
- Adjustable polyester nylon strap
- Can be folded or rolled without cracking
- Resists oil, grease, gasoline, salt water and ozone
- Top drawstring closure for snug fit
- Non-corrosive, reinforced suspender buttons
- Built-in belt loops with adjustable belt
- Non-absorbent lining
- Replaceable cushion insoles
- For use in utilities, municipalities, aquaculture and commercial fishing



Model No.	Mfg. No.	Size	Price /Each
SAO732	86867-6	6	
SAO733	86867-7	7	
SAO734	86867-8	8	
SAO735	86867-9	9	
SAO736	86867-10	10	
SAO737	86867-11	11	
SAO738	86867-12	12	
SAO739	86867-13	13	



# FOOT PROTECTION

## TITAN SAFETY BOOTS

- Fully moulded waterproof boot
- 1" snow cuff
- 100 °C/-148 °F comfort rated inner boot system
- Aggressive, long wearing, self-cleaning outsole design
- Micro cellular waffle foot-bed traps air and moisture
- Protective safety toe and plate
- CSA / ASTM approved
- ESR / EH rated
- Material: Rubber
- Toe Type: Steel
- Plate Type: Steel
- Standard: CSA Standard Z195/ESR/EH Rated
- Waterproof/Not Waterproof: Waterproof
- Temperature Rating: Up to -148 °F (-100 °C)



Model No.	Mfg. No.	Size	Price /Each
SDP294	2359-0000-7	7	
SDP295	2359-0000-8	8	
SDP296	2359-0000-9	9	
SDP297	2359-0000-10	10	
SDP298	2359-0000-11	11	
SDP299	2359-0000-12	12	
SDP300	2359-0000-13	13	
SDP301	2359-0000-14	14	

## CONSTRUCTOR SAFETY BOOTS

- Oil and acid resistant Neoprene and leather upper design
- Oil and acid resistant stitching, laces and metal free hardware
- High visibility reflective strips
- Oil and acid resistant rubber outsole for slip resistance in extreme cold temperatures
- Ice Bear outsole design for additional traction in ice and snow
- Light weight PU base is cold crack tested to 50 000 flexes at -50 °C/-58 °F
- Light weight GelFlex mid-sole provides cushioning to reduce fatigue and improve comfort
- Metal free safety toe and plate with electric shock resistant sole
- Baffin -100 °C/-148 °F 8 layered inner boot
- Micro cellular waffle foot-bed traps air and moisture
- Frost plate foot-bed
- CSA / ASTM / CE approved
- Material: Leather • Other sizes available
- Toe Type: Steel
- Plate Type: Steel
- Standard: CSA Standard Z195
- Waterproof/Not Waterproof: Waterproof
- Temperature Rating: Up to -148 °F (-100 °C)



Model No.	Mfg. No.	Size	Price /Each
SDP304	POLA-MP01-7	7	
SDP305	POLA-MP01-8	8	
SDP306	POLA-MP01-9	9	
SDP307	POLA-MP01-10	10	
SDP308	POLA-MP01-11	11	
SDP309	POLA-MP01-12	12	
SDP310	POLA-MP01-13	13	
SDP311	POLA-MP01-14	14	

## WORKHORSE BOOTS

- Oil and acid resistant Polyurethane base and rubber outsole
- Oil and acid resistant stitching throughout
- Premium PU Coated leather upper
- Micro cellular waffle foot-bed traps air and moisture
- Metal free non-detectable safety components and hardware
- CSA / ASTM approved safety toe and plate protection with electric shock and electric hazard protection
- Technologically advanced safety boot design to keep your feet warm and safe in cold climate applications (-60 °C/-76 °F)
- Material: Leather • Toe Type: Plain
- Plate Type: Plain
- Certification(s): CSA/ASTM/CE approved safety toe and plate protection
- Waterproof: Yes




Model No.	Mfg. No.	Size	Price /Each
SAQ013	7157-0238-001-7	7	
SAQ014	7157-0238-001-8	8	
SAQ015	7157-0238-001-9	9	
SAQ016	7157-0238-001-10	10	
SAQ017	7157-0238-001-11	11	
SAQ018	7157-0238-001-12	12	
SAQ019	7157-0238-001-13	13	

## REFINERY BOOTS

- Acid and oil-resistant neoprene compound
- 40 °C/-40 °F felt inner boot system
- 1" snow cuff
- Long wear self-cleaning outsole
- Steel toe and plate
- Certified to CSA standard Z195
- ESR/EH rated

### RECOMMENDED APPLICATIONS:



Model No.	Mfg. No.	Size	Price /Each
SAP945	8574-001-6	6	
SAP946	8574-001-7	7	
SAP947	8574-001-8	8	
SAP948	8574-001-9	9	
SAP949	8574-001-10	10	
SAP950	8574-001-11	11	
SAP951	8574-001-12	12	
SAP952	8574-001-13	13	
SAP953	8574-001-14	14	

## HUNTER

- Lightweight and flexible TR compound
- 40 °C/-40 °F felt inner boot system
- Longwearing self-cleaning outsole
- 1" snow cuff
- Steel toe and plate
- Certified to CSA standard Z195
- ESR/EH rated

### RECOMMENDED APPLICATIONS:



Model No.	Mfg. No.	Size	Price /Each
STEEL TOE			
SAK998	8563-394-7	7	
SAK999	8563-394-8	8	
SAL001	8563-394-9	9	
SAL002	8563-394-10	10	
SAL003	8563-394-11	11	
SAL004	8563-394-12	12	
SAL005	8563-394-13	13	
STEEL TOE/STEEL PLATE			
SAL006	8564-033-7	7	
SAL007	8564-033-8	8	
SAL008	8564-033-9	9	
SAL009	8564-033-10	10	
SAL010	8564-033-11	11	
SAL011	8564-033-12	12	
SAL012	8564-033-13	13	

Other sizes available

## VOYAGER OVERSHOES

- Extremely lightweight and offer durable long lasting overshoes
- 100% waterproof and windproof
- 2.5 mm polyurethane internal bootie provides warmth to feet
- Very quick and snug fit adjustment
- Nylon upper fabric, Perma outsole



SEA906

Model No.	Mfg. No.	Size	Fits Size	Price /Each
SEA906	VNN1BLKXSM	X-Small	3.5-5	
SEA907	VNN1BLKSML	Small	5.5-7	
SEA908	VNN1BLKMED	Medium	7.5-9	
SEA909	VNN1BLKLRG	Large	9.5-11	
SEA910	VNN1BLK1XL	X-Large	11.5-13	
SED272	VNN1BLK2XL	2X-Large	13.5-15	
SED273	VNN1BLK3XL	3X-Large	15.5-17	

## EXPLORER OVERSHOES

- Extremely lightweight and offer durable long lasting overshoes
- Provide warmth to feet, are 100% waterproof and windproof
- Very quick and snug fit adjustment
- Nylon upper fabric, Superlite outsole



SED280

Model No.	Mfg. No.	Size	Fits Size	Price /Each
SED280	EXPGBLKXSM	X-Small	3-4.5	
SED281	EXPGBLKSM	Small	5-6.5	
SED282	EXPGBLKMED	Medium	7-8.5	
SED283	EXPGBLKLRG	Large	9-10.5	
SED284	EXPGBLK1XL	X-Large	11-12.5	
SED285	EXPGBLK2XL	2X-Large	13-14.5	
SED286	EXPGBLK3XL	3X-Large	15-16.5	

## ADVENTURER ALL SEASON OVERSHOES

- Nylon upper with Perma outsole offers good traction in tough weather conditions
- Calf-high coverage protects footwear and pant legs in snow or mud
- 100% waterproof
- Material: Nylon
- Height: 15"
- Closure Type: Hook and Loop



SEE832

Model No.	Mfg. No.	Size	Fits Size	Price /Each
SDP289	ANN1BLKXSM	X-Small	3.5-5	
SEE832	ANN1BLKSML	Small	5.5-7	
SEE833	ANN1BLKMED	Medium	7.5-9	
SEE834	ANN1BLKLRG	Large	9.5-11	
SEE835	ANN1BLKXL	X-Large	11.5-13	
SEE887	ANN1BLKXXL	2X-Large	13.5-15	

## FOOD PROCESSING OVERSHOES

- Extremely lightweight, provides resistance to animal fats, fish oils and are 100% waterproof
- Offer comfort and slip protection
- Easy donning and doffing and very easy to sanitize inside and out
- Strap system provides secure fit to help prevent feet from slipping around inside overboot
- Blue TPU upper fabric, polyurethane outsole



SED265

Model No.	Mfg. No.	Size	Fits Size	Price /Each
SED265	IT12PT17BLUXSM	X-Small	3.5-5	
SED266	IT12PT17BLUSML	Small	5.5-7	
SED267	IT12PT17BLUMED	Medium	7.5-9	
SED268	IT12PT17BLULRG	Large	9.5-11	
SED269	IT12PT17BLU1XL	X-Large	11.5-13	
SED270	IT12PT17BLU2XL	2X-Large	13.5-15	
SED271	IT12PT17BLU3XL	3X-Large	15.5-17	

## NEOS NAVIGATOR STABILICERS®

- Temperature Rating: Up to -20° F (-28.9° C)
- Polyester upper with waterproof membrane
- Stabilicers® outsoles with 32 replaceable cleats provides excellent traction on ice and snow
- NOT to be used on hard surfaces
- Cleat wrench included with convenient internal pocket
- Expandable gaiter top can roll-out to increase boot height to 20 inches
- Polyester upper and 4 mm polyurethane foam insulation add comfort and warmth
- Sold/Priced Per: Pair



Model No.	Mfg. No.	Fits Shoe Size	Price /Each
SFV175	NSP3SGRYXSML	3-4.5	
SFV176	NSP3SGRYXSM	5-6.5	
SFV177	NSP3SGRYMED	7-8.5	
SFV178	NSP3SGRYLRG	9-10.5	
SFV179	NSP3SGRY1XL	11-12.5	
SFV180	NSP3SGRY2XL	13-14.5	
SFV181	NSP3SGRY3XL	15-16.5	

## NAVIGATOR 5™ EXPANDABLE OVERSHOES

- Durable polyester upper with waterproof membrane
- Aggressive Vibram® Ninja™ outsole offers superior traction on ice, snow and slush
- Overshoes are lightweight to prevent foot and leg fatigue
- Wide, easily opened gusset provide ease in putting on or taking off overshoes



Model No.	Mfg. No.	Size	Fits Size	Price /Each
SED287	NSP3GRYXSM	X-Small	3-4.5	
SED288	NSP3GRYSML	Small	5-6.5	
SED289	NSP3GRYMED	Medium	7-8.5	
SED290	NSP3GRYLRG	Large	9-10.5	
SED291	NSP3GRY1XL	X-Large	11-12.5	
SED292	NSP3GRY2XL	2X-Large	13-14.5	
SDP293	NSP3GRY3XL	3X-Large	15-16.5	

# FOOT PROTECTION

## ICE BEAR WINTER SAFETY BOOTS

- Light weight abrasion resistant polyurethane molded boot
- Acid and oil resistant rubber outsole provides superior traction at extreme cold temperatures
- New lug outsole design provides added traction on packed snow and icy conditions
- Temperature comfort ratings: -50 °C/-58 °F
- Certified to CSA standard
- ESR/EH rated

Model No.	Mfg. No.	Size	Price /Each
SEI704	5157-0000-672-07	7	
SEI705	5157-0000-672-08	8	
SEI706	5157-0000-672-09	9	
SEI707	5157-0000-672-10	10	
SEI708	5157-0000-672-11	11	
SEI709	5157-0000-672-12	12	
SEI710	5157-0000-672-13	13	
SEI711	5157-0000-672-14	14	

Other sizes available



## BARROW

- Acid and oil-resistant Oarprene base, lacing and stitching throughout
- Tear-resistant Bulldog leather upper
- -100°C/-148°F comfort rated inner boot system
- Aggressive, longwearing, self-cleaning outsole design
- Microcellular waffle foot bed traps air and moisture
- Gelflex fatigue resistant mid sole
- Rust resistant hardware
- Steel toe and plate
- Certified to CSA standard Z195
- ESR/EH rated

SAK980



**BAFFIN**  
TECHNOLOGY

### RECOMMENDED APPLICATIONS:



Model No.	Mfg. No.	Size	Price /Each
SAK977	9857-998-001-7	7	
SAK978	9857-998-001-8	8	
SAK979	9857-998-001-9	9	
SAK980	9857-998-001-10	10	
SAK981	9857-998-001-11	11	
SAK982	9857-998-001-12	12	
SAK983	9857-998-001-13	13	

Other sizes available

## ICER'S® SAFETY SOLES

- Provides a high degree of secure footing and safety in slippery conditions
- Ideal for all types of outdoor activities
- Features a unique design that insulates feet from the ground keeping them warmer and dryer
- Vibram® soles bristle with deep chevron-shaped lugs and soccer-style cleats armed with 34 screw-head studs
- Hook and loop straps allow the Icer's® to slide on over regular footwear easily
- Re-studding kit is available
- Each kit contains 35 studs and tool



Priced per Pair

Model No.	Mfg. No.	Size	Dimensions L" x W"	Price /Each
SAF849	INVXS	X-Small	11 x 4	
SAF850	INVSM	Small	11 3/4 x 4 1/2	
SAF851	INVMM	Medium	12 1/4 x 4 5/8	
SAF852	INVLG	Large	13 x 4 3/4	
SC555	INVXL	X-Large	13 3/4 x 5	
SAF856	INVXXL	2X-Large	14 1/4 x 5 1/8	
SC560	STUDKIT	Re-Studding Kit	-	

## ANTI-SLIP SNOW SHOES

- Hexagon non-split studs offer excellent traction on ice and snow
- Non-slip heavy duty flexible rubber boot
- Includes 12 durable spikes
- Made from thermoplastic elastomer
- Flexible up to -40°C • Traction Type: Stud

Model No. SDN085

Medium, fits shoe size 5-8

Model No. SDN086

Large, fits shoe size 8-11

Model No. SDN087

X-Large, fits shoe size 11-13

Price/Each \$

**ZENITH**  
Safety Products



## ANTI-SLIP SNOW SHOES

- Special non-split studs offer excellent traction on ice and snow
- Non-slip flexible snow shoes
- Includes 10 durable spikes
- Made from thermoplastic elastomer
- Flexible up to -40°C

Model No. SEA004

Medium, fits shoe size 5-8

Model No. SEA005

Large, fits shoe size 8-11

Model No. SEA006

X-Large, fits shoe size 11-13

Price/Each \$

**ZENITH**  
Safety Products



Boot not included

## ANTI-SLIP STABILICERS HEEL CLEATS

- Made of proprietary Thermo Plastic Elastomer (TPE) that performs to -45 degrees
- Lightweight and extremely durable
- Easy on and off and fits over most types of low-cut footwear for all-day comfort
- Adjustable strap and special tension fit system provide a secure fit
- High performance materials and replaceable cleats extend product life
- The heel-only design is ideal for driving, and when the job calls for repeated indoor/outdoor transitioning
- Easy to stow and store in a glove box or coat pocket
- Adjustable strap allows for one size to fit most applications, and can be shared amongst multiple users and work crews
- Replaceable cleats mean affordable, ongoing use season after season
- One Size Fits Most
- Colour: Black

Model No. SFV130  
Price/Each \$

**IMPACTO**  
PROTECTIVE PRODUCTS



## HOTTEC™ ADHESIVE TOE WARMERS

- HOTTEC™ warmers are air activated and made with all natural ingredients
- Simply open the package, peel off backing, the adhesive will keep the toe warmer in place in the shoe or boot on the outside of socks under the toes for up to 6 hours of heat!
- Designed to work in shoes or boots with restricted air-flow
- 3 year shelf life
- Width: 3.74"
- Length: 2.75"
- Cold/Hot: Hot
- Reusable: Single Use

Model No. SDN881  
Mfg. No. 1070601-HT  
Price/Each \$

**HOTTEC**  
WARMING PRODUCTS / PRODUITS CHAUFFANTS





## TOE GUARDS

- Resistant 15-gauge carbon steel construction for maximum toe protection
- 75-lb. impact rating
- Adjustable straps permit adjustability and optimal fit
- Weight: 21 oz. per pair
- 4.5" W
- One size fits all

Model No. SEE903

Price/Each \$



Shoe not included

## FOOT GUARDS

- Lightweight and resistant plastic construction
- 30-lb. impact rating
- Rubber straps on heel and sole permit adjustability and optimal fit
- Weight: 14 oz. per pair
- Colour: Green
- 4.5" W
- One size fits all

Model No. SEE902

Price/Each \$



Shoe not included

## METATARSAL GUARDS

- Lightweight and resistant aluminum construction
- Designed to fit on work boot laces
- Spring fasteners permit adjustability and optimal fit
- Weight: 7 oz. per pair
- One size fits all

Model No. SEE904

Price/Each \$



Boot not included

## TURBOTOE SAFETY TOE CAPS

- 100% waterproof, will not harden, stiff or crack
- Perfect for visitors, casual or temporary workers, management, clerical staff and sales people
- Can be comfortably worn over low-heel, dress and running shoes, and most boots
- Ideal for many working environment that carry a risk of toe damage, or has a steel toe cap requirement
- Certified to CSA standard Z334-14 Protective Footwear Grade 1 protection



IMPACTO

PROTECTIVE PRODUCTS



Priced per Pair

Model No.	Mfg. No.	Size	Fits Size	Colour	Price /Each
SED175	TTCASXS	X-Small	4-5	Grey	
SED176	TTCASAS	Small	6-7	White	
SED177	TTCASAM	Medium	8-9	Yellow	
SED178	TTCASAL	Large	10-11	Red	
SED179	TTCASAXL	X-Large	12-13	Blue	
SED180	TTCASAXXL	2X-Large	13-14	Green	
SDS772	TTCASAXXL	3X-Large	15-16	Black	

## NON-CONDUCTIVE METATARSAL GUARDS

- Unlike traditional metatarsal guards, the Metguard is non-conductive for heat and electricity
- Fits all safety shoes and boots with optional attachment straps sold separately
- Used with existing footwear and transferable between users and footwear
- Practical, comfortable, easy to fit and simple to use
- Suitable for use in all workplaces and industries including mining, construction, manufacturing, transport, storage, forestry, retail trade, warehousing, storage, forestry, retail trade
- Tested to conform with stringent Worldwide Safety Footwear Standards
- Priced per pair

Model No. SED173

Mfg. No. METGUARD

Price/Each \$

## OPTIONAL METSTRAP

Model No. SED174

Mfg. No. METSTRAP

Price/Each \$



IMPACTO

PROTECTIVE PRODUCTS



Boot not included

## FOOT GUARDS WITH RUBBER TOE

Foot guards are metal shields worn over shoes for maximum protection to the entire foot - instep as well as toes - against falling, rolling, or flying objects or accidental tool blows.

They are designed to withstand an impact of 75 ft-lbs. with a large safety factor designed in. Foot guards fit any shoe (no rights or lefts), with 5" (average) and 5 1/2" (large) widths.

They are light enough to be worn comfortably all day. To keep the guard properly positioned, it has a rubber toe clip, crossbar, and a one-piece rubber strap with a tension buckle.


Priced per Pair

Model No.	Mfg. No.	Description	Price /Each
SC534	200-5	Aluminum alloy, aircraft quality (0.081") 2 lbs./pair w/rubber strap	
SC535	201-5	16-ga. carbon steel (0.059") 3 1/8 lbs./pair w/rubber strap	
SC536	200X-6	Extra large version of Model SC534 2 lbs./pair w/rubber strap	





# FOOT PROTECTION



## PLASTIC SHIN GUARDS

Formed to the contour of the leg, with reinforcing ribs for extra strength and rigidity. Sponge pads, top and bottom inside, add comfort, absorb shock.

Maximum shin protection with totally free foot and leg movement. Plastic will not lose shape due to dampness. 12" high, 5" wide at top, 3" wide at bottom, 0.140" thick with elastic straps.

Combine with foot guard for total protection and freedom of movement.

## KNEE-SHIN GUARDS

Combines the shin guard above attached to a knee guard with web, sponge rubber hinge. Knee guards 5 1/2" high, 6 1/2" wide, 0.140" thick; full guard 18" high.



## PLASTIC SHIN-INSTEP GUARDS

Combines the shin guard attached to a 6" instep guard with web, sponge rubber hinge. Instep 5" wide, 0.140" thick; full guard 20" long.

## PLASTIC KNEE-SHIN-INSTEP GUARDS

Combines all parts attached with web, sponge rubber hinges; total length 27".

Priced per Pair

Model No.	Mfg. No.	Description	Price /Each
SC544	304	Shin guards	
SD515	314	Knee-shin guards	

Priced per Pair

Model No.	Mfg. No.	Description	Price /Each
SC538	324	Shin-instep guards	
SD516	334	Knee-shin-instep guards	

## IMPACTO® INSOLES

### IMPACTOSOL FLAT INSOLES

- Open cell structure full flat insoles
- Heel to toe Epoflex visco-elastic polymer material
- Inherently anti-bacterial
- Poron® foam top layer provides constant cushioning and even distribution of weight to protect pressure points
- Helps relieve foot fatigue
- Ideal for most types of footwear, great with low cut footwear



Model No.	Mfg. No.	Men's Size	Women's Size	Price /Each
SAG380	IMFLATA	2 - 4	4 - 6	
SAG381	IMFLATB	5 - 7	7 - 9	
SAG382	IMFLATC	8 - 10	10 - 12	
SAG383	IMFLATD	11 - 13	N/D	

## SHOE & BOOT LACES



Model No.	Mfg. No.	Description	Price /Each
SM680	VLACNOI180	Round black nylon, 180 cm/72" for winter/lined boots	
SM674	VLACBRU160	Round brown nylon, 160 cm/65" for high cut boots	
SM675	VLACNOI160	Round black nylon, 160 cm/65" for high cut boots	
SM676	VLACTAN160	Round tan nylon, 160 cm/65" for high cut boots	
SM677	VLACNOI115	Round black nylon, 115 cm/45" for low cut boots	
SM678	VLACTAN115	Round tan nylon, 115 cm/45" for low cut boots	
SM679	VLACNOI115P	Flat black nylon, 115 cm/45" for low cut boots	
SM681	VLACNOI77P	Flat black nylon, 77 cm/30" for shoes	

## NEVERWET® FABRIC SPRAY

- A one-step, superhydrophobic, water repelling treatment designed to keep items dry longer
- This clear formula preserves outdoor items against damaging moisture without changing the look or feel of the fabric
- Great for shoes, patio furniture, backpacks, gloves, camping gear, and more
- Ideal for leather, suede, polyester, cotton/poly blends, and canvas
- Size: 325 ml
- Container Size: 325 ml
- Finish: Flat
- Colour: Clear
- Shelf Life: 2 years
- Series: NeverWet®
- Container Type: Trigger Bottle
- Colour Family: Clear

Model No. KP619  
Mfg. No. 281963  
Price/Each \$




## METAL SHOE HORN

- One-piece design is made from durable metal
- Use for slipping on shoes easily, without causing back strain

Model No. SGC244  
Price/Each \$

BIOS living



**RUST-OLEUM**

## GEL KNEE PADS



### LIGHTWEIGHT GEL

- Non-slip rubber cap grips kneeling surface
- Lightweight gel and EVA foam for mobile comfort
- Plastic clips cinch tight and keep straps secure

#### Short Cap

- Short cap design for mobility when kneeling
- Bottom webbing and top elastic straps

#### Long Cap

- Long cap design provides protection and stability
- Bottom webbing and top elastic straps

#### Round Cap

- Round cap for highest degree of kneeling mobility
- Breathable perforated neoprene bottom strap

Priced per Pair

Model No.	Mfg. No.	Description	Price /Each
SFV095	18457	Short Cap	
SFU731	18447	Long Cap	
SFU096	18467	Round Cap	

### INJECTED GEL

- Non-slip rubber cap grips kneeling surface
- injected gel and PU foam for all-day comfort
- Plastic clips cinch tight and keep straps secure

#### Short Cap

- Short cap for mobility when kneeling
- SFU727: Padded straps on thigh and calf will not bind up

#### Long Cap

- Long cap design provides protection and stability
- Bottom webbing and top elastic straps

#### Extra Long Cap

- Extra long cap for maximum coverage and stability
- Breathable perforated neoprene top strap
- Bottom elastic strap secures knee pad around calf
- Extended shin protection optimizes stability

Priced per Pair

Model No.	Mfg. No.	Description	Price /Each
SFU733	18455	Short Cap	
SFU727*	18444	Short Cap, Padded Straps	
SFU730	18445	Long Cap	
SFU726	18442	Extra Long Cap	

SFU731



SFV095



SFV096



SFU727



SFU733



SFU730



SFU726



## KNEELING PADS

- Comfort for static kneeling situations
- Closed cell foam is non-conductive, resistant to petroleum and silicon-free
- Convenient handle included

SEB125



Model No.	Mfg. No.	Dimensions"	Price /Each
SEB125	18380	14 x 21 x 1	
SEB479	18385	16 x 28 x 1	
SEB480	18390	18 x 36 x 1	



## PROFLEX® 375 COMPACT KNEELING PAD

- Compact size for optimal portability
- Convenient handle also allows for hanging storage
- Fits in most standard toolboxes/toolbags



Model No.	Mfg. No.	Dimensions"	Price /Each
SEM546	18376	18 x 8 x 1	



# KNEE PADS

## PROFLEX® 260 SOFT SLIP-ON KNEE PADS

- Lightweight
- Soft outer cloth and foam padding
- Woven elastic sleeve for easy on and off
- Wear over or under clothing
- Machine washable



Priced per Pair

Model No.	Mfg. No.	Closure Type	Pad Material	Price /Each
SEL575	18260	Slip-on	Foam	

## PVC CAP KNEE PADS

- Polyester shell with a neoprene lining for superior abrasion resistance
- Embossed PVC cap provides optimal kneeling grip and stability
- EVA foam padding provides superior comfort while kneeling



Priced per Pair

Model No.	Closure Type	Pad Material	Price /Each
SGF756	Buckle/Hook & Loop	Foam	

## PROFLEX® 335 SLIP RESISTANT RUBBER CAP KNEE PADS

- 12 mm NBR foam padding cut to hug the knee
- 840D nylon fabric cover
- Slip-resistant long rubber cap grips wet or dry work surfaces
- Anti-odour treatment
- Nickel-plated grommets
- Pad material: Foam

SEL570



SEL571



Priced per Pair

Model No.	Mfg. No.	Closure Type	Price /Each
SEL570	18335	Buckle	
SEL571	18336	Hook & Loop	

## BACK SUPPORTS

- Reduces risk of lower back injury and offers added support
- Encourages proper lifting posture
- Adjustable two-stage straps permit optimal level of tension
- Double closure on cinch strap permits more adjustment options
- Adjustable elastic suspenders for maximum comfort and fit
- 8" reinforced primary belt
- Machine washable



Model No.	Size	Fits Waist	Price /Each
SEE905	Small	25" to 30"	
SEE906	Medium	30" to 34"	
SEE907	Large	34" to 38"	
SEE908	X-Large	38" to 42"	
SEE909	2X-Large	42" to 46"	

## FOAM KNEE PADS

- Durable copolymer foam padding provides excellent protection and value
- Form fitted, lightweight molded pad with ribbed kneeling surface
- One hook and loop strap for easy donning
- One size fits all



Priced per Pair

Model No.	Mfg. No.	Description	Price /Each
SEB475	18200	Light-Duty Copolymer Single Strap	

## PROFLEX® 350 GEL FOAM KNEE PAD

- 12 mm NBR Gel padding & 20 mm EVA padding
- 1680D ballistic nylon outer shell for puncture resistance
- 420D nylon & Hypalon rubber composite pad
- Slip-resistant durable nylon-rubber surface
- Adjustable, breathable neoprene stretch strap



Priced per Pair

Model No.	Mfg. No.	Closure Type	Pad Material	Price /Each
SEL563	18350	Hook & Loop	Gel	

## PROFLEX® 230 WIDE SOFT CAP KNEE PADS

- Durable 600D polyester fabric cover
- 15 mm closed cell foam padding
- Slightly wider and longer for wraparound comfort
- Anti-odour treatment
- One size adjusts for exact fit
- Thick padding and durable covers
- Pad Material: Foam
- Number of Straps: 2



Priced per Pair

Model No.	Mfg. No.	Closure Type	Price /Each
SEL573	18230	Buckle	
SEL574	18231	Hook & Loop	

## KNEE PADS

- High density foam padding
- Nylon outer cover

### FLEXIBLE

- Rounded plastic cap with grommets
- Double elastic straps with adjustable hook and loop closure



SEE110

### PLASTIC CAP

- Sewn-on ribbed plastic cover to protect from impact
- Double straps with adjustable plastic buckle closure



SEE112

## IMPACTO

PROTECTIVE PRODUCTS

Model No.	Mfg. No.	Description	Price /Each
SEE110	827-00	Flexible Knee Pads	
SEE112	826-00	Plastic Cap Knee Pads	

## PROFLEX® 100 ECONOMY SPANDEX

- Rubber track webbing helps keep support in position
- Economical 280D Spandex body material
- Adjustable and detachable suspenders
- Non-conductive polypropylene stays
- Stretchable bias binding with zig-zag stitching



Model No.	Mfg. No.	Size	Price /Each
SEB206	11381	X-Small	
SEB207	11382	Small	
SEB208	11383	Medium	
SEB209	11384	Large	
SEB210	11385	X-Large	
SEB211	11386	2X-Large	
SEB212	11387	3X-Large	
SEB213	11388	4X-Large	

## PROFLEX® 1051 MESH W/LUMBAR PAD

- Breathable mesh outer shell provides a cool, comfortable wear
- Uniquely designed with ventilated lumbar pad to fill the gap in the back's natural curve for comfortable support
- Adjustable two-stage closure helps remind wearers to lift properly
- Power panel positioner keeps elastic bands close to sides for ease of use - will not fall out of reach when not in use
- Machine washable
- Colour: Black



Model No.	Mfg. No.	Size	Price /Each
SAI223	20183	Small	
SAI224	20184	Medium	
SAI225	20185	Large	
SAI226	20186	X-Large	
SAI227	20187	2X-Large	

## PROFLEX® 1505 LOW-PROFILE WEIGHT LIFTERS BACK SUPPORTS

- Flexible soft foam core provides support when lifting
- Low-profile design allows for superior mobility
- 6.25" (16 cm) low-profile tapered design
- Nylon jersey body fabric
- Easy cam buckle closure system
- Rubber track webbing
- Colour: Black



**Applications:** Material handling, construction, warehousing/distribution, maintenance, freight/baggage, assembly/fabrication, landscaping/grounds

Model No.	Mfg. No.	Size	Price /Each
SEI856	11491	Small	
SEI857	11492	Medium	
SEI858	11493	Large	
SEI859	11494	X-Large	
SEI860	11495	2X-Large	

## PROFLEX® 2000SF PERFORMANCE SPANDEX

- Patented Sticky Fingers® stays deliver firm, continuous lower back and abdominal support, and have greater durability and gripping properties than industry-standard, rubber-tracked tape
- Patented contoured design comfortably hugs the body and naturally positions support on wearer
- 1 1/4" premium woven elastic suspenders are adjustable and detachable to improve comfort and fit
- Power panel positioner keeps elastic bands close to sides for ease of use and will not fall out of reach when not in use
- Woven cinch tabs are reinforced to stand up to daily wear
- Durable Spandex body cloth provides an ideal combination of breathability and consistent stretch
- Adjustable two-stage closure helps remind wearers to lift properly
- Machine washable
- Colour: Black



Model No.	Mfg. No.	Size	Price /Each
SAI207	11281	X-Small	
SAI208	11282	Small	
SAI209	11283	Medium	
SAI210	11284	Large	
SAI211	11285	X-Large	
SAI212	11286	2X-Large	
SAI213	11287	3X-Large	
SAI214	11288	4X-Large	

## PROFLEX® 1600 STANDARD ELASTIC

- 9" (22.8 cm) premium all-elastic body for extra firm support
- Contoured high-cut front panel
- Rubber track webbing
- Adjustable and detachable suspenders
- Non-conductive polypropylene stays
- Stretchable bias binding with zig-zag stitching



Model No.	Mfg. No.	Size	Price /Each
SEE282	11102	Small	
SEE283	11103	Medium	
SEE284	11104	Large	
SEE285	11105	X-Large	

## PROFLEX® 1650 ECONOMY ELASTIC BACK SUPPORTS

- All-elastic 7.5-inch body for extra firm support
- 5-inch single strap closure
- Adjustable, detachable suspenders
- Stretchable bias binding with zig-zag stitching
- Rubber track webbing
- Material: Elastic



Model No.	Mfg. No.	Size	Price /Each
SAI215	11091	X-Small	
SAI216	11092	Small	
SAI217	11093	Medium	
SAI218	11094	Large	
SAI219	11095	X-Large	
SAI220	11096	2X-Large	
SAI221	11097	3X-Large	
SAI222	11098	4X-Large	



# ERGONOMIC SUPPORTS

## TENNIS ELBOW BRACES

- Supports the upper forearm during activities involving repeated hand motion
- Provides relief and prevention of pain related to muscle strain, tendinitis, repetitive motion, carpal tunnel syndrome, lateral epicondylitis
- Adjustable strap with hook and loop closure



Model No.	Mfg. No.	Measurement"	Price /Each
SEE114	EL5002S	9 to 10.5	
SEE115	EL5002M	11 to 12	
SEE116	EL5002L	12 to 14	
SEE117	EL5002XL	14 to 16.5	

## THERMO WRAP TENNIS ELBOW SUPPORTS

- Layered heat retaining materials
- Soft lining wicks away moisture and keeps skin warm
- Aids in the prevention and treatment of medical-lateral epicondylitis
- Prevents overloading where forearm strain is an occupational hazard
- Padding provides localized compression to the problem area
- Adjustable hook and loop closure



Model No.	Mfg. No.	Measurement"	Price /Each
SEE118	TS205S	9 to 10.5	
SEE119	TS205M	11 to 12	
SEE120	TS205L	12 to 14	
SEE121	TS205XL	14 to 16.5	

## FOREARM PROTECTORS

- Layered foam and viscoelastic pad
- Protects forearm from impact or pressure points
- Tubular poly/cotton lycra sleeve with leather cover



Model No.	Mfg. No.	Size	Price /Each
<b>SPLIT LEATHER</b>			
SR317	805-10S	Small	
SR318	805-10M	Medium	
SR319	805-10L	Large	
SR320	805-10XL	X-Large	
<b>GRAIN LEATHER</b>			
SR313	805-20S	Small	
SR314	805-20M	Medium	
SR315	805-20L	Large	
SR316	805-20XL	X-Large	

## ELBOW PROTECTORS

- Made from stretch fabric with leather cover for abrasion protection
- Pull-on style, viscoelastic elbow pad provides excellent protection from impacts and pressure points



Model No.	Mfg. No.	Size	Price /Each
<b>SPLIT LEATHER</b>			
SR325	806-10S	Small	
SR326	806-10M	Medium	
SR327	806-10L	Large	
SR328	806-10XL	X-Large	
<b>GRAIN LEATHER</b>			
SR321	806-20S	Small	
SR322	806-20M	Medium	
SR323	806-20L	Large	
SR324	806-20XL	X-Large	

## PROFLEX® 650 NEOPRENE ELBOW SLEEVE

- Spandex mesh in elbow crease
- Ambidextrous
- Binding and pre-curve design
- Perforated neoprene body for enhanced breathability



Model No.	Mfg. No.	Size	Price /Each
SEL650	16572	Small	
SEL651	16573	Medium	
SEL652	16574	Large	
SEL653	16575	X-Large	
SEL654	16576	2X-Large	

## PROFLEX® 500 ELBOW SUPPORT

- Strap with hook & loop closure
- Ambidextrous
- Neoprene four-way stretch fabric provides uniform support and warmth



Model No.	Mfg. No.	Size	Price /Each
SEL638	16001	X-Small	
SEA542	16002	Small	
SEA318	16003	Medium	
SEA317	16004	Large	
SEL639	16005	X-Large	

## PROFLEX® 670 AMBIDEXTROUS SINGLE STRAP GLOVES WITH WRIST SUPPORT

- Reversible hook & loop strap
- Ambidextrous
- Supplemental support to help relieve stress associated with repetitive strain and overuse discomfort



Model No.	Mfg. No.	Size	Price /Each
SEI541	16612	Small	
SEI542	16613	Medium	
SEI543	16614	Large	
SEI544	16615	X-Large	

## LEATHER WRIST SUPPORTS

- Provides repetitive strain protection
- Helps prevent over extension and over flexion of the wrist
- Fingerless nylon/lycra palm
- Grain leather wrist support with hook and loop closure



Left Model No.	Mfg. No.	Right Model No.	Mfg. No.	Size	Price /Each
SAS168	705-20S-L	SAR677	705-20S-R	Small	
SAS169	705-20M-L	SAR678	705-20M-R	Medium	
SAS170	705-20L-L	SAR679	705-20L-R	Large	
SAS171	705-20XL-L	SAR680	705-20XL-R	X-Large	

## THERMO WRAP WRIST SUPPORTS

- Non-porous rubberized material captures body heat
- Lining wicks away moisture which helps prevent skin irritation
- Increases circulation and provides compression and support
- Loops around thumb
- Hook and loop closure



Model No.	Mfg. No.	Measurement"	Price /Each
SEE128	TS226SS	4.5 to 6.25	
SEE129	TS226M	6.5 to 7.5	
SEE130	TS226LXL	7.75 to 10	

## ELASTIC WRIST SUPPORTS

- Limits the wrist from over flexing and over extending to help prevent repetitive strain injuries
- Flexible spiral stays provide support
- Loops around thumb to keep in place
- Elastic strap with hook and loop closure
- Available with single or double strap closures
- Single strap has stays on palm side
- Double straps has stays on palm and dorsal side

SEE135



Left Model No.	Mfg. No.	Right Model No.	Mfg. No.	Measurement"	Price /Each
<b>SINGLE STRAP</b>					
SEE131	EL40SL	SEE135	EL40SR	4.5 to 5.5	
SEE132	EL40ML	SEE136	EL40MR	6.5 to 7.5	
SEE133	EL40LL	SEE137	EL40LR	7.5 to 8.5	
SEE134	EL40XLL	SEE138	EL40XLR	8.5 to 11	
<b>DOUBLE STRAP</b>					
SEE139	EL41SL	SEE143	EL41SR	4.5 to 5.5	
SEE140	EL41ML	SEE144	EL41MR	6.5 to 7.5	
SEE141	EL41LL	SEE145	EL41LR	7.5 to 8.5	
SEE142	EL41XLL	SEE146	EL41XLR	8.5 to 11	

## GEL-PADDED WORK GLOVES

- General purpose half finger glove
- Abrasion and impact protection
- Padding in the palm and index finger
- Terry cloth and grey spandex back
- Terry cloth thumb, black leather palm
- Wrist tab with hook and loop closure
- Open back for cool comfort



SAR673

Priced per Pair



Model No.	Mfg. No.	Size	Price /Each
SAR673	400-00S	Small	
SAR674	400-00M	Medium	
SAR675	400-00L	Large	
SAR676	400-00XL	X-Large	
SDP613	400-00XXL	2X-Large	

## PROFLEX® 400 UNIVERSAL WRIST WRAP

- Hook & loop closure
- Ambidextrous
- Size: One Size



Model No.	Mfg. No.	Colour	Price /Each
SEL632	72102	Black	
SEL633	72103	Tan	



## UNIVERSAL ELASTIC WRIST SUPPORTS

- Sorbothane® padding absorbs impact and vibration
- Universal 3" elastic wrist support with a poly/cotton covered Sorbothane® strip
- Adjustable hook and loop closure



Model No.	Mfg. No.	Price /Each
SEE126	ERWW	



## THERMAL WRIST WRAPS

- Relieves stress, strains, swelling and tendinitis by providing a wrist joint compression support
- Allows for free hand movement
- Jersey-covered neoprene retains body heat
- Hook and loop closure



Model No.	Mfg. No.	Price /Each
SEE127	ER101	



## PROFLEX® 4010 DOUBLE STRAP WRIST SUPPORT

- Supplemental support to help relieve stress associated with repetitive strain and overuse injuries
- Limits downward and upward (flexion and extension) movements
- Patented Open-Center Stay™
- Three-stage hook & loop closure
- Anti-odour treatment



Model No.	Mfg. No.	Size	Price /Each
<b>LEFT</b>			
SEE764	70032	Small	
SEE765	70034	Medium	
SEA576	70036	Large	
SEE766	70038	X-Large	
<b>RIGHT</b>			
SEE767	70022	Small	
SEA327	70024	Medium	
SEA574	70026	Large	
SEA575	70028	X-Large	



## PROFLEX® 4000 SINGLE STRAP WRIST SUPPORT

- Limits downward (flexion) wrist movements
- Patented Open-Center Stay™
- Three-stage hook & loop closure
- Anti-odour treatment



Model No.	Mfg. No.	Size	Price /Each
<b>LEFT</b>			
SEE756	70112	Small	
SEE757	70114	Medium	
SEE758	70116	Large	
SEE759	70118	X-Large	
<b>RIGHT</b>			
SEE760	70102	Small	
SEE761	70104	Medium	
SEE762	70106	Large	
SEE763	70108	X-Large	



## PROFLEX® 420 WRIST WRAP WITH THUMB LOOP

- Hook & loop closure
- Ambidextrous



Model No.	Mfg. No.	Size	Price /Each
<b>BLACK</b>			
SEL634	72222	Small/Medium	
SEL635	72224	Large/X-Large	
<b>TAN</b>			
SEL636	72232	Small/Medium	
SEL637	72234	Large/X-Large	



# HEAT STRESS PREVENTION

## HEAT STRESS METERS

- Wet Bulb Globe Temperature (WBGT) considers the effects of temperature, humidity and direct or radiant sunlight
- Heat stress index measures how hot it feels when humidity is combined with temperature, air movement and radiant heat
- Black Globe Temperature (TG) monitors the effects of direct solar radiation on an exposed surface
- In/Out function displays the WBGT value with or without direct sun exposure
- View individual temperatures or indices in either °F or °C
- User adjustable WBGT threshold with audible alarm if threshold is exceeded
- Built-in RS-232 and USB interface
- Tripod mount design for long term monitoring

**REED**

IA639



### SPECIFICATIONS:

**Air Temp. Range:** 0.0 to 50.0°C (32 to 122°F)  
**Black Globe Temp. Range:** 0.0 to 80.0°C (32 to 176°F)  
**WBGT Temp. Range:** 0.0 to 50.0°C (32 to 122°F)  
**Humidity Range:** 0 to 100% RH

Model No.	Mfg. No.	Description	Price/Each
IA639	8778	Heat Stress Meter	
IB820	R1500	Tripod	
HX515	HR33	33% Humidity Calibration Standard	
HX514	HR75	75% Humidity Calibration Standard	

## HEAT STRESS METER/DATA LOGGER

- Measures indoor and outdoor WBGT (Wet Bulb Globe Temperature), Black Globe (TG) temperature, humidity, wet bulb, dew point and air temperatures
- Adjustable audible WBGT alarm setting
- Real time data logger with integral 2GB SD memory card (optional)
- RS232 and USB interface
- Temperature is measured in °C or °F

### SPECIFICATIONS

**Indoor WBGT Range:** 0° to 59 °C  
**Outdoor WBGT Range:** 0° to 56 °C  
**TG Temp. Range:** 0° to 80 °C  
**Air Temp. Range:** 0° to 50 °C  
**Humidity Range:** 5 % to 95 % RH

Model No. IA794 Mfg. No. SD-2010 Price/Each \$

**REED**



## HEAT STRESS STOP WATCHES

- Measures temperature and humidity, and calculates heat index as well as dew point
- Combines air temperature and relative humidity measurements in an attempt to determine the human-perceived equivalent temperature or "how hot it feels"
- Full LCD display with LED backlight
- Silent operation option
- Dual power: Solar panel and battery
- 1 ATM water resistant (IPX4 rated)

Model No. IA987 Mfg. No. SW700 Price/Each \$

**REED**



## EVAPORATIVE SERIES

Ergodyne's Chill-Its® Evaporative Series cooling products work hard to provide up to 4 hours of cooling relief. The secret? Three different hi-tech cooling technologies: a hyper-evaporative Microfiber fabric, space age polymer cooling crystals, and an advanced PVA material that holds water without feeling heavy.

## CHILL-ITS® 6700 COOLING BANDANAS & 6710 COOLING TRIANGLE HATS

- Soak in cold water to activate
- Remains hydrated up to four hours
- Activated cooling polymers bring cooling power where you need it most to fight heat stress and fatigue
- Reusable, just re-soak



SEB137



SAP942

Model No.	Mfg. No.	Colour	Price/Each
<b>BANDANAS</b>			
SEB128	12306	Navy Western	
SEB136	12305	Red Western	
SEB134	12304	Camouflage	
SEB139	12341	Flames	
SEB137	12307	Blue	
<b>TRIANGLE HATS</b>			
SAP942	12326	Navy Western	
SAP941	12325	Red Western	
SAP943	12324	Camouflage	
SEC860	12327	Blue	

## CHILL-ITS® 6700CT COOLING BANDANAS & 6710CT COOLING TRIANGLE HATS

- Advanced PVA towel material keeps you cool without the bulk
- Activates quickly and easily when run under water for one minute
- Lightweight and low profile for use with hard hats and helmets
- Tie closure for personal fit
- Reusable, just re-soak
- One size



Model No.	Mfg. No.	Colour	Price/Each
<b>BANDANAS</b>			
SEC683	12566	Hi-Vis Lime	
SEC684	12567	Blue	
SEI645	12562	Camouflage	
SEI646	12563	Red Western	
SEI647	12564	Navy Western	
SEI648	12568	Flames	
<b>TRIANGLE HATS</b>			
SEC685	12586	Hi-Vis Lime	
SEC686	12587	Blue	
SEI649	12582	Camouflage	
SEI650	12583	Red Western	
SEI651	12584	Navy Western	
SEI652	12588	Flames	



SEC685

## CHILL-ITS® 6700FR FR COOLING BANDANAS

- Modacrylic cotton blend fabric
- Soak in water 2-5 minutes to activate
- Remains hydrated for up to four hours
- Meets ASTM F2302 for flame resistance
- Fabric meets ASTM F1506 performance requirements
- ATPV rating: 7.1 cal/cm², CAT 1



SEI655



Model No.	Mfg. No.	Colour	Price/Each
SEI655	12601	Hi-Vis Lime	
SEI656	12607	Blue	

### COLOURS & PATTERNS

All colours not necessarily available in all styles.



## CHILL-ITS® 6602 COOLING TOWELS

- Dampen this synthetic space age towel to create a cooling aid significantly cooler than ambient air
- Advanced PVA material holds water without feeling heavy
- Super-evaporative, reduces the effect of heat stress and fights fatigue
- Wear for hours, or wipe for quick relief
- Simply re-wet the towel to reactivate
- Machine washable



Model No.	Mfg. No.	Colour	Price/Each
SEB126	12420	Blue	
SEI753	12439	Lime	
SEI754	12441	Orange	
SEI755	12442	Pink	
SEI756	12438	Grey	







## EVAPORATIVE SERIES (CONTINUED)

Ergodyne's Chill-Its® Evaporative Series cooling products work hard to provide up to 4 hours of cooling relief. The secret? Three different hi-tech cooling technologies: a hyper-evaporative Microfiber fabric, space age polymer cooling crystals, and an advanced PVA material that holds water without feeling heavy.

### CHILL-ITS® 6602MF MICROFIBER COOLING TOWELS

- Microfibre material is soft and absorbent
- Super-evaporative, feels significantly cooler than ambient air
- Non toxic and chemical free
- Machine washable
- 2-sided colour, grey on reverse
- Size: 9.8" x 40.9"
- UPF 50 for protection against harmful UV



SDL619

SDL618

Model No.	Mfg. No.	Colour	Price /Each
SDL618	12660	Blue	
SDL619	12668	Grey	
SDL620	12669	Lime	
SDL621	12661	Orange	
SDL622	12662	Pink	

### 6685 DRY EVAPORATIVE COOLING VESTS

- Provides immediate and long lasting cooling
- Up to 3 days of cooling ability each time the vest is filled
- Easy to use watertight filling cap
- Fill with 13-20 oz. (400-600 ml) of water to activate
- Lightweight, durable and washable
- V-neck with zip closure
- Mesh side panels provide additional ventilation and stretch
- Patented
- Do not clean the inside reservoir; cooling material is treated with an anti-microbial that inhibits mold growth
- Keep cap closed at all times to maintain effectiveness
- Colour: Lime



Model No.	Mfg. No.	Size	Price /Each
SDN598	12673	Medium	
SDN599	12674	Large	
SDN600	12675	X-Large	
SDN601	12676	2X-Large	
SDN602	12677	3X-Large	

### CHILL-ITS® 6665 COOLING VESTS

- Soak in cold water 2-5 minutes to activate
- Enjoy cooling relief and comfort for up to four hours
- V-neck with zipper closure
- Quilted nylon outer layer
- Activated, polymer-embedded fabric inside
- Water-repellent liner and black cotton-poly elastic trim
- Lightweight, durable and washable
- 100% nylon
- Reusable, just re-soak



SAP936

SEC688

Model No.	Mfg. No.	Size	Price /Each
<b>HV LIME-YELLOW</b>			
SAP936	12533	Medium	
SAP937	12534	Large	
SAP938	12535	X-Large	
SAP939	12536	2X-Large	
SEC687	12537	3X-Large	

Model No.	Mfg. No.	Size	Price /Each
<b>GREY</b>			
SEC688	12543	Medium	
SEC689	12544	Large	
SEC690	12545	X-Large	
SEC691	12546	2X-Large	
SEC692	12547	3X-Large	

### CHILL-ITS® 6670CT COOLING NECK SHADES

- Advanced PVA material activates easily and quickly when run under water for one minute
- Super-evaporative cooling process helps keep you cool
- Hook and loop straps for easy attachment
- Re-usable, just re-soak
- Patented design

Model No. SEI653  
Mfg. No. 12523  
Price/Each \$



### CHILL-ITS® 6717 HARD HAT PADS & SHADES

- Soak in cold water 2-5 minutes to activate
- Remains hydrated up to four hours
- Conveniently attaches to standard hard hat suspension with hook and loop closures
- Activated cooling polymers bring cooling power where you need it most to fight heat stress and fatigue
- Protects neck from harmful UV rays
- Reusable, just re-soak

Model No. SAP940  
Mfg. No. 12336  
Price/Each \$



## Maintain the ideal temperature in your workplace.



# HEAT STRESS PREVENTION

## 6215 & 6215HV PHASE CHANGE COOLING VESTS

- Maintains constant 58°F / 14°C
- Cooling lifecycle lasts up to four hours
- Comfortable cotton construction with hook & loop closure
- Extended vest surface area to enhance cooling power
- Non-toxic, non carcinogenic, dielectric substance
- Elastic pen loop
- Modacrylic cotton blend FR fabric meets ASTM F1506 performance requirements
- ATPV rating: 7.1 cal/cm², CAT 1



Model No.	Mfg. No.	Colour	Size	Price /Each
SDN603	12200	Khaki	Small/Medium	
SDN604	12210	Khaki	Large/X-Large	
<b>W/REFLECTIVE ACCENTS</b>				
SDN605	12220	Orange	Small/Medium	
SDN606	12221	Orange	Large/X-Large	

## SHAX® 6000 HEAVY-DUTY WORK TENTS


- Versatile and durable instant shelter provides fast, long lasting relief from the sun, wind, and rain
- 300D polyester top with polyurethane and UV coatings
- Powder coated tenacious steel frame
- ABS plastic sliders for convenient height adjustment
- 10' x 10' foot-print, peak height 14'
- Double vented top for maximum airflow
- Reflective accents and reinforced corners
- Includes: Heavy-duty ground stakes, ropes and wheeled bag for easy transport and storage
- Meets CPAI-84 flame resistance standard
- Optional side panel available



Model No.	Mfg. No.	Description	Price /Each
SEC718	12900	Tent	
SEC719	12998	Side Panel	
SEI654	12994	Tent Weights	

## SHAX® 6010 LIGHT-WEIGHT TENTS

- Instant pop-up shelter provides fast relief from elements at a cost effective price
- 210D polyester top with PU coating
- Hammer tone steel frame
- Pull pin sliders for convenient height adjustment between 10'-14' (3.05 m - 4.27 m)
- 10' x 10' (3 m x 3 m) foot print, peak height of 14' (4.27 m)
- Reinforced corners
- Wheeled storage bag
- Meets CPAI-84 flame resistance standard
- Weight: 44 lbs.
- Optional side panel available



Model No.	Mfg. No.	Description	Price /Each
SEI785	12910	Tent	
SEC719	12998	Side Panel	
SEI654	12994	Tent Weights	



## ABSORPTIVE SERIES

Ergodyne's Chill-It's® Absorptive Series cooling products sop up sweat, and provide cooling relief. Keeping sweat off your eyes and hands is not only smart, it's safe.

## CHILL-ITS® 6605 COOLING HEADBANDS & 6615 COOLING DEW RAGS

- Hi Cool® moisture management performance fabric transports moisture away
- Absorbent terry cloth band
- Machine washable

Model No.	Mfg. No.	Colour	Price /Each
<b>HEADBANDS</b>			
SEC694	12425	Solid Blue	
SEC695	12422	Camouflage	
SEC697	12429	Flames	
SEC698	12424	Navy Western	
<b>DEW RAGS</b>			
SEC675	12481	Solid Blue	
SEC676	12478	Camouflage	
SEC678	12485	Flames	
SEC680	12480	Navy Western	



## COLOURS & PATTERNS

All colours not necessarily available in all styles.

## CHILL-ITS® 6660 HARD HAT BRIMS

- 100% polyester fabric
- Universal design - elastic inner rim to fit most hard hats
- Blocks the sun's rays keeping workers comfortable in environments absent from other forms of shade
- Patented

Model No.	Mfg. No.	Colour	Price /Each
SEI751	12640	Lime	
SEI752	12641	Orange	



## CHILL-ITS® 6650 COOLING HATS WITH NECK SHADES

- Hi Cool® moisture management performance fabric transports moisture away
- Absorbent terry cloth headband
- Wide panel neck protection
- Adjustable cinch cord for a great fit



Model No.	Mfg. No.	Colour	Price /Each
SEC712	12520	Lime-Yellow	
SEC713	12521	Orange	

## CHILL-ITS® 5155 & 5155HV LOW-PROFILE HYDRATION PACKS

- Keeps workers hydrated when they are away from water sources
- Durable 600D water-resistant rip stop polyester shell
- Zip-up cap cover keeps debris and contaminants at bay
- Insulated pack and tube keeps water cool
- 100% anti-microbial Microban® bite valve
- Bite valve cover for protection from contaminants
- Breakaway shoulder straps for extra security
- DualCap bladder featuring smaller (60 mm) cap nestled into large (80 mm) cap for easy water and ice filling
- Capacity: 2 litres



Model No.	Mfg. No.	Colour	Price /Each
SEC701	13155	Black	
SEC702	13156	Lime-Yellow	

# HEAT STRESS PREVENTION

## SQWINCHER® LIQUID CONCENTRATE

- Yields large quantities to cover your whole crew
- Mixes instantly when water is added – no stirring required
- Screw-on cap allows you to reseal the bottle



Model No.	Mfg. No.	Flavour	Package Size oz.	Package Yield gal.	Price /Each
SAF862	11025	Grape	64	5	
SAP552	11027	Mixed Berry	64	5	
SR933	11020	Lemonade	64	5	
SR934	11021	Orange	64	5	
SR935	11022	Fruit Punch	64	5	
SR936	11023	Lemon Lime	64	5	
SR937	11024	Tropical Cooler	64	5	
SAN540	11011	Orange	32	2.5	
SAF863	11012	Fruit Punch	32	2.5	
QQ095	11013	Lemon-Lime	32	2.5	
SAP553	11015	Grape	32	2.5	
SAP554	11014	Tropical Cooler	32	2.5	
SR918	11010	Lemonade	32	2.5	

## SQWINCHER® POWDER PACK

- Traditional powder pack form
- Mixes quickly and easily with water



Model No.	Mfg. No.	Flavour	Package Size oz.	Package Yield gal.	Price /Each
SAF871	11061	Orange	47.66	5	
SEC587	11063	Lemon-Lime	47.66	5	

## SQWINCHER® FAST PACK®

- Packet can be used as a drinking cup; simply open it and add water to fill
- Handy, portable size lets you take Sqwincher® almost anywhere



Model No.	Mfg. No.	Flavour	Packet Size oz.	Packet Yield oz.	Qty /Box	Price /Box
SAF872	11080	Lemonade	0.6	6	50	
SAF873	11081	Fruit Punch	0.6	6	50	
SAF874	11082	Lemon-Lime	0.6	6	50	
SAF878	11086	Orange	0.6	6	50	

## SQWINCHER® SQWEEZE FREEZER POPS

- The great taste and performance of Sqwincher® in a refreshing frozen treat
- Simply freeze each package, then Squeeze!



Model No.	Mfg. No.	Flavour	Package Size oz.	Package Yield	Qty /Box	Price /Box
SAM804	11130	Various*	3	3-oz. Popsicle	150	

\* Mixed case consists of orange, grape, lemon-lime, cherry and mixed berry flavours.

## SQWINCHER ZERO® LIQUID CONCENTRATE

- Solution formulated for diabetics or consumers watching their daily carbohydrate intake
- Get the same benefits as regular Sqwincher® without any calories or sugar
- Yields large quantities to cover your whole crew
- Mixes instantly when water is added – no stirring required
- Screw-on cap allows you to reseal the bottle



Model No.	Mfg. No.	Flavour	Package Size oz.	Package Yield gal.	Price /Each
SAN533	11050502-FP	Fruit Punch	64	5	
SAN534	11050504-LL	Lemon-Lime	64	5	
SAN535	11050505-LEM	Lemonade	64	5	
SAN536	11050507-OR	Orange	64	5	

## SQWINCHER ZERO® QWIK STIK™

- Calorie and sugar free single-serve pouches
- Simply tear open the pouch, pour the powder into a 20-oz. bottle of water, and shake



Model No.	Mfg. No.	Flavour	Pouch Size oz.	Pouch Yield oz.	Qty /Box	Price /Box
SAN505	11060100-OR	Orange	0.11	20	50	
SAN506	11060102-FP	Fruit Punch	0.11	20	50	
SAP496	11060101-MB	Mixed Berry	0.11	20	50	
SEI282	11060453-SL	Strawberry Lemonade	0.11	20	50	

## SQWINCHER ZERO® QWIK STIK™ KWIK PAK™

- Plastic container has a snap lock and hold four of each flavour of the Qwik Stiks
- Ideal size fits almost anywhere including pockets, glove compartments, first aid kits, tool boxes and vending machines
- Multiple flavours help to reduce flavour fatigue to ensure the worker enjoys the drink and hydrates properly
- Can be refilled from the 50 Qwik Stik bag, controlling consumption
- Calorie and sugar free single-serve pouches
- Simply tear open the pouch, pour the powder into a 20-oz. bottle of water and shake
- Cost effective and convenient for people on the go
- Each Qwik Pak contains 16 assorted 0.11 oz. Qwik Stiks, yielding 20 oz. each



Model No.	Mfg. No.	Price /Each
SEI283	11QWKP-MF	

# HEAT STRESS PREVENTION

## DOUBLE BEVERAGE COOLER

- Outer reservoir is used to hold beverages and dispenses from the left tap
- Inner reservoir can be used to hold a second beverage, or to hold ice to chill the outer reservoir without diluting the beverage
- Ice stored in the inner reservoir also provides chilled water as the ice melts
- Functional lid operates in two modes; the first allows the unit to be completely sealed while the second "drain" mode allows excess ice water to be drained while retaining existing ice and beverage
- Outer Reservoir Capacity: 5 gal.
- Center Reservoir Capacity: 2 gal.
- Capacity: 7 gal.

Model No. SGC369  
Mfg. No. 11339  
Price/Each \$



## SQWINCHER® SERVASTATIONS®

- Designed to provide the most convenient and cost-effective means to distribute Squwincher®
- Simply mount the ServaStations® next to a fountain of water or cooler, employees will easily be able to access Squwincher® and replenish their electrolytes
- The water cooler ServaStation® bracket simply slides onto any five-gallon water cooler bottle
- No screws or tools needed
- Kits include:** Rack, 1 plastic cup dispenser for 12-oz. cups, two 1-oz. pump spouts and 2 tubes of one hundred 12-oz. cups



SEC580



## SQWINCHER® COOLER

- 1 gallon industrial drinking cooler is designed from the inside out to perform as hard as the workers who use them
- Rugged & durable
- Carrying handles and screw top lid
- Easy push button spout, cup dispenser attachment (2 & 5 gallon)
- Easy access around plant or construction sites



Model No.	Mfg. No.	Description	Price /Each
NKA015	11336	1 Gal.	
NKA016	11337	2 Gal.	
NKA017	11338	5 Gal.	



## SOFT COOLER BAGS

- Great for the outdoor worker
- Water-proof design will hold ice for several hours, keeping product cold and refreshing
- Features exterior storage pockets and adjustable shoulder strap



Model No.	Mfg. No.	Price /Each
SAN538	11322	



## ACCESSORIES

### CUPS, HOLDERS & BOTTLES

A.



B.



C.



D.



E.



G.



Model No.	Mfg. No.	Description	Price /Each
A. SAF890	11306	Plastic Holder for 4 - 12 oz. Cone Cups	
B. SAF892	11307	4-oz. Cone Cups - 200/pkg.	
C. SAF894	11305	5-oz. Squwincher® Cup - 100/pkg.	
D. SAF895	11304	12-oz. Squwincher® Cup - 100/pkg.	
E. SAF893	11315	20-oz. Squwincher® Bike Bottles	
F. SAF900	11325	Truck Mount Carrier	
G. SAF901	11302	1-oz. Pump Spout	



F.

### F. TRUCK MOUNT CARRIER

Lightweight welded rod design with sturdy retaining strap to hold cooler securely while in transport. Accommodates 3-gallon and 5.5-gallon coolers.



## CLASSES OF FIRE:

Fires are classified according to the material that is burning. Fire extinguishers are rated by the area each will cover for a particular class of fire. The higher the number, the bigger the fire area you can fight.

**Note: Maintenance and recharging of all fire extinguishers should be performed by a qualified service company.**



**CLASS A** fires are the most common. They involve ordinary combustibles such as wood, paper, cloth, rubber, a number of plastics, and other ordinary materials.



**CLASS B** fires are caused by gasoline, grease, oil, paint and other flammable liquids. Commonly strikes in warehouses and manufacturing plants.



**CLASS C** for live electrical equipment. Often occurs in computers, monitors, wiring and appliances.

## STEEL DRY CHEMICAL ABC FIRE EXTINGUISHERS

- Steel cylinder complete with cylinder skirt
- Industrial-strength cylinder has high corrosion and impact-resistant polyester powder paint finish
- Waterproof stainless steel gauge
- Anodised aluminum valve
- Strong polyester powder-coated steel handles
- Completely rechargeable
- Full hand grip for ease of operation
- ULC listed

SC951  
Wall Hooks



Model No.	Mfg. No.	Cap. lbs.	Rating	Range Feet	Discharge Time Sec.	PSI	H"	Dia."	Included Bracket	Wt. lbs.	Price /Each
SAQ814	WBDL-ABC110VB	2.5	1A:10BC	8 - 10	12-14	150	15 1/2	3 1/8	Vehicle	4 1/4	
SA445	WBDL-ABC310LV	5	3A:10BC	8 - 10	13 - 14	195	16	4 1/4	Wall	10 1/2	
SC946	WBDL-ABC310VVB	5	3A:10BC	8 - 10	13 - 14	195	16	4 1/4	Vehicle	10 1/2	
SED109*	WBDL-ABC340LV	5	3A:40BC	8 - 10	13 - 14	195	16	4 1/4	Vehicle	10 1/2	
SA443	WBDL-ABC10WH	10	6A:80BC	10 - 15	14 - 16	235	21 1/4	5 1/8	Wall	19 1/4	
SA444	WBDL-ABC20WH	20	10A:120BC	10 - 15	20 - 22	235	24	7 1/8	Wall	35 1/4	
SED110	WBDL-ABC30WH	30	10A:120BC	10 - 15	28	195	30 3/4	7 1/8	Wall	50 1/3	

\*Meets requirements for forklifts

### ACCESSORIES

Model No.	Mfg. No.	Description	Fits	Price /Each	Model No.	Mfg. No.	Description	Fits	Price /Each
SC951	C160738	Wall Hook	5 lbs.		SA442	UP2	Vehicle Bracket	2.5 lbs.	
SC952	C160752	Wall Hook	10 lbs.		SC955	UB5	Vehicle Bracket	5 lbs.	
SC953	C160791	Wall Hook	20 lbs.						

## ALUMINUM CYLINDER CARBON DIOXIDE (CO<sub>2</sub>) FIRE EXTINGUISHERS

- Well suited for corrosive environments
- Industrial-strength aluminum cylinder is up to 30% lighter than steel
- Stainless steel hose band
- Strong impact-resistant horn
- Bar-coded label
- Easy to service
- Comes with wall hook
- ULC listed



Model No.	Mfg. No.	Cap. lbs.	Rating	Range Feet	Discharge Time Sec.	H"	Dia."	Wt. lbs.	Price /Each
SAJ098	SF-5C02	5	5BC	6-12	10	17 1/4	5 3/4	13 1/4	
SAJ099	SF-10C02	10	10BC	6-12	10	19 3/4	6 3/4	27	
SAJ100	SF-15C02	15	10BC	6-12	15	26 3/4	6 3/4	37	
SAL344	SF-20C02	20	10BC	6-12	20	26 3/4	8	48 1/8	

### ACCESSORIES

Model No.	Mfg. No.	Description	Fits	Price /Each	Model No.	Mfg. No.	Description	Fits	Price /Each
SAM953	SF5WH	Wall Hook	5 lbs.		SAP900	HDVB-2	Vehicle Bracket	5 lbs.	
SAM954	SF1015WH	Wall Hook	10-15 lbs.		SAM957	HDVB-3	Vehicle Bracket	10 lbs.	
SAM955	SF20WH	Wall Hook	20 lbs.		SED313	HDVB-4	Vehicle Bracket	15 lbs.	

## K CLASS WET CHEMICAL EXTINGUISHERS

- Brass valve construction
- Specially designed and tested to address fires in restaurants and commercial fryers
- Very effective on cooking oil and grease fires
- Ideal for restaurants, kitchens, cafeterias, food courts, and other locations with high temperature cooking materials
- Nozzle designed to prevent splashing
- Designed to be used in conjunction with a kitchen suppression system



Model No.	Mfg. No.	Cap. Liters	Rating	Range Feet	Discharge Time Sec.	PSI	H"	Dia."	Included Bracket	Wt. lbs.	Price /Each
SED438	SF-6LK	6	1-A:K	10-12	60	100	21 1/2	7	Wall	25	



# FIRE PROTECTION

## PYRO-CHEM FE-36™ CLEAN AGENT FIRE EXTINGUISHERS

- Designed for protection against light and ordinary hazards
- These compact and portable extinguishers are suited for both industrial and commercial fire protection needs
- Safe for electronics; non-conductive, residue-free non thermal shock
- EPA accepted (SNAP); Zero ozone depletion potential and no scheduled phase-out
- Very low in toxicity; LOAEL of 15% is above extinguishing concentration
- Seamless welded steel shell with tough polyester-urethane finish
- Suitable for use in temperatures from -40° C to 49° C (-40° F to 120° F)
- Six year limited warranty



Model No.	Mfg. No.	Capacity lbs.	Rating	Range Feet	Discharge Time Sec.	Bracket Type	Certification	Price /Each
SDN829	FE-02	2.5	2-B:C	8-10	9	Vehicle	ULC Listed	
SDN830	FE-05	4.75	5-B:C	10-12	8.6	Wall	ULC Listed	
SDN831	FE-09	9.5	1-A:10-B:C	14-16	9.5	Wall	ULC Listed	
SDN832	FE-13	13.25	2-A:10-B:C	14-16	13.5	Wall	ULC Listed	



## PYRO-CHEM PRESSURE WATER EXTINGUISHERS

- Can be utilized in many Class A hazards such as office environments and industrial locations, as well as warehouse and oxidizing chemical storage areas
- Features a stainless shell and chrome-plated valve
- Nameplate features easy to read step-by-step instructions for operating the extinguisher
- The Schrader valve for pressurization, allows for easy recharge in the field
- Meets or exceeds ULC requirements
- Simple operation and maintenance
- Squeeze grip, positive on-off operation
- Easy service construction



Model No.	Mfg. No.	Capacity Gal.	Rating	Range Feet	Discharge Time Sec.	Bracket Type	Certification	Price /Each
SDN833	PW	2.5	2A	44-55	60	Wall	ULC Listed	



## RED LINE® WHEELED FIRE EXTINGUISHERS

- Rugged, durable, reliable fire protection
- Ergonomically designed for maximum operator performance
- Meets or exceeds requirements of ANSI/UL 299 and 711
- Simple and safe operation
- Maintenance checks can be easily made on every moving part
- Field rechargeable

Model No.	Mfg. No.	Capacity lbs.	Rating	Range Feet	Wheel Type	Bracket Type	Certification	Price /Each
SDN834	CR-I-A-150-C	125	30A:160BC	0-25	Steel Tire	None	ANSI/UL 299 and 711	
SDN835	CR-I-A-150-D-1	125	30A:160BC	0-25	Rubber Tire	None	ANSI/UL 299 and 711	
SDN836	CR-I-A-350-D-1	300	40A:240BC	0-30	Steel Tire	None	ANSI/UL 299 and 711	
SDN837	CR-LT-I-A-350-C-1	300	40A:240BC	0-30	Low Temperature Steel Tire	None	ANSI/UL 299 and 711	
SDN838	CR-I-K-150-C	125	240B:C	0-25	Steel Tire	None	ANSI/UL 299 and 711	
SDN839	CR-I-K-150-D	125	240B:C	0-25	Rubber Tire	None	ANSI/UL 299 and 711	
SDN840	CR-I-K-350-D	300	320B:C	0-30	Steel Tire	None	ANSI/UL 299 and 711	
SDN841	CR-LT-I-K-350-D	300	320B:C	0-30	Low Temperature Steel Tire	None	ANSI/UL 299 and 711	

SDN834



## FOAM FIRE EXTINGUISHER

- Rapidly and efficiently puts out the fire by covering and cooling the flames at the source
- Lightweight, easy to handle and highly effective to instantly put out any incipient fire
- Can be safely used on electrical and grease fire
- Foam will not damage equipment and is completely safe for both the health and the environment
- Non-toxic; contact with the skin is completely harmless
- Comes ready to use with glow-in-the-dark fluorescent stand
- Reusable until the can is empty
- The foam formula cleans easily
- 3 to 5 years service life
- Type: Class A/Class B/Class C/Class K
- Standard(s) Met: None
- Not for sale in the province of Alberta, does not meet provincial law

Model No.	Mfg. No.	Capacity lbs.	Rating	Length"	Width"	Height"	Discharge Duration	Price /Each
SGC460	REI500SUP	1.5	3A 13B C K	2.8	x 3	x 9.75	19 Seconds	
SGC461	REI750SUP	2	3A 21B C K	3.25	x 3.5	x 12.5	25 Seconds	

SGC460



## STANDARD VEHICLE & MARINE BRACKETS FOR ABC EXTINGUISHERS

- Black polyester powder-coated with stainless steel strap
- ULC listed



Model No.	Mfg. No.	Fits	Price /Each
SA442	UP2	2.5 lbs.	
SC955	UB5	5 lbs.	

## MEDIUM-DUTY VEHICLE & MARINE BRACKETS FOR ABC EXTINGUISHERS

- Black polyester powder-coated with two stainless steel straps
- Ideal for forklifts, industrial equipment and warehouse retail
- ULC listed



Model No.	Mfg. No.	Fits	Price /Each
SED311	UB5-MD	5 lbs.	
SED312	UP10	10 lbs.	

## HEAVY-DUTY VEHICLE & MARINE BRACKETS

- Ideal for construction equipment, industrial and commercial trucks
- Corrosion-resistant
- Uni-body steel construction
- Rounded corners for added safety



SAP900

SAM956



Model No.	Mfg. No.	Colour	Fits ABC	Fits CO <sub>2</sub>	Price /Each
SAP900	HD-5	Red	5 lbs.	-	
SAM956	HD-10	Red	10 lbs.	5 lbs.	
SAM957	HD-20	Red	20 lbs.	10 lbs.	
SED313	HDB-4	Black	30 lbs.	15 lbs.	

## SURFACE-MOUNTED FIRE EXTINGUISHER CABINETS

- Extinguishers are readily available while keeping them safe from potential vandals
- Complete with cylinder lock keyed alike
- Baked white enamel finish with acrylic plastic viewing panel
- Break glass hammer and chain with "break glass" sticker



Model No.	Mfg. No.	W"	x	D"	x	H"	Accommodates	Price /Each
SAS062	C-100	8 1/2	x	6	x	20 1/2	5-lb Dry Chemical	
SD028	C-999	10 9/16	x	6 9/16	x	24 5/16	10-lb Dry Chemical	
SD027	C-104	14 1/8	x	9 1/16	x	30 1/8	20-lb Dry Chemical or 10-lb CO <sub>2</sub>	

SAS062



SD027

## FIRE EXTINGUISHER COVERS

- Reinforced vinyl covers fasten over wall-mounted extinguishers
- Protect valves, fittings and gauges from dust and corrosive fumes
- Hook and loop closure on back provides quick and easy removal with a quick jerk of pull handle
- Fluorescent red colour provides high visibility
- Available with or without window to check pressure gauge
- Available in English, French or bilingual



SD019

Model No.	Mfg. No.	Description	Dimensions W" x H"	Fits	Price /Each
SD019	E-FEC10	English w/window	12 x 20	10 lbs.	
SD020	E-FEC10NW	English w/out window	12 x 20	10 lbs.	
SD021	E-FEC20	English w/window	16 x 25	20 & 30 lbs.	
SD022	E-FEC20NW	English w/out window	16 x 25	20 & 30 lbs.	
SE271	F-FEC10	French w/window	12 x 20	10 lbs.	
SE272	F-FEC10NW	French w/out window	12 x 20	10 lbs.	
SE273	F-FEC20	French w/window	16 x 25	20 & 30 lbs.	
SE274	F-FEC20NW	French w/out window	16 x 25	20 & 30 lbs.	
SD023	B-FEC10	Bilingual w/window	12 x 20	10 lbs.	
SD024	B-FEC10NW	Bilingual w/out window	12 x 20	10 lbs.	
SD025	B-FEC20	Bilingual w/window	16 x 25	20 & 30 lbs.	
SD026	B-FEC20NW	Bilingual w/out window	16 x 25	20 & 30 lbs.	

## HEAVY-DUTY OUTDOOR EXTINGUISHER CABINETS

- 16-gauge cold-rolled steel
- Welded construction with sloped roof
- Full-length stainless steel piano hinge and weatherproof gasket around door jam
- Full metal door with keyed paddle latch
- Baked red acrylic enamel over phosphate treated steel
- Accommodates up to a 30-lb dry chemical ABC extinguisher



Model No.	Mfg. No.	Inside Dimensions W" x D" x H"	Price /Each
SAN296	OEC	14 x 10 x 28	

## SAFETY SIGNS



Fire Extinguisher Model No.	Mfg. No.	Fire Hose Model No.	Mfg. No.	Size cm	Material	Price /Each
SD215	MPCS534VS	SD227	MPCS535VS	15	Adhesive Vinyl	
SAW806	MPCS534VP	SAW808	MPCS535VP	15	Plastic	
SEA464	MPCS534VA	SEA466	MPCS535VA	15	Aluminum	
SD217	MPCS584VS	SD229	MPCS585VS	30	Adhesive Vinyl	
SAW807	MPCS584VP	SAW809	MPCS585VP	30	Plastic	
SEA465	MPCS584VA	SEA467	MPCS585VA	30	Aluminum	

Fire Extinguisher



Fire Hose



# FIRE PROTECTION

## UNIVERSAL STOPPER® FIRE ALARM COVERS

- Unique and patented device helps stop false alarms, without restricting legitimate alarms
- On model with optional horn, when cover is lifted it sounds a piercing 105 dB warning, drawing attention to the area or pranksters
- Horn will sound until cover is snapped back onto the frame (or for the life of the battery)
- High strength piano hinge
- Clear, tamperproof, tough polycarbonate shield and frame fit over pull station or call point
- UV-stabilized covers are for indoor or outdoor use
- Ideal for schools, hospitals, nursing homes, public transport, stores, hotels or any public area with an exposed fire pull station
- Flush or surface mount, with or without internal horn
- Sized to fit most pull stations



SEJ348



SEJ350



**Safety Technology International, Inc.**

Model No.	Mfg. No.	Mounting Type	Language	Price /Each
SEJ348	STI-13010FR	Flush	English	
SEJ349	STI-13020FR	Flush, w/horn	English	
SEJ350	STI-13210FR	Surface	English	
SEJ351	STI-13220FR	Surface w/horn	English	
SEJ352	STI-13310FR	Enclosed flush back box	English	
SEJ353	STI-13010FR/FRE	Flush	French	
SEJ354	STI-13020FR/FRE	Flush, w/horn	French	
SEJ355	STI-13210FR/FRE	Surface	French	
SEJ356	STI-13220FR/FRE	Surface w/horn	French	
SEJ357	STI-13310FR/FRE	Enclosed flush back box	French	

## EXIT STOPPER® DOOR ALARMS

- Highly effective alarm alerts you to any unauthorized exits/entries through emergency exit doors and rear doors
- Highly visible "stop sign" design acts as a deterrent
- Housing is molded of UV stabilized tough polycarbonate
- Compact patented design 5" in diameter and 1.875" deep
- Emits an ear piercing 95 or 105 dB warning alarm when activated which can be preset to sound for 30 seconds, 3 minutes, indefinitely or annunciator mode (10 beeps)
- Key-operated override silences the alarm and allows authorized exits
- May be programmed for 15 second delay or immediate trip
- Alarming delay allows unit to arm following an authorized exit
- Includes warning label (often placed on protected door)
- Fitted with a long life 9-VDC alkaline battery
- 3 year guarantee against breakage of polycarbonate housing in normal use, 1 year on electronics



**Safety Technology International, Inc.**

Model No.	Mfg. No.	Language	Price /Each
SE461	STI-6400	English	

## EMERGENCY KEY BOXES

- Sturdy all-metal construction
- Heavy-gauge steel
- Scratch-resistant red paint
- Rust proof
- Includes steel smash rod and chain
- Replaceable glass, 3" W x 4.8" H
- Complete with key hook, two screws and plugs
- Pre-slotted mounting holes
- Secure, multifunctional cam lock with two keys
- 6.92" W x 2.04" D x 6.8" H



Model No.	Mfg. No.	Description	Price /Each
SAG773	5151	Key Box	
SAG774	5151-G	Replacement Glass	

## KEY BOXES

- Durable ABS red plastic
- Unique snap-in design
- Pre-slotted mounting holes
- Printed glass, "Break Glass For Key"
- Replacement glass available
- 1 1/4" W x 1 1/4" D



**Safety Technology International, Inc.**

Model No.	Mfg. No.	Description	Price /Each
SAG771	KB	Key Box	
SAG772	RSKBRC	Replacement Glass	

# GET CLEAN

*Industrial handsoap with scrubbing particles for stubborn grease and grime*

TRY SOME TODAY!



Model JG223  
See page 331



## FIRST RESPONSE™ GENERAL PURPOSE SMOKE ALARMS

- Battery powered, 9 V battery (included)
- Suitable for all rooms
- Dual-ionization technology
- Easy Touch™ Alarm-Pause® feature
- Alarm and power test feature
- Operating LED
- Up to 30 days low battery warning
- Easy installation, mounting hardware included
- 10-year limited warranty (battery excluded)
- ULC listed



**AMERICAN SENSORS™ MC**

Model No.	Mfg. No.	Description	Dia." x D"	Price /Each
SEA773	SAFA318A	Battery Powered Smoke Alarm	4.4 x 1.5	
XB876	EN22	Replacement Battery, 9 V, 12/Pkg.	-	

## PHOTOELECTRIC SMOKE ALARM

- Photoelectric smoke sensor for less nuisance alarms
- Low profile, round design
- Easy installation, includes easy twist mount and hardware
- Alarm status LED indicator
- Test/silence button
- End of life warning notifies you when the alarm needs to be replaced
- Loud 85 dB alarm
- 10-Year Limited Warranty
- Certification(s): cETL



SGC105

**First Alert®**

Model No.	Mfg. No.	Power Source	Price /Each
SGC105	PR710A-6	Lithium Battery	
SGC106	PR700A-6	9 V Battery	

## LONG LIFE LITHIUM SMOKE ALARMS

- Ionization technology
- Mute/test button
- Low battery warning
- Loud 85 dB alarm
- EZ Access battery door
- Optional theft-prevention lock
- 10-year lithium battery included
- 10-year limited warranty
- ULC listed

Model No. SEB238  
Mfg. No. SA305CNA  
Price/Each \$



**First Alert®**

## COMBINATION CARBON MONOXIDE & SMOKE ALARMS

- 120 V hardwire
- Dual protection – CO/Smoke
- Alarm-Pause® silence feature
- Ionization technology
- Alarm source indicator
- Distinct audible and visual alarm indicators
- Instant test/reset feature
- Interconnectable up to 18 units, 12 of which may be smoke alarms
- Dimensions: 5" dia. x 1.97" deep
- 5-year limited warranty
- ULC listed



**BRK™**  
THE PROFESSIONAL STANDARD

Model No.	Mfg. No.	Description	Price /Each
SEJ965	SC9120A	Hardwire	
SFV067	SC9120BA	Hardwire w/9 volt Battery Back-up	

## MULTI-GAS ALARMS

- 3-way protection against carbon monoxide, propane, and natural gas
- Plug-in unit with back-up battery (included)
- EZ access battery door located on the front of the unit to make maintenance easier
- Accurate display easily identifies hazards
- Remote controlled silence/test feature – just point and click with any TV remote to quiet unwanted alarms or test alarm functions
- Low battery warning with silence feature to quiet low battery warnings for up to 8 hours
- End of life timer provides audible notice when it is time to replace alarm

Model No. SEH170  
Mfg. No. GC016CNA  
Price/Each \$



**First Alert®**

## CARBON MONOXIDE ALARM

- Quick and easy hardwire connection to AC power
- Interconnectable to up to 12 multiple station alarms
- Low power consumption
  - 0.085 amps standby, 0.087 in alarm
- Operating voltage: 120 V AC, 60 Hz
- Back-up 9 V battery comes pre-installed
- Red LED indicates which power supply is active
- Single test/silencer button
- Alarm horn: 85dB at 10'

Model No. SEI607  
Mfg. No. CO5120BNA  
Price/Each \$



**BRK™**  
THE PROFESSIONAL STANDARD



# FIRE PROTECTION

## SMOKE DETECTOR TESTER™

- Puts both ionization and photoelectric smoke detectors through their paces to ensure their circuitry, alarm and power are all functioning
- Patented formulation simulates the entire range of fire conditions
- 2.5-oz. Aerosol spray can contains 200+ sprays per can
- Leaves no residue, non-toxic, and 100% ozone safe
- NFPA 72 compliant testing when used as directed
- UL and ULC listed



## EXTENSION POLES & ACCESSORIES

- Used with smoke detector tester, light weight aluminum poles allow user to test detectors up to 30' in height without the use of ladders
- The head extension pole holds the aerosol can, while the arm extension pole allows you to reach greater distances
- Multiple arm extension poles must be used in conjunction with the head extension pole to reach the maximum height of 30'
- The fiberglass adapter tube reduces the tendency to overspray and maintains the aerosol an appropriate distance from the detector, making it easier to conduct tests



HOME SAFEGUARD INDUSTRIES, INC.

Model No.	Mfg. No.	Description	W"	x	D"	x	H"	Price /Each
SAI387	N30	30" Head Extension Pole	4	x	4	x	30	
SAI388	N59	50" Arm Extension Pole	4	x	4	x	60	
SAI391	1490	18" Spray Adapter Tube	18	x	3	x	3	

HOME SAFEGUARD INDUSTRIES, INC.

Model No.	Mfg. No.	Description	Price /Each
SAI386	255	Smoke Detector Tester™ 2.5 oz. Aerosol Spray Can	

## EMERGENCY ESCAPE LADDERS

- Quickly and easily attaches to any window
- No tools or assembly required
- Tangle-free design
- Constructed of durable and flame-resistant aluminum
- Anti-slip rungs
- Tested to 1000 lbs.
- Available in two-story (13') or three-story (25') ladder
- 5-year limited warranty



Model No.	Mfg. No.	Length'	Price /Each
SAF946	HW2D	13	
SAF947	HW3D	25	

## WATER JEL® FIRE BLANKETS

- Multipurpose fire blanket made of 100% wool, saturated with Water Jel® gel
- Packaged in a high-density, water-resistant, polyethylene case
- Size: 60" x 72"

### Uses:

- emergency burn victim care and fire protection
- to extinguish small fires
- to construct an escape route
- to shield and protect a rescuer from intense heat and flames

Model No. SAY460  
Mfg. No. 06622  
Price/Each \$



### MOUNTING BRACKET

Model No. SAY461  
Mfg. No. 06623  
Price/Each \$

SAY461

## EMERGENCY FIRE BLANKETS

- Protects equipment and personnel from dangerous welding sparks
- Improves employee safety and reduces fire risk
- Manufactured of lightweight non-asbestos fiberglass
- Suitable for continuous temperatures up to 1000°F; capable of higher temperatures for shorter durations
- Soft, flexible and easy to use
- Resists organic solvents, most acids and alkalis
- Will not attract mildew or mould
- Thermal insulation properties
- Available in two standard sizes:  
5' W x 6' H (white) and 6' W x 6' H (orange)
- Bag size: 16" W x 23" H



## FIRE BLANKET

- Made of 100% compact structure fiberglass fabric
- Suitable for extinguishing small fires or burning clothes
- Can be used as a radiant heat shield to aid in escaping fires
- Comes in a nylon storage bag with hanging hook
- Quick release tabs for easy use in an emergency
- Dimensions: 60" W x 71" L

Model No. SEL048  
Price/Each \$



SINCE 1875  
**SOPER'S**  
ENGINEERED FABRIC SOLUTIONS

Model No.	Mfg. No.	Description	Size W' x H'	Price /Each
ORANGE				
SB884	W03-48700	w/Bag	6 x 6	
SAF799	W03-48700	w/out Bag	6 x 6	
WHITE				
SAF800	W03-48300	w/Bag	5 x 6	
SAF801	W03-48300	w/out Bag	5 x 6	

## HEAVY-DUTY BUTT CANS

- Rugged heavy-duty fire safe galvanized steel base and neck tube finished in a tough powder-coated red paint
- Polyethylene topper with molded-in graphics for cigarette butt disposal
- Self-extinguishing design offers maximum convenience and reduces the risk of fire



Model No.	Dimensions			Capacity US Gallons	Wt. Lbs.	Price /Each
	Dia."	x	H"			
JB906	11 1/2	x	34	2.5	9.6	
JB907	11 1/2	x	38 1/2	5	10.5	

## ELITE™ SMOKERS CEASE FIRE®

- Polyethylene receptacle that will not rust and features a patented oxygen-restricting, self-extinguishing design to safely collect burning butts
- Stainless steel perforated snuffer and restricted entry design reduces unwanted trash
- Quick and easy assembly with snap-lock closures – no tools required, easy maintenance
- Packaged in a small 18" cube carton, sized to average a 34% cost savings on shipping, and reduces inventory space
- Fire tested and approved by FM Global
- 12" Dia. x 38" H
- Capacity: 4 US gal/15 L
- Weight: 11 lbs/5 kg

JC064



Model No.	Colour	Price /Each
JC064	Cool Grey	
JC065	Sierra Tan	
JC066	Jet Black	

Model No.	Description	Price /Each
JC069	Padlock	
JC070	Replacement Pail	

## SMOKERS CEASE-FIRE®

- Innovative design limits the flow of oxygen to safely and quickly extinguish cigarettes and reduce the risk of fire
- Low-maintenance, high-density polyethylene construction with a flame-retardant additive
- UV protection, will not rust, dent, crack or peel - no more unsightly rust rings
- Molded-in graphics clearly identify unit for cigarette butt disposal
- Complete with large 16 qt. (15 L) capacity galvanised steel liner pail for easy cleaning excluding Personal Smokers Cease-Fire®
- FM approved



Product Description	Dimensions			Capacity US Gal.	Wt. lbs.	Pewter Grey Model No.	Adobe Beige Model No.	Deco Black Model No.	Terra Cotta Model No.	Forest Green Model No.	Price /Each
	Dia."	x	H"								
Original Smokers Cease-Fire®	16 1/2	x	38 1/2	4	11	NH832	NI378	NI694	NI587	NI695	
Personal Smokers Cease-Fire®	11	x	30	1	6	NI701	NI702	NI703	NI705	NI704	

NH832

NI701

NI378



## CEASE-FIRE® WASTE CANS

- Specially designed contoured head directs smoke and gas from any fire inside the container back into the combustion area
- Air supply is limited and flames are extinguished in seconds
- Drum bodies made of heavy gauge steel with a grey enamel exterior and a rust preventive interior coating
- FM approved, corrosion-free aluminum heads provide easy clean-up and can be used with standard steel drums
- Aluminum heads can be easily replaced and are available separately



Model No.	Capacity US Gal.	Dimensions		Opening Dia."	Wt. lbs.	Price /Each
		Dia."	x H"			
NC444	4.5	12 1/8	x 14 1/4	5	6	
NC445	6	12 1/8	x 16 3/4	5	6	
NC446	12	14 1/2	x 21 3/4	5 1/4	10	
NC447	15	14 1/2	x 25 3/4	5 1/4	12	
NC448	30	19 1/4	x 29 3/4	7	28	
NC449	55	23 3/4	x 35 1/2	7 7/8	35	

### ALUMINUM HEAD

Model No.	Description	Price/Each
NI416	Aluminum Head for 4.5 to 6-Gallon Receptacles	
NI417	Aluminum Head for 12 to 15-Gallon Receptacles	
NI418	Aluminum Head for 30-Gallon Receptacles	
NI419	Aluminum Head for 55-Gallon Receptacles	



# SAFETY CABINETS



## FLAMMABLE STORAGE CABINETS

- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open a full 180° for easy access
- Recessed handle
- 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" centers
- Adjustable leveling feet
- Tough corrosive resistant finish
- Standard Met: FM/NFPA/OSHA
- Meets NFPA Code 30 and OSHA standard 1910.106 for storage for class I, II and III liquids



SDN642



SDN647



Model No.	Door Type	Capacity Gallons	No. of Shelves	No. of Doors	Exterior Dimensions W" x D" x H"			Price /Each
SDN642	Manual	12	1	1	23	x 18	x 35	
SDN643	Manual	16	1	1	23	x 18	x 44	
SDN644	Manual	22	1	2	35	x 22	x 35	
SDN645	Manual	24	2	2	43	x 12	x 44	
SDN646	Manual	30	1	2	43	x 18	x 44	
SDN647	Manual	45	2	2	43	x 18	x 65	
SDN648	Manual	60	2	2	34	x 34	x 65	

### ACCESSORIES

Model No.	Type	For use with cabinet capacity	Dim. (W" x D")	Price /Each
SEE922	Extra Shelves	12 & 16 Gal.	19 1/2 x 14	
SEE923	Extra Shelves	22 Gal.	31 1/2 x 18	
SEE924	Extra Shelves	24 Gal.	39 1/2 x 8	
SAQ328	Extra Shelves	30 & 45 Gal.	39 3/8 x 14	
SAS574	Extra Shelves	60 & 96 Gal.	30 3/8 x 30	
SDN844	Poly Tray	22, 30 & 45 Gal. (2 trays per cabinet)	15 3/4 x 14	

## PAINT/INK CABINETS

- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open a full 180° for easy access
- Recessed handle
- 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" centers
- Adjustable leveling feet
- Tough corrosive resistant finish
- Standard Met: FM/NFPA/OSHA
- Meets NFPA Code 30 and OSHA standard 1910.106 for storage for class I, II and III liquids



SDN651



SDN649



Model No.	Door Type	Capacity Gallons	No. of Shelves	No. of Doors	Exterior Dimensions W" x D" x H"			Price /Each
SDN649	Manual	20	1	1	23	x 18	x 44	
SDN650	Manual	45	3	2	43	x 18	x 44	
SDN651	Manual	60	4	2	43	x 18	x 65	
SDN652	Manual	96	5	2	34	x 34	x 65	

### ACCESSORIES

Model No.	Type	For use with cabinet capacity	Dim. (W" x D")	Price /Each
SEE922	Extra Shelves	12 & 16 Gal.	19 1/2 x 14	
SEE923	Extra Shelves	22 Gal.	31 1/2 x 18	
SEE924	Extra Shelves	24 Gal.	39 1/2 x 8	
SAQ328	Extra Shelves	30 & 45 Gal.	39 3/8 x 14	
SAS574	Extra Shelves	60 & 96 Gal.	30 3/8 x 30	
SDN844	Poly Tray	22, 30 & 45 Gal. (2 trays per cabinet)	15 3/4 x 14	

## CORROSIVE LIQUIDS CABINETS

- Includes two polyethylene trays
- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open a full 180° for easy access
- Recessed handle
- 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" centers
- Adjustable leveling feet
- Tough corrosive resistant finish
- Standard Met: FM/NFPA/OSHA
- Meets NFPA Code 30 and OSHA standard 1910 106 for storage for class I, II and III liquids

Model No.	Door Type	Capacity Gallons	No. of Shelves	No. of Doors	Exterior Dimensions W" x D" x H"	Price /Each
SDN653	Manual	22	1	2	35 x 22 x 35	
SDN654	Manual	30	2	2	43 x 18 x 44	
SDN655	Manual	45	2	2	43 x 18 x 65	

### ACCESSORIES

Model No.	Type	For use with cabinet capacity	Dim. (W" x D")	Price /Each
SEE923	Extra Shelves	22 Gal.	31 1/2 x 18	
SAQ328	Extra Shelves	30 & 45 Gal.	39 3/8 x 14	
SDN844	Poly Tray	22, 30 & 45 Gal. (2 trays per cabinet)	15 3/4 x 14	

**ZENITH®**  
Safety Products

**10 YEAR**  
Limited Warranty



SDN655

## PESTICIDE STORAGE CABINETS

- Provides safe, secure and controlled storage for pesticides, insecticides, herbicides and other turf chemicals
- Includes two polyethylene trays
- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open a full 180° for easy access
- Recessed handle
- 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" centers
- Adjustable leveling feet
- Tough corrosive resistant finish
- Standard Met: FM/NFPA/OSHA
- Meets NFPA Code 30 and OSHA standard 1910 106 for storage for class I, II and III liquids

Model No.	Door Type	Capacity Gallons	No. of Shelves	No. of Doors	Exterior Dimensions W" x D" x H"	Price /Each
SGD359	Manual	22	1	2	35 x 22 x 35	
SGD360	Manual	30	1	2	43 x 18 x 44	
SGD361	Manual	45	2	2	43 x 18 x 65	

### ACCESSORIES

Model No.	Type	For use with cabinet capacity	Dim. (W" x D")	Price /Each
SEE923	Extra Shelves	22 Gal.	31 1/2 x 18	
SAQ328	Extra Shelves	30 & 45 Gal.	39 3/8 x 14	
SDN844	Poly Tray	22, 30 & 45 Gal. (2 trays per cabinet)	15 3/4 x 14	

**ZENITH®**  
Safety Products

**10 YEAR**  
Limited Warranty



SGD361

## VERTICAL DRUM STORAGE CABINET

- Safely stores up to two drums, easy glide rollers for convenient drum access
- Half-depth shelf allows additional storage
- Rollers at bottom of cabinet facilitate drum movement
- Includes two polyethylene trays
- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open a full 180° for easy access
- Adjustable leveling feet
- Standard(s) Met: NFPA/OSHA/FM
- Meets NFPA Code 30 and OSHA standard 1910 106 for storage for class I, II and III liquids
- Door Type: 2 doors, manual with drum rollers
- Weight: 480 lbs.

Model No.	Drum Capacity (US)	Capacity Gallons	No. of Drums	Material	Exterior Dimensions W" x D" x H"	Price /Each
SGC540	2-55 gallons	110	2	Steel	59 x 34 x 65	

### ACCESSORIES

SGC865	Additional Shelf for Drum Cabinet				55-5/16 x 14-1/16	
--------	-----------------------------------	--	--	--	-------------------	--

**10 YEAR**  
Limited Warranty

**ZENITH®**  
Safety Products





# SAFETY CABINETS

## SURE-GRIP® EX FLAMMABLE STORAGE CABINETS

- Double wall welded 18-gauge steel construction with 1 1/2" of insulating air space
- Doors self-latch for easy and secure closure with 3-point stainless steel bullet latches
- U-Loc™ handle comes with 2 keys or accepts optional padlock for greater security
- Two flame arrester vents and ground wire connection screw
- 2" deep leak proof sill
- Adjustable leveler legs, and galvanized SpillSlope™ shelves that adjust on 3" centres
- Durable yellow powder coat paint finish provides long life and exceptional chemical resistance
- Haz-Alert™ reflective warning labels offer visibility under dark conditions
- Meets NFPA and OSHA requirements
- FM approved



Cabinet Cover



SAR313



**10 Year**  
Limited Warranty



Model No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim.				Wt. lbs.	Price /Each
					W"	x	D"	x	H"	
SAP509	893000	2 Doors, Manual	30	1	43	x	18	x	44	221
SAQ020	893080	Sliding, Self-Closing	30	1	43	x	18	x	44	246
SAQ021	893020	2 Doors, Self-Closing	30	1	43	x	18	x	44	223
SAP510	894500	2 Doors, Manual	45	2	43	x	18	x	65	299
SAQ022	894580	Sliding, Self-Closing	45	2	43	x	18	x	65	301
SAQ023	894520	2 doors, Self-Closing	45	2	43	x	18	x	65	301
SAQ024	896000	2 Doors, Manual	60	2	34	x	34	x	65	366
SAQ025	896020	2 doors, Self-Closing	60	2	34	x	34	x	65	392
SAQ026*	899000	2 Doors, Manual	90	2	43	x	34	x	65	480
SAQ027*	899020	2 doors, Self-Closing	90	2	43	x	34	x	65	480

\* Codes state that not more than 60 gallons may be Class I and Class II liquids

### ACCESSORIES

Model No.	Mfg. No.	Description	Dimensions"	Wt. lbs.	Price/Each
SAP839	29937	Extra Shelf for 30 and 45-Gallon Cabinets	-	10	
SAQ028	29944	Extra Shelf for 60-Gallon Cabinets	-	16	
SAQ029	29945	Extra Shelf for 90-Gallon Cabinets	-	21	
SAK285	25987	Cabinet Cover for 30 and 45-Gallon Cabinets	8 1/2 x 42 1/2 x 18	14	
SAK286	25989	Cabinet Cover for 60-Gallon Cabinets	16 x 33 1/2 x 34	78	
SAR311	84000	Seismic Bracket Kit to Secure Cabinet to Wall	4 x 48 x 4	7	
SAR312	84002	Cabinet Riser Frame for Forklift or Pallet Jack	5 1/4 x 43 3/4 x 18 3/4	39	
SAR313	84001	Rolling Cart for 30-Gallon Cabinets	42 x 43 1/4 x 18 1/4	47	
SEG859	29916	VaporTrap™ Filter 2/Pkg	8 3/4 x 2 1/4 x -	4	

## SURE-GRIP® EX HIGH SECURITY FLAMMABLE SAFETY CABINETS

- The same durable construction as Justrite's regular Sure-Grip® cabinet with added layers of security
- Safely store and protect costly fuels or chemicals from tampering or theft
- Security system includes 1/4" x 2" steel bar stock, a high visibility barrier bar secured across both doors
- Crossbar is firmly supported by two brackets welded across the front of the cabinet doors and interlocks onto two sidewall brackets
- Padlock lugs on crossbar and side bar channel accept 2 x No. 5 Master Lock® keyed-alike (SR867, sold separately)
- Lockable doors with Sure-Grip® handle are designed with a three-point latch for an extra measure of security
- Capacity: 45 gallons
- FM approved



Support brackets are firmly welded to cabinet door for extra tamper resistance.



Contrasting crossbar can be completely removed from the cabinet when not in use.



**10 Year**  
Limited Warranty



Model No.	Mfg. No.	Door Type	Adjustable Shelves	W"	x	Ext. Dim. D"	x	H"	Price /Each
SAN578	29884Y	2 Doors, Manual, Yellow	2	43	x	18	x	65	
SAN605	SC29884Y	2 Doors, Self-Close, Yellow	2	43	x	18	x	65	
SAN580	29884R	2 Doors, Manual, Red	2	43	x	18	x	65	
SAN607	SC29884R	2 Doors, Self-Close, Red	2	43	x	18	x	65	

## SURE-GRIP® EX SPECIALTY CABINETS

### STORE SMALLER QUANTITIES NEARBY!

When storing smaller quantities of flammable liquids at a work station or adding to existing storage capacities, specialty cabinets make it possible to store flammables safely even when available space is at a minimum. These cabinets offer U-Loc™ handles and come with a double key set or accept an optional padlock for greater security. Chemical resistant powder coat paint resists corrosion for years of service. They also have Haz-Alert™ reflective warning labels to offer visibility under dark conditions. Meet NFPA and OSHA regulations.



**10 Year**  
Limited Warranty

### WALL MOUNT SAFETY CABINETS

- Store small containers without taking up extra floor space
- Mounts easily with furnished brackets



SAQ040

### SLIMLINE SAFETY CABINETS

- Small footprint allows placement almost anywhere



SAQ032

### STACKABLE PIGGYBACK CABINETS

- Can be used singly or stacked to provide expanded or segregated storage
- Suitable for wall mounting or countertop



SAQ031

### UNDERCOUNTER SAFETY CABINETS

- Designed to fit under most counters
- Designed with a kick plate to match existing casework



SAQ041

### COUNTERTOP & COMPAC SAFETY CABINETS

- Improved access to often used liquids, without compromising safety
- Portable size keeps work areas flexible



SAQ036

SAQ034

### MINI SAFETY CABINETS

- Offers the smallest footprint
- Hold small quantities of flammables for cleaning and maintenance at point-of-use
- Three bungee cords keep contents in place during transportation on service vehicles or carts



SEG862

Model No.	Mfg. No.	Cabinet Type	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim.	W"	x	D"	x	H"	Listing /Approvals	Wt. lbs.	Price /Each
SEG862	890200	Mini	1 Door, Manual	Aerosols	1	17	x	8	x	22		-	43	
SAQ034	890400	Countertop	1 Door, Manual	4	1	17	x	17	x	22		-	62	
SAQ030*	891300	Piggyback	2 Doors, Manual	12	-	43	x	18	x	18		FM	129	
SAQ036	891200	Compac	1 Door, Manual	12	1	23 1/4	x	18	x	35		FM	120	
SAQ037	891220	Compac	1 Door, Self-Closing	12	1	23 1/4	x	18	x	35		FM	122	
SAQ031*	891700	Piggyback	2 Doors, Manual	17	1	43	x	18	x	24		FM	148	
SAQ040	893400	Wall Mount	2 Doors, Manual	20	5	43	x	12	x	44		FM	205	
SAQ041	892300	Undercounter	2 Doors, Manual	22	1	35	x	22	x	35		FM	190	
SAQ032	892200	Slimline	1 Door, Manual	22	3	23 1/4	x	18	x	65		FM	209	
SAQ033	892220	Slimline	1 Door, Self-Close	22	3	23 1/4	x	18	x	65		FM	211	

### EXTRA SHELVES

Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
SAQ043	29936	12 and 15-Gallon Compac Cabinets	6	
SAQ044	29939	22-Gallon Undercounter Cabinets	10	

\*Piggyback cabinets are not to be used with sliding door cabinets.

OFFICE  
PRODUCTS

INSTRUMENTS,  
SCALES &  
ELECTRICAL

SHIPPING &  
PACKAGING

TOOLS &  
EQUIPMENT

WELDING &  
METALWORKING

SAFETY  
EQUIPMENT  
& SUPPLIES

JANITORIAL &  
MAINTENANCE

MATERIAL  
HANDLING &  
STORAGE

# SAFETY CABINETS


## INSULATED FLAMMABLE STORAGE CABINETS

- Double wall welded 18-gauge steel construction, filled with 2" of fire-proof insulation
- Two manual-close doors
- Full length piano-hinged doors with three-point lock on door
- Two 2" flame arrester vents and ground wire connection screw
- 2" deep leak-proof sill, adjustable galvanized shelves on 1/2" centres
- Zinc-plated leveler legs
- Safety yellow
- ULC approved

Model No.	Mfg. No.	Cap. Gal.	Adjustable Shelves	Ext. Dim. W" x D" x H"	Wt. lbs.	Price /Each
SA087	WB30	30	1	44 x 19 x 45	350	
SA088	WB45	45	2	44 x 19 x 66	430	

### ACCESSORIES

Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
SA086	WB-5	Extra Shelf for SA087 and SA088	9	
DA623	LE74	Insulated Grounding Wire w/C-Clamp and Clip	1	
DA622	LE62	Flexible Bonding Wire w/Two Clips	1	
DA621	LE61	Flexible Bonding Wire w/C-Clamp and Clip	1	



SA088

**HAZ-ID**  
Chemical Hazard Identification System  
Système d'identification pour les produits chimiques

New Haz-ID label  
now standard

## SURE-GRIP® EX PAINT & INK SAFETY STORAGE CABINETS

Separate and identify Class III combustibles in high performance paint and ink safety storage cabinets. They have the same safety and quality features and options that are available in Justrite®'s safety cabinets for flammables with additional shelves.

- Multiple shelves are ideal for 1-gallon paint cans (Class III liquids)
- Cabinets are available in 20, 40, 60 and 96-gallon capacities
- U-Loc™ handle comes with double key set or accepts optional padlock for greater security
- Haz-Alert™ reflective warning labels offer visibility under dark conditions
- Durable red powder coat paint finish easily identifies contents and is highly chemical resistant
- Meets NFPA and OSHA regulations
- FM approved

Model No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim. W" x D" x H"	Wt. lbs.	Price /Each
SAQ079	891511	1 Door, Manual, Compac	20	2	23 1/4 x 18 x 44	156	
SAQ080	891531	1 Door, Self-Closing, Compac	20	2	23 1/4 x 18 x 44	157	
SAQ081	893011	2 Doors, Manual	40	3	43 x 18 x 44	223	
SAQ082	893091	Sliding, Self-Closing	40	3	43 x 18 x 44	248	
SAQ083	893031	2 Doors, Self-Closing	40	3	43 x 18 x 44	225	
SAQ084	894511	2 Doors, Manual	60	5	43 x 18 x 65	303	
SAQ085	894591	Sliding, Self-Closing	60	5	43 x 18 x 65	305	
SAQ086	894531	2 Doors, Self-Closing	60	5	43 x 18 x 65	305	
SAQ087*	896011	2 Doors, Manual	96	5	34 x 34 x 65	372	
SAQ088*	896031	2 Doors, Self-Closing	96	5	34 x 34 x 65	374	

### ACCESSORIES

Model No.	Mfg. No.	Description	Dimensions"	Price /Each
SAP839	29937	Extra Shelf for 40-Gallon Cabinets	-	
SAQ028	29944	Extra Shelf for 60-Gallon Cabinets	-	
SAR311	84000	Seismic Bracket Kit to Secure Cabinet to Wall	48	
SAR313	84001	Rolling Cart for 40-Gallon Cabinet	18 x 43	

\* Codes state that not more than 60 gallons may be Class I and Class II liquids.



SAQ084

SAQ081

**JUSTRITE®**

**10 Year**  
Limited Warranty

## VAPORTRAP™ FILTERS

- Stainless steel wire mesh cartridge containing activated carbon, absorbs volatile organic compound (VOC's) vapours
- Improve your work environment by reducing employee's inhalation exposure to harmful VOC's and lowering emissions of VOC's into the atmosphere
- Cylindrical design allows 360° airflow for maximum surface contact
- High strength magnets offer flexible placement/repositioning anywhere within the cabinet
- Date notation area on label serves as a reminder for replacement; life cycle varies based upon vapour types and concentrations
- Contains 2 filters/package

Model No. SEG859

Mfg. No. 29916

Price/Each \$



**JUSTRITE®**

## SURE-GRIP® EX AEROSOL CAN BENCHTOP CABINETS

- Fits virtually anywhere
- Double-wall, 18-gauge welded steel with 1 1/2" of insulating air space
- 24-gauge galvanized steel roll-out shelves with stop-guard protection
- Two fixed position shelves have twelve 2 3/4" dia. openings and accept cans up to 10" tall
- Shelves are removable for easy cleaning
- U-Loc™ handle comes with double key set or accepts optional padlock for greater security
- Haz-Alert™ reflective warning labels
- Durable yellow powder coat paint finish
- Meets NFPA and OSHA regulations



**10 Year**  
Limited Warranty

Model No.	Mfg. No.	Door Type	Capacity	W"	x	Ext. Dim. D"	x	H"	Wt. lbs.	Price /Each
SAQ045	890500	1 Door, Manual	24 Aerosol Cans	21	x	18	x	27	97	

## DRUM STORAGE SURE-GRIP® EX SAFETY CABINETS

Suitable for storage of larger quantities of flammable liquids and have all the same features as Justrite®'s standard safety cabinets.

### SURE-GRIP® EX VERTICAL DRUM STORAGE CABINETS

- Safely store one or two 30 to 55-gallon US drums
- Half-depth shelf allows additional storage of Class III flammables
- Accommodates drums equipped with pumps or funnels so cabinet can be used for waste accumulation or as a pumping station
- Rollers at bottom of cabinet facilitate drum movement
- Ramp for drum cabinets (sold separately) aids in loading drums with a hand truck

SAQ046



SAQ052



### SURE-GRIP® EX HORIZONTAL DRUM STORAGE CABINETS

- Designed to house drums being used for gravity flow dispensing
- Interior provides room for a drip can and includes tracks to guide a cradle into position. Drum cradle is not included

SAQ053



### SURE-GRIP® EX DOUBLE-DUTY SAFETY CABINET

- Combines vertical drum and safety storage into one partitioned cabinet
- Safely stores up to twelve 5-gallon US safety cans on the left side, and one vertical 30 or 55-gallon US drum on the right side
- Both compartments have an independently self-latching, locking door for maximum protection under fire conditions



**10 Year**  
Limited Warranty

Model No.	Mfg. No.	Door Type	Drum US Cap.	W"	x	Ext. Dim. D"	x	H"	Listings & Approvals	Wt. lbs.	Price /Each
<b>VERTICAL DRUM STORAGE CABINETS</b>											
SAQ046	896260	2 Doors, Manual	1-55 Gallons	34	x	34	x	65	FM	391	
SAQ047	896270	2 Doors, Self-Close	1-55 Gallons	34	x	34	x	65	FM	393	
SAQ048	899160	2 Doors, Manual	2-55 Gallons	59	x	34	x	65	-	661	
SAQ049	899060	2 Doors, Manual	2-30 Gallons	43	x	34	x	65	FM	476	
SAQ050	899070	2 Doors, Self-Close	2-30 Gallons	43	x	34	x	65	FM	478	
<b>HORIZONTAL DRUM STORAGE CABINETS</b>											
SAQ051	899300	2 Doors, Manual	1-55 Gallons	30	x	48	x	50	-	361	
SAQ052	899320	2 Doors, Self-Close	1-55 Gallons	30	x	48	x	50	-	363	
<b>DOUBLE-DUTY SAFETY CABINETS</b>											
SAQ053	899260	2 Doors, Manual	1-55 Gallons	59	x	34	x	65	-	672	
SAQ054	899270	2 Doors, External Self-Close	1-55 Gallons	59	x	34	x	65	-	674	
<b>ACCESSORIES</b>											
SAI480	25932	Drum Ramp for all Justrite® Drum Cabinets	-	-	-	-	-	-	-	35	
SAK286	25989	Cabinet Cover for SAQ046 and SAQ047	-	-	-	-	-	-	-	78	
SEE311	25920	Drum Rollers for Single Drum Vertical Cabinets	-	-	-	-	-	-	-	52	
SEE312	25922	Drum Rollers for Double Drum Vertical Cabinets	-	-	-	-	-	-	-	99	



# SAFETY CABINETS

## SURE-GRIP® EX HAZARDOUS MATERIAL SAFETY CABINETS

- Double-wall construction, dual vents, grounding wire connections, adjustable shelves, leak-proof sills, three-point self-latching doors and leveling feet
- Self-close doors shuts and latches automatically when a fusible link melts at 165 ° F (74 °C) under fire conditions
- Unique, concealed self-closing mechanism offer obstruction-free access to contents
- Includes polyethylene trays that sit on top of galvanized steel shelves and a separate polyethylene liner for the bottom sump to resist aggressive chemicals
- Liner can easily be removed for quick cleaning of drips and leaks
- All epoxy baked-on powder-coat finish, inside and out, provides increased chemical resistance
- Cabinet comes with a "Hazardous - Keep Fire Away" label, as well as a pack of ten application-specific labels to choose from and apply to the cabinet in order to indicate its contents
- FM approved

SEL025



SEL029



### COUNTERTOP & COMPAC CABINETS

- Countertop and compact cabinets let you customize your work area and make the most of available space

### PIGGYBACK CABINETS

- Designed to mount on top of standard 30- and 45-gallon safety cabinets
- Piggyback cabinets create a safe storage space without taking up any valuable floor space or can also be used independently as a wall-mount unit or on a countertop

### SLIMLINE CABINETS

- Ideal for areas with limited floor space or to expand current storage conditions

### UNDERCOUNTER CABINETS

- Undercounter safety cabinets allows for storage under a workbench or lab counter for quick and easy access

SEL036



SEL034



SEL030



SEL032



Model No.	Mfg. No.	Capacity Gallons	Ajustable Shelves	No. of Doors	Ext. Dim.					Int. Dim.					Price /Each
					W"	x	D"	x	H"	W"	x	D"	x	H"	
STANDARD															
SEL025	863028	30	1	2	43	x	18	x	44	39 1/2	x	14.562	x	39 5/8	
SEL026	864528	45	2	2	43	x	18	x	65	39.5	x	14.562	x	60 1/2	
SEL027	866028	60	2	2	34	x	34	x	65	30 3/4	x	30.34	x	60 1/2	
SEL028	869028	90	2	2	43	x	34	x	65	43	x	30	x	60 1/2	
COUNTERTOP															
SEL029	860428	4	1	1	17	x	17	x	22	13 3/4	x	13 3/4	x	18 1/2	
COMPAC															
SEL030	861228	12	1	1	23 1/4	x	18	x	35	20	x	14.562	x	30 1/2	
SEL031	861528	15	1	1	23 1/4	x	18	x	44	20	x	14.562	x	39 5/8	
PIGGYBACK															
SEL032	861328	12	0	2	43	x	18	x	18	39 1/2	x	14.562	x	13	
SEL033	861728	17	1	2	43	x	18	x	24	39 1/2	x	14.562	x	19 1/2	
SLIMLINE															
SEL034	862228	22	3	1	23 1/4	x	18	x	65	20	x	14.562	x	60.5	
SEL035	865428	54	3	1	23 1/4	x	34	x	65	20	x	30.34	x	60.5	
UNDERCOUNTER															
SEL036	862328	22	1	2	35	x	22	x	35	31 3/4	x	18 3/4	x	27 3/8	

## SURE-GRIP® EX ACID/CORROSIVE STORAGE CABINETS

Built to the same standards as Justrite®'s flammable storage cabinets with the addition of poly tray liners and a specially formulated epoxy, powder coat paint.

- Poly liners on shelves and poly sump liner are removable for easy cleaning
- 30-gallon cabinet is also equipped with a poly cabinet top work tray
- All cabinets come with the stylish flush-mounted U-Loc™ handle that offers easy fingertip access and accepts optional padlock
- Haz-Alert™ reflective warning labels
- Undercounter model has a 3 1/2" H x 2 1/2" D kick plate to mount flush with other cabinetry
- Meets NFPA and OSHA regulations
- FM approved

### Note:

Not to be used with phenol, nitric and sulfuric acids.



SAQ055



SAQ056



SAQ057

**10 Year**  
Limited Warranty



Model No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim.				Wt. lbs.	Price /Each
					W"	x	D"	x	H"	
SAQ055	892302	2 Doors, Manual, Undercounter	22	1	35	x	22	x	35	209
SAQ056	892202	1 Door, Manual, Slimline	22	3	23 1/4	x	18	x	65	208
SAQ057	893002	2 Doors, Manual	30	1	43	x	18	x	44	239
SAQ058	893082	Sliding, Self-Closing	30	1	43	x	18	x	44	246
SAQ059	893022	2 Doors, Self-Closing	30	1	43	x	18	x	44	240
SAQ060	894502	2 Doors, Manual	45	2	43	x	18	x	65	301
SAQ061	894582	Sliding Door, Self-Closing	45	2	43	x	18	x	65	323
SAQ062	894522	2 doors, Self-Closing	45	2	43	x	18	x	65	303
<b>ACCESSORIES</b>										
SAQ044	29939	Extra Shelf for 22-Gallon Undercounter Cabinets	-	-	-					10
SAQ063	29965	Poly Tray for 22-Gallon Undercounter Cabinets	-	-	-					6
SAP839	29937	Extra Shelf for 30 and 45-Gallon Cabinets	-	-	-					8
SAQ064	29962	Poly Tray for 30 and 45-Gallon Cabinets	-	-	-					22

## CHEMCOR® LINED ACID/CORROSIVE STORAGE CABINETS

Unique, flame-coated ChemCor® thermoplastic liner is applied to Justrite®'s acid/corrosive safety cabinets for unsurpassed corrosion protection and fire protection.

- 100% seamless liner on all interior walls, ceiling, sump, inside doors and shelves protects exposed cabinet surfaces without gaps
- Seam-free surface eliminates the need for rivets or fasteners which risk corrosion from seep-through chemicals
- U-Loc™ handle comes with double key set or accepts optional padlock for greater security
- Haz-Alert™ reflective warning labels
- Durable, thermoplastic non-porous interior coating resists staining and cleans-up easily
- Maximum protection from harsh acids and corrosive chemicals plus fire protection and code compliance in a wide variety of double-wall steel safety cabinets
- FM approved



SAQ067

Seamless liner



**10 Year**  
Limited Warranty

Model No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim.				Wt. lbs.	Price /Each
					W"	x	D"	x	H"	
SAQ065	8923022	2 Doors, Manual, Undercounter	22	1	35	x	22	x	35	200
SAQ066	8922022	1 Door, Manual, Slimline	22	3	23 1/4	x	18	x	65	211
SAQ067	8930022	2 Doors, Manual	30	1	43	x	18	x	44	241
SAQ068	8930822	Sliding, Self-Closing	30	1	43	x	18	x	44	246
SAQ069	8930222	2 Doors, Self-Closing	30	1	43	x	18	x	44	251
SAQ070	8945022	2 Doors, Manual	45	2	43	x	18	x	65	323
SAQ071	8945822	Sliding, Self-Closing	45	2	43	x	18	x	65	325
SAQ072	8945222	2 Doors, Self-Closing	45	2	43	x	18	x	65	322

# SAFETY CABINETS

## HAZARDOUS WASTE SAFETY CABINETS

- For temporary on-site accumulation and storage of waste liquids
- All-welded 18-gauge double wall construction with 1 1/2" air space
- 2" leakproof sill and 2" flame arrester vents
- One galvanised steel, half-depth shelf adjustable on 3" centres
- U-Loc™ handle comes with double key set or accepts optional padlock for greater security
- Rollers at bottom of cabinet facilitate drum movement (**Sold separately**)
- All models have 2 doors
- Haz-Alert™ reflective warning labels
- Meets OSHA and NFPA regulations
- FM approved

Model No.	Mfg. No.	Door Type	Drum Capacity	Ext. Dim.				Wt. lbs.	Price /Each
				W"	x	D"	x	H"	
SAQ073	8962053	Manual	1-55 gallon	34	x	34	x	65	391
SAQ074	8962253	Self-Closing	1-55 gallon	34	x	34	x	65	393
SAQ075	8991053	Manual	2-55 gallon	59	x	34	x	65	610

Model No.	Mfg. No.	Description	Dimension		Wt. lbs.	Price /Each
			L"	x	W"	
SEE311	25920	Rollers for Single Cabinet	29.5	x	30	52
SEE312	25922	Rollers for Double Cabinet	55.5	x	30	99



SAQ075

## POLYETHYLENE CORROSIVE/ACID CABINETS

- Store strong acids such as hydrochloric, sulfuric, or nitric acid; or bases such as sodium, potassium, or calcium hydroxide in this durable, high-density polyethylene (HDPE) cabinet
- With no metal parts to corrode, this cabinet offers chemical resistance against spills or potential damaging vapors when storing acids or bases
- A removable yet sturdy sump cover, which also serves as a bottom shelf, conceals the fully integrated, leakproof sump, 8.5 gal. capacity
- Recessed channels in shelf and base help direct spills to the back of the cabinet and down into the sump
- Three application-specific labels identify contents to safely store and segregate incompatible chemicals (ACID, BASE, and CORROSIVE)
- Doors open nearly 180 degrees for easy access, engage firmly with the body when closed, and accept a padlock (not included) for added security



SGB948  
Countertop



SDS951



Model No.	Mfg. No.	Capacity	No. of Shelves	No. of Doors	Door Type	Exterior Dimensions				Price /Each
						W"	x	D"	x	H"
SGB948	24080	2 gal.	-	1	Manual	14.25	x	17.125	x	19.75
SDS951	24180	24 gal.	1	2	Manual	36	x	25	x	35

## DOCUMENT STORAGE BOXES

- Weather resistant, no metal parts to corrode - keeps papers clean and dry in dusty, harsh environments
- High density polyethylene is durable, rustproof and easy to clean
- Mounts on cabinets, machinery, equipment or walls for fast, easy access to information at point of use
- Lock holes on medium and large units accept padlock or zip ties
- Four built-in mounting holes on medium and large sized units provide added mounting options
- Designated area to add your own labels or optional label pack available
- Keeps MSDS documents for compliance with OSHA 29 CFR 1910.1200
- Optional label pack includes 4 yellow labels (2 blank, 1 SDS and 1 Instruction Manual), sold separately
- Includes heavy-duty tape for drill-free mounting



SAN581



SAN582



Model No.	Mfg. No.	Description	Int. Dim. (approx)				Ext. Dim.				Gasketed Closure	Lock Hole Dia."	Price /Each
			W"	x	D"	x	H"	W"	x	D"	x	H"	
SAN581	23303	Medium Top Opening	8 3/4	x	1 5/8	x	11 1/2	10 1/4	x	2 1/4	x	12 1/2	No
SAN582	23304	Medium Front Opening	8 5/8	x	1	x	12 1/4	11	x	2 1/8	x	14 1/2	Yes
SAN584	23306	Large Front Opening	10 3/4	x	2 1/4	x	13 1/4	13 1/8	x	3 9/16	x	15 3/4	Yes
SAN585	23310	Label Pack - 4 Yellow Labels: 2 Blank, 1 SDS and 1 Instruction Manual											-
SAN583	23305	Tube, Twist-On Lid	12"	x	3"	dia.		12 1/2"	x	3 3/4"	dia.		Yes

## D.O.T. ACCUFLOW™ SAFETY CANS

- Hold-down bracket with easy-to-grip tightening screw prevents vapour release and spills during transport
- Easy-to-engage fusible link bracket melts at 165°F (75°C) to prevent dangerous pressure build-up
- AccuFlow's™ exclusive Safe-Squeeze® trigger mechanism allows for smooth flow and accurate pouring
- Leak-tight, self-closing lid automatically vents between 3 and 5 PSIG
- Heavy roll bars protect the spout
- D.O.T. compliant and FM approved



**JUSTRITE®**

**10 Year**  
Limited Warranty

SED121



SED119



Red Model No.	Mfg. No.	Yellow Model No.	Mfg. No.	Capacity Gal.	Hose Width "	Can Dim. Outer Dia."	x	H"	Price /Each
SED117	7325120	SED121	7325220	2.5	5/8	11 3/4	x	13	
SED118	7325130	SED122	7325230	2.5	1	11 3/4	x	13	
SED119	7350110	SED123	7350210	5	5/8	11 3/4	x	18 1/2	
SED120	7350130	SED124	7350230	5	1	11 3/4	x	18 1/2	

## TYPE II ACCUFLOW™ SAFETY CANS

- AccuFlow™ exclusive Safe-Squeeze® trigger mechanism allows for smooth flow and accurate pouring
- Auto-venting pressure relief cap
- Leak-proof self-closing gasketed lid controls vapours and spills
- Long lasting stainless steel flame arrester dissipates heat and prevents flashback ignition
- Extra large ID zone reduces misuse and has warning in three languages
- FM approved, UL/ULC listed
- 10-year limited warranty

**10 Year**  
Limited Warranty



**JUSTRITE®**



Red Model No.	Mfg. No.	Yellow Model No.	Mfg. No.	Blue Model No.	Mfg. No.	Green Model No.	Mfg. No.	Capacity US Gal.	Ext. Dim. Dia."	x	H"	Price /Each
5/8" HOSE WIDTH												
SEA217	7210120	SEA218	7210220	SEA219	7210320	SEA220	7210420	1	9 1/2	x	10 1/2	
SEA221	7220120	SEA222	7220220	SEA253	7220320	SEA223	7220420	2	9 1/2	x	13 1/4	
SEA224	7225120	SEA226	7225220	SEA228	7225320	SEA230	7225420	2.5	11 3/4	x	12	
SEA232	7250120	SEA234	7250220	SEA236	7250320	SEA238	7250420	5	11 3/4	x	17 1/2	
1" HOSE WIDTH												
SEA225	7225130	SEA227	7225230	SEA229	7225330	SEA231	7225430	2.5	11 3/4	x	12	
SEA233	7250130	SEA235	7250230	SEA237	7250330	SEA239	7250430	5	11 3/4	x	17 1/2	

## TYPE I SAFETY CANS

- Compliant Type I Safety Cans are designed with a single spout for filling and pouring of all types of flammable liquids
- High performance, chemical resistant stainless steel flame arrester that stops flashback ignition, provides faster liquid flow, and offers exceptional durability and corrosion protection for long life
- Self-venting, self-closing leak tight lid prevents ruptures from pressure build-up and controls vapours and spills
- Unique counterbalance design with full-fisted grip handle offers gravity-assisted pouring
- Warning label includes large ID zone for user labelling to avoid misuse, reduce the potential for incompatible mixtures, or may be used to designate department or individual owner
- Optional poly funnel offers targeted pouring
- Finished in a tough powder coat paint, Justrite® cans resist chemicals and stand up to heavy abuse
- FM approved, UL/ULC listed
- 10-year limited warranty



SEA215

SEA214

SEA216



SEA213

Red Model No.	Mfg. No.	Yellow Model No.	Mfg. No.	Blue Model No.	Mfg. No.	Green Model No.	Mfg. No.	Capacity	Ext. Dim. Dia."	x	H"	Price /Each
WITH FUNNEL												
SEA240	7110110	SEA241	7110210	SEA242	7110310	SEA243	7110410	1 US Gal.	9 1/2	x	11	
SEA204	7120110	SEA244	7120210	SEA245	7120310	SEA246	7120410	2 US Gal.	9 1/2	x	13 3/4	
SEA208	7125110	SEA247	7125210	SEA248	7125310	SEA249	7125410	2.5 US Gal.	11 3/4	x	11 1/2	
SEA213	7150110	SEA250	7150210	SEA251	7150310	SEA252	7150410	5 US Gal.	11 3/4	x	16 7/8	
WITHOUT FUNNEL												
SAI516	10001	-	-	-	-	-	-	1 Pint	4 5/8	x	6 3/4	
SAI517	10101	-	-	-	-	-	-	1 Quart	4 5/8	x	8 1/4	
SEA199	7110100	SEA200	7110200	SEA201	7110300	SEA202	7110400	1 US Gal.	9 1/2	x	11	
SEA203	7120100	SEA205	7120200	SEA206	7120300	SEA208	7120400	2 US Gal.	9 1/2	x	13 3/4	
SEA207	7125100	SEA209	7125200	SEA210	7125300	SEA211	7125400	2.5 US Gal.	11 3/4	x	11 1/2	
SEA212	7150100	SEA214	7150200	SEA215	7150300	SEA216	7150400	5 US Gal.	11 3/4	x	16 7/8	

**10 Year**  
Limited Warranty



**JUSTRITE®**



# SAFETY CANS & CONTAINERS

## LABORATORY SAFETY CANS IN STEEL & POLYETHYLENE

Convenient dispensing in two styles for use on shelves or in tilt stands.

- Self-closing faucets offer controlled dispensing of hazardous liquids
- Fill spouts have self-closing pressure relief caps with built-in vacuum breakers and double mesh flame arresters
- The lab faucet allows easier dispensing into containers with small openings
- FM approved
- Capacity: 5 US Gal.



Model No.	Mfg. No.	Description	Faucet	Price /Each
SEC080	7150140	Steel shelf can	Control flow lab, 3/4" brass	
SEC081	7150150	Steel plate shelf can	3/4" NPT rigid brass	
SEC082	7150146	Steel plate tilt can w/stand	Control flow lab, 3/4" brass	
SEC083	7150156	Steel plate tilt can w/stand	3/4" NPT rigid brass	
SEC084	14545	Polyethylene shelf can	Control flow lab, 3/4" brass	
SEC085	14535	Polyethylene tilt can w/stand	Control flow lab, 3/4" brass	



## TYPE I POLYETHYLENE SAFETY CANS

Choose type I nonmetallic safety cans when dent and chemical resistance are important. Type I safety cans constructed of high-density polyethylene offer distinct advantages over steel units.

- Dent, chip and puncture-resistant polyethylene stands up to harsh corrosives
- Current carrying carbon insert grounds the opening and flame arrester
- Self-close spout and pressure relief mechanism
- Flame arrester prevents ignition sources from entering the can
- Stainless steel hardware provides chemical protection
- FM approved



FM APPROVED - OVAL

Model No.	Mfg. No.	Capacity US Gal.	Dimensions L" x W" x H"	Price /Each
SC291	14160	1	7 5/8 x 4 5/8 x 12 3/4	

FM, UL, ULC APPROVED - ROUND

Model No.	Mfg. No.	Capacity US Gal.	Dimensions Outer Dia." x H"	Price /Each
SC293	14261	2 1/2	10 3/4 x 14 1/4	
SC295	14561	5	12 3/4 x 16	



## POLYETHYLENE LIQUID DISPOSAL CANS

- High-density polyethylene cans contain corrosives and flammable liquids better than conventional metal cans
- Large opening for better control when disposing of liquids
- Fixed position handle allows lid to stay open for easier pouring
- Flame arrester guards against outside sources
- When closed, the cap automatically vents between 3 and 5 PSIG
- Stainless steel hardware provides chemical protection
- FM approved



Model No.	Mfg. No.	Capacity US Gal.	Dimensions Outer Dia." x H"	Price /Each
SC306	14762	2	12 x 14 3/4	
SC308	14765	5	12 x 20	

## QUICK-DISCONNECT SAFETY DISPOSAL CANS

- Collect waste liquid easily and safely with FM approved quick-disconnect safety disposal cans
- Ideal for HPLC applications
- Safeguard against spills and accidents associated with common collection practices
- Stainless steel fittings with Teflon® O-rings for chemical resistance or economically priced polypropylene fittings
- FM approved



Solvents flow freely into can through 3/8" tubing and can is easily disconnected with a special valved fitting without vapour release or solvent leakage.



Model No.	Mfg. No.	Fitting Material	Capacity US Gal.	Dimensions Outer Dia." x H"	Material	Price /Each
SAI569	PP12752	Polypropylene	2	12 x 14 3/4	EPDM	
SAI570	TF12752	Stainless Steel	2	12 x 14 3/4	Teflon®	
SAI571	PP12755	Polypropylene	5	12 x 20	EPDM	
SAI572	TF12755	Stainless Steel	5	12 x 20	Teflon®	

## OILY WASTE CANS

- OSHA compliant oily waste cans are essential whenever solvent cloths and wiping rags are used
- Self-closing cover reduces oxygen source to prevent fire from starting
- Round construction and raised bottom encourage air circulation to disperse heat and prevent rust
- Rugged galvanized steel body in a variety of sizes accommodate any work area
- Carrying handle for portability
- 2 US gallon hand-operated, countertop model is FM approved
- 6 - 21 US Gal. foot-operated models are FM approved and UL listed



SoundGard™ Silver Model No.	Mfg. No.	Yellow Model No.	Mfg. No.	Red Model No.	Mfg. No.	Capacity US Gal.	Dimensions			Wt. lbs.	Price /Each
							Outer Dia."	x	H"		
-	-	SR361	09200Y	SR356	09200	2	9 5/8	x	9 1/8	6	
SAR304	09104	SR362	09101	SR357	09100	6	11 7/8	x	15 7/8	10	
SAR305	09304	SR363	09301	SR358	09300	10	13 15/16	x	18 1/4	13	
SAR306	09504	SR364	09501	SR359	09500	14	16 1/16	x	20 1/4	16	
SAR307	09704	SR365	09701	SR360	09700	21	18 3/8	x	23 7/16	22	

## MINI BENCH-TOP OILY WASTE CANS

- Small footprint is convenient in confined work areas
- Constructed of durable galvanized steel
- Easily accommodates counter top applications
- Specially designed SoundGard™ lid significantly reduces lid closure noise
- Fire resistant design makes it ideal for disposing of hazardous waste materials like swabs or wipes that contain flammable solvents, adhesives, or cleaning agents
- Compact height easily accepts standard long cotton-tip applicators used for cleaning parts
- Lid opens to a maximum 60° and is self closing to minimize the chance of fire caused by spontaneous combustion
- Chemically resistant red powder coat paint finish for extended service life
- Leak-proof 0.45 Gal. (1.7- L) capacity container
- Reusable, will not rust or puncture
- Fire tested and FM and OSHA approved

Model No.	Mfg. No.	Dimensions			Wt. lbs.	Price /Each
		Dia.*	x	H		
SAS238	09410	4 5/8" base	x	6 1/2"	6	

\* 6 1/2" (165 mm) diameter across the top including the limit stop



## DRIP CANS

- Ideal for placement below drum faucets, drains or valves to catch drips or overflows of liquids
- Perforated metal fire baffle acts as a flame arrester to protect contents from fire exposure
- Catches up to one US gallon of liquid
- Top removes for quick cleaning
- Made of 24-gauge steel with a durable powder coat paint finish
- Easily portable with handy side handles
- 9 3/8" O.D. x 4 1/2" H
- Weight: 4 lbs.
- FM approved

Model No. SAH514  
Mfg. No. 10376  
Price/Each \$



## PLUNGER CANS

- Dispense flammable liquids and solvents safely onto cloths or swabs without waste or exposure
- Plunger fills upper pan for soaking
- Surplus liquid drains safely back into can
- Brass pump parts resist corrosion
- Steel and polyethylene cans available
- FM approved



SC309

SC310

## FUSIBLE LINK SELF-CLOSING DRUM COVERS

- Convert open top 55 US gallon steel drums into fire-safe receptacles for combustible trash
- Replaceable fusible link assembly inside the cover melts at 165°F, automatically slamming the cover shut if a fire occurs in the drum
- Steel construction
- Solvent resistant, red baked-on enamel finish
- Fits drums from 22 1/2" to 22 3/4" in diameter
- Weight: 7 lbs.
- FM approved

Model No. DA097  
Mfg. No. 26750  
Price/Each \$



10 Year  
Limited Warranty



Model No.	Mfg. No.	Capacity	Dimensions			Price /Each
			Outer Dia."	x	H"	
STEEL PLUNGER CANS						
SA129	10008	1 pint	4 7/8	x	5 1/4	
SA130	10108	1 quart	7 1/4	x	7 7/8	
SC309	10308	1 US gallon	7 1/4	x	10 1/2	
POLYETHYLENE PLUNGER CANS						
SC310	14018	1 quart	5 1/2	x	8 1/4	



# SAFETY CANS & CONTAINERS

## DISPENSER BOTTLES

Dispense flammable liquids and solvents safely without waste or exposure.

- Small size allows for easy, one-handed dispensing of liquids directly onto work surface
- Brass dispenser valves are leak-proof and self-closing
- Minimizes spills and waste
- Bottle design is textured for firm gripping
- FM approved for flammables



Model No.	Mfg. No.	Capacity	Dimensions Outer Dia." x H"	Approval Listing	Price /Each
SC311	14002	4 oz.	2 1/4 x 5 1/2	FM	
SA131	14004	8 oz.	3 1/8 x 5 1/2	FM	
SA133	14010	1 quart	4 x 10 1/2	FM	

## DISPENSING SQUEEZE BOTTLES

Allow safe dispensing of liquid small components or sub-assemblies with a minimum of over-spray. Squeezing the bottle produces a fine stream of liquid.

- Low-density polyethylene with stainless steel wire that allows stem to be shaped to reach hard-to-reach areas



Model No.	Mfg. No.	Capacity oz.	Dimensions Outer Dia." x H"	Price /Each
SA132	14009	16	3 x 7 1/2	
SA134	14011	32	3 1/2 x 9 1/8	

## ECO® GAS CANS

- The safest, most environmentally-friendly cans available
- Uses patented DuPont® Laminar Technology resulting in a permeation level well below the CARB required rate of 0.40 grams/gallon/day
- Equipped with self-venting spout that automatically shuts off when gas tank is full
- Rustproof, unbreakable and non-corroding
- ULC and CSA approved

Model No.	Mfg. No.	Colour	Capacity US Gal.	Capacity Litres	Price /Each
SAO955	07378	Red	2 1/2	10	

### REPLACEMENT PARTS

Model No.	Mfg. No.	Description	Price/Each
SAK867	05459	Eco® spout	



SAO955



## JERRY CANS

- Made from high-density polyethylene
- Lightweight, crushproof design with extra headspace built-in to accommodate expansion
- User-friendly "easy pour" design, self-venting spouts and child-resistant closures
- Cans are rustproof, unbreakable and non-corroding
- 5 US gallon available in two colours; red for gasoline and yellow for diesel
- Self-venting Eco® spout (SAK867, sold separately) automatically shuts off when gas tank is full
- SAK857 is a combo can, gasoline and oil
- ULC and CSA approved



SAK857



SAK856



SAP399



Model No.	Mfg. No.	Colour	Application	Capacity US Gal.	Capacity Litres	Price /Each
SAP356	07081	Red	Gasoline	1 1/4	5	
SAP357	07079	Red	Gasoline	2 1/2	10	
SAO958	07622	Red	Gasoline	5.3	20	
SAK856	03609	Red	Gasoline	5.3	20	
SAK857	03615	Red (combo)	Gasoline/oil	1 1/2 and 2 3/4 Qts	6 and 2.5	
SAP399	07649	Yellow	Diesel	5.3	20	

### REPLACEMENT PARTS

Model No.	Mfg. No.	Description	Price/Each
SAS111	03583	Black cap, yellow stopper and vent cap	
SAS112	03647	Black cap, yellow stopper, spout and vent cap	
SAK867	05459	Eco® spout	

SAO958



SAP356



SAP357





## FINE FIBRE SORBENT PADS & ROLLS – INDUSTRIAL GRADE

- Premium industrial grade fine fibre
- Bonded tri layered construction offers a smooth lint free finish that does not leave fibre residue behind
- Quickest absorption rate and increased durability
- Offers maximum absorbency and strength
- Adheres well to floors to offer a secure footing
- All universal and hazmat pads and rolls are antistatic and made of up to 90% recycled materials
- All sorbent pads and rolls have absorption capacities of more than 25x their weight
- Rolls are perforated along the middle & cross direction every 18"

**ZENITH®**  
Safety Products

Heaviest grade of  
fine fibre finish in the  
industry

### OIL ONLY

Priced per Package

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
<b>PADS – OIL ONLY</b>					
SEI956	Heavy	15" x 17"	40	100	
SEI957	Medium	15" x 17"	35	100	
SEI958	Light	15" x 17"	40	200	
<b>ROLLS – OIL ONLY</b>					
SEI959	Heavy	150' x 30"	70	1	
SEI960	Heavy	150' x 15"	35	1	
SEI961	Medium	150' x 30"	50	1	
SEI962	Medium	150' x 15"	25	1	

SEI956



SEI959

### UNIVERSAL

Priced per Package

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
<b>PADS – UNIVERSAL</b>					
SEI963	Heavy	15" x 17"	40	100	
SEI964	Medium	15" x 17"	35	100	
SEI965	Light	15" x 17"	40	200	
<b>ROLLS – UNIVERSAL</b>					
SEI966	Heavy	150' x 30"	70	1	
SEI967	Heavy	150' x 15"	35	1	
SEI968	Medium	150' x 30"	50	1	
SEI969	Medium	150' x 15"	25	1	

SEI963



SEI966

### HAZMAT

Priced per Package

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
<b>PADS – HAZMAT</b>					
SEI970	Heavy	15" x 17"	40	100	
SEI971	Medium	15" x 17"	35	100	
SEI972	Light	15" x 17"	40	200	
<b>ROLLS – HAZMAT</b>					
SEI973	Heavy	150' x 30"	70	1	
SEI974	Heavy	150' x 15"	35	1	
SEI975	Medium	150' x 30"	50	1	
SEI976	Medium	150' x 15"	25	1	

SEI963



SEI973



# SPILL CONTROL MANAGEMENT

## FINE FIBRE SORBENT PADS & ROLLS

- Premium fine fibre
- Bonded tri layered construction offers a smooth lint free finish that does not leave fibre residue behind
- Quickest absorption rate and increased durability
- Offers superior absorbency and strength
- Adheres well to floors to offer a secure footing
- All universal and hazmat pads and rolls are antistatic and made of up to 90% recycled materials
- All sorbent pads and rolls have absorption capacities of more than 25x their weight
- Rolls are perforated along the middle & cross direction every 18"



### OIL ONLY

Priced per Package

Model No.	Weight	Dimensions			Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
PADS – OIL ONLY							
SEH974	Heavy	15"	x	17"	30	100	
SEH975	Medium	15"	x	17"	25	100	
SEI977	Light	15"	x	17"	30	200	
ROLLS – OIL ONLY							
SEH976	Heavy	150'	x	30"	50	1	
SEH977	Heavy	150'	x	15"	25	1	
SEH978	Medium	150'	x	30"	40	1	
SEH979	Medium	150'	x	15"	20	1	



### UNIVERSAL

Priced per Package


Model No.	Weight	Dimensions L x W			Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
PADS – UNIVERSAL							
SEJ936	Heavy	15"	x	17"	30	100	
SEH981	Medium	15"	x	17"	25	100	
SEI978	Light	15"	x	17"	30	200	
ROLLS – UNIVERSAL							
SEH982	Heavy	150'	x	30"	50	1	
SEH983	Heavy	150'	x	15"	25	1	
SEH984	Medium	150'	x	30"	40	1	
SEH985	Medium	150'	x	15"	20	1	



### HAZMAT

Priced per Package

Model No.	Weight	Dimensions L x W			Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
PADS – HAZMAT							
SEH986	Heavy	15"	x	17"	30	100	
SEI979	Medium	15"	x	17"	25	100	
SEH987	Light	15"	x	17"	30	200	
ROLLS – HAZMAT							
SEH988	Heavy	150'	x	30"	50	1	
SEI980	Heavy	150'	x	15"	25	1	
SEI981	Medium	150'	x	30"	40	1	
SEI982	Medium	150'	x	15"	20	1	



## LAMINATED (SMS) SORBENT PADS & ROLLS

- Three layer spun bonded/melt blown/spun bonded finish (SMS)
- Extra strength polypropylene outer layer
- Laminated sorbents are lint free and permit a fast and easy clean up
- Premium durability; ideal for high traffic surfaces
- All universal and hazmat pads and rolls are antistatic and made of up to 90% recycled materials
- All sorbent pads and rolls have absorption capacities of more than 25x their weight
- Rolls are perforated along the middle & cross direction every 18"

### OIL ONLY

Model No.	Weight	Dimensions			Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
		L	x	W			
PADS – OIL ONLY							
SEH990	Heavy	15"	x	17"	30	100	
SEI983	Medium	15"	x	17"	25	100	
SEI984	Light	15"	x	18"	30	200	
ROLLS – OIL ONLY							
SEH991	Heavy	150'	x	30"	50	1	
SEH992	Heavy	150'	x	15"	25	1	
SEI986	Medium	150'	x	30"	40	1	
SEI987	Medium	150'	x	15"	20	1	

SEH990



SEH991

### UNIVERSAL

Model No.	Weight	Dimensions			Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
		L	x	W			
PADS – UNIVERSAL							
SEH996	Heavy	15"	x	17"	30	100	
SEI988	Medium	15"	x	18"	25	100	
SEI989	Light	15"	x	17"	30	200	
ROLLS – UNIVERSAL							
SEH994	Heavy	150'	x	30"	50	1	
SEH995	Heavy	150'	x	15"	25	1	
SEI990	Medium	150'	x	30"	40	1	
SEI991	Medium	150'	x	15"	20	1	

SEH996




SEH994

### HAZMAT

					Priced per Package		
Model No.	Weight	Dimensions L   x   W			Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
PADS – HAZMAT							
SEI992	Heavy	15"	x	17"	30	100	
SEI993	Medium	15"	x	17"	25	100	
SEI994	Light	15"	x	17"	30	200	
ROLLS – HAZMAT							
SEI995	Heavy	150'	x	30"	50	1	
SEI996	Heavy	150'	x	15"	25	1	
SEI997	Medium	150'	x	30"	40	1	
SEI998	Medium	150'	x	15"	20	1	

SEH992



SEI995

# SPILL CONTROL MANAGEMENT

## BONDED SORBENT PADS & ROLLS


- 100% bonded polypropylene fibre
- Ideal for applications that require increased tensile strength
- More durable than traditional meltblown sorbents
- Bonded pads offer low linting and permit an easy clean up
- All universal and hazmat pads and rolls are antistatic and made of up to 90% recycled materials
- All sorbent pads and rolls have absorption capacities of more than 25x their weight
- Rolls are perforated along the middle & cross direction every 18"

### OIL ONLY

### Priced per Package

Model No.	Weight	Dimensions			Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
PADS – OIL ONLY							
SEJ934	Heavy	15"	x	18"	30	100	
SEH968	Heavy	15"	x	17"	8	25	
SEH969	Medium	15"	x	17"	25	100	
SEI999	Light	15"	x	17"	15	100	
SEH970	Light	15"	x	17"	30	200	
ROLLS – OIL ONLY							
SEH972	Heavy	150'	x	30"	50	1	
SEH971	Heavy	150'	x	15"	25	1	
SEJ001	Medium	150'	x	30"	40	1	
SEJ002	Medium	150'	x	15"	20	1	
SEH973	Light	300'	x	30"	55	1	

SEJ934



SEH972


### UNIVERSAL

### Priced per Package

Model No.	Weight	Dimensions			Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
PADS – UNIVERSAL							
SEJ935	Heavy	15"	x	17"	30	100	
SEH959	Heavy	15"	x	17"	8	25	
SFU959*	Heavy	15"	x	17"	30	100	
SEJ940	Medium	15"	x	18"	25	100	
SEH961	Light	15"	x	17"	15	100	
SEH962	Light	15"	x	17"	30	200	
ROLLS – UNIVERSAL							
SEH966	Heavy	150'	x	30"	50	1	
SEH965	Heavy	150'	x	15"	25	1	
SEH964	Medium	150'	x	30"	40	1	
SEH963	Medium	150'	x	15"	20	1	

\* Comes in a box

SEH959



SEH964

### HAZMAT


### Priced per Package

Model No.	Weight	Dimensions L x W			Absorbency/Pkg. Gallons	Qty /Pkg.	Colour	Price /Each
PADS – HAZMAT								
SEI007	Heavy	15"	x	18"	30	100	Yellow	
SGC512	Heavy	15"	x	18"	30	100	Green	
SEJ004	Medium	15"	x	17"	25	100	Yellow	
SGC515	Medium	15"	x	18"	25	100	Green	
SEJ005	Light	15"	x	17"	15	100	Yellow	
SEJ006	Light	15"	x	18"	30	200	Yellow	
SGC514	Light	15"	x	18"	30	200	Green	
ROLLS – HAZMAT								
SEI009	Heavy	150'	x	30"	50	1	Yellow	
SGC513	Heavy	150'	x	30"	50	1	Green	
SEI008	Heavy	150'	x	15"	25	1	Yellow	
SEJ008	Medium	150'	x	30"	40	1	Yellow	
SEJ009	Medium	150'	x	15"	20	1	Yellow	

SEI007



SGC512



## BLUE BONDED SORBENT PADS & ROLLS

- 100% bonded polypropylene fibre
- Ideal for applications that require increased tensile strength
- More durable than traditional meltblown sorbents
- Bonded pads offer low linting and permit an easy clean up
- All sorbent pads and rolls have absorption capacities of more than 25x their weight
- Blue pads and rolls are excellent for snow conditions, where distinguishing colour is needed
- Same quality and finish as the white pads and rolls
- Rolls are perforated along the middle & cross direction every 18"

Also available in fine fibre and laminated

**ZENITH®**  
Safety Products

Priced per Package						
Model No.	Weight	Dimensions		Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
		L	x	W		
BLUE PADS – OIL ONLY						
SEJ186	Heavy	15"	x	18"	30	100
SEJ187	Heavy	15"	x	17"	8	25
SEJ188	Medium	15"	x	17"	25	100
SEJ189	Light	15"	x	17"	15	100
SEJ190	Light	15"	x	17"	30	200
BLUE ROLLS – OIL ONLY						
SEJ191	Heavy	150'	x	30"	50	1
SEJ192	Heavy	150'	x	15"	25	1
SEJ193	Medium	150'	x	30"	40	1
SEJ194	Medium	150'	x	15"	20	1
SEJ195	Light	300'	x	30"	55	1

SEJ186



SEJ191



## CAUTION - HIGH VISIBILITY ABSORBENTS

- High visibility yellow with the international symbol for slip hazard helps reduce slips, trips and falls
- Spunbond side is abrasion-resistant, great for foot traffic and fine fibre side grips to smooth surfaces
- Quick and effective solution to absorb non-hazardous types of liquids
- Perforated to help reduce waste

**ZENITH®**  
Safety Products

Safety Products					Priced per Package	
Model No.	Weight	Dimensions L x W		Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
PADS - UNIVERSAL						
SGC493	Heavy	15"	x 18"	24.4	100	
ROLLS - UNIVERSAL						
SGC495	Heavy	150'	x 36"	57	1	
SGC494	Heavy	150'	x 30"	57	1	
SGC496	Heavy	150'	x 24"	37.6	1	

SGC496



SGC493



## CAMOUFLAGE UNIVERSAL SORBENTS

- Three layer spun bonded/melt blow/spun bonded finish (SMS)
- Strong tensile strength is ideal for wiping and MRO applications
- Military camouflage design and colour offers maximum spill and dirt concealment
- All universal and hazmat pads and rolls are antistatic and made of up to 90% recycled materials
- All sorbent pads and rolls have absorption capacities of more than 25x their weight

**ZENITH®**  
Safety Products

Safety Products				Priced per Package	
Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
PADS - UNIVERSAL					
SEI056	Heavy	15" x 17"	25	100	
ROLLS - UNIVERSAL					
SEI057	Heavy	150' x 30"	50	1	
SEI058	Heavy	150' x 15"	25	1	

SEI057



SEI056





# SPILL CONTROL MANAGEMENT

## MELTBLOWN SORBENT PADS & ROLLS

- 100% meltblown polypropylene fibre
- Most cost effective sorbent in the industry
- Permit an easy and quick clean up
- Quick and effective solution for oil spills or leaks
- All sorbent pads and rolls have absorption capacities of more than 25x their weight



Priced per Package

Model No.	Weight	Dimensions			Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
PADS – OIL ONLY							
SEH942	Heavy	15"	x	17"	30	100	
SEH943	Heavy	15"	x	17"	8	25	
SEH944	Medium	15"	x	17"	25	100	
SEH946	Medium	30"	x	30"	50	50	
SEH945	Light	15"	x	18"	15	100	
SEI620	Light	15"	x	17"	30	200	
ROLLS – OIL ONLY							
SEH947	Heavy	150'	x	30"	50	1	
SEH948	Heavy	150'	x	15"	25	1	
SEH949	Medium	150'	x	30"	40	1	
SEH950	Medium	150'	x	15"	20	1	



SEH942



SEH947

## MELTBLOWN SORBENT PADS - UNIVERSAL

- 100% meltblown polypropylene fibre
- Permits an easy and quick clean up
- Quick and effective solution to absorb non-hazardous types of liquids
- These sorbents have absorption capacities of more than 25x their weight
- Spill Type: Universal



Priced per Package

Model No.	Weight	Dimensions L x W			Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
SGC489	Heavy	15"	x	18"	30	100	
SGC490	Medium	15"	x	18"	25	100	
SGC491	Light	15"	x	18"	30	200	



SGC489

## ANTI STATIC SORBENT PADS

- 100% meltblown polypropylene fibre
- Chemically treated with anti static agent
- Permit an easy and quick clean up
- Ideal for cold conditions or highly flammable environments, will not spark
- All sorbent pads have absorption capacities of more than 25x their weight



Priced per Package

Model No.	Weight	Dimensions			Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
		L"	x	W"			
PADS – OIL ONLY							
SEI577	Heavy	15	x	18	25	100	
SEJ014	Heavy	30	x	30	55	50	



SEI577

## NATURAL FINE FIBRE SORBENT PADS & ROLLS

- Cold formation fine fibre cotton
- Biodegradable
- Lint free finish that does not leave fibre residue behind
- Permits rapid absorption
- All sorbent pads and rolls have absorption capacities of more than 25x their weight




Priced per Package

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
<b>PADS – OIL ONLY</b>					
SEI037	Heavy	16" x 18"	30	100	
<b>ROLLS – OIL ONLY</b>					
SEI039	Heavy	150' x 28"	50	1	
SEI040	Heavy	150' x 14"	25	1	
<b>PADS – UNIVERSAL</b>					
SEI042	Heavy	16" x 18"	30	100	
<b>ROLLS – UNIVERSAL</b>					
SEI044	Heavy	150' x 28"	50	1	
SEI045	Heavy	150' x 14"	25	1	

Also available in laminated, bonded and meltblown

SEI037



SEI042



## SPILLTRATION™ HUSKY PADS - OIL ONLY

- Prevent oily water from reaching storm drains and waterways
- Avoid costly clean-up costs and fines by keeping spills in a small footprint
- Made from recycled materials, helps you in your sustainability initiatives
- Reusable - Substantially reduce your materials and disposal costs



Priced per Package

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
SGC498	Heavy	16" x 16"	17.2	5	



## SPILLTRATION™ OIL SHAMMY TOWELS - OIL ONLY

- Designed to work in the rain
- Compresses to fit in small areas
- Made from recycled materials, helps you in your sustainability initiatives
- Reusable - Substantially reduce your materials and disposal costs



Priced per Package

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
SGC503	Heavy	16" x 10"	29	50	
SGC504	Heavy	16" x 16"	47	50	

SGC503



# SPILL CONTROL MANAGEMENT

## SPILLTRATION™ HUSKY STRIPS - OIL ONLY

- Designed to work in the rain
- Prevent oily water from reaching storm drains and waterways
- Wring out and reuse
- Substantially reduce your materials and disposal costs
- 80% less storage space than traditional oil spill products
- Made entirely from post consumer and post industrial waste



Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
SGC505	Heavy	64" x 8"	4	4	



## HIGH TRAFFIC UNIVERSAL SORBENTS

- Three layer spun bonded/melt blow/fine fibre finish (SMF)
- Best suited for problem areas with high traffic
- Conceived for added durability and absorbency
- Offers the top layer strength of laminated sorbents, with the bottom layer floor adherence of fine fibre sorbents
- Ideal for use in forklift traffic areas
- All universal rolls are antistatic and made of up to 90% recycled materials
- All sorbent rolls have absorption capacities of more than 25x their weight

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
ROLLS - UNIVERSAL					
SEJ015	Heavy	150' x 30"	60	1	
SEJ016	Heavy	150' x 15"	30	1	
SEJ017	Light	150' x 30"	40	1	
SEJ018	Light	150' x 15"	20	1	

SEJ015



## RAG RUGS

- Made of 100% recycled cotton and polyester, with a binder on one side
- Provides an excellent non-slip surface for work spaces
- Best suited for busy areas with leaks and drips
- Protects floor by preventing damage, and keeps it dry and clean
- Absorbs more than 12 times its weight in oil, water, or chemicals

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
ROLLS - UNIVERSAL					
SEI055	Heavy	150' x 36"	61	1	

SEI055



## INDUSTRIAL RUGS

- Needle punched 100% polypropylene fibre
- Provides an excellent non-slip surface for work spaces
- Best suited for busy areas with leaks and drips
- Protects floor by preventing damage, while keeping it dry and clean
- Absorbs more than 12 times its weight in oil, water, or chemicals

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
ROLLS - UNIVERSAL					
SEJ019	Heavy	100' x 36"	25	1	
SEJ020	Heavy	150' x 36"	35	1	
SEJ021	Heavy	300' x 36"	70	1	

SEJ019



## POLY BACKED INDUSTRIAL RUGS

- Needle punched 100% polypropylene fibre
- Poly backing prevents absorbed fluids from penetrating through to the floor
- Provides an excellent non-slip surface for work spaces
- Best suited for busy areas with leaks and drips
- Protects floor by preventing damage, while keeping it dry and clean
- Absorbs more than 12 times its weight in oil, water, or chemicals



Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
<b>ROLLS - UNIVERSAL</b>					
SEJ022	Heavy	50' x 36"	25	1	
SEJ023	Heavy	100' x 36"	35	1	
SEJ024	Heavy	150' x 36"	70	1	



## SPILLTRATION™ HUSKY RUGS

- Designed to work in the rain
- Compresses up to 80% to fit in tight spaces
- Made from recycled materials, helps you in your sustainability initiatives
- Reusable - Substantially reduce your materials and disposal costs
- Spill Type: Oil Only



Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
<b>HUSKY RUGS</b>					
SGC499	Heavy	4' x 32"	2.1	1	
<b>HUSKY POLYBACK*</b>					
SGC502	Heavy	100' x 64"	176	1	
SGC501	Heavy	25' x 32"	22	1	
SGC500	Heavy	4' x 32"	3.5	1	

\* Laminated with a sturdy plastic backing to prevent oil from leaking through



SGC502



SGC499



## ADHESIVE SORBENT MAT

- Adhesive backing ensures that the mat won't shift from foot or forklift traffic
- Easy to cut and apply to all types of work surfaces
- Fast-drying and easy to clean
- Great absorbency and highly durable
- Spill Type: Universal
- Weight: Medium



Model No.	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
SGE697	50' x 18"	6.25	1	
SGE695	50' x 36"	12.5	1	
SGE698	100' x 18"	12.5	1	
SGE696	100' x 36"	25	1	





# SPILL CONTROL MANAGEMENT

## OIL ONLY SWEEP

- Made of durable laminated polypropylene
- 2" nylon webbing for additional strength is added on the length of the sweep
- Ideal for marine spill, fine sheen and surface spill removal
- Sorbent sweep absorbs oil, and repels water
- Looping straps at each end to tie sweep across waterways or on boats for dragging
- Easily attaches to sorbent booms



Model No.	Dimensions L' x W"	Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
<b>SWEEP - OIL ONLY</b>				
SEI049	100 x 19	33	1	

## OIL ONLY BILGE BOOMS

- 100% polypropylene
- Will not sink when fully saturated permitting easy retrieval
- Can be used indoors or outdoors, and will not absorb water
- Prevents odors by absorbing bacteria breeding oily residues



Priced per Package				
Model No.	Dimensions L' x W"	Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
<b>BILGE BOOM - OIL ONLY</b>				
SEI051	18 x 5	31	12	
SEI294	18 x 8	31	10	

## SORBENT BOOMS

- Made of a durable spunbond sock and net filled with 100% polypropylene particulate
- Oil only booms are used for marine spills, universal booms are used for large land spills
- Durable rope runs between the sock and net allowing all tension to remain on the rope
- Hooks and clips at ends and 18" provide overlap at connection points
- Quick snaps provide easy handling and permit to attach multiple lengths together
- UV resistant for up to 12 months
- Oil only booms are made from 100% polypropylene, and absorb more than 25x their weight
- Universal booms are made from a polypropylene and cellulose blend, and absorb more than 18x their weight
- Polypropylene and cellulose blend absorption capacities far exceed those of 100% cellulose sorbents

SEH952



SEH999



Priced per Package				
Model No.	Dimensions L' x W"	Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
<b>BOOMS - OIL ONLY</b>				
SDK911	120 x 5	35	4	
SEH952	120 x 8	70	4	
<b>BOOMS - UNIVERSAL</b>				
SEH999	120 x 5	35	4	
SEI001	120 x 8	70	4	

## SPILLVER BULLET™ BOOM

- Flexible boom fully extends in seconds
- Takes up 75% less space than traditional booms and is readily storable in a tight spot on a fuel truck or emergency response vehicle
- Weighs 90% less, at only 18 lbs.
- Deploys 40 times faster than other booms
- One person can easily deploy in only 30 seconds
- Prevents oil spills from spreading into storm drains and waterways
- Spill Type: Oil Only



Model No.	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
SGC508	100' x 5"	28	1	
SGC509	50' x 5"	14	1	

SGC509



## SORBENT SOCKS

- Durable polypropylene shell prevents tearing and offers maximum flexibility
- Perfect for surrounding leaking machinery and drains
- Best suited to surround spills when easy containment and clean up is required
- Oil only and hazmat socks are made from 100% polypropylene, and absorb more than 25x their weight
- Universal socks are made from a polypropylene and cellulose blend, and absorb more than 18x their weight
- Polypropylene and cellulose blend absorption capacities far exceed those of 100% cellulose sorbents



Safety Products					Priced per Package	
Model No.	Dimensions			Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
	L"	x	W"			
SOCKS - OIL ONLY						
SEH953	48	x	3	25	12	
SEJ937	48	x	3	45	25	
SEH955	120	x	3	45	10	
SOCKS – UNIVERSAL						
SEJ938	48	x	3	20	12	
SEI002	48	x	3	40	25	
SEI047	48	x	3	50	30	
SEJ025	48	x	3	65	40	
SEJ026	96	x	3	65	20	
SEI048	120	x	3	40	10	
SOCKS – HAZMAT						
SEJ941	48	x	3	40	25	
SEI011	96	x	3	50	15	
SEI004	120	x	3	45	10	



SEJ937



SEI002



SEI004

## DRUM COVER ABSORBENT PADS

- 100% polypropylene
- Precut to fit 55-gallon drums perfectly with a cut out bung hole
- Retains pump drips and drum leaks at the source and away from surrounding areas
- Keeps drum tops and floors clean and dry



Safety Products			Priced per Package	
Model No.	Diameter"	Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
DRUM COVER - OIL ONLY				
SEI050	22	10	25	
DRUM COVER - UNIVERSAL				
SEI053	22	10	25	




SEI050

SEI053

## DRIP PANS

- Pans are filled with sorbent pillows which keep liquids contained and prevents splashing
- Convenient, versatile, and easy to use around the work environment
- Best suited for placing under drums or machinery, and any other areas where drips occur
- The perfect solution for continuous leaks



SEI052

SEI054

Model No.	Dimensions					Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
	L"	x	W"	x	H"			
DRIP PAN - OIL ONLY								
SEI052	10 1/2	x	10 1/2	x	3	1	1	
DRIP PAN - UNIVERSAL								
SEI054	10 1/2	x	10 1/2	x	3	1	1	

## SORBENT PILLOWS

- The perfect sorbent solution to trap drips and leaks
- Designed to recover and absorb large volumes of liquid
- Pillows can slide underneath dispensing units and machines to contain constant drips
- Oil only pillows are made from 100% polypropylene, and absorb more than 25x their weight
- Universal pillows are made from a polypropylene and cellulose blend, and absorb more than 18x their weight
- Polypropylene and cellulose blend absorption capacities far exceed those of 100% cellulose sorbents



SEH956



SEI005



Safety Products					Priced per
Model No.	Dimensions L" x W"		Absorbency/Pkg. Gallons	Qty /Pkg.	Price /Each
PILLOWS - OIL ONLY					
SEH956	18	x 8	25	10	
SEH957	18	x 18	40	10	
PILLOWS - UNIVERSAL					
SEJ028	18	x 8	30	10	
SEJ029	18	x 18	45	10	
PILLOWS - HAZMAT					
SEI006	18	x 8	30	10	
SEI005	18	x 18	45	10	

# SPILL CONTROL MANAGEMENT

## ECOPOLYBLEND™ SPILL TRAY

- Lightweight and low-profile design for small-scale spill control
- Made of 100% recycled polyethylene, these eco-friendly spill trays will not rust or corrode
- Raised rib bottom adds rigidity and keeps contents out of spills
- Perfect for pouring and filling applications
- Rated for service temperatures between -30° to 120°F (-34 to 49°C)



Model No.	Mfg. No.	Dimensions				Spill Capacity gal.	Price /Each
		L"	x	W"	x H"		
SEB201	28715	46	x	16	x 5 1/2	12	
SEB202	28716	38	x	26	x 5 1/2	20	
SEB203	28717	47 1/2	x	23	x 5 1/2	20	
SEB204	28718	37 3/4	x	34	x 5 1/2	23	
SEB205	28719	47	x	33	x 5 1/2	29	

## SPILL BERM®

- Non-absorbing berms stop machine leaks from spreading and are easily cleaned for repeated use
- Flexible, urethane design will bend to follow any curve or angle needed
- Contains leaks, and reduces slip hazards
- Allows quick and easy cleanup or recycling of liquids
- Can be cut to various lengths to meet custom needs
- Interlocking end joints on all models create longer lengths and are self-sealing except model number SEI129 which requires connectors and corners




Model No.	Description	Dimensions				Price /Each
		L"	x	W"	x H"	
SEI128	Low Profile	120	x	2 1/4	x 1 3/8	
SEI129	Ultra	120	x	4	x 2 1/4	
SEI130	Ultra Plus	60	x	4	x 4 1/2	
SEI131	Connector for SEI129	-				
SEI132	Corner for SEI129	-				

## POLY-LABTRAY™

### BRINGS SPILL PROTECTION TO THE LABORATORY BENCH!

- Reduces unrecoverable spills and overflows of liquid and free-flowing powder chemicals during the transfer of materials in the lab
- Holds four one gallon bottles
- Removable grate for easy cleaning, 20 3/4" L x 17 1/4" W
- Molded-in corner spout makes waste disposal clean, easy and efficient
- 40-lb. static load weight
- 2.5 US gallon sump capacity



Model No.	Mfg. No.	Exterior Dimensions				Wt. lbs.	Price /Each
		L"	x	W"	x H"		
SB768	5248-YE	25.5	x	22	x 3.25	6.5	

## ULTRA-DRAIN PLUGS®

- Urethane plugs keep spills out of drains
- Tapered design wedges securely into standards drains to stop any flow
- Eyebolts are removable, allowing installation of grating with Drain Plug in place
- Non-absorbing, easily cleaned for repeated use
- Flexible polyurethane material resists oil, water and most aggressive chemicals
- Cleans with soap and water



Model No.	Mfg. No.	Description	Price /Each
SDL561	2113	2" Drain Plug	
SDL562	2114	3" Drain Plug	
SDL563	2115	4" Drain Plug	
SDL565	2117	6" Drain Plug	
SDL566	2118	8" Drain Plug	
SDL567	2119	10" Drain Plug	
SDL568	2121	12" Drain Plug	
SDL564	2116	3 Plug Kit*	

\*Kit includes one 2", one 3", and one 4" plug; comes in a rigid plastic box

## POLY-SPILLPAD™ PADS

- Handles spent batteries, 5-gallon pail, 16 US gallon drums and your small jobs
- Sturdy chemically resistant fabric provides protection, while an inner polyethylene beam keeps incidental spills contained
- Lightweight and easily moved on floor or travels to prevent incidental spills
- Large sump area allows for an extended response time
- Removable 100% polyethylene grate allows easy access to sump



Model No.	Mfg. No.	Exterior Dimensions				Sump Cap. US Gal.	Load Bearing Cap. lbs.	Wt. lbs.	Price /Each
		L"	x	W"	x H"				
SD519	5600-YE	24	x	24	x 2	2	4000	13	
SD520	5610-YE	31 1/2	x	54	x 2 1/4	7.5	8000	21	
SD521	5620-YE	55 1/2	x	55	x 2 1/2	12	16000	25	



## STORMWATER GRATEGUARD MATS

- Reversible, lightweight and easy to use
- Ideal to seal around drains, storm sewer inlets or in front of curb culverts



Model No.	Dimensions					Price /Each
	L"	x	W"	x	H"	
STORMWATER GRATEGUARDS – SEDIMENT ONLY						
SEI106	18	x	24	x	4	
SEI107	24	x	24	x	4	
SEI108	28	x	28	x	4	
SEI109	30	x	32	x	4	
SEI110	24	x	36	x	4	
SEI111	24	x	40	x	4	
SEI112	24	x	48	x	4	
STORMWATER GRATEGUARDS – OIL & SEDIMENT						
SEI113	18	x	24	x	4	
SEI114	24	x	24	x	4	
SEI115	28	x	28	x	4	
SEI116	30	x	32	x	4	
SEI117	24	x	36	x	4	
SEI118	24	x	40	x	4	
SEI119	24	x	48	x	4	

## STORMWATER DRAINGUARDS

- Prevents oil and other contaminants from entering water systems and drains
- Designed for use in industrial facilities, construction sites, parking lots and retail outlets
- Can remove up to 0.87 gallons of oil, or 40 lbs. of sediments
- Ideal to seal around drains, storm sewer inlets or in front of curb culverts



Model No.	Dimensions					Qty /Pkg.	Priced per Package	
	L"	x	W"	x	H"		Wt. lbs.	Price /Each
SEI122	48	x	36	x	18	1	1	
SEI123	48	x	36	x	18	10	1	

## DRAIN SEAL MATS

- Constructed of 100% solid tacky polyurethane
- Reversible, light weight and easy to use
- Cost effective reusable solution for emergency chemical spills
- Ideal to seal around drains, storm sewer inlets or in front of curb culverts



SEI093

SEI103



SEI099



Model No.	Dimensions					Price /Each
	L"	x	W"	x	H"	
DRAIN SEALS – SQUARE						
SEI091	18	x	18	x	3/8	
SEI092	24	x	24	x	3/8	
SEI093	36	x	36	x	3/8	
SEI094	42	x	42	x	3/8	
SEI095	48	x	48	x	3/8	
SEI096	54	x	54	x	3/8	
DRAIN SEALS – RECTANGULAR						
SEI097	18	x	60	x	3/8	
SEI098	36	x	60	x	3/8	
DRAIN SEALS – CIRCULAR						
SEI099	12 Dia.	x	3/8 H			
SEI100	20 Dia.	x	3/8 H			
SEI101	30 Dia.	x	3/8 H			
SEI102	42 Dia.	x	3/8 H			
WALLMOUNT HOLDER						
SEI103	Fits 18" and 24" Drain Seals					
SEI104	Fits 36" Drain Seals					
SEI105	Fits 48" Drain Seals					

## NEOPRENE DRAIN COVERS

- Prevents contaminants from entering drain
- Resists oil, water and most aggressive chemicals, non-absorbing
- Cleans easily with soap and water between uses

Model No.	Mfg. No.	Dimensions					Price /Each
		L"	x	W"	x	H"	
SH104	Drain-Cover	36	x	36	x	1/16	
SAP060	Drain-Cover-48	48	x	48	x	1/16	





# SPILL CONTROL MANAGEMENT

## PLUG RUG® MATS

- Quick and instant, non-toxic seal
- Cost effective and easy to use
- Resistant to oils and most chemicals
- Will seal even if the surface is dirty and rough
- Ideal to seal around drains, storm sewer inlets or in front of curb culverts



Model No.	Dimensions			Qty /Pkg.	Price /Each
	L"	x	W"		
SEI077	8	x	8	4	
SEI078	16	x	16	4	
SEI079	24	x	16	4	

## DRIP DAM™ ROOF LEAK DIVERTERS

- Fast and efficient response to overhead leaks
- Flow rate of over 3 gallons per minute
- Convenient hose connector with cap
- Fits 5/8" and 1/2" standard garden hose, not included
- Hose can then be directed to proper drainage point
- High chemical resistance
- Lightweight, reusable and easy to store
- Material: HDPE
- Attach with four bungee cords or rubber tie downs (not included)



Model No.	Mfg No.	Dimensions'			Price /Each
SEI133	460303-YE	3	x	3	
SEI134	460306-YE	3	x	6	
SEI136	460610-YE	6	x	10	
SEI657	460505-YE	5	x	5	
SEI658	460606-YE	6	x	6	
SEI659	461012-YE	10	x	12	
SEI660	461212-YE	12	x	12	
<b>HOSE</b>					
SDM218	46-HOSE-10	10	x	3/4" dia	
SDM219	46-HOSE-25	25	x	3/4" dia	

## RUBBER TIE DOWN

- Other sizes available



Model No.	Size"	Max Safe Stretch"	Price/Each
PE368	15	22 1/2	

## PLUG N'DIKE® SEALANTS

- Easy to use and convenient emergency sealant
- Seals immediately and sticks to unprepared, dirty and crumpled surfaces
- Non-toxic and non-flammable blend of high absorption polymers
- Can be used with hydrocarbons and water-based chemicals
- Antifreeze mix prevents hardening in cold weather applications
- Dry, granular blend can be mixed with water to form a paste



Model No.	Format	Qty /Pkg.	Price /Each
<b>PLUG N'DIKE® PASTE</b>			
SEI071	10-oz. Jar	1	
SEI072	1-lb. Jar	1	
<b>PLUG N'DIKE® GRANULAR</b>			
SEI080	5-Gallon Pail	1	
SEI081	1-Gallon Jug	4	

## THE RUPTURESEAL™

- Assists in stopping leaks from accidental ruptures
- Single use only
- Lasts upwards of 10 hours in the rupture
- Protects environment and reduces cost of cleanup
- Tested to operate successfully in environments with a direct temperature range between -50°C and 50°C and at pressure up to 16 PSI



Model No.	Sizes"	Description	Price /Each
<b>1 SEAL</b>			
SEF156	1	-	
SEF157	2	-	
SEF158	2 x 6	-	
<b>3 SEALS</b>			
SEF159	1, 2 & 2 x 6	Plastic Bag	

## PIPE LEAK DIVERTERS

- Fast and efficient response to leaks eliminating slip hazards
- High chemical resistance
- 7-gallon fluid capacity
- Convenient hose connector with cap
- Hose can then be directed to proper drainage point
- Fits 5/8" and 1/2" standard garden hose, not included
- Lightweight, reusable and easy to store
- Material: HDPE
- Dimensions: 18" x 18"
- Includes four bungee cords

Model No. SEI661  
Mfg No. 46R18-YE  
Price/Each \$



## FACTORY INDUSTRIAL WET/DRY VACS 3.0 PEAK HP - 2 STAGE MOTOR

Factory tough large capacity 44 gal. vacuum and head assembly built to handle the toughest shop jobs. Complete with hose and utility nozzle. Electrical 120 V, 60 Hz, 11 A. Model **NG343** converts your steel drum into a wet/dry vac. Heavy-duty dolly with Model **NG342** only.

### Includes:

- 12' hose (NC249)
- Master nozzle chrome plated 6" (NC239)
- Elbow joint 2 1/2" (NC277)
- Ultra web cartridge filter (NI735)



shop-vac

Model No.	Mfg. No.	Tank Cap. gal/L	Tank Type	CFM	Sealed Pressure"	Cord Length'	Wt. lbs.	Price /Each
NG342	970-05	44/204.5	Metal	109	100	18	41	
NG343	970-06	-	N/A	109	100	18	30	

## CLEANSTREAM® FILTERS

- 99.97% efficient down to 0.3 microns
- Picks up wet or dry, no need to remove filter anymore
- Fits on Shop-Vac® brand dry/wet vacuums

Model No. NI530

Mfg. No. 903-40

Price/Each \$

shop-vac



## POWERFUL INDUSTRIAL 10 US GALLON WET/DRY VACUUMS 2.5 PEAK HP

- 2-stage quiet operation motor feature
- Lock-On® hose system, convertible blower port, double filtration system, tool basket and tank drain
- Some assembly required

**Includes:** 1 1/2" 11-piece accessory package and filter kit



shop-vac

Model No.	Mfg. No.	CFM	Electrical 120 V, 60 Hz	Sealed Pressure"	Cord Length'	Wt. lbs.	Price /Each
NI732	962-21	100	9 A	90	35	27	

## ATTIX 30 HEPA WET/DRY VACUUM

- High performance, increased productivity and lower maintenance cost
- InfiniClean™ filter cleaning technology automatically cleans the filter every 15 seconds to keep working environment dust free
- Durable and washable PTFE filter that ensures minimum 99.9% filtration efficiency of fine dust particles
- Features 3-stage filtration technology for the highest level of safety, prolonging the life of the HEPA filter
- Same filter used for wet and dry collection
- High suction power and maximum filtration
- Optional motor cooling filter, exhaust air collector and long-life filter bag
- Comes with washable PTFE filter plastic disposable bag, replacement hose and hand tube, replacement tool adapter, 18" floor nozzle with height adjustment and 12" crevice nozzle
- Type: Wet-Dry
- Material: polypropylene
- Tank Capacity: 8 US Gal. (30.28 Litres)
- Peak HP: 1.34
- Motor Stage: 1-Stage
- Air Flow: 148 CFM

Model No. JH559

Mfg No. 900146

Price/Each \$



**Nilfisk  
ALTO**

## ATTIX 44 HEPA WET/DRY VACUUM

- High performance, increased productivity and lower maintenance cost
- InfiniClean™ filter cleaning technology automatically cleans the filter every 15 seconds to keep working environment dust free
- Durable and washable PTFE filter that ensures minimum 99.9% filtration efficiency of fine dust particles
- Features 3-stage filtration technology for the highest level of safety, prolonging the life of the HEPA filter
- Same filter used for wet and dry collection
- High suction power and maximum filtration
- Optional motor cooling filter, exhaust air collector and long-life filter bag
- Comes with washable PTFE filter plastic disposable bag, replacement antistatic hose, replacement tool adapter, 18" floor nozzle with height adjustment and 12" crevice nozzle
- Type: Wet-Dry
- Material: Polypropylene
- Tank Capacity: 11 US Gal.(41.64 Litres)
- Peak HP: 1.2
- Motor Stage: 1-Stage
- Air Flow: 148 CFM

Model No. JH560

Mfg no. 900148

Price/Each \$



**Nilfisk  
ALTO**