

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise A, Question 1

Question:

State whether each of the following variables is qualitative or quantitative.

a Height of a tree.

b Colour of car.

c Time waiting in a queue.

d Shoe size.

e Name of pupils in a class.

Solution:

a Quantitative as it is numerical.

b Qualitative as it is a descriptive word.

c Quantitative as it is numerical.

d Quantitative as it is numerical.

e Qualitative as they are descriptive words.

© Pearson Education Ltd 2008

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise A, Question 2

Question:

State whether each of the following quantitative variables is continuous or discrete.

a Shoe size.

b Length of leaf.

c Number of people on a bus.

d Weight of sugar.

e Time required to run 100 m.

f Lifetime in hours of torch batteries.

Solution:

a Discrete – you do not get a size 4.78

b Continuous – it can be any size – not necessarily a whole number.

c Discrete – you do not get bits of people.

d Continuous – it can be any weight – not necessarily a whole number.

e Continuous – it can be any amount of time – not necessarily a whole number

f Continuous – it can be any amount of time – not necessarily a whole number

© Pearson Education Ltd 2008

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise A, Question 3

Question:

Explain why

- a 'Type of tree' is a qualitative variable.
- b 'The number of pupils in a class' is a discrete quantitative variable.
- c 'The weight of a collie dog' is a continuous quantitative variable.

Solution:

- a It is a descriptive rather than numerical
- b You can not have bits of pupils in a class – only whole numbers. It is quantitative as it is numerical.
- c Weight can take any value in a given range.

Therefore it is continuous. It is quantitative as it is numerical.

© Pearson Education Ltd 2008

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise A, Question 4

Question:

The nurse at a health centre records the heights, h cm, to the nearest cm, of a group of boys in the same school age group. The frequency table shows the results.

a Complete the table by putting in the cumulative frequency totals.

h	Frequency (f)	Cumulative frequency
165	8	
166	7	
167	9	
168	14	
169	18	
170	16	

b State the number of boys who are less than 168 cm tall.

c Write down the height that is the most common.

Solution:

a

h	Frequency (f)	Cumulative frequency
165	8	8
166	7	15
167	9	24
168	14	38
169	18	56
170	16	72

b **24 boys**

c **169 cm**

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise A, Question 5

Question:

The distribution of the lifetimes of torch batteries is shown in the grouped frequency table below.

Lifetime (nearest 0.1 of an hour)	Frequency	Cumulative frequency
5.0–5.9	5	
6.0–6.9	8	
7.0–7.9	10	
8.0–8.9	22	
9.0–9.9	10	
10.0–10.9	2	

a Complete the cumulative frequency column.

b Write down the class boundaries for the second group.

c Work out the mid-point of the fifth group.

Solution:

a

Lifetime (hours)	frequency	Cumulative frequency
5.0–5.9	5	5
6.0–6.9	8	13
7.0–7.9	10	23
8.0–8.9	22	45
9.0–9.9	10	55
10.0–10.9	2	57

b **5.95** and **6.95**

c $\frac{8.95 + 9.95}{2} = 9.45$

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise A, Question 6

Question:

The distribution of the weights of two-month-old piglets is shown in the grouped frequency table below.

Weight (kg)	Frequency	Cumulative frequency
1.2–1.3	8	
1.3–1.4	28	
1.4–1.5	32	
1.5–1.6	22	

a Write down the class boundaries for the third group.

b Work out the mid-point of the second group.

Solution:

a **1.4** and **1.5**. there are no gaps therefore the boundaries are the numbers of the class.

b $\frac{1.3 + 1.4}{2} = 1.35$

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise A, Question 7

Question:

Write down which of the following statements are true.

a The weight of apples is discrete data.

b The number of apples on the trees in an orchard is discrete data.

c The amount of time it takes a train to make a journey is continuous data.

d David collected data on car colours by standing at the end of his road and writing down the car colours. Is the data he collected qualitative?

Solution:

A is **not true**

B is **true**

C is **true**

D is **true**

© Pearson Education Ltd 2008

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise B, Question 1

Question:

Meryl collected wild mushrooms every day for a week. When she got home each day she weighed them to the nearest 100 g. The weights are shown below.

500 700 400 300 900 700 700

a Write down the mode for these data.

b Calculate the mean for these data.

c Find the median for these data.

On the next day, Meryl collects 650 g of wild mushrooms.

d Write down the effect this will have on the mean, the mode and the median.

Solution:

a **700g** as this is the most often occurring.

b $500 + 700 + 400 + 300 + 900 + 700 + 700 = 4200$

$$\frac{4200}{7} = \mathbf{600g}$$

c 300 400 500 **700** 700 700 900

700g is the median as it is the middle value.

d

It will **increase the mean** as $650 > 600$.

The **mode will be unchanged**.

It will **decrease the median** as there will then be 8 values and $650 < \text{median}(700)$. It will lie mid way between 650 and 700.

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise B, Question 2

Question:

Joe collects six pieces of data x_1, x_2, x_3, x_4, x_5 and x_6 . He works out that Σx is 256.2.

a Calculate the mean for these data.

He collects another piece of data. It is 52.

b Write down the effect this piece of data will have on the mean.

Solution:

a $\frac{256.2}{6} = 42.7$

b It will **increase the mean** as it is greater than the old mean of 42.7.

© Pearson Education Ltd 2008

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise B, Question 3

Question:

A small workshop records how long it takes, in minutes, for each of their workers to make a certain item. The times are shown in the table.

Worker	A	B	C	D	E	F	G	H	I	J
Time in minutes	7	12	10	8	6	8	5	26	11	9

a Write down the mode for these data.

b Calculate the mean for these data.

c Find the median for these data.

d The manager wants to give the workers an idea of the average time they took. Write down, with a reason, which of the answers to **a**, **b** and **c** he should use.

Solution:

a **8 minutes** as everything else occurs once but there are two 8's.

b $\frac{102}{10} = 10.2$ minutes

c 5 6 7 8 8 9 10 11 12 26

Median is **8.5 minutes**

d The median would be reasonable. The **mean** is **affected by** the extreme value of **26**.

In this case the mode is close to the median so would be acceptable but this would not always be the case.

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise B, Question 4

Question:

A farmer keeps a record of the weekly milk yield of his herd of seven cows over a period of six months. He finds that the mean yield is 24 litres. He buys another cow that he is told will produce 28 litres of milk a week. Work out the effect this will have on the mean milk yield of his cows.

Solution:

The new total milk yield will be $(7 \times 24) + 28 = 196$

$$\text{New mean} = \frac{196}{8} = \mathbf{24.5 \text{ litres}}$$

The **new cow increases the mean milk yield** of the herd.

© Pearson Education Ltd 2008

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise B, Question 5

Question:

A clothes retailer has two shops in the town of Field-gate. Shop *A* employs 15 people and shop *B* employs 22 people. The mean number of days of sickness in a year taken by the employees in shop *A* is 4.6 and the mean number of days of sickness taken by the employees in shop *B* is 6.5 days. Calculate the mean number of days of sickness taken per year by all 37 employees. Give your answer to one decimal place.

Solution:

Total number of days sickness for both shops = $(4.6 \times 15) + (6.5 \times 22) = 212$

Mean number of days for all employees = $\frac{212}{37} = 5.73$ days

© Pearson Education Ltd 2008

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise B, Question 6

Question:

The rainfall in a certain seaside holiday resort was measured, in millimetres, every week for ten weeks. The hours of sunshine were also recorded. The data are shown in the table.

Rainfall (mm)	0	1	2	3	3	26	3	2	3	0
Sunshine (hours)	70	15	10	15	18	0	15	21	21	80

- Calculate the mean rainfall per week.
- Calculate the mean number of hours of sunshine per week.
- Write down the modal amount of rainfall and the modal amount of sunshine per week.
- Work out the median rainfall and the median amount of sunshine per week.

The council plans to produce a brochure and in it they wish to promote the resort as having lots of sunshine and little rain.

- Write down, with reasons, which of the mean, mode or median they should quote in their brochure as the average rainfall and hours of sunshine.

Solution:

$$\mathbf{a} \quad \frac{43}{10} = \mathbf{4.3 \text{ mm}}$$

$$\mathbf{b} \quad \frac{265}{10} = \mathbf{26.5 \text{ hours}}$$

c modal rainfall = 3 mm

modal sunshine = **15 hours**

d Rainfall 0 0 1 2 2 3 3 3 3 26

Median rainfall is 2.5 mm

Sunshine 0 10 15 15 **15 18** 21 21 70 80

Median Sunshine is 16.5 hours

- They will probably want to quote the least rainfall and the highest amount of sunshine. They would use the **median rainfall** and the **mean amount of sunshine**.

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise B, Question 7

Question:

The mean marks for a statistics exam were worked out for three classes. Class 1 had 12 students with a mean mark of 78%. Class 2 had 16 students with a mean mark of 84%. Class 3 had 18 students with a mean mark of 54%. Work out the mean % mark to the nearest whole number for all 46 students.

Solution:

Total marks for all students = $(12 \times 78) + (16 \times 84) + (18 \times 54) = 3252$

Mean for all 46 students is $\frac{3252}{46} = 71\%$ to nearest percent

© Pearson Education Ltd 2008

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise C, Question 1

Question:

The marks scored in a multiple choice statistics test by a class of students are:

5 9 6 9 10 6 8 5 5 7 9 7
 8 6 10 10 7 9 6 9 7 7 7 8
 6 9 7 8 6 7 8 7 9 8 5 7

- a** Draw a frequency distribution table for these data.
- b** Calculate the mean mark for these data.
- c** Write down the number of students who got a mark greater than the mean mark.
- d** Write down whether or not the mean mark is greater than the modal mark.

Solution:

a

Mark	Frequency
5	4
6	6
7	10
8	6
9	7
10	3

b $(5 \times 4) + (6 \times 6) + (7 \times 10) + (8 \times 6) + (9 \times 7) + (10 \times 3) = 267$

Mean = $\frac{267}{36} = 7.42$ marks

c $6 + 7 + 3 = 16$ students

d The modal mark is 7 so the **mean** mark is **greater** than the modal mark.

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise C, Question 2

Question:

The table shows the number of eggs laid in 25 blackbirds' nests.

Number of eggs	0	1	2	3	4	5	6	7
Number of nests	0	0	0	1	3	9	8	4

Using your knowledge of measures of location decide what number of eggs you could expect a blackbird's nest to contain. Give reasons for your answer.

Solution:

a Modal number of eggs is 5

Median number of eggs is 5

Mean number of eggs is 5.44

We would expect there to be **5 eggs in a nest** as both the **mode and median are 5** and the **mean rounded to the nearest whole number is also 5**.

© Pearson Education Ltd 2008

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise C, Question 3

Question:

The table shows the frequency distribution for the number of petals in the flowers of a group of celandines.

Number of petals	Frequency (f)
5	8
6	57
7	29
8	3
9	1

- a** Work out how many celandines were in the group.
- b** Write down the modal number of petals.
- c** Calculate the mean number of petals.
- d** Calculate the median number of petals.
- e** If you saw a celandine, write down how many petals. you would expect it to have.

Solution:

a $8 + 57 + 29 + 3 + 1 = \mathbf{98}$ celandines

b $\mathbf{6}$ petals

c $(5 \times 8) + (6 \times 57) + (7 \times 29) + (8 \times 3) + (9 \times 1) = 618$ petals

Mean = $\frac{618}{98} = \mathbf{6.31}$ petals

d median is the 49.5th value = $\mathbf{6}$

e $\mathbf{6}$ petals

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise C, Question 4

Question:

The frequency table shows the number of breakdowns, b , per month recorded by a road haulage firm over a certain period of time.

Breakdowns b	Frequency f	Cumulative frequency
0	8	8
1	11	19
2	12	31
3	3	34
4	1	35
5	1	36

a Write down the number of months for which the firm recorded the breakdowns.

b Write down the number of months in which there were two or fewer breakdowns.

c Write down the modal number of breakdowns.

d Find the median number of breakdowns.

e Calculate the mean number of breakdowns.

f In a brochure about how many loads reach their destination on time, the firm quotes one of the answers to **c**, **d** or **e** as the number of breakdowns per month for its vehicles. Write down which of the three answers the firm should quote in the brochure.

Solution:

a 36 months

b 31 months

c 2 breakdowns

d Median is 18.5th value = 1

e $(11 \times 1) + (12 \times 2) + (3 \times 3) + (1 \times 4) + (1 \times 5) = 53$

Mean = $\frac{53}{36} = 1.47$ breakdowns

f The median since this is the lowest value.

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise C, Question 5

Question:

A company makes school blazers in eight sizes. The first four sizes cost £48. The next three sizes cost £60 and the largest size costs £76.80. Write down, with a reason which of the mean, mode, or median cost the company is likely to use in advertising its average price.

Solution:

Mode is £48

Median is 4.5th value = $\frac{48 + 60}{2} = £ 54$

Mean is $\frac{(4 \times 48) + (3 \times 60) + (76.80)}{8} = \frac{448.8}{8} = £ 56.1$

The company would quote the mode as it is the lowest of the three averages.

© Pearson Education Ltd 2008

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise D, Question 1

Question:

A hotel is worried about the reliability of its lift. It keeps a weekly record of the number of times it breaks down over a period of 26 weeks. The data collected are summarised in the table opposite.

a Estimate the mean number of breakdowns.

b Use interpolation to estimate the median number of breakdowns.

c The hotel considers that an average of more than one breakdown per week is not acceptable. Judging from your answers to **b** and **c** write down with a reason whether or not you think the hotel should consider getting a new lift.

Number of breakdowns	Frequency of breakdowns (f)
0–1	18
2–3	7
4–5	1

Solution:

a Mean is $\frac{(0.5 \times 18) + (2.5 \times 7) + (4.5 \times 1)}{26} = \mathbf{1.19}$ breakdowns

b Median value is 13th value. This is in the first class.

Let m be the median.

$$\frac{m-0}{1.5-0} = \frac{13-0}{18-0} \text{ so } m \approx 0.722 \text{ (3 sf)}$$

c The median is less than 1 and the mean is only a little about 1 – it is 1 if rounded to the nearest whole number. The hotel need not consider getting a new lift yet, but should keep an eye on the situation.

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise D, Question 2

Question:

The weekly wages (to the nearest £) of the production line workers in a small factory is shown in the table.

Weekly wage £	Number of workers, f ,
175–225	4
226–300	8
301–350	18
351–400	28
401–500	7

- a Write down the modal class.
- b Calculate an estimate of the mean wage.
- c Use interpolation to find an estimate for the median wage.

Solution:

a **351 – 400**

$$b \frac{(200 \times 4) + (263 \times 8) + (325.5 \times 18) + (375.5 \times 28) + (450.5 \times 7)}{65} = \frac{800 + 2104 + 5859 + 10514 + 3153.5}{65} = \frac{22430.5}{65} = \mathbf{345.08}$$

c Median is the 32.5th value. This is in the 351 – 400 class

$$\frac{m - 350.5}{400.5 - 350.5} = \frac{32.5 - 30}{58 - 30}$$

$$\frac{m - 350.5}{50} = \frac{2.5}{28}$$

$$m - 350.5 = 4.46$$

$$m = \mathbf{£354.96}$$

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise D, Question 3

Question:

The noise levels at 30 locations near an outdoor concert venue were measured to the nearest decibel. The data collected is shown in the grouped frequency table.

Noise (decibels)	65–69	70–74	75–79	80–84	85–89	90–94	95–99
Frequency (<i>f</i>)	1	4	6	6	8	4	1

a Calculate an estimate of the mean noise level.

b A noise level above 82 decibels was considered unacceptable. Estimate the number of locations that had unacceptable noise levels.

Solution:

$$\frac{(67 \times 1) + (72 \times 4) + (77 \times 6) + (82 \times 6) + (87 \times 8) + (92 \times 4) + (97 \times 1)}{30}$$

$$= \frac{2470}{30} = \mathbf{82.3 \text{ decibels}}$$

b

82 is the middle of class 80 to 84.

So number of locations with unacceptable noise levels is $3 + 8 + 4 + 1 = \mathbf{16}$

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise D, Question 4

Question:

DIY store **A** considered that it was good at employing older workers. A rival store **B** disagreed and said that it was better. The two stores produced a frequency table of their workers' ages. The table is shown below

Age of workers (to the nearest year)	Frequency store A	Frequency store B
16–25	5	4
26–35	16	12
36–45	14	10
46–55	22	28
56–65	26	25
66–75	14	13

By comparing estimated means for each store decide which store employs more older workers.

Solution:

$$\text{a Store A } \frac{(20.5 \times 5) + (30.5 \times 16) + (40.5 \times 14) + (50.5 \times 22) + (60.5 \times 26) + (70.5 \times 14)}{97}$$

$$= \frac{4828.5}{97} = \mathbf{50 \text{ years}}$$

$$\text{Store B } \frac{(20.5 \times 4) + (30.5 \times 12) + (40.5 \times 10) + (50.5 \times 28) + (60.5 \times 25) + (70.5 \times 13)}{92}$$

$$= \frac{4696}{92} = \mathbf{51 \text{ years}}$$

Store B employs older workers but not by a great margin.

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise D, Question 5

Question:

The speeds of vehicles passing a checkpoint were measured over a period of one hour, to the nearest mph. The data collected is shown in the grouped frequency table.

Speed (mph)	21–30	31–40	41–50	51–60	61–65	66–70	71–75
No. of vehicles (<i>f</i>)	4	7	38	42	5	3	1

a Write down the modal class.

b Calculate the difference, to two decimal places, between the median and the mean estimated speeds.

c The speed limit on the road is 60 mph. Work out an estimate for the percentage of cars that exceeded the speed limit.

Solution:

a 51 – 60

$$\mathbf{b} \text{ mean} = \frac{(25.5 \times 4) + (35.5 \times 7) + (45.5 \times 38) + (55.5 \times 42) + (63 \times 5) + (68 \times 3) + (73 \times 1)}{100}$$

$$= \frac{5002.5}{100} = 50.025 \text{ mph}$$

median = 50th value. This is in the 51 to 60 class

$$\frac{m - 50.5}{60.5 - 50.5} = \frac{50 - 49}{91 - 49}$$

$$\frac{m - 50.5}{10} = \frac{1}{42}$$

$$42m = 10 + (49.5 \times 42)$$

$$\text{median} = 50.738 \text{ mph}$$

Difference is 50.738 – 50.025

Answer 0.713 mph

c Approximately 9% out of the 100 exceeded 60 mph

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise E, Question 1

Question:

Calculate the mean of the following data set (x) using the coding $y = \frac{x}{10}$.

110 90 50 80 30 70 60

Solution:

$$11 + 9 + 5 + 8 + 3 + 7 + 6 = 49$$

$$\frac{49}{7} = 7$$

mean = 70

© Pearson Education Ltd 2008

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise E, Question 2

Question:

Find the mean of the following data set (x) using the coding $y = \frac{x-3}{7}$.

52 73 31 73 38 80 17 24

Solution:

$$7 + 10 + 4 + 10 + 5 + 11 + 2 + 3 = 52$$

$$\frac{52}{8} = 6.5$$

$$\text{Mean is } (6.5 \times 7) + 3 = \mathbf{48.5}$$

© Pearson Education Ltd 2008

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise E, Question 3

Question:

a Calculate the mean of 1, 2, 3, 4, 5 and 6.

Using your answer to **a**:

b Write down the mean of:

i 2, 4, 6, 8, 10 and 12,

ii 10, 20, 30, 40, 50 and 60,

iii 12, 22, 32, 42, 52 and 62.

Solution:

a $1 + 2 + 3 + 4 + 5 + 6 = 21$ Mean = $\frac{21}{6} = 3.5$

b i) 7, coding is $\times 2$

ii) 35, coding is $\times 10$

iii) 37, coding is $\times 10$ and add 2

© Pearson Education Ltd 2008

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise E, Question 4

Question:

The coded mean price of televisions in a shop was worked out. Using the coding $y = \frac{x - 65}{200}$ the mean price was 1.5. Find the true mean price of the televisions.

Solution:

$$(1.5 \times 200) + 65 = \mathbf{365}$$

© Pearson Education Ltd 2008

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise E, Question 5

Question:

The grouped frequency table shows the age (a years) at which a sample of 100 women had their first child.

Age of Women (a years)	Frequency (f)	Mid-point (x)	$y = \frac{x-14}{2}$
11–21	11		
21–27	24		
27–31	27		
31–37	26		
37–43	12		

a Copy and complete the table

b Use the coding $y = \frac{x-14}{2}$ to calculate an estimate of the mean age at which women have their first child.

Solution:

a

Age of Women (a)	Frequency (f)	Mid Point (x)	$y = \frac{x-14}{2}$
11 – 21	11	16	1
21 – 27	24	24	5
27 – 31	27	29	7.5
31 – 37	26	34	10
37 – 43	12	40	13

b

$$\text{Coded mean} = \frac{(11 \times 1) + (24 \times 5) + (27 \times 7.5) + (26 \times 10) + (12 \times 13)}{100} = \frac{749.5}{100} = 7.495$$

$$\text{Actual Mean} = (7.495 \times 2) + 14 = \mathbf{28.99} = \mathbf{29 \text{ years}}$$
 to nearest year

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise F, Question 1

Question:

The following figures give the number of children injured on English roads each month for a certain period of seven months.

55 72 50 66 50 47 38

a Write down the modal number of injuries.

b Find the median number of injuries.

c Calculate the mean number of injuries.

Solution:

a 50

b 50

c 54

© Pearson Education Ltd 2008

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise F, Question 2

Question:

The mean Science mark for one group of eight students is 65. The mean mark for a second group of 12 students is 72. Calculate the mean mark for the combined group of 20 students.

Solution:

$$(8 \times 65) + (12 \times 72) = 1384$$

$$\frac{1384}{20} = \mathbf{69.2 \text{ marks}}$$

© Pearson Education Ltd 2008

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise F, Question 3

Question:

A computer operator transfers an hourly wage list from a paper copy to her computer. The data transferred is given below:

£5.50 £6.10 £7.80 £6.10 £9.20 £91.00 £11.30

a Find the mean, mode and median of these data.

The office manager looks at the figures and decides that something must be wrong.

b Write down, with a reason, the mistake that has probably been made.

Solution:

a Mean = $\frac{137}{7} = 19.57$

Mode = £6.10

Median = £7.80

b A transfer error. Probably the value £91.00 is wrong

© Pearson Education Ltd 2008

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise F, Question 4

Question:

A piece of data was collected from each of nine people. The data was found to have a mean value of 35.5. One of the nine people had given a value of 42 instead of a value of 32.

a Write down the effect this will have had on the mean value.

The correct data value of 32 is substituted for the incorrect value of 42.

b Calculate the new mean value.

Solution:

a The mean is higher than it should be.

b The mean will be $(9 \times 35.5 - 10) / 9$

$$\frac{309.5}{9} = \mathbf{34.39}$$

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise F, Question 5

Question:

On a particular day in the year 2007, the prices (x) of six shares were as follows:

807 967 727 167 207 767

Use the coding $y = \frac{x-7}{80}$ to work out the mean value of the shares.

Solution:

Coded values are: 10 12 9 2 2.5 9.5

$$\text{Mean} = \frac{10 + 12 + 9 + 2 + 2.5 + 9.5}{6} = 7.5$$

Uncoded this is $7.5 \times 80 + 7 = 607$

© Pearson Education Ltd 2008

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise F, Question 6

Question:

The coded mean of employee's annual earnings (£ x) for a store is 18. The code used was $y = \frac{x - 720}{1000}$. Work out the uncoded mean earnings.

Solution:

$$18 \times 1000 + 720 = \mathbf{\pounds 18720}$$

© Pearson Education Ltd 2008

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise F, Question 7

Question:

Different teachers using different methods taught two groups of students. Both groups of students sat the same examination at the end of the course. The students' marks are shown in the grouped frequency table.

a Work out an estimate of the mean mark for Group A and an estimate of the mean mark for Group B.

b Write down whether or not the answer to **a** suggests that one method of teaching is better than the other. Give a reason for your answer.

Exam Mark	Frequency Group A	Frequency Group B
20–29	1	1
30–39	3	2
40–49	6	4
50–59	6	13
60–69	11	15
70–79	10	6
80–89	8	3

Solution:

a Group A:

$$(1 \times 24.5) + (3 \times 34.5) + (6 \times 44.5) + (6 \times 54.5) + (11 \times 64.5) + (10 \times 74.5) + (8 \times 84.5)$$

$$\text{Mean } \frac{2852.5}{45} = \mathbf{63.39 \text{ marks}}$$

Group B:

$$(1 \times 24.5) + (2 \times 34.5) + (4 \times 44.5) + (13 \times 54.5) + (15 \times 64.5) + (6 \times 74.5) + (3 \times 84.5)$$

$$\text{Mean} = \frac{2648}{44} = \mathbf{60.18 \text{ marks}}$$

b The method used to teach group A is best as the mean mark is higher.

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise F, Question 8

Question:

The table summarises the distances travelled by 150 students to college each day.

a Use interpolation to calculate the median distance for these data.

The mid-point is x and the corresponding frequency is f . Calculations give the following values $\Sigma fx = 1056$

b Calculate an estimate of the mean distance for these data.

Distance (nearest km)	Number of students
0–2	14
3–5	24
6–8	70
9–11	32
12–14	8
15–17	2

Solution:

a We need the 75th student

This is in the 6 – 8 class.

$$\frac{m - 5.5}{8.5 - 5.5} = \frac{75 - 38}{108 - 38}$$

$$70m = 111 + 385 = 496$$

$$\text{median} = \mathbf{7.09}$$

$$\mathbf{b} \text{ Mean} = \frac{1056}{150} = \mathbf{7.04}$$

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise F, Question 9

Question:

Chloe enjoys playing computer games.

Her parents think that she spends too much time playing games. Chloe decides to keep a record of the amount of time she plays computer games each day for 50 days. She draws up a grouped frequency table to show these data.

The mid-point of each class is represented by x and its corresponding frequency is f . (You may assume $\Sigma fx = 1275$)

a Calculate an estimate of the mean time Chloe spends on playing computer games each day. Chloe's parents thought that the mean was too high and suggested that she try to reduce the time spent on computer games. Chloe monitored the amount of time she spent on computer games. Chloe monitored the amount of time spent on games for another 40 days and found that at the end of 90 days her overall mean time was 26 minutes.

b Find an estimate for the mean amount of time Chloe spent on games for the 40 days.

c Comment on the two mean values.

Time to the nearest minute	Frequency
10–14	1
15–19	5
20–24	18
25–29	15
30–34	7
35–39	3
40–44	1

Solution:

a

$$\text{Mean} = \frac{1275}{50} = \mathbf{25.5 \text{ minutes}}$$

b

$$\text{Minutes for 90 days} = 90 \times 26 = 2340 \text{ minutes}$$

$$\text{Minutes for first 50 days} = 1275 \text{ minutes}$$

$$\text{Minutes for last 40 days} = 2340 - 1275 = 1065$$

$$\text{Mean for last 40 days} = \frac{1065}{40} = \mathbf{26.63 \text{ minutes}}$$

c Chloe did not reduce the number of minutes spent playing computer games each day. She increased the time. Chloe spent over a minute more on games in the last 40 days.

Solutionbank S1

Edexcel AS and A Level Modular Mathematics

Representation and summary of data – location

Exercise F, Question 10

Question:

The lifetimes of 80 batteries, to the nearest hour, is shown in the table below.

a Write down the modal class for the lifetime of the batteries.

Lifetime (hours)	Number of batteries
6–10	2
11–15	10
16–20	18
21–25	45
26–30	5

b Use interpolation to find the median lifetime of the batteries.

The mid-point of each class is represented by x and its corresponding frequency by f , giving $\Sigma fx = 1645$.

c Calculate an estimate of the mean lifetime of the batteries.

Another batch of 12 batteries is found to have an estimated mean lifetime of 22.3 hours.

d Find the mean lifetime for all 92 batteries.

Solution:

a Modal Class is **21 – 25** hours

b We need the 40th value. This is in the 21 – 25 class.

$$\frac{m - 20.5}{25.5 - 20.5} = \frac{40 - 30}{75 - 30}$$

$$45m = 50 + 922.5 = 972.5$$

median = **21.6 hours**

c

mean = **20.6 hours**

d $12 \times 22.3 = 267.6$ hours

Total hours for all 92 batteries is $267.6 + 1645 = 1912.6$

Mean life for 92 batteries is 20.8 hours