



Berkeley Co

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

NUMBER OF VIOLATIONS: CRITICAL - NONCRITICAL 6 TOTAL 6

ESTABLISHMENT: KFC PERMIT NO.: _____ DATE: 10-1-18
 ADDRESS: 1501 Edwin Miller CITY: Martinsburg STATE: WV ZIP: 2540
 PERSON IN CHARGE/TITLE: X Stephanie Kernis TELEPHONE: 304-263-8824
 RECEIVED BY (SIGNATURE): X Stephanie Kernis SANITARIAN (SIGNATURE): Chris Edwards
 INSPECTION TYPE: ROUTINE FOLLOW-UP COMPLAINT OTHER: _____ TIME: 1:50 pm

Corrected	Critical	Repeat	Code Reference	Violation Description/Remarks/Corrections
		*	4501.11	door gaskets need replaced - <u>coleslaw</u> refrigerator + upright freezer <u>chicken</u> <u>coleslaw</u> temping <u>53°</u> - thrown out - no gasket on door for seal
		x	4501.11	2nd Henry Perry hot hold - facing office - gasket needs replaced
		x	6501.11	wall covering needs repaired - freezer, refriq + throughout back
		x	6501.11	door in poor repair - throughout back of house * Areas patched & sealed in back - Not H ₂ O tight * Freezer floor patched with clay
		x	6501.11	Door frames on walk in coolers in poor repair
		x	6501.11	walk in cooler needs repaired - freezer, refrigerator chicken + throughout back
		x	6501.12	chicken walk in - white drain needs cleaned
				* Establishment must close immediately due to unmet deadline for maintenance repairs* * Signs posted on doors * Will need to have Administrative Hearing (Reinspection fee \$2 → \$75.00) Will be in contact to schedule

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
coleslaw	53°					meat	
refrig							

* GASKETS received were wrong size -
Returned