



West Virginia Department of Health & Human Resources

Berkeley Health Department

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours for **Priority** items and 10 calendar days for **Priority Foundation** items or HACCP Plan deviations. (§ 64 CSR 17-3.1.j).

OBSERVATIONS TOTALS: PRIORITY _____ PRIORITY FOUNDATION _____
CORE _____ TOTAL _____

ESTABLISHMENT: Pumphouse 2055 PERMIT NO.: _____ DATE: 8-13-19
 ADDRESS: 4529 Shepherdstown Rd CITY: MTA STATE: WV ZIP: 25104
 PERSON IN CHARGE/TITLE: X Raymond Staubs TELEPHONE: _____
 RECEIVED BY (SIGNATURE): X [Signature] SANITARIAN (SIGNATURE): [Signature]
 INSPECTION TYPE: ROUTINE FOLLOW-UP COMPLAINT OTHER: _____ TIME: 11:00

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
			6-501.12	Floors need cleaned behind & under equipment
			6-501.12	Floor drains need cleaned (MOLD)
			6-501.11	3 Bay Sill needs repaired
			6-501.11	Flies observed in TAP UNIT
			4-602.13	Tops of equipment needs dusted
✓	✓		4-602.11	Several Sharp knives need recleaned ^{MOLD} _{castle}
			4-602.13	Kitchen shelves need cleaned
			4-501.12	Cutting boards need bleached or resurfaced
	✓		4-602.11	Space with cooler shelves & gaskets need clean
			4-501.11	Continental Cooler shelves need repaired. ^{rust} Also handle needs repaired.
	✓		6-501.12	Fan in Kitchen needs cleaned
			4-602.11	Tape machine needs cleaned inside (MOLD)
			4-602.13	Speed & CPU rack need cleaned

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
Beer Cooler	41F						
2 Door glass C	39F						
Central Cooler	40F						
Beer Beer Cw	39F						

9