



## HYDROCHLORIC ACID (10%-33%)

### 1. Product Identification

Synonyms: This MSDS applies to the concentrated standard used to make laboratory solutions and any solution that contains more than 10% but less than 33% Hydrochloric acid. For diluted product, see MSDS for Hydrochloric Acid (less than 10%).

CAS No.: 7647-01-0

Molecular Weight: 36.46

Chemical Formula: HCl in

H<sub>2</sub>O

### 2. Composition/Information on Ingredients

Hazardous	Percent	CAS No	Ingredient
Yes	33%	10 7647-01-0	Hydrogen Chloride
No	90%	67 7732-18-5	Water

### 3. Hazards Identification

#### Emergency Overview

POISON! DANGER! CORROSIVE. LIQUID AND MIST CAUSE SEVERE BURNS TO ALL BODY TISSUE. MAY BE FATAL IF SWALLOWED OR INHALED.

SAF-T-DATA<sup>(tm)</sup> Ratings (Provided here for your convenience)

Health Rating: 3 - Severe

(Poison) Flammability Rating:

0 - None Reactivity Rating: 2 -

Moderate Contact Rating: 4 -

Extreme (Corrosive)

טל: 08-6333027 פקס: 08-6333037

ת.ד. 9075, 88000 אילת

עמוד 1 מתוך 9

<http://www.eilatpools.com>

<mailto:eilatpools@gmail.com>





# אילות בריכות שחיה בע"מ Eilat Swimming Pools L.T.D

## שירות-אספקה-אחזקה-ייעוץ לבריכות שחיה ומערכות מים

כימיקלים- רובוטאים – בקרה ממוחשבת – מכשירי מדידה ובקרה- חלקי חילוף – אביזרי PVC – משאבות

### Potential Health Effects

Inhalation:

**Corrosive!** Inhalation of vapors can cause coughing, choking, inflammation of the nose, throat, and upper respiratory tract, and in severe cases, pulmonary edema, circulatory failure, and death.

Ingestion:

**Corrosive!** Swallowing hydrochloric acid can cause immediate pain and burns of the mouth, throat, esophagus and gastrointestinal tract. May cause nausea, vomiting, and diarrhea, and in severe cases, death.

Skin Contact:

**Corrosive!** Can cause redness, pain, and severe skin burns. Concentrated solutions cause deep ulcers and discolor skin.

Eye Contact:

**Corrosive!** Vapors are irritating and may cause damage to the eyes. Contact may cause severe burns and permanent eye damage.

Chronic Exposure:

**Long-term exposure to concentrated vapors may cause erosion of teeth. Long term exposures seldom occur due to the corrosive properties of the acid.**

Aggravation of Pre-existing Conditions:

**Persons with pre-existing skin disorders or eye disease may be more susceptible to the effects of this substance.**

## 4. First Aid Measures

Inhalation:

**Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.**

Ingestion:

**DO NOT INDUCE VOMITING!** Give large quantities of water or milk if available. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Skin Contact:

**In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.**

Eye Contact:

**Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.**

טל: 08-6333027 פקס: 08-6333037

ת.ד 9075, 88000 אילת

עמוד 2 מתוך 9

<http://www.eilatpools.com>

<mailto:eilatpools@gmail.com>





## 5. Fire Fighting Measures

Fire:

**Not considered to be a fire hazard. May react with metals or heat to release flammable hydrogen gas.**

Explosion:

**Not considered to be an explosion hazard.**

Fire Extinguishing Media:

**Water or water spray. Neutralize with soda ash or slaked lime.**

Special Information:

**In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode. Structural firefighter's protective clothing is ineffective for fires involving hydrochloric acid. Stay away from ends of tanks. Cool tanks with water spray until well after fire is out.**

## 6. Accidental Release Measures

**Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Contain and recover liquid when possible. Neutralize with alkaline material (soda ash, lime), then absorb with an inert material (e. g., vermiculite, dry sand, earth), and place in a chemical waste container. Do not use combustible materials, such as saw dust. Do not flush to sewer! US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities.**

## 7. Handling and Storage

**Store in a cool, dry, ventilated storage area with acid resistant floors and good drainage. Protect from physical damage. Keep out of direct sunlight and away from heat, water, and incompatible materials. Do not wash out container and use it for other purposes. When diluting, the acid should always be added slowly to water and in small amounts. Never use hot water and never add water to the acid. Water added to acid can cause uncontrolled boiling and splashing. When opening metal containers, use non-sparking tools because of the possibility of hydrogen gas being present. Containers of this material may be hazardous when empty since they retain product residues (vapors, liquid); observe all warnings and precautions listed for the product.**

טל: 08-6333027 פקס: 08-6333037

ת.ד 9075, 88000 אילת

עמוד 3 מתוך 9

<http://www.eilatpools.com>

<mailto:eilatpools@gmail.com>





## 8. Exposure Controls/Personal Protection

Airborne Exposure Limits:

**For Hydrochloric acid:**

- OSHA Permissible Exposure

Limit (PEL): 5 ppm (Ceiling)

- ACGIH Threshold Limit Value (TLV):

2 ppm (Ceiling), A4 Not classifiable as a human carcinogen

Ventilation System:

A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, Industrial Ventilation, A Manual of Recommended Practices, most recent edition, for details.

Personal Respirators (NIOSH Approved):

If the exposure limit is exceeded and engineering controls are not feasible, a full facepiece respirator with an acid gas cartridge may be worn up to 50 times the exposure limit or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. For emergencies or instances where the exposure levels are not known, use a full-facepiece positive-pressure, air-supplied respirator. **WARNING: Air purifying respirators do not protect workers in oxygen-deficient atmospheres.**

Skin Protection:

Rubber or neoprene gloves and additional protection including impervious boots, apron, or coveralls, as needed in areas of unusual exposure to prevent skin contact.

Eye Protection:

Use chemical safety goggles and/or a full face shield where splashing is possible.

Maintain eye wash fountain and quick-drench facilities in work area.

טל: 08-6333027 פקס: 08-6333037

ת.ד. 9075, 88000, אילת

עמוד 4 מתוך 9

<http://www.eilatpools.com>

<mailto:eilatpools@gmail.com>





## 9. Physical and Chemical Properties

Appearance:

**Clear, colorless liquid.**

Odor:

**Pungent odor.**

Solubility:

**Infinitely soluble.**

Density: **1.05 @ 15C**

pH:

**For HCL solutions: 0.1 (1.0 N), 1.1 (0.1 N), 2.02 (0.01 N)**

% Volatiles by volume @ 21C (70F): **100**

Boiling Point:

**101 - 103C (214 - 217F)**

Melting Point:

**No information found.**

Vapor Density (Air=1):

**No information found.**

Vapor Pressure (mm Hg):

**No information found.**

Evaporation Rate (BuAc=1):

**No information found.**

## 10. Stability and Reactivity

Stability:

**Stable under ordinary conditions of use and storage.**

Hazardous Decomposition Products:

**When heated to decomposition, emits toxic hydrogen chloride fumes and will react with water or steam to produce heat and toxic and corrosive fumes. Thermal oxidative decomposition produces toxic chlorine fumes and explosive hydrogen gas.**

Hazardous Polymerization:

**Will not occur.**

Incompatibilities:

**A strong mineral acid, concentrated hydrochloric acid is highly reactive with strong bases, metals, metal oxides, hydroxides, amines, carbonates and other alkaline materials. Incompatible with materials such as cyanides, sulfides, sulfites, and formaldehyde.**

Conditions to Avoid:

**Heat, direct sunlight.**

טל: 08-6333027 פקס: 08-6333037

ת.ד. 9075, 88000, אילת

עמוד 5 מתוך 9

<http://www.eilatpools.com>

<mailto:eilatpools@gmail.com>





## 11. Toxicological Information

Hydrochloric acid: Inhalation rat LC50: 3124 ppm/1H; Oral rabbit LD50: 900 mg/kg. Investigated as a tumorigen, mutagen, reproductive effector.

IARC Category	---NTP Carcinogen		Ingredient	-----Cancer Lists-----
	Anticipated	Known		
3	No	No	Hydrogen	Chloride(7647-01-0)
None	No	No	Water (7732-18-5)	

## 12. Ecological Information

Environmental Fate:

**When released into the soil, this material is not expected to biodegrade. When released into the soil, this material may leach into groundwater.**

Environmental Toxicity:

**This material is expected to be toxic to aquatic life.**

## 13. Disposal Considerations

Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

טל: 08-6333027 פקס: 08-6333037 ת.ד 9075, 88000 אילת  
 עמוד 6 מתוך 9 <http://www.eilatpools.com> <mailto:eilatpools@gmail.com>







# Eilat Swimming Pools L.T.D מ"מ אילת בריכות שחיה בע"

שירות-אספקה-אחזקה-ייעוץ לבריכות שחיה ומערכות מים

כימיקלים- רובוטיות - בקרה ממוחשבת - מכשירי מדידה ובקרה - חלקי חילוף - אביזרי PVC - משאבות

## 14. Transport Information

Domestic (Land, D.O.T.)

Proper Shipping Name: **HYDROCHLORIC ACID**  
Hazard Class: **8**  
UN/NA: **UN1789**  
Packing Group: **II**  
Information reported for product/size: **200L**

International (Water, I.M.O.)

Proper Shipping Name: **HYDROCHLORIC ACID**  
Hazard Class: **8**  
UN/NA: **UN1789**  
Packing Group: **II**  
Information reported for product/size: **200L**

## 15. Other Information

NFPA Ratings: **Health: 3 Flammability: 0 Reactivity: 0**

Label Hazard Warning:

**POISON! DANGER! CORROSIVE. LIQUID AND MIST CAUSE SEVERE BURNS TO ALL BODY TISSUE. MAY BE FATAL IF SWALLOWED OR INHALED.**

Label Precautions:

**Do not get in eyes, on skin, or on clothing. Avoid breathing vapor or mist.**

**Keep container closed Use with adequate ventilation. Wash thoroughly after handling.**

Label First Aid:

**If swallowed, DO NOT INDUCE VOMITING. Give large quantities of water. Never give anything by mouth to an unconscious person. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Wash clothing before reuse. In all cases call a physician.**

Product Use:

**Laboratory Reagent.**

Revision Information:

**No Changes.**

טל: 08-6333027 פקס: 08-6333037

ת.ד. 9075, 88000 אילת

עמוד 7 מתוך 9

<http://www.eilatpools.com>

<mailto:eilatpools@gmail.com>





# אילת בריכות שחיה בע"מ Eilat Swimming Pools L.T.D

שירות-אספקה-אחזקה-ייעוץ לבריכות שחיה ומערכות מים

כימיקלים- רובוטים – בקרה ממוחשבת – מכשירי מדידה ובקרה- חלקי חילוף – אביזרי PVC – משאבות

## Disclaimer:

Eilat Swimming Pools LTD provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.

**EILAT SWIMMING POOLS LTD . MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS.**

ACCORDINGLY, **EILAT SWIMMING POOLS LTD.** WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.

## הצהרה:

אילת בריכות שחיה בע"מ מספקת את המידע הכלול במסמך זה בתום לב, אך אינה מתחייב לשלמות כמו הדיוק שלה. מסמך זה מיועד אך ורק כמדריך לטיפול בזהירות המתאים של החומר על ידי אדם שהוכשר כראוי שימוש במוצר זה. אנשים שקיבלו את המידע חייבים להפעיל שיקול דעת העצמאית משלהם בקביעת התאמתו למטרה מסוימת.

אילת בריכות שחיה בע"מ. אינה יוצרת מצג או אחריות, מפורש או משתמע, לרבות אך לא רק אחריות לסחירות, התאמה למטרה מסוימת ביחס למידע המפורט במסמך זה או המוצר שעליו המידע מתייחס.

לפיכך אילת בריכות שחיה בע"מ, לא יהיה אחראי לנזקים הנובעים משימוש או הסתמכות על מידע זה.

טל: 08-6333027 פקס: 08-6333037

ת.ד 9075, 88000, אילת

עמוד 8 מתוך 9

<http://www.eilatpools.com>

<mailto:eilatpools@gmail.com>







**Eilat Swimming Pools L.T.D מ"מ אילת בריכות שחיה בע"**

**שירות-אספקה-אחזקה-ייעוץ לבריכות שחיה ומערכות מים**

כימיקלים- רובוטים – בקרה ממוחשבת – מכשירי מדידה ובקרה- חלקי חילוף – אביזרי PVC – משאבות

טל: 08-6333027 פקס: 08-6333037

עמוד 9 מתוך 9

<http://www.eilatpools.com>

ת.ד 9075, 88000 אילת

<mailto:eilatpools@gmail.com>

