



# WOOD

## BLINDS

Effective April 1, 2018

*design simplified™*

---

## TABLE OF CONTENTS

---

### Product Overview

- Features & Benefits ..... 2
- Color Chart. .... 3

### Pricing Information

- 2" Smooth Finish Price Group and Option Charges. .... 4
- 2" Enhanced Grain and 2" Coastal Price Group and Option Charges. .... 5
- 1-3/8" and 2-3/8" Smooth Finish Price Group and Option Charges. .... 6
- RemoteTilt™ System Option Surcharges and Specifications ..... 7

### Valance Upgrade Information

- Individual Valance Ordering and Pricing. .... 8
- Tape Valance Option and Color Chart ..... 8
- Valance and Valance Return Information and Specifications. .... 9

### Cordless Lift & Lock Bottomrail Color Coordination ..... 10

### Solid and Decorative Tape Option and Listing ..... 11

### Product and Specifications

- Features and Options ..... 12
- Size Specifications ..... 13
- Finished Dimensions and Mounting Requirements ..... 13

### Controls, Components, Ladder/Tape Placement and Stack-up Charts

- Standard Rectangular. .... 14
- Cordless Lift/RemoteTilt ..... 15
- Cordless Lift & Lock™ ..... 16
- Product Components. .... 17-19

### RemoteTilt Motorization

- RemoteTilt Motorization – Overview. .... 20
- Radio Frequency (RF) Features, Options and Part Numbers ..... 21



## FEATURES & BENEFITS



- Offered in 1-3/8", 2", and 2-3/8" slat sizes to fit any scale window.
- Over 40 colors and styles, from whites and neutrals to rich wood tones and gray selections.
- Decorative styles, including Enhanced Grain and Coastal, add a unique design element.
- A stylish collection of optional solid and decorative tapes add a fashion accent.
- Optional LightsOut routeless feature helps block additional light, enhances privacy.
- Modern trapezoid bottomrail shape improves appearance and enables blinds to close tighter.
- Your choice of valance styles – standard Decorative, contemporary Crescent, architectural Soho, or the larger profile Forte valance.
- Innovative magnetic valance attachment system is secure, easy to install, and fully adjustable.
- Available with upgraded operating systems including cordless Lift & Lock™, cordless lift and RemoteTilt™ motorization for enhanced control convenience.
- Limited Lifetime warranty ensures your customers' satisfaction.

## COLOR CHART

### Wood Styles & Names

1-3/8" COLOR #

2" COLOR #

2-3/8" COLOR #

### SMOOTH FINISH (paints & stains)

Amber	W138-287	W2-287	W238-287
Ashwood		W2-305	W238-305
Cashmere		W2-304	
Charcoal		W2-298	W238-298
Cherry Oak		W2-289	
Chestnut		W2-309	
Colonial		W2-118	
Dark Mocha		W2-295	
English Walnut		W2-299	
Flaxen		W2-028	
Golden Oak	W138-124	W2-124	W238-124
Golden Pine		W2-285	
Gray Cloud		W2-303	
Greystone		W2-311	
Greywood Frost		W2-312	W238-312
Lunar		W2-301	W238-301
Mahogany	W138-125	W2-125	W238-125
Mesquite	W138-291	W2-291	W238-291
Milky White	W138-282	W2-282	W238-282
Mink		W2-310	
Neuvo White		W2-284	
New Oak		W2-117	
Oxford Brown		W2-307	
Parchment		W2-030	
Pecan		W2-290	
Pure White	W138-026	W2-026	W238-026
Rich Walnut	W138-133	W2-133	W238-133
Roasted Almond	W138-292	W2-292	W238-292
Rose Mahogany		W2-293	
Russet		W2-306	
Skyline		W2-302	W238-302
Snow White		W2-296	
Snowflake		W2-013	
Spanish Oak		W2-297	W238-297
Spice	W138-134	W2-134	W238-134
Sugar		W2-300	W238-300
Sunset Pine		W2-288	
Traditional White		W2-283	
Tropical Mahogany		W2-308	
Winter White	W138-012	W2-012	W238-012
Woodland		W2-114	

### ENHANCED GRAIN

Amber Delight		WP2-511	
---------------	--	---------	--

### COASTAL

Bonfire		WBR-804	
Driftwood		WBR-801	
Evening Fog		WBR-802	
Sailcloth		WBR-800	
Sand Dollar		WBR-803	
Winter Surf		WBR-805	



## 2" SMOOTH FINISH

3" Standard Decorative Valance Included in Price

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
HEIGHT TO:															
30"	\$91	99	110	120	133	146	161	186	202	217	231	254	274	298	323
36"	98	108	119	129	146	159	177	204	219	239	258	285	301	326	354
42"	107	118	130	144	161	175	196	224	245	267	289	318	336	365	394
48"	115	127	140	154	173	185	211	245	266	288	314	345	367	399	435
54"	130	146	158	176	196	214	239	276	297	326	357	392	416	449	487
61"	140	154	171	173	210	215	256	290	320	351	387	422	451	487	530
66"	148	165	182	197	226	248	277	318	346	379	415	459	485	527	574
73"	158	177	197	197	247	269	300	346	378	413	452	498	536	576	
78"	168	187	208	225	255	279	324	374	405	433	477	539	571		
84"	178	197	219	240	273	301	346	392	424	455	515	568			
90"	187	209	232	254	285	317	365	410	442	486	537				
96"	197	219	245	269	303	334	380	429	466	511					
102"	206	229	255	277	313	345	400	456	496						
108"	227	251	277	299	335	372	424	486	531						
114"	236	261	284	308	346	385	438	505							
120"	245	276	301	325	367	405	464	529							
126"	257	286	313	345	389	429	489								

Note: Blinds over 50 sq. ft.  
require 2 or 3 on 1 Headrail  
Cordless Lift & Lock not available  
in sizes outside the thick black line

## SOLID AND DECORATIVE TAPE SURCHARGE

NOTE: See Tape section for sizes & availability. Tapes are NOT available with cordless lift upgrade, Cordless Lift & Lock upgrade, or LightsOut option.

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
<b>Solid</b>	<b>\$23</b>	<b>23</b>	<b>23</b>	<b>23</b>	<b>27</b>	<b>27</b>	<b>27</b>	<b>33</b>	<b>33</b>	<b>33</b>	<b>33</b>	<b>39</b>	<b>39</b>	<b>39</b>	<b>44</b>
<b>Decorative</b>	<b>49</b>	<b>49</b>	<b>49</b>	<b>49</b>	<b>61</b>	<b>61</b>	<b>61</b>	<b>73</b>	<b>73</b>	<b>73</b>	<b>73</b>	<b>85</b>	<b>85</b>	<b>85</b>	<b>96</b>

## FORTE VALANCE UPGRADE SURCHARGE

NOTE: Available with Smooth finish slat styles only.

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"	114"	120"
<b>4" Forte</b>	<b>\$17</b>	<b>17</b>	<b>17</b>	<b>17</b>	<b>27</b>	<b>27</b>	<b>27</b>	<b>27</b>	<b>37</b>	<b>37</b>	<b>37</b>	<b>37</b>	<b>45</b>	<b>45</b>	<b>45</b>	<b>58</b>	<b>58</b>	<b>58</b>

### OPTIONS: NO CHARGE – SPECIFY ON ORDER

- 3" Crescent Valance (in place of 3" Standard Deco Valance)
- 3" Soho Valance (in place of 3" Standard Deco Valance)
- LightsOut Routeless Feature (not available with Cordless Lift, Cordless Lift & Lock, or blinds with Tapes)
- Rounded Corners – optional
- Controls – LR, RL, or Grouped (Standard Only)
- Tile Cut Out – maximum 5-1/2" width each side (not available with Cordless Lift & Lock)
- Hold-Down Brackets
- Short and Long Extension Brackets
- Spacer Blocks – small (3/8") and large (3/4")
- Special Wand/Cord Length (please see available wand sizes on p.14)
- Wand Tilter
- 2 or 3 On 1 Headrail (maximum 120") – price as separate blinds (2 or 3 on 1 headrail not available with Cordless Lift) (3 on 1 headrail not available with Cordless Lift & Lock)
- Side by Side (slat alignment guaranteed within 1/4" when requested at time of order. Blinds must be the same height, slat size, and color.)

### OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER

- Cordless Lift & Lock™ System .....add \$67 each
- Cordless Lift System .....add \$98 each
- Blinds Under 12" Wide .....add \$13 each
- Tape Valance (on 3" Standard Deco Valance Only) .....add \$13 each
- Keystone Valance option (for blinds under 102" wide) .....add \$13

Notes: • For surcharges on oversize common carrier delivery, express ship program, shipments to Hawaii, Alaska and Puerto Rico, see General Information Section

SIZE SPECIFICATIONS	2" Standard	2" Cordless	2" Cordless Lift & Lock™
Minimum Width (Net)	8" 12" with Tapes	18"	10-1/2"
Maximum Width (One blind)	102"	78"	96"
Minimum Height	12"	12"	12"
Maximum Height	126"	84"	84"
Max. AREA (SQ/FT) - Blinds over 50 SQ/FT require 2 or 3 on 1 headrail (where available)	50 sq/ft	45 sq/ft	45 sq/ft
Maximum Width 2 on 1 Headrail	120"	N/A	120"
Maximum Width 3 on 1 Headrail	120"		N/A
Maximum continuous valance width (not spliced)	102"	102"	102"

**2" ENHANCED GRAIN**

3" Standard Decorative Valance Only

**2" COASTAL**

3" Soho Valance Only

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
HEIGHT TO:															
30"	\$96	105	117	127	141	154	173	198	215	234	255	278	295	317	344
36"	102	115	126	139	155	170	187	219	236	257	280	306	324	351	381
42"	115	126	139	153	172	187	211	242	263	288	312	345	366	397	427
48"	121	135	150	166	186	204	228	265	286	315	341	377	401	432	471
54"	140	153	172	189	211	232	259	300	324	356	386	428	452	489	531
61"	148	165	184	203	228	248	280	323	350	386	419	464	489	531	577
66"	157	178	197	216	244	270	303	348	376	413	452	502	531	581	630
73"	171	191	213	232	266	292	328	378	414	454	499	547	584	635	
78"	181	201	223	245	278	304	354	407	440	477	517	591	628		
84"	191	214	240	261	296	327	379	430	467	502	553	624			
90"	203	224	251	276	312	344	398	450	486	538	570				
96"	212	239	267	293	332	366	419	471	518	565					
102"	222	248	279	301	344	379	439	496	540						
108"	244	273	303	324	368	406	466	530	580						
114"	255	284	312	336	381	420	482	550							
120"	267	297	327	355	403	445	509	565							
126"	279	311	341	376	426	470	546								

Note: Blinds over 50 sq. ft.  
require 2 or 3 on 1 Headrail  
Cordless Lift & Lock not available  
in sizes outside the thick black line

The Crescent, Soho and Forte valances are not available for Enhanced Grain.

The Decorative, Crescent, and Forte valances are not available for Coastal.

**SOLID AND DECORATIVE TAPE SURCHARGE**

NOTE: See Tape section for sizes & availability. Tapes are NOT available with Cordless Lift upgrade, Cordless Lift & Lock upgrade or LightsOut option.

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
<b>Solid</b>	<b>\$23</b>	<b>23</b>	<b>23</b>	<b>23</b>	<b>27</b>	<b>27</b>	<b>27</b>	<b>33</b>	<b>33</b>	<b>33</b>	<b>33</b>	<b>39</b>	<b>39</b>	<b>39</b>	<b>44</b>
<b>Decorative</b>	<b>49</b>	<b>49</b>	<b>49</b>	<b>49</b>	<b>61</b>	<b>61</b>	<b>61</b>	<b>73</b>	<b>73</b>	<b>73</b>	<b>73</b>	<b>85</b>	<b>85</b>	<b>85</b>	<b>96</b>

**OPTIONS: NO CHARGE – SPECIFY ON ORDER**

- LightsOut Routeless Feature (not available with Cordless Lift System, Cordless Lift & Lock, or blinds with Tapes)
- Rounded Corners – optional (not available on Coastal)
- Controls – LR, RL, or Grouped (Standard Only)
- Tile Cut Out – maximum 5-1/2" width each side (not available with Cordless Lift & Lock)
- Hold-Down Brackets
- Short and Long Extension Brackets
- Spacer Blocks – small (3/8") and large (3/4")
- Special Wand/Cord Length (please see available wand sizes on p.14)
- Wand Tilter
- 2 or 3 On 1 Headrail (maximum 120") – price as separate blinds (2 or 3 on 1 headrail not available with Cordless Lift) (3 on 1 headrail not available with Cordless Lift & Lock)
- Side by Side (slat alignment guaranteed within 1/4" when requested at time of order. Blinds must be the same height, slat size, and color.)

**OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER**

- Cordless Lift & Lock™ System .....add \$67 each
- Cordless Lift System .....add \$98 each
- Blinds Under 12" Wide .....add \$13 each
- Tape Valance (on 3" Standard Deco Valance Only) .....add \$13 each
- Keystone Valance option (for blinds under 102" wide) .....add \$13

Notes: • For surcharges on oversize common carrier delivery, express ship program, shipments to Hawaii, Alaska and Puerto Rico, see General Information Section

SIZE SPECIFICATIONS	2" Standard	2" Cordless	2" Cordless Lift & Lock™
Minimum Width (Net)	8" 12" with Tapes	18"	10-1/2"
Maximum Width (One blind)	102"	78"	96"
Minimum Height	12"	12"	12"
Maximum Height	126"	84"	84"
Max. AREA (SQ/FT) - Blinds over 50 SQ/FT require 2 or 3 on 1 headrail (where available)	50 sq/ft	45 sq/ft	45 sq/ft
Maximum Width 2 on 1 Headrail	120"	N/A	120"
Maximum Width 3 on 1 Headrail	120"		N/A
Maximum continuous valance width (not spliced)	102"	102"	102"

**1-3/8" SMOOTH AND 2-3/8" SMOOTH FINISHES**

3" Standard Decorative Valance Included in Price

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
HEIGHT TO:															
30"	\$108	117	132	143	158	174	195	222	242	263	285	313	332	356	386
36"	116	129	142	155	175	190	211	247	265	288	315	345	365	395	428
42"	128	142	155	172	192	211	238	273	296	324	351	387	412	447	481
48"	137	151	169	185	210	229	255	298	321	353	384	424	451	486	530
54"	156	173	192	213	238	261	290	338	364	400	434	482	509	551	597
61"	167	184	207	228	255	280	315	363	394	434	471	522	551	597	650
66"	177	200	220	244	275	304	341	391	423	465	509	564	597	653	709
73"	191	215	240	261	299	328	369	425	466	511	561	617	656	715	
78"	204	225	251	276	313	342	398	458	495	536	583	665	706		
84"	215	241	270	294	333	368	426	485	525	564	622	702			
90"	228	251	283	311	351	386	448	506	547	605	641				
96"	239	269	300	330	374	412	471	530	584	635					
102"	250	280	314	339	386	426	494	558	608						
108"	275	307	341	365	414	456	524	596	652						
114"	285	318	351	378	428	473	542	618							
120"	300	334	368	399	453	501	573	635							
126"	314	350	384	423	480	528	615								

Note: Blinds over 50 sq. ft.  
require 2 or 3 on 1 Headrail  
2-3/8" Cordless Lift & Lock not available  
in sizes outside the thick black line

**SOLID AND DECORATIVE TAPE SURCHARGE**

NOTE: See Tape section for sizes &amp; availability. Tapes are NOT available with LightsOut option or Cordless Lift &amp; Lock upgrade.

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
<b>Solid</b>	\$23	23	23	23	27	27	27	33	33	33	33	39	39	39	44
<b>Decorative</b>	49	49	49	49	61	61	61	73	73	73	73	85	85	85	96

**FORTE VALANCE UPGRADE SURCHARGE**

NOTE: Available with Smooth finish slat styles only.

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"	114"	120"
<b>4" Forte</b>	\$17	17	17	17	27	27	27	27	37	37	37	37	45	45	45	58	58	58

**OPTIONS: NO CHARGE – SPECIFY ON ORDER**

- 3" Crescent Valance (in place of 3" Standard Deco Valance)
- 3" Soho Valance (in place of 3" Standard Deco Valance)
- LightsOut Routeless Feature (not available on blinds with Tapes)
- Rounded Corners – optional
- Controls – LR, RL, or Grouped (Standard Only)
- Tile Cut Out – maximum 5-1/2" width each side (not available with Cordless Lift & Lock)
- Hold-Down Brackets (not available with Cordless Lift & Lock)
- Short and Long Extension Brackets
- Spacer Blocks – small (3/8") and large (3/4")  
(one 3/8" spacer set standard with 2-3/8" blinds)
- Special Wand/Cord Length (please see available wand sizes on p.14)
- Wand Tilter (2-3/8" blinds available with cord tilter ONLY)
- 2 or 3 On 1 Headrail (maximum 120") – price as separate blinds  
(3 on 1 headrail not available with Cordless Lift & Lock)
- Side by Side (slat alignment guaranteed within 1/4" when requested  
at time of order. Blinds must be the same height, slat size, and color.)

**OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER**

- Cordless Lift & Lock™ System .....add \$67 each  
(not available on 1-3/8" blinds)
- Blinds Under 12" Wide .....add \$13 each
- Tape Valance (on 3" Standard Deco Valance Only) .....add \$13 each
- Keystone Valance option (for blinds under 102" wide) .....add \$13

Notes: • For surcharges on oversize common carrier delivery, express ship program, shipments to Hawaii, Alaska and Puerto Rico, see General Information Section  
• Cordless Lift System not available on 1-3/8" or 2-3/8" blinds. Cordless Lift & Lock not available on 1-3/8" blinds.

SIZE SPECIFICATIONS	1-3/8" Standard	2-3/8" Standard	2-3/8" Cordless Lift & Lock™
Minimum Width (Net)	8"	12"	10-1/2"
	12" with Tapes	12" with Tapes	
Maximum Width (One blind)	102"	102"	96"
Minimum Height	12"	12"	12"
Maximum Height	126"	126"	84"
Max. AREA (SQ/FT)	50 sq/ft	50 sq/ft	50 sq/ft
- Blinds over 50 SQ/FT require 2 or 3 on 1 headrail			
Maximum Width 2 on 1 Headrail	120"	120"	120"
Maximum Width 3 on 1 Headrail	120"	120"	N/A
Maximum continuous valance width (not spliced)	102"	102"	102"



## REMOTETILT™ – Tilt Motorization System

NOTE: Must select RF RemoteTilt power source when ordering.

**Radio Frequency (RF) RemoteTilt power options are:** (1) Single Battery Wand (reloadable), (2) Dual Battery Wand (reloadable), and (3) Transformer (plugs into wall outlet). Each Reloadable Battery Wand comes with a set of 8 AA lithium batteries on initial shade orders at the prices shown below. The part # below references the battery wand only.

### OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER (Must select RF RemoteTilt power source when ordering)

#### RADIO FREQUENCY (RF) MOTORIZATION

- Radio Frequency (RF) Tilt Motor .....add \$305 per blind
- Radio Frequency (RF) Remote Control Unit – 1 Channel ..... Part #RC445069 ..... add \$117 each
- Radio Frequency (RF) Remote Control Unit – 5 Channel ..... Part #RC445079 ..... add \$147 each
- Radio Frequency (RF) Wireless Wall Switch – 1 Channel ..... Part #RC445135 ..... add \$297 each
- Radio Frequency (RF) Wireless Wall Switch – 5 Channel ..... Part #RC445136 ..... add \$301 each
- Radio Frequency (RF) Programmable Timer – 1 Channel ..... Part #1805237A ..... add \$393 each
  
- Radio Frequency (RF) Single Battery Wand – Reloadable (Includes 8 AA)..... Part #RC445268 ..... add \$104 each
- Radio Frequency (RF) Dual Battery Wand – Reloadable (Includes 16 AA) ..... Part #RC445268 ..... add \$223 each
- Radio Frequency (RF) Transformer ..... Part #1822445 ..... add \$129 each
- Radio Frequency (RF) 10" Battery Wand Extension Cable ..... Part #9013282 ..... add \$12 each
- Radio Frequency (RF) 48" Battery Wand Extension Cable ..... Part #9013279 ..... add \$17 each
- Radio Frequency (RF) 96" Battery Wand Extension Cable ..... Part #9013277 ..... add \$22 each
- Radio Frequency (RF) 8 AA Lithium Batteries - Reloadable Wand Replacements ..... Part #9014834 ..... add \$53 each
  
- Solar Recharge Kit (**batteries NOT included**) ..... Part #9019034 .....add \$274 each  
*(Includes solar panel, 10" Y harness, 12v reloadable battery tube, tube mounting clips, glass mount adhesive tape, solar panel mounting brackets – 4 qty.)*
- NiMh Rechargeable Batteries (quantity of 10) ..... Part #9018621 .....add \$77 each
- Plug-in AC Battery Rapid Charger (for solar recharge kit only) (includes 12" cable) ..... Part #9015781 .....add \$271 each
- 48" Extension Cable for Y Harness ..... Part #9016736 .....add \$18 each

Notes: • For surcharges on oversize common carrier delivery, express ship program, shipments to Hawaii, Alaska and Puerto Rico, see General Information Section

REMOTETILT MOTORIZATION SIZE SPECIFICATIONS	1-3/8"	2"	2-3/8"
Minimum Width (Net)	12" 14" with Solid or Decorative Tapes	12" 14" with Solid or Decorative Tapes	12" 14" with Solid or Decorative Tapes
Maximum Width (One blind)	96"	96"	96"
Maximum Height	96"	96"	96"
Maximum AREA (SQ/FT)	50 sq/ft	50 sq/ft	50 sq/ft
Maximum continuous valance width (not spliced)	102"	102"	102"

**RemoteTilt is not available with Cordless Lift & Lock**

## INDIVIDUAL VALANCE ORDERING & PRICING



Refer to this pricing for "individual" valances only. (Valances on all blind orders are already standard and included in the blind price.) The 3" Crescent valance is only available in Natural Finish colors.

### Valance Deductions for Wood Blinds

Order Configuration		How Valance Will Be Produced
IB	RETURN LENGTH OVERRIDE	Inside miter to miter valance will be 1" wider than ordered width
OB	NET (Valance Only)	Inside miter to miter valance will be exact ordered width
IB	NET (Valance Only)	Valance will be exact ordered width
IB	CONTINUOUS	Valance will be exact size of continuous valance measurement
IB	CONTINUOUS with RETURN LENGTH OVERRIDE	Inside miter to miter valance will be 1" wider than ordered width
OB	CONTINUOUS	Inside miter to miter valance will be exact ordered width

SMOOTH FINISH	3" Standard Decorative, 3" Crescent, 3" Soho, and 4" Forte Valance Color #
Amber	287
Ashwood	305
Cashmere	304
Charcoal	298
Cherry oak	289
Chestnut	309
Colonial	118
Dark Mocha	295
English Walnut	299
Flaxen	28
Golden Oak	124
Golden Pine	285
Gray Cloud	303
Greystone	311
Greywood Frost	312
Lunar	301
Mahogany	125
Mesquite	291
Milky White	282
Mink	310
New Oak	117
Neuvo White	284
Oxford Brown	307
Parchment	30
Pecan	290
Pure White	26
Rich Walnut	133
Roasted Almond	292

SMOOTH FINISH	3" Standard Decorative, 3" Crescent, 3" Soho, and 4" Forte Valance Color #
Rose Mahogany	293
Russett	306
Skyline	302
Snow White	296
Snowflake	13
Spanish Oak	297
Spice	134
Sugar	300
Sunset Pine	288
Traditional White	283
Tropical Mahogany	308
Winter White	12
Woodland	114

ENHANCED GRAIN	3" Standard Decorative Valance Color #
Amber Delight	511

COASTAL	3" Soho Valance Color #
Bonfire	804
Driftwood	801
Evening Fog	802
Sailcloth	800
Sand Dollar	803
Winter Surf	805

## INDIVIDUAL VALANCE PRICING

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"	114"	120"
3" Std Deco, Crescent, Soho	\$23	23	23	23	36	36	36	36	50	50	50	50	59	59	59	77	77	77
4" Forte	39	39	39	39	63	63	63	63	86	86	86	86	103	103	103	134	134	134

NOTE: The maximum continuous valance width is 102". Valances over the maximum width will be spliced in the center.

## TAPE VALANCE OPTION



With this option, the 1" Solid, 1" or 1-1/8" Decorative Tape is attached (glued) across the flat section of the 3" Standard Decorative Valance. Refer to the wood/tape sample deck to coordinate wood and tape colors to your liking. The tape names available for this option and the 4 digit tape color numbers are listed below. (Tape pattern orientation flows from left to right.)



SOLID TAPE NAMES	Color Number
Alabaster	1112
Black	1055
Dark Beige	1093
Cocoa	1062
Sand	1036
Toffee	3136
White	1005

DECORATIVE TAPE NAMES	Color Number
Basketweave	6000
Gray Cream Band	5007
Gray Gold Band	5006
Natural Band	2301
White Flux	2101

NOTE: Decorative Keystone can be ordered with the tape valance option but the tape will not be placed on the Keystone. It will butt up to it on each side.

# VALANCES

## STANDARD VALANCE & RETURN CONFIGURATIONS (OUTSIDE MOUNTS)



### Standard Decorative - 3" Profile

- Standard on Smooth finish and Enhanced Grain blinds
- Not available on Coastal blinds

### Crescent Valance - 3" Profile (optional)

- Optional for Smooth finish blinds only
- Not available on Enhanced Grain or Coastal blinds

### Soho Valance - 3" Profile (optional)

- Standard on Coastal blinds
- Optional for Smooth finish blinds only
- Not available on Enhanced Grain blinds

### Forte Valance - 4" Profile (upgrade)

- Optional for Smooth finish blinds only
- Not available on Enhanced Grain or Coastal blinds

NOTE: Outside mount returns are adjusted longer by the factory when short or long extension brackets or when small or large (3/8" or 3/4") spacer blocks are ordered. Only the 1st set of ordered spacer blocks will affect the return length adjustment. Please specify longer custom return lengths when ordering if necessary.

### Slat Size/Style

- 1-3/8" Woods
- 2" Woods
- 2-3/8" Woods (+ 3/8" spacer blocks)
- 2" Enhanced Grain Woods
- 2" Coastal Woods

### Standard OB Returns

3"  
3"  
3-3/8"  
3"  
3"

Note: Inside mount blind valances do not come with returns unless specified on the order.


## KEYSTONE VALANCE OPTION

Keystones are designed to cover splices in oversized valances or can be used as a decorative element to add dimensional appeal.

Valances under 102" – a keystone may be added to a valance for a small surcharge. The valance will come fully assembled with the keystone positioned in the center. The color of the keystone will match the valance.

Valances over 102" that are spliced - a keystone will automatically be provided at no charge to join the sides and cover the splice. Will require assembly.

Note: the addition of a keystone will not affect the overall width of the valance.





## VALANCE / RETURN SPECIFICATIONS

- **Custom valance widths** are available upon request. Maximum widths for valance are as follows:  
The maximum Continuous Valance width is **102"**.  
The maximum Spliced Valance width is **120"**. (See note below).
- **Custom return lengths** are available upon request:  
The minimum return length is **1 1/2"**  
The maximum return length is **6"**
- **3" Return lengths** are factory adjusted when extension brackets or (1 set of) spacer blocks are ordered.  
Returns + Short Extension Brackets = **4-1/4"**  
Returns + Long Extension Brackets = **6-1/4"**  
Returns + Small Spacer Blocks = **3-3/8"**  
Returns + Large Spacer Blocks = **3-3/4"**

**NOTE:** Valances over 102" will be spliced in the middle. A decorative keystone will be supplied at no charge to join the sides and conceal the splice.

### CUSTOM VALANCE & RETURNS – MEASURED & CUT FROM THE INSIDE:

- **NOTE:** Valances are cut to measure from the inside miter to insure the most accurate fit when installed over the headrail or window frame.





# CORDLESS LIFT & LOCK™ – BOTTOMRAIL COLOR COORDINATION

The cordless Lift & Lock™ operating system comes with a coordinating aluminum bottomrail in the color listed below.

Wood Styles & Names	2" COLOR #	2-3/8" COLOR #	Cordless Lift & Lock Bottomrail	
			Color	Color #
SMOOTH FINISH (paints & stains)				
Amber	W2-287	W238-287	Camel	082
Ashwood	W2-305	W238-305	Pearl Gray	879
Cashmere	W2-304		Antique White	973
Charcoal	W2-298	W238-298	Bronze	064
Cherry Oak	W2-289		Ginger	187
Chestnut	W2-309		Sweet Chocolate	378
Colonial	W2-118		Wild Ginger	463
Dark Mocha	W2-295		Venetian Bronze	234
English Walnut	W2-299		Sweet Chocolate	378
Flaxen	W2-028		Eggshell	174
Golden Oak	W2-124	W238-124	Wild Ginger	463
Golden Pine	W2-285		Camel	082
Gray Cloud	W2-303		Alabaster	002
Greystone	W2-311		Black	048
Greywood Frost	W2-312	W238-312	WD Gold	422
Lunar	W2-301	W238-301	Antique White	973
Mahogany	W2-125	W238-125	Venetian Bronze	234
Mesquite	W2-291	W238-291	Sweet Chocolate	378
Milky White	W2-282	W238-282	Pearl	974
Mink	W2-310		Wild Ginger	463
Neuvo White	W2-284		Pearl	974
New Oak	W2-117		Wild Ginger	463
Oxford Brown	W2-307		Venetian Bronze	234
Parchment	W2-030		Antique White	973
Pecan	W2-290		Cognac	282
Pure White	W2-026	W238-026	Pearl	974
Rich Walnut	W2-133	W238-133	Venetian Bronze	234
Roasted Almond	W2-292	W238-292	Cognac	282
Rose Mahogany	W2-293		Cognac	282
Russet	W2-306		Venetian Bronze	234
Skyline	W2-302	W238-302	Pearl Gray	879
Snow White	W2-296		Alabaster	002
Snowflake	W2-013		Pearl	974
Spanish Oak	W2-297	W238-297	Cocoa	083
Spice	W2-134	W238-134	Ginger	187
Sugar	W2-300	W238-300	Flex White	885
Sunset Pine	W2-288		Wild Ginger	463
Traditional White	W2-283		Pearl	974
Tropical Mahogany	W2-308		Sweet Chocolate	378
Winter White	W2-012	W238-012	Alabaster	002
Woodland	W2-114		Sweet Chocolate	378

## ENHANCED GRAIN

Amber Delight	WP2-511		Camel	082
---------------	---------	--	-------	-----

## COASTAL

Bonfire	WBR-804		Sweet Chocolate	378
Driftwood	WBR-801		Smokey Gray	443
Evening Fog	WBR-802		Gray Flannel	405
Sailcloth	WBR-800		Pearl Gray	879
Sand Dollar	WBR-803		Flex White	885
Winter Surf	WBR-805		Bronze	064

 = NOT AVAILABLE

**NOTE:** Bottomrail colors are pre-selected. Hardware color override is not available.  
Please refer to the cordless Lift & Lock™ Hardware Color Card to see an example of the bottomrail color.

# SOLID AND DECORATIVE TAPES

## TAPES



## TAPE SPECIFICATIONS

Select the tape width, color and design which will complement your 1-3/8", 2" or 2-3/8" wood blind.

- Made from a poly/cotton blend
- Resists fading or shrinking
- *Lifetime Guarantee*
- Decorative tapes are attached to solid colored tape ladders that are slightly narrower than the width of the decorative tape (see chart below). The ladder is pre-selected based upon this width and for color coordination. A high tech gluing process is used to adhere the decorative tape. This process is superior to the commonly used sewing application which is visible and tends to pucker. **The decorative tape is only applied to the ladder on the front of the blind. The back of the blind will have a solid color tape visible (see chart below).**

### Solid Tapes

ALL Blinds (1-3/8", 2" & 2-3/8")	
1" Solid Tape	
Alabaster	1112
Black	1055
Cocoa	1062
Dark Beige	1093
Sand	1036
Toffee	3136
White	1005

ALL Blinds (1-3/8", 2" & 2-3/8")	
1-1/2" Solid Tape	
Alabaster	8112
Black	8055
Camel	0341
Cherry	8092
Chocolate	8062
Dark Beige	8093

ALL Blinds (1-3/8", 2" & 2-3/8")	
1-1/2" Solid Tape	
Lavender	0751
Light Beige	8036
Paprika	0292
Pewter	0155
White	8005
Yellow	0480

### Decorative Tapes

ALL Blinds (1-3/8", 2" & 2-3/8")		
1-1/8" Deco Tape		Attached To
Basket Weave	6000	Alabaster
Gray Cream Band	5007	Alabaster
Gray Gold Band	5006	Alabaster
Natural Band	2301	Sand
White Flux	2101	Alabaster

ALL Blinds (1-3/8", 2" & 2-3/8")		
1-1/4" Deco Tape		Attached To
Stonewash Cocoa	5003	Cocoa
Stonewash Denim	5004	White
Stonewash Espresso	5005	Cocoa
Stonewash Gray	5002	Alabaster
Stonewash Khaki	5001	Alabaster
Stonewash Natural	5000	Alabaster

ALL Blinds (1-3/8", 2" & 2-3/8")		
1-1/2" Deco Tape		Attached To
Aztek Gray-Gold	6100	Camel
Dublin	6200	Alabaster
Ivory Accent	0911	Alabaster
Knit Fit	4300	Alabaster
White Accent	0910	White
White Elegance	0901	White

### Solid and Decorative Tapes are not available with:

- LightsOut Routeless Feature
- Cordless Lift
- Cordless Lift & Lock™

# PRODUCT SPECIFICATIONS

FEATURES	1-3/8"	2" Smooth	2" Enhanced Grain	2" Coastal	2-3/8"
# of Colors	10	41	1	6	17
Headrail Size	1-1/2" x 2-1/4"	1-1/2" x 2-1/4"	1-1/2" x 2-1/4"	1-1/2" x 2-1/4"	1-1/2" x 2-1/4"
Headrail Gauge	.024	.024	.024	.024	.024
Bracket Style	Box	Box	Box	Box	Box
Ladder Space Between Slats	30 mm	44 mm	44 mm	44 mm	54 mm
Cord Tilter - <b>not available</b> with RemoteTilt option	Yes	Yes	Yes	Yes	Yes
Decorative Valance	Yes – 3"	Yes – 3"	Yes – 3"	Soho Valance	Yes – 3"
Valance Return Lengths (standard for OB mounts)	3"	3"	3"	3"	3-3/8"
Magnetic Valance Attachment System	Yes	Yes	Yes	Yes	Yes
Decorative Wood Tassel	Yes	Yes	Yes	Yes	Yes
Break-Away Stop Ball - <b>not required</b> with cordless lift - <b>not required</b> with cordless Lift & Lock™	Yes	Yes	Yes	Yes	Yes
Warranty (Tilt motor systems are warranted for 5 years)	Lifetime Limited	Lifetime Limited	Lifetime Limited	Lifetime Limited	Lifetime Limited

OPTIONS AND UPGRADES	1-3/8"	2" Smooth	2" Enhanced Grain	2" Coastal	2-3/8"
Cordless Lift - <b>not available</b> with tapes - <b>not available</b> with LightsOut Routeless feature	N/A	Yes	Yes	Yes	N/A
Cordless Lift & Lock™ - <b>not available</b> with tapes - <b>not available</b> with LightsOut Routeless feature	N/A	Yes	Yes	Yes	Yes
RemoteTilt System¹ - <b>not available</b> with cordless Lift & Lock™	Yes	Yes	Yes	Yes	Yes
Cordless Lift System PLUS RemoteTilt System	N/A	Yes	Yes	Yes	N/A
LightsOut Routeless Slats² - <b>not available</b> with tapes - <b>not available</b> with cordless lift - <b>not available</b> with cordless Lift & Lock™	Yes	Yes	Yes	Yes	Yes
2 or 3 On 1 Headrail³ - <b>3 on 1 headrail not available</b> with cordless Lift & Lock™	Yes	Yes	Yes	Yes	Yes
Rounded Corners – No Charge	Yes	Yes	Yes	N/A	Yes
Tapes⁴ - <b>not available</b> with cordless lift - <b>not available</b> with cordless Lift & Lock™ - <b>not available</b> with LightsOut Routeless feature	Yes	Yes	Yes	Yes	Yes
Tape Valance – Decorative Valance Only	Yes	Yes	Yes	N/A	Yes
Crescent Valance	Yes	Yes	N/A	N/A	Yes
Soho Valance	Yes	Yes	N/A	Standard	Yes
Forte Valance	Yes	Yes	N/A	N/A	Yes
Keystone Valance	Yes	Yes	Yes	Yes	Yes

CONTROL/MOUNTING OPTIONS	1-3/8"	2" Smooth	2" Enhanced Grain	2" Coastal	2-3/8"
Wood Wand	Yes	Yes	Yes	Yes	N/A
Wand/Cord – Custom Lengths	Yes	Yes	Yes	Yes	Yes (Cord ONLY)
Control Positions	LR, RL or Grouped	LR, RL or Grouped	LR, RL or Grouped	LR, RL or Grouped	LR, RL or Grouped
Tilt Control Position – Cordless Lift	N/A	L (only)	L (only)	L (only)	N/A
Tilt Control Position – Cordless Lift & Lock™	N/A	L or R	L or R	L or R	L or R
Lift Control Position – RemoteTilt	L or R	L or R	L or R	L or R	L or R
Tile Cut-out(s) - <b>not available</b> with cordless Lift & Lock™	Yes	Yes	Yes	Yes	Yes
Spacer Blocks⁵ (3/8" and 3/4" Depths)	Yes	Yes	Yes	Yes	3/8" Standard
Extension Brackets (Short & Long)	Yes	Yes	Yes	Yes	Yes
Hold-down Brackets - <b>not available</b> with 2-3/8" cordless Lift & Lock™	Yes	Yes	Yes	Yes	Yes

FOOTNOTES					
1	RemoteTilt motorization system requires a hand-held REMOTE CONTROL unit. <b>The quantity of remote control units must be specified when ordering. RemoteTilt requires both a remote and a power source. Please specify when ordering.</b>				
2	The <b>LightsOut</b> configuration may cause slight "puckering" of the <b>lift cords</b> on the front of the blind when the slats are tilted backwards (reverse tilt) due to the use of interlacing cords on the front (the back uses looped ladders). A gentle tug down on the lift cord The slats on LightsOut routeless blinds feature notches at the rear of the slat instead of route holes. Regardless of blind size, there will be two notches, each approx 6" in from the end of the slat.				
3	There will be a 1/2" maximum light gap between multiple blinds on 1 headrail. 2 or 3 on 1 headrail not available with the Cordless Lift or RemoteTilt upgrades.				
4	Wood tone blinds will include Antique Brass Tape Clamps and White/Neutral tone blinds will include White Tape Clamps on the bottomrail.				
5	On outside mount valances, the 1st set of ordered spacer blocks will automatically lengthen the default 3" valance return length by the depth of the spacer, either 3/8" or 3/4".				



## SIZE SPECIFICATIONS

SIZE SPECIFICATIONS	2" Standard	2" Cordless	2" Cordless Lift & Lock™
Minimum Width (Net)	8" 12" with Tapes	18"	10-1/2"
Maximum Width (One blind)	102"	78"	96"
Minimum Height	12"	12"	12"
Maximum Height	126"	84"	84"
Max. AREA (SQ/FT) - Blinds over 50 SQ/FT require 2 or 3 on 1 headrail (where available)	50 sq/ft	45 sq/ft	45 sq/ft
Maximum Width 2 on 1 Headrail	120"	N/A	120"
Maximum Width 3 on 1 Headrail	120"		N/A
Maximum continuous valance width (not spliced)	102"	102"	102"

SIZE SPECIFICATIONS	1-3/8" Standard	2-3/8" Standard	2-3/8" Cordless Lift & Lock™
Minimum Width (Net)	8" 12" with Tapes	12" 12" with Tapes	10-1/2"
Maximum Width (One blind)	102"	102"	96"
Minimum Height	12"	12"	12"
Maximum Height	126"	126"	84"
Max. AREA (SQ/FT) - Blinds over 50 SQ/FT require 2 or 3 on 1 headrail	50 sq/ft	50 sq/ft	50 sq/ft
Maximum Width 2 on 1 Headrail	120"	120"	120"
Maximum Width 3 on 1 Headrail	120"	120"	N/A
Maximum continuous valance width (not spliced)	102"	102"	102"

1-3/8" Wood Blinds are not available with Cordless Lift & Lock

REMOTETILT MOTORIZATION SIZE SPECIFICATIONS	1-3/8"	2"	2-3/8"
Minimum Width (Net)	12" 14" with Solid or Decorative Tapes	12" 14" with Solid or Decorative Tapes	12" 14" with Solid or Decorative Tapes
Maximum Width (One blind)	96"	96"	96"
Maximum Height	96"	96"	96"
Maximum AREA (SQ/FT)	50 sq/ft	50 sq/ft	50 sq/ft
Maximum continuous valance width (not spliced)	102"	102"	102"

RemoteTilt is not available with Cordless Lift & Lock

## FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions and may vary slightly.

Inside (IB) Mount	
Headrail width <sup>1</sup>	- 3/4"
Blind width	- 1/2"
Blind height	ordered height
Valance	- 1/8"
Outside (OB) Mount	
Headrail width <sup>1</sup>	- 1/4"
Blind width	ordered width
Blind height	ordered height
Valance (measured from inside corners)	+ 1"
2 on 1 and 3 on 1 Headrail	
Gap between panels	- 1/2"

## MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount	
Minimum mounting depth:	1-1/8"
Minimum mounting depth, flush mount - 1-3/8", 2":	3-1/2"
Minimum mounting depth, flush mount - 2-3/8":	3-3/4"
Outside (OB) Mount	
Minimum flat vertical surface	1-3/4"

### FOOTNOTE

1 The headrail width has a 1/4" deduction on outside mounts and 3/4" deduction on inside mounts to accommodate the installation brackets.

## CONTROL CHARTS / COMPONENTS – STANDARD RECTANGULAR

### CONTROLS

- Cords are **color-coordinated** with slats
- Standard Cord length = 1/2 blind height
- For RemoteTilt**, the **tilt** function is controlled by remote unit

#### CONTROL POSITIONS:

	Min. Width (NET)
Tilt Cord center and no Lift Cord*	Under 12"
Tilt Cord <b>left</b> / Lift Cord <b>right</b> (standard)	12"
Lift Cord <b>left</b> / Tilt Cord <b>right</b>	12"
Tilt & Lift Cords <i>grouped left</i>	18-1/8"
Tilt & Lift Cords <i>grouped right</i>	18-1/8"

\* Available on 2" blinds only

### TILT WAND (optional)

- Wood tilt wands are **color coordinated** with slats
  - Chart shows standard lengths. Specify other when ordering.
- Not available on 2-3/8" Blinds**

Wand Length	Blind Height
12"	12" - 24"
20"	24 1/8" - 40"
24"	40 1/8" - 60"
36"	60 1/8" - 84"
48"	84 1/8" +

Wood Wands up to 48" long. Clear plastic in 60", 70", 78", 90" or 120". Wand length optional. Specify optional lengths when ordering.

### LADDER / TAPE PLACEMENT CHARTS

- 1-3/8", 2" and 2-3/8" Blinds

The following charts show the number of ladders based on the width of the blind.

1-3/8" WOOD	
Blind Width	# of Ladders
8" - 36"	2
36 1/8" - 56 1/4"	3
56 3/8" - 78 1/4"	4
78 3/8" - 100 1/4"	5
100 3/8" - 102"	6

2" WOOD	
Blind Width	# of Ladders
8" - 36"	2
36 1/8" - 56 1/4"	3
56 3/8" - 78 1/4"	4
78 3/8" - 100 1/4"	5
100 3/8" - 102"	6

2-3/8" WOOD	
Blind Width	# of Ladders
8" - 36"	2
36 1/8" - 52"	3
52 1/8" - 72"	4
72 1/8" - 92"	5
92 1/8" - 102"	6

### STACK-UP CHART (APPROXIMATE)

- Headrail+Bottomrail = 2-1/2"

The following charts show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

1-3/8" WOOD	
+ 2 1/2"	
Blind Height	Stack Height
48"	5 3/4"
60"	7 3/8"
72"	8 3/4"
84"	10 1/4"
96"	11 3/4"
PLUS	2-1/2"


2" WOOD	
+ 2 1/2"	
Blind Height	Stack Height
48"	4"
60"	5"
72"	6"
84"	7"
96"	8"
PLUS	2-1/2"

2-3/8" WOOD	
+ 2 1/2"	
Blind Height	Stack Height
48"	3 1/8"
60"	3 7/8"
72"	4 5/8"
84"	5 3/8"
96"	6 1/4"
PLUS	2-1/2"

### BREAK-AWAY STOP BALL

- Stop balls are standard for ALL lift cords.

The stop ball separates under pressure. It easily snaps together again.



### BOTTOMRAIL

- Trapezoid** bottomrails are standard on wood blinds

The "trapezoid" bottomrail provides a contoured, modern look along with improved blind operation (slat tilting & rotating). It also accommodates a smaller flat 1" tape clamp when solid or decorative tapes are ordered.



NOTE: Wood tone blinds will include Antique Brass Tape Clamps and White/Neutral tone blinds will include White Tape Clamps on the bottomrail.

## CONTROL CHARTS – CORDLESS

### CONTROLS

- Available with tilt cords, tilt wand or RemoteTilt
- Tilt cords are **color coordinated** with slats
- Standard tilt cord length = 1/2 blind height  
See tilt wand info on page 13 for wand lengths
- **LIFT** function is controlled from the bottom rail

#### TILT CONTROL POSITIONS:

Tilt Cord, Wand or RemoteTilt **left** (only)

#### Min. Width

18"

### LADDER PLACEMENT CHART

- 2" Blinds

The following charts show the number of ladders based on the width of the blind.

2" WOOD	
Blind Width	# of Ladders
18" - 36"	2
36-1/8" - 56-1/4"	3
56-3/8" - 78"	4

### STACK-UP CHART (APPROXIMATE)

- Headrail + Bottomrail = 2-1/2"

The following charts show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

2" WOOD	
Blind Height	Stack Height
48"	4"
60"	5"
72"	6"
84"	7"
<b>PLUS</b>	<b>2-1/2"</b>

## CONTROL CHARTS – REMOTETILT™ MOTOR SYSTEM

### CONTROLS

- Lift cords are **color coordinated** with slats
- Standard lift cord length = 1/2 blind height
- **TILT** function is motor controlled from remote unit

#### CONTROL POSITIONS:

Lift Cord **right** (standard) or **left**

#### Min. Width

12"

14" w/ Tapes

**Note:** RemoteTilt is not available with Cordless Lift & Lock

### LADDER / TAPE PLACEMENT CHARTS

- 1-3/8", 2" and 2-3/8" Blinds

The charts show the number of ladders based on the width of the blind.

1-3/8" WOOD	
Blind Width	# of Ladders
8" - 36"	2
36 1/8" - 56 1/4"	3
56 3/8" - 78 1/4"	4
78 3/8" - 96"	5

2" WOOD	
Blind Width	# of Ladders
8" - 36"	2
36 1/8" - 56 1/4"	3
56 3/8" - 78 1/4"	4
78 3/8" - 96"	5

2-3/8" WOOD	
Blind Width	# of Ladders
8" - 36"	2
36 1/8" - 52"	3
52 1/8" - 72"	4
72 1/8" - 92"	5
92 1/8" - 96"	6

### STACK-UP CHART (APPROXIMATE)

- Headrail+Bottomrail = 2-1/2"

The charts show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

1-3/8" WOOD	
Blind Height	Stack Height
48"	5 3/4"
60"	7 3/8"
72"	8 3/4"
84"	10 1/4"
96"	11 3/4"

**PLUS 2-1/2"**

2" WOOD	
Blind Height	Stack Height
48"	4"
60"	5"
72"	6"
84"	7"
96"	8"

**PLUS 2-1/2"**

2-3/8" WOOD	
Blind Height	Stack Height
48"	3 1/8"
60"	3 7/8"
72"	4 5/8"
84"	5 3/8"
96"	6 1/4"

**PLUS 2-1/2"**



# CONTROL CHARTS – CORDLESS LIFT & LOCK SYSTEM

## CONTROLS

- Cords are **color-coordinated** with slats
- Standard Cord length = 1/2 blind height
- **For cordless Lift & Lock** the **lift** function is controlled by the bottomrail

### CONTROL POSITIONS:

Tilt Cord center ONLY  
Tilt Left or Right ONLY

### Min. Width (NET)

10-1/2" to 12-3/8"  
12-1/2" and more

## TILT WAND (OPTIONAL FOR 2" BLINDS ONLY)

- Tilt wands are **color-coordinated** with slats
- Chart shows standard lengths. Specify other when ordering.

2" Wood	
Wand Length	Blind Height
20"	12" to 36"
24"	36-1/8" to 48"
36"	48-1/8" to 70"
48"	70-1/8" to 84"



## LADDER PLACEMENT CHART

The chart shows the number of ladders based on the width of the blind.

2" & 2-3/8" WOOD	
Blind Width	# of Ladders
10-1/2" - 36"	2
36-1/8" - 56"	3
56-1/8" - 78"	4
78 1/8" - 96"	5

## STACK-UP CHART (APPROXIMATE)

- Headrail+Bottomrail = 2-1/2"

The charts show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

2" WOOD	
Blind Height	Stack Height
48"	4"
60"	5"
72"	6"
84"	7"

2-3/8" WOOD	
Blind Height	Stack Height
48"	3 1/8"
60"	3 7/8"
72"	4 5/8"
84"	5 3/8"

PLUS 2-1/2"


PLUS 2-1/2"

## BOTTOMRAIL - Cordless Lift & Lock™

- A 2" deep by 1" tall aluminum bottomrail is standard


The aluminum bottomrail comes in one of the available colors pre-selected to best complement the color of the slat. A list of the coordinating bottomrail colors can be found on page 10. Please refer Cordless Lift & Lock Bottomrail Colors sheet to see an example of the bottomrail color.

Aluminum Bottomrail




**NOTE:** Bottomrail colors are pre-selected. Hardware color override is not available.

# PRODUCT COMPONENTS – STANDARD RECTANGULAR




## CONTROL CHARTS – CORDLESS LIFT SYSTEM



**NOTE: 1-3/8" Wood & 2-3/8" Wood Blinds not available with Cordless Lift.**

# PRODUCT COMPONENTS – CORDLESS LIFT & LOCK™ SYSTEM



\*when ordered with wand tilt



---

## REMOTETILT™ MOTORIZATION: OVERVIEW

---

With RemoteTilt motorized blinds, a better quality of life and have more time to enjoy life's daily pleasures. At the touch of a button, window coverings can be instantly adjusted to changing activities or the varying sun conditions.



An ideal solution is to manage glare with a RemoteTilt hand-held remote control. At the simple touch of a button, blinds will tilt open or closed to adjust to the changing sunlight in a room.



RemoteTilt motorized blinds provide ultra-quiet operation. This RF system can operate blinds from virtually anywhere in the house without direct line of sight. Similar to how a garage door opener operates, radio signals travel through walls and make it possible to control multiple coverings throughout the home alone or as a group. It is also available in a 5-channel version. The multi-channel RF system allows for independent control of individual blinds and/or group control.

---

The RemoteTilt motorization system provide many benefits, such as improving energy efficiency, providing easily controllable privacy and also enhancing home security.

---



The RemoteTilt RF timer allows users to program specific times of the day to automatically adjust blinds in different areas of the house, protecting interiors from the fading effects of direct sunlight. This feature provides added security to an unoccupied home by creating a lived in look even while homeowners are away on vacation.



The battery powered RemoteTilt RF wireless wall switch allows blinds to be controlled when entering or exiting a room, just like the lights. The switch may be seamlessly installed without wiring next to any light switch or stand alone, and is never misplaced. This one touch privacy helps create the ideal environment whether preparing for a bath, relaxing in bed or enjoying time with the family at home.

---

Alta RemoteTilt motorized blinds are powered by Somfy, an industry leader in automated window coverings. All motorized products are backed by a 5 year warranty.





# RADIO FREQUENCY REMOTETILT™ MOTORIZATION: FEATURES & OPTIONS















## RADIO FREQUENCY (RF) REMOTETILT FEATURES:

- Highest quality patent protected design by Somfy
- Advanced motor with quiet operation
- Motor is fully enclosed within the headrail
- RemoteTilt blinds install with standard installation hardware
- RF motor is programmable with 1-channel and 5-channel versions

Note: The power source must be selected when ordering. The options are: reloadable and non-reloadable single or dual battery wand, and the plug-in transformer.



 <p><b>Radio Frequency (RF) RemoteTilt Motor</b>  Motor (Part #1002822)  Headrail Adapter (Part #9014528)  Tilt Hex Rod Adapter – Standard (Part #9014535)  Tilt D Rod Adapter – Cordless Lift (Part #9014536)</p>	<ul style="list-style-type: none"> <li>• Fully concealed motor unit</li> <li>• Flexible and programmable operation</li> <li>• 12 Volt System</li> </ul>
 <p><b>Radio Frequency (RF) Remote Control</b>  (must order separately)  Color: 2 tone white and gray  2 Types: programmable 1-channel and programmable 5-channel  (1-Channel: Part #RC445069)  (5-Channel: Part #RC445079)</p>	<ul style="list-style-type: none"> <li>• Controls tilting operation</li> <li>• Programmable features</li> <li>• Easy blind tilting up to 90 feet away</li> <li>• 5-channel remote allows for multiple and independent blind operation</li> </ul>
 <p><b>Single Battery Wand (reloadable) and Installation Clips</b>  Wand (Part #RC445268)  Clips (Part #9013263)  8 AA Lithium Batteries (not shown) (Part #9014834)</p>	<ul style="list-style-type: none"> <li>• On initial blind orders, the reloadable wand comes with 8 AA lithium batteries</li> <li>• Comes with wall mounting installation clips</li> <li>• For parts ordering the reloadable wand INCLUDING 8 AA lithium batteries, order both part #s</li> <li>• Replacement 8 AA lithium batteries may also be ordered separately</li> </ul>
 <p><b>Optional, Dual Battery Wand (reloadable) and Installation Clips</b>  (Clips: Part #9013263)  (Wand: Part #RC445268) x2  (Y-Harness: Part #9015580)  (Y-Harness Ext. Cable: Part #9016374)</p>	<ul style="list-style-type: none"> <li>• On initial shade orders, the reloadable wands come with 16 AA lithium batteries</li> <li>• Combines Single Battery Wands for extended life</li> <li>• Comes with wall mounting installation clips</li> </ul>
 <p><b>Transformer</b>  (Part #1822445)</p>	<ul style="list-style-type: none"> <li>• Plug-in operation, no batteries required</li> <li>• Works in standard wall outlet (comes with 10' wire)</li> </ul>
 <p><b>Battery Wand Extension Cables</b>  Color: White  (10" Cable: Part #9013282)  (48" Cable: Part #9013279)  (96" Cable: Part #9013277)</p>	<ul style="list-style-type: none"> <li>• Available in 10", 48" and 96"</li> <li>• Allows battery wand installation away from headrail</li> </ul>
 <p><b>Wireless Wall Switch</b>  Color: white  2 Types: programmable 1-channel and 5-channel  (1 Channel: Part #RC445135)  (5 Channel: Part #RC445136)</p>	<ul style="list-style-type: none"> <li>• Control wireless operation from the wall up to 90 feet away</li> <li>• Works like turning a light on/off</li> </ul>
 <p><b>Programmable Timer (RF)</b>  1 Type: programmable 1-channel  (Part #1805237A)</p>	<ul style="list-style-type: none"> <li>• Program operation based on pre-set times</li> <li>• Excellent home security feature</li> </ul>
<p><b>WireFree™ Solar Pack Kit – Batteries NOT included (Part #9019034)</b></p> <p>Photovoltaic Panel </p> <p>"Y" Harness (Part #9016736) </p> <p>Battery + Battery Tube (Part #9018621) </p> <p><b>Accessories</b>  Plug-in AC battery (Part #9015781) rapid charger (required for charging battery prior to installation) </p>	<ul style="list-style-type: none"> <li>• Uses sunlight to power a motorized shade.</li> <li>• Easy to install. Low profile, easy to conceal.</li> <li>• Solar Recharge Kit (<b>batteries NOT included</b>) (Part #9019034) – Includes solar panel, 10" Y harness, 12v reloadable battery tube, tube mounting clips, glass mount adhesive tape, solar panel mounting brackets – 4 qty.)</li> <li>• NiMh Rechargeable Batteries (quantity of 10) (Part #9018621)</li> <li>• Plug-in AC Battery Rapid Charger (for solar recharge kit only) (includes 12" cable) (Part #9015781)</li> <li>• 48" Extension Cable for Y Harness (Part #9016736)</li> </ul>