

**FOOD ESTABLISHMENT INSPECTION REPORT**

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of Priority items and 10 calendar days for Priority Foundation items or HACCP Plan deviations. (§ 64 C.S.R. 17-3.1.j.)

OBSERVATION TOTALS

PRIORITY: 1  
CORE: 21

PRIORITY FOUNDATION: 1  
TOTAL: 23

ESTABLISHMENT: Tropical Smoothie Cafe PERMIT NO.: \_\_\_\_\_ DATE: Oct 16, 2019  
 ADDRESS: 171 Retail Commons CITY: MTBG STATE: WV ZIP: 26403  
 PERSON IN CHARGE/TITLE: Katherine Clark TELEPHONE: 264-4445  
 RECEIVED BY (SIGNATURE): [Signature] SANITARIAN (SIGNATURE): [Signature]  
 INSPECTION TYPE: ROUTINE  FOLLOW-UP  COMPLAINT  OTHER: \_\_\_\_\_ TIME: 11:15

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
		✓	6501.11	hand sink faucet - H2O constantly running
		✗	6501.12	walls need cleaned throughout
		✗	4602.13	smoothe unit - hinges, front vents/inside vents need cleaned
		✓	4501.11	smoothe unit - (L) gasket torn
		✗	4501.11	smoothe unit - H2O laying in bottom
		✗	4602.13	blender base motors need cleaned
		✗	4501.12	finish unit needs new cutting board - protoboard
		✗	4501.11	vitamin/seed drawers broken
		✗	6501.12	front window <sup>wall</sup> needs cleaned - blender area
		✗	6501.12	area inside cabinet at hand sink needs cleaned - door tracks
	✗	✗	4501.114	finish line sanitizer bucket/3 bay high - (30ppm/20ppm) (read steamline tablet label for 20ppm)
		✗	6501.12	large block fan needs cleaned (or removed)
		✗	4602.13	shelves over 3 bay sink dirty
		✓	6501.12	3 bay sink - stained + lime build up
		✓	4602.13	empty wells need cleaned inside (pans + bottles)
		✓	4501.11	walk in shelving - paint peeling on <sup>grid</sup> inside
		✗ (OP)	4602.11	walk in shelves need cleaned thoroughly (look under shelf)

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM

**FOOD ESTABLISHMENT INSPECTION REPORT**

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of Priority items and 10 calendar days for Priority Foundation items or HACCP Plan deviations. (§ 64 C.S.R. 17-3.1.j.)

OBSERVATION TOTALS

PRIORITY: 1  
CORE: 21

PRIORITY FOUNDATION: 1  
TOTAL: 23

ESTABLISHMENT: Tropical Smoothie Cafe PERMIT NO.: \_\_\_\_\_ DATE: Oct 16, 2019  
 ADDRESS: 171 Retail Commons CITY: MTOS STATE: WV ZIP: 25403  
 PERSON IN CHARGE/TITLE: X Katherine Clark TELEPHONE: 264-4445  
 RECEIVED BY (SIGNATURE): Katherine Clark SANITARIAN (SIGNATURE): Greg Edwards  
 INSPECTION TYPE: ROUTINE  FOLLOW-UP  COMPLAINT  OTHER: \_\_\_\_\_ TIME: 11:15 Am

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
		X	4501.11	broken containers need to be discarded
		X	4501.11	ice machine cover/lid - gasket torn
		X	4602.13	front service counter - shelving on left needs cleaned
		X	4602.13	graduated unit - front vents/hinges need cleaned
		X	4501.12	new angle cutting boards need replaced
		X	6501.12	restrooms - ceiling vents need cleaned
			* \$75.00	reinspection fee - pay within 10 days
			* 30 days	given for repeat violation corrections*
			Notes:	
				* Caulk needs replaced at sinks
				* Sinks need de-limed / scrubbed thoroughly
				* Hats needed for employees (on deck)
				* Continue with daily cleaning schedule

Spit bucket has been removed (date missing)

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM

- 2013 Food Code needed
- Post inspection OR Code reaction sheet
- Oct 22 - Class required attendance 10<sup>AM</sup> or 5<sup>PM</sup>