Project:			
Phase:	Lot:	Block:	
	Peviewer:		

ONES STORY, DOES NOT EFFECT FUTURE NEIGHBORS FOR VIEWS

AND OR SOLAR ASPECTS OF

OTHERS- FLAT LOT

DESIGN REVIEW CHECKLIST

comply?

YES

YES

YES

YES YES

YES

YES

YES

YES

YES

YES

YES

YE§.

YΕ'Ş

YE/S

YES

YES

YES

answer

1 acre

3131 SF

2481 SF

21'-6"

NO SECOND LEVEL

WESTERN RANCH

WESTERN RANCH

PRIAMRY GABLE

WINDOWS ARE TO SCALE W/ THE

SIMILAR LEVEL OF

DETAILING AND FORM ON SLL ELEVATIONS

CLOSER TO STREET &

WITHIN SETBACKS

NORTH TO SOUTH

BOXES

7:12

3:12

N/A

N/A

N/A

OCCUPANT

Item

General Lot Size

Livable SF

% on level 2

Nº stories

Character

Main forms

Massing

design

Symmetrical

Nearly Symmetrical

Duplicate design

Site Plan

Placement on lot

Building height

Architectural Style

Appropriate scale

Main roof pitch

Minor roof pitches

All elevations consistent

Gross home size

.IST	in fail at			
.131	DESIG	N REVIEW		
Reviewer's notes	CCR Section	REFERENCE		
	1.1.00	-000 1000 0E000E		
	1.1 pp2	<2ac. 1600-3500SF		
	1.1 pp2	2ac. 1800-4500SF		
	1.1 pp2	2-4ac. 2000-7500SF		
	1.1 pp2	33% max		
	1.2	30' max		
SIMPLE FORMS WITH ADDED, ON	1.2	2 stories, max		
SECONDARY ELEMNTS	2.1	Rural ranching environment		
SIMPLE FORMS WITH ADDED ON SECONDARY ELEMNTS	2.1			
GABLE ELEMTS WITH SECONDARY FFORMS ADDED ON	2.1	Gables, sheds, southwestern		
COVERED PARCH AREAS BRING PRIMARY FORMS DOWN TO HUMAN SCALE	2.2A	windows show human scale, limited 2 story exp.		
		low and horiz. Multiple		
COMPLIMENTED WITH 5:12	2.2A	elements.		
SECONDARY ELEMENTS	2.2A	5:12 - 8:12		
ALL SHED ROOF ELEMENTS	1.2	2:12 - 8:12		
	1.3			
BALANCED BUT NOT SYMETRICAL	2.2B	No symmetrical or nearly symmetrical designs		
	2.2B	No symmetrical or nearly symmetrical designs		
	2.2B	No duplicate or similar designs to any phase		
		and the any prideo		
L	J	1		

solar and view at other lots

artll 2.01

OK?

Project:			
Phase:	Lot:	Block:	
	Reviewer:		

	TOELNODTIL ALL	T	_		
	25' NORTH, ALL		ODEATED OFTDAOKO TILANI		
	OTHERS MUCH		GREATER SETBACKS THAN		
Setbacks	GREATER	YES	REQUIRED BY ZONE	per plat	
	NO BLDG ENVELOPE		SETBACK BY COUNTY		
In building envelope?	DESIGNATED.	YES	STANDARDS USED	per plat	
	FLAT SITE; PROJECT	-			
	GRADING TO SLOPE				
	AWAY FROM				
Sloping lot?	RESIDENCE	YES			
Sloping lot?	EXCAVATED MATERIAL	ILO			
	WILL BE USED FOR				
	PERIMITER BERMING		MAXIMUM HEIGHTNOT TO		house to fit site, not fit site to
Excavation/ grading	ON 3 SIDES	YES	EXCEED 42"	4.4	house
Excavation/ grading	ON 3 SIDES	ILO	LXOLLD 42	4.4	llouse
	20 FEET TO TURN				
	AROUND AND 13'-6"		\wedge		
Driveway width	FOR REMAINDER	YES	MEETS FIRE DEPT. REQ.	artII 2.02	12' - 20'
				^	
			PARKING FOR 3 DESIGNATED	()	
			WITH ROOM FOR MORE ON THE	$V \wedge$	
Driveway length	LESS THAN 150'	YES	TURN AROUND	4.3	parking for 2 cars off street
	HELD GREATER THAN				
	50' FROM			Ĭ /	
	NEIGHBORING				90° +/- 20°. 1 point of
Access from main road	PROPERTY LINE	YES		artII 2.02	access.50' from side lines
	ALL UNTILITIES TO				
	SITE WILL BE RUN				l
Utilities	UNDERGR	YES	ELEC PANEL UNDER CARPORT		Underground, panels hidden
	18" DIA PLACED ON				
Satellite dish size	WEST SIDE OF GUEST	YES \			
		\	$\langle \langle \langle \langle \langle \langle \rangle \rangle \rangle \rangle \rangle$		
Satellite dish screened?	" "	YES			If more the 24"Ø
		/ // /	$\langle \langle \langle \langle \rangle \rangle \rangle$		
Storage tank	N/A		4 / ~		no UG tanks
Tank size and use	N/A		,		
			ľ		
Tank screening	N/A				
	42" POST AND RAIL W/				
fence height	WIRE MESH FOR DOGS	YES\			6' max w/ 12" drops max
101100 1101g.tt		1.70			o max m 12 diopo max
fence type	POST AND RAIL	YES			post and pole
lence type	COVERD WITH SHED	7			post una polo
		ľ			
	ROOFS AND				
	SCREENED WITH				
	LANDSCAPING AND		CONNECTED TO PRIMARY		Part of overall structure for
Service Yard	BERMS	YES	FORMS		garbage, wood, etc.
Walkways and patios					
located	CONCRETE PAVERS	YES	SHOWN ON SITE PLAN		
Walkways and patio					
materials	CONCRETE PAVERS	YES			
	HOUSE. SITE IS FLAT.				
	NO MAJOR				
Drainage	CONTOURING	YES			positive slope, not to other lot
	UNDER				
	- · · · - · · ·				
	CARPORT/STORAGE				
RV, boat storage	SHED ROOFED AREA	YES			
Outbuildings?	N/A				
Use of outbuildings	N/A				
	· · ·	l .	l .		I

Project:			
Phase:	Lot:	Block:	
	Reviewer:		

Setbacks of outbuildings	N/A				
Site lines at corner lots					
maintained	N/A				
	(2)4X8 PANELS				
	PROPOSED ON BACK		USED FOR DOMESTIC HOT		
	SIDE OF GARAGE	\/T0	WATER. HIDDEN FROM STREET		
Solar approval needed?	ROOF FORM	YES	VIEWS		Solar must be approved
	NATIVE DROUGH				
	TOLERANT. USED FOR PRIVACY AND				
Landscape	SCREENING OF AND	YES		Į	Blends w/ surrounds?
Lanuscape	SOMELINING OF AND	TLO		>	Dierius W/ Surrourius :
	NATIVE GRASSES AND			\wedge	
Groundcover	MINIMAL LAWN	YES		<i>r ></i>	turf or natural grasses
	LANDSCAPING OPENS				<u> </u>
	TO EMBRACE OPEN				
Open space easements	AREAS	YES		~ /	must blend w/ open space
House Design					
Tiouse Design				1	1
	MANY LEVELS.	/	$\land \land \lor \diagup$		
	SEGMENTED WITH	<			
Continuous ridge lines	FORM ELEMENTS	YES			
	MAIN HOUSE IS		DETACHED GARAGE		
Cohesive roof form from	LARGEST		COMPLIMENTS THE MAIN HOUSE		
all views	FORM/ELEMNT	YES \	ELEMENT		
	TRADITIONAL				
	RECTANGLES AND OR				no arch, trapezoid, or
Window style	SQ. WINDOWS.	YES			nontraditional
Mindow nottorn		NO V			TDL's
Window pattern	WIDOWS ARE	NO			IDLS
	REPEARTED WITHIN				
	FAMILIAR PATTERNS	h) V			must make a pattern of sim.
Window layout	AND SHAPES	YES			windows, not scattered
,	GALSS WITH DARK				
	PAINTED METL CLAD:				
Glass type & color	NOT SHINNY	YES			No reflective
Picture window TDL					
pattern	N/A WOOD FRONT ENTRY	YES			must have traditional pattern.
	STAINED, (3) PAINTED				
	METAL DOORS				
	SECONDARY ACCESS				
Door style	UNDER SHED ROOFS	YES			
-					
	STAINED DARK COLOR				
Garage doors de-	TO MATCH COLUMS				
emphasized	AND BEAM WORK	YES	NOT EMPHASIZED		help elevations of garage
Mindan and december	E 4/O II LIEAD TDUANAUTU		BUTT /LAP JOINTS. SMALLER		5 4 /Oll
Window and door trim	5 1/2 " HEAD TRIM WITH		JAMB AND SILL TRIM		5-1/2" min, no "bump-outs"
width	3 1/2 " JAMBS/SILL	YES	ACCENTUATES HEAD TRIM		on stucco window trim
	BUTT/LAP JOINTS, AND				
	NO TRIM AT STUCCO SIDING. HEAD METAL				
Window and door trim	FLASHIING AT STUCCO				butted joints, extend top and
style	AREAS	YES			bottom past sides.
0.7.0	,				pottom paot olabo.
Corner board width	5 1/2	YES			5-1/2" min
	· G	RIFFIN RANCH DE	SIGN REVIEW COMMITTEE	•	

Project:			
Phase:	Lot:	Block:	
	Reviewer:		

	1		BASE TRIMIS TYPICALLY USED		
			FOR CRAWLSPACE CONSTR.		
	7" VISIBLE GALVANIZED		BASE IS PROVIDED IN A SIMILAR		
Dana duina coi alth		VEO			0.4/01/
Base trim width	METAL	YES	WIDTH DUE TO SLAB ON GRADE		9-1/2" min
Fascia widths	2X4 AND 2X8	YES			
	SINGLE STEP WITH				
	RAFTER TAILS VISIBLE				
Fascia style	ANT EAVES	YES			
	(E) CIDED CARLE				
	(5) SIDED GABLE				
	VENTS WITH (2)		\wedge		
	CUPOLAS ON THE				
Gable end vents size	MAIN FORMS	YES			
	BOSTON RIDGE VENTS			>	
	AND GABLE VENTS				
	AND CUPOLAS TO				
Gable end vents	SUPPORT RURAL		LARGE ENOUGH FOR	/ /	
compliment architecture	RANCH AESTHETIC	YES	ARCHITECTURAL ACCENT		
Privacy screens blend	LANDSCAPIN GIS THE	120	////COLITECTORIAL PROCESS		
with building	SCREENING MATERIAL	YES			
Main exterior material	STUCCO AND SIDING	YES	$V \neq Y \neq $		
	WOOD TRIM PAINTED	. = 5			
	AND METAL				
Accent material and	ELEMENTS: ROOF.		$\land \land \land$		
location	FALSHING , BASE	YES ^ \			
Accent material and	TALSHING , BASE	123	\wedge		
location			\ \ \		
Accent material and					
location			i >		
location	CORRUGATED METAL				
	,				
	SLIGHTLY RUSTED AND	77			
Roof material	NOT SHINNY	YES			
<u></u>	GREY AND SLIGHT	\			
Roof Color	RUST PATCHES	YES			
Fireplace type	NON PROPOSED	$\backslash \backslash \rangle$			
i ireplace type	NONTHOLOGED	} ∨			
Chimney material	N/A	/			
Chilliney material	IN/A				
Chimney cap design	N/A				
Chilliney cap design	IN/A ICOMPLIMENTARY				
	MATERIALS ON FORMS				
	RELATIVE TO THIER				
	STRUCTURAL				avoid a tacked on
Consistency of materials	COMPNENTS	YES			appearance.
Consistency of materials	DOWNCAST LIGHTS	120			арреаганов.
	UNDER SHED ROOFS				
	OR (2) DOWNCAST				
			NO WALL MOUNTED EXTURES		
Cutorior liabtic	WALLMOUNTS ON	VEC	NO WALL MOUNTED FIXTURES		blond w/ motorials as the sure that
Exterior lighting	GARAGE WALL	YES	PROPOSED		blend w/ materials adhered to
			COLORS ARE ALL BASED ON		
			NATIVE IDAHO LUPINE, SUMMER		
			GRASSES, SAGE, AND METALS IN		Downlighting/ yard post light
Exterior main color	YELLOW AND GREEN	YES	RURAL HOMESTEADS		w/ variance
	EGGPLANT FOR TRIM		-		
Exterior accent color	AND DEEP GREEN FOR	YES			Harmonious w/ surround
Exterior metal color		YES			Harmonious w/ surround
Exterior stone seler	NI/A				Harmoniana w/ accessed
Exterior stone color	N/A				Harmonious w/ surround

Griffin Ranch Subdivision Design Review Checklist Project:______ Lot:______ Block:______ Reviewer:_____

Downspouts	GUTTERS TO BE GALVANIZED METAL. DOWN SPOUTS TO BE GALVANIZED METAL PIPE	RURAL RANCH MATERIALS	Harmonious w/ surround
Mech and vents away from roads	VENTS LOCATED ON SIDES OF ROOF NOT VISIBLE FROM ROAD		