

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

| <i>Establishment Information</i> | | |
|--|--|---------------------------------|
| Facility Name Dominion Home | Facility Type Food Service Establishment | |
| Licensee Name Stonebrook | Facility Telephone # 304 | |
| Facility Address 987 Dominion Rd Gerrardstown , WV | Licensee Address , | |
| <i>Inspection Information</i> | | |
| Inspection Type Routine | Inspection Date 04/10/2019 | Total Time Spent 0.65 |

| <i>Equipment Temperatures</i> | |
|--|---------------------------------------|
| Description GE Refrigerator Refrigerator | Temperature (Fahrenheit) 39 |

| <i>Warewashing Info</i> | | | | | |
|--------------------------------|---------------------|--------------|--------|----------------|----------------|
| Machine Name | Sanitization Method | Thermo Label | PPM | Sanitizer Name | Sanitizer Type |
| 409Bleachbottle | chemchem | | 50-100 | | |

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

| <i>Observed Critical Violations</i> |
|--|
| Total # 0 |
| Repeated # 0 |

| <i>Observed Non-Critical Violations</i> |
|--|
| Total # 0 |
| Repeated # 0 |

| <i>Inspection Outcome</i> |
|----------------------------------|
| |

| <i>Comments</i> |
|-------------------------------------|
| No violations at time of inspection |

Disclaimer

Person in Charge
kayla Dalton

Sanitarian
Glenn GCO Ondick