
Submitted electronically by "Cawthorne, Moss & Panciera, PC" in compliance with North Carolina statutes governing recordable documents



I, MICHAEL A. MOSS CERTIFY THAT THIS PLAT WAS DRAWN UNDER MY SUPERVISION FROM AN ACTUAL SURVEY PERFORMED UNDER MY SUPERVISION FROM REFERENCES AS NOTED HEREON; THAT THE BOUNDARIES NOT SURVEYED ARE CLEARLY INDICATED AS DRAWN FROM INFORMATION SHOWN IN THE REFERENCES, THAT THE RATIO OF PRECISION OR POSITIONAL ACCURACY AS CALCULATED IS GREATER THAN 1:10000; THAT THIS PLAT WAS PREPARED IN ACCORDANCE GWEN Ř. BUNN D.B. 693, PG. 25 PIN# 1799-33-0891 WITH G.S. 47-30 AS AMENDED, WITNESS MY ORIGINAL SIGNATURE, LICENSE NUMBER AND SEAL N(y): 793626.65 E(x): 2194603.54 1835.66 KERBIE D. BUNN & BETTY J. BUNN
D.B. 2178, PG. 1641
PIN# 1799-53-0974
TURN AROUND
EASEMENT Michael a. Moss LICENSE NUMBER PROFESSIONAL LAND SURVEYOR THAT THE SURVEY CREATES A SUBDIVISION OF LAND WITHIN 0.817 AC. THE AREA OF A COUNTY OR MUNICIPALITY THAT HAS AN ORDINANCE THAT REGULATES PARCELS OF LAND. GAY ROAD Michael a. Moss 100' NEUSE RIPARIAN RIVER 38,175 sq.ft. PROFESSIONAL LAND SURVEYOR LICENSE NUMBER 30,028 sq.ft.& (28)NOTES: AREA COMPUTED BY COORDINATE METHOD. THERE IS NO NCGS MONUMENT WITHIN 2000' OF THIS PROPERTY. THIS PROPERTY MAY BE SUBJECT TO NEUSE RIVER RIPARIAN BUFFER EIP - EXISTING IRON PIPE RULES. CALL N.C. DIVISION OF WATER QUALITY TO VERIFY EIB — EXISTING IRON BAR BEIP - BENT IRON PIPE (919-791-4200). 4) THE LANDSCAPING PLAN WILL BE IN ACCORDANCE WITH ARTICLE 6.5 BEIB - BENT IRON BAR (29)LANDSCAPING OF THE FRANKLIN COUNTY UNIFIED DEVELEOPMENT CM - CONCRETE MONUMENT 31,704 sq.ft. EPK - EXISTING PK NAIL SPK - SET PK NAIL 5) THERE IS A 10' UTILITY EASEMENT ENVELOPE ALONG ALL STREET O - NEW IRON PIPE SET 36,909 sq.ft. RIGHT-OF-WAYS, INTERIOR OF LOTS. R/W - RIGHT OF WAY 6) KETTLE CREEK SUBDIVISION HOA WILL BE RESPONSIBLE FOR JOHN S. WHITMAN & CATV - CABLE TV BOX MAINTENANCE OF ANY MAIL KIOSKS AND MAIL KIOSK EASEMENTS. ESTHER L. WHITMAN D.B. 1158, PG. 907 M.B. 2012, PG. 113 EB — ELECTRIC BOX TEL — TELEPHONE PEDESTAL 7) THE NCDOT ASSUMES NO RESPONSIBILITY FOR THE OPERATION MAINTAINANCE OR LIABILITY OF THE SIDEWALKS OR WHEELCHAIR PP - POWER POLE RAMPS. THE DEVELOPER OR HOMEOWNERS ASSOCIATION SHALL BE PIN# 1799-43-7213 OHL - OVERHEAD LINE RESPONSIBLE FOR THE OPERATION, MAINTAINANCE AND LIABILITY OF LP - LIGHT POLE THE SIDEWALK AND 37,535 sq.ft. WM - WATER METER 8) MAINTENANCE OF THE PUBLIC DRAINAGE EASEMENTS ARE THE 0.862 AC. WV - WATER VALVE RESPONSIBILITY OF THE UNDERLYING PROPERTY OWNER(S). THE CO - SEWER CLEAN-OUT EASEMENT ALLOWS NCDOT THE RIGHT TO ACCESS THE DRAINAGE XXXX - ADDRESS EASEMENT AND PREFORM WORK IT DEEMS NECESSARY OR PRUDENT 36,685 sq.ft. TO ALLEVIATE ANY ISSUES JEOPARDIZING THE INTEGRITY OF THE 0.842 AC. ROADWAY. IT IS THE UNDERLYING FEE OWNER(S) RESPONSIBILITY TO MAINTAIN THE EASEMENT TO ALLOW POSITIVE CONVEYANCE OF STORM 9) PROPERTY FRONTAGES SHALL NOT BE PIPED WITHOUT AN APPROVED ENCROACHMENT AGREEMENT FROM NCDOT. 10) ONLY APPROVED NCDOT STRUCTURES CAN BE PLACED WITHIN THE 39,996 sq.ft. RIGHT-OF-WAY. (31) 11) ALL LOTS MUST BE SERVED INTERNALLY. NO LOTS SHALL HAVE DIRECT ACCESS ONTO PILOT-RILEY ROAD N.C.S.R. 1103.
12) SIGHT DISTANCE TRIANGLES TAKE PRECEDENCE OVER ALL OTHER 31,141 sq.ft. 34,789 sq.ft. 13) ROADS CONSTRUCTED IN ALL PHASES OF THIS DEVELOPMENT SHALL BE MAINTAINED BY THE DEVELOPER UNTIL THE NORTH CAROLINA MAINTENANCE OF SUCH ROADS. DEVELOPER SHALL ENSURE ALL LINE TYPE LEGEND OF TRANSPORTATION SECONDARY ROAD MAINTENANCE PROGRAM 38,406 sq.ft. PROPERTY LINE - LINE SURVEYED PRIOR TO TERMINATION OF DEVELOPER CONTROL PERIOD. D.B. 1158, PG. 907 M.B. 2012, PG. 113 14) THE DRAINAGE EASEMENT MEASURES SHOWN HEREON ARE REQUIRED 😿 ADJOINING LINE - LINE NOT SURVEYED ON THE PROPERTY TO MEET THE COUNTY AND STATE STORM WATER PIN# 1799-42-7837 31,193 sq.ft. ACTIONS IF THE MAINTENANCE EASEMENT IS OBSTRUCTED OR THE STORM WATER CONTROL MEASURE IS REMOVED, RELOCATED, OR ALTERED WITHOUT PRIOR COUNTY APPROVAL. 37,114 sq.ft. HARDSCAPES, OR OTHER ITEMS THAT OBSTRUCT MAINTENANCE VEHICLES MAY BE INSTALLED WITHIN ACCESS EASEMENTS. PER THE OPERATION AND MAINTENANCE AGREEMENT RECORDED IN THE REGISTER OF DEEDS, THE PROPERTY OWNERS GRANT THE COUNTY 43,577 sq.ft. THE RIGHT, PRIVILEGE, AND EASEMENT ACROSS THE PROPERTY FOR 1.000 AC. FRANKLIN COUNTY THE PURPOSE OF INSPECTING, MONITORING, ETC., THE STORMWATER CONTROL MEASURE IS NEEDED. NOTE THAT THE MAINTENANCE OF ZONED R-30 MINIMUM BUILDING SETBACKS UNDERLYING PROPERTY OWNERS, WHO SHALL MAINTAIN THE **FRONT** THE PRIOR WRITTEN APPROVAL FROM NCDEQ OR COE IS PROHIBITED.

17) ALL STUB ROADS/STREETS HAVE BEEN BUILT/CONSTRUCTED TO THE ADJOINING PROPERTY LINE. \*SEE TURN
AROUND DETAIL TORRENT LANE 20.0' TEMPORAF TURN AROUND EASEMENT TYPE III 50' PUBLIC R/W FINAL PLAT FOR KETTLE CREEK SUBDIVISION AYMOND O. MASSEY JE D.B. 1857, PG. 261 M.B. 2012, PG. 61 PIN# 1799-51-0889 REF: D.B. 2272, PAGE 2028-2031 \*ALL NOTES, CERTIFICATIONS, AND REF: M.B. 2022, PAGE 16 DETAILS FOUND ON SHEET 4 OF 4. REF: PRF 3, SLIDE 95-E DUNN TOWNSHIP FRANKLIN COUNTY, NORTH CAROLINA SCALE 1"=100' OWNER/DEVELOPER: FEBRUARY 23, 2022 PILOT DEVELOPMENT, LLC ZONED R-30 PO BOX 610 N(y): 792254.15 E(x): 2194064.18 YOUNGSVILLE, NC 27596 PIN# 1799-32-6773 SHEET 3 OF 4 PROFESSIONAL LAND SURVEYORS, C-1525, 333 S. WHITE STREET, P.O. BOX 1253, WAKE FOREST N.C., 27588, (919) 556-3148

, MICHAEL A. MOSS CERTIFY THAT THIS PLAT WAS DRAWN UNDER MY SUPERVISION FROM AN ACTUAL SURVEY PERFORMED UNDER MY SUPERVISION FROM REFERENCES AS NOTED HEREON; THAT THE BOUNDARIES NOT SURVEYED ARE CLEARLY INDICATED AS DRAWN FROM INFORMATION SHOWN IN THE REFERENCES, THAT THE RATIO OF PRECISION OR POSITIONAL ACCURACY AS CALCULATED IS GREATER THAN 1:10000; THAT THIS PLAT WAS PREPARED IN ACCORDANCE WITH G.S. 47-30 AS AMENDED, WITNESS MY ORIGINAL SIGNATURE, LICENSE NUMBER AND SEAL

LICENSE NUMBER PROFESSIONAL LAND SURVEYOR

THAT THE SURVEY CREATES A SUBDIVISION OF LAND WITHIN THE AREA OF A COUNTY OR MUNICIPALITY THAT HAS AN ORDINANCE THAT REGULATES PARCELS OF LAND.

Michael a. Moss

LICENSE NUMBER PROFESSIONAL LAND SURVEYOR

I (WE) HEREBY CERTIFY THAT I AM (WE ARE) THE OWNER(S) OF THE PROPERTY SHOWN AND DESCIBED HEREON WHICH WAS CONVEYED TO ME (US) BY DEED RECORDED IN BOOK \_\_\_\_\_, PAGE\_\_\_\_, AND THAT I (WE) HEREBY ADOPT THIS PLAN OF SUBDIVISION WITH MY (OUR) FREE CONSENT, ESTABLISH THE MINIMUM BUILDING LINES, AND DEDICATE ALL STREETS, ALLEYS, WALKS, PARKS, DRAINAGEWAYS, AND OTHER OPEN SPACES TO PUBLIC OR PRIVATE USE AS NOTED. FURTHER, I (WE) CERTIFY THAT THE LAND AS SHOWN HEREON IS WITHIN THE SUBDIVISION REGULATION JURISDICTION OF FRANKLIN COUNTY.

DocuSigned by:

Matthew Winslow OWNER(S)

9/1/2022

DATE

I HEREBY CERTIFY THAT STREETS, UTILITIES, AND OTHER IMPROVEMENTS HAVE BEEN INSTALLED IN AN ACCEPTABLE MANNER AND ACCORDING TO COUNTY SPECIFICATIONS IN THE SUBDIVISION ENTITLED KETTLE CREEK OR THAT A SECURITY BOND OR IRREVOCABLE LETTER OF CREDIT IN THE AMOUNT OF \$ 69,920.81 HAVE BEEN POSTED WITH FRANKLIN COUNTY TO ENSURE THE INSTALLATION THEREOF.

DocuSigned by: Jason Rogers

9/2/2022

ADMINISTRATOR /ASSISTANT

DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS PROPOSED SUBDIVISION ROAD DESIGN STANDARDS CERTIFICATION

M. Scott Wheeler

DISTRICT ENGINEER ONLY NORTH CAROLINA DEPARTMENT OF TRANSPORTATION APPROVED STRUCTURES ARE TO BE CONSTRUCTED ON PUBLIC

RIGHT-OF-WAY

FRANKLIN COUNTY, NORTH CAROLINA


, REVIEW OFFICER OF FRANKLIN COUNTY, CERTIFY THAT THE MAP OR PLAT TO WHICH THIS CERTIFICATION IS AFFIXED MEETS ALL STATUTORY

REQUITEMENTS FOR RECORDING.

9/2/2022

DATE

Jason Rogers REVIEW OFFICER



SUBDIVISION STREET DISCLOSURE STATEMENT ALL ROADWAYS IN THE SUBDIVISION ARE DECLARED PUBLIC AND SHALL BE MAINTAINED BY THE DEVELOPER. IT SHALL BE THEIR RESPONSIBILITY TO BRING THESE ROADS UP TO THE TO THE STANDARDS OF THE NORTH CAROLINA DEPARTMENT OF TRANSPORTATION TO MEET THE REQUIREMENTS FOR PETITIONING ADDITION OF THESE ROADWAYS TO THE NORTH CAROLINA DEPARTMENT OF TRANSPORTATIONS MAINTAINED ROADS SYSTEM.

		CURVE	TARI F	
CURVE	ARC LENGTH	RADIUS	CHORD LENGTH	CHORD BEARING
C-1	66.44	1747.19'	66.44	S 73°37'29" E
C-2	154.99'	614.26	154.57	S 65°50'57" E
C-3	152.49'	1222.70'	152.39'	S 52'56'16" E
C-4	204.07'	7781.75	204.07'	S 50°03'07" E
C-5	124.08'	934.49'	123.99'	S 46'26'18" E
C-6	142.20'	829.79	142.02'	S 39"14'40" E
C-7	163.84	1732.00'	163.78'	S 32°05'22" E
C-8	199.76	6662.69	199.75'	S 28'57'31" E
C-9	159.49'	7567.34	159.49'	S 27'41'22" E
C-10	159.57	1668.77'	159.51'	S 29°24'02" E
C-11	212.69' 39.81'	2823.35 <sup>2</sup> 25.00 <sup>2</sup>	212.64' 35.73'	S 34°35'47" E S 78°43'15" E
C-12 C-13	40.88	25.00°	36.48'	N 08'48'53" E
C-14	39.24	25.00'	35.33'	S 10°42'13" W
C-15	36.62	25.00'	33.43'	S 82'22'35" E
C-16	38.08'	25.00'	34.50'	S 03°08'19" W
C-17	44.01	25.00'	38.54'	N 83'44'53" W
C-18	74.61	2201.43'	74.61'	S 41°23'20" E
C-19	105.01	2201.43'	105.00'	S 43°43'35" E
C-20	105.01	2201.43	105.00'	S 46°27'34" E
C-21	105.01	2201.43'	105.00'	S 49"11'33" E
C-22	105.01	2201.43	105.00'	S 51'55'32" E
C-23	35.22'	2201.43'	35.22'	S 53'45'01" E
C-24	20.71'	25.00'	20.12'	S 30°28'32" E
C-25	47.34'	50.00'	45.60'	S 33*52'06" E
C-26 C-27	40.91 <sup>'</sup> 40.91 <sup>'</sup>	50.00' 50.00'	39.78 <b>'</b> 39.78 <b>'</b>	S 84°26'01" E N 48°41'18" E
C-27 C-28	54.17'	50.00	59.78 51.56'	N 48 41 18 E N 05*47'18" W
C-29	57.85 <sup>2</sup>	50.00	51.56 54.67'	N 69'58'10" W
C-29	21.35	25.00	20.71	N 78'38'39" W
C-31	33.38'	2151.43'	33.38'	N 53'43'49" W
C-32	121.83'	2151.43'	121.81	N 51'39'49" W
C-33	135.13'	2151.43'	135.11'	N 48°14'31" W
C-34	116.29'	2151.43'	116.27'	N 44'53'39" W
C-35	107.11	2151.43'	107.10'	N 41'55'10" W
C-36	142.30'	625.00'	141.99'	N 40°14'52" E
C-37	121.35'	575.00'	121.12'	N 39'46'16" E
C-38	116.44'	325.00'	115.81'	N 43°59'20" E
C-39	98.52'	275.00'	98.00'	N 43*59'20" E
C-40	74.45'	575.00'	74.40'	N 30'32'54" W
C-41 C-42	59.32' 101.68'	525.00' 205.00'	59.29' 100.64'	N 30°04'34" W N 12°37'45" W
C-42 C-43	95.56	255.00'	95.00'	N 12 37 43 W N 14 37 33" W
C-44	89.09	255.00'	88.64	N 06°07'06" E
C-45	52.05	205.00'	51.91	N 08'51'14" E
C-46	43.43'	255.00'	43.38'	N 11"14'53" E
C-47	71.72'	205.00'	71.35'	N 06'06'17" E
C-48	34.78'	25.00'	32.04'	N 46"13'33" E
C-49	39.27	25.00'	35.36'	S 48°55'03" E
C-50	21.03'	25.00'	20.41	N 61'59'16" E
C-51	60.37	50.00'	56.77	N 72°29'01" E
C-52	40.91	50.00'	39.78 <b>'</b>	S 49'29'10" E
C-53	40.91	50.00'	39.78'	S 02°36'26" E
C-54	40.91'	50.00'	39.78 <b>'</b>	S 44'16'18" W
C-55	58.09'	50.00'	54.87	N 79'00'30" W
C-56 C-57	21.03' 6.58'	25.00' 255.00'	20.41 <sup>'</sup> 6.58 <sup>'</sup>	N 69'49'21" W N 26'06'00" W
C-58	158.03'	275.00	155.86'	N 37'47'24" E
C-59	88.77	325.00'	88.50	N 46'25'38" E
C-60	118.03	325.00	117.38	N 2811'54" E
C-61	31.21	275.00'	31.19'	N 18°04'35" E
C-62	40.75	25.00'	36.39'	N 64*29'22" E
C-63	272.23'	225.00'	255.93'	S 34°09'15" E
C-64	120.86'	275.00'	119.89'	S 12'32'37" E
C-65	90.41	275.00'	90.00'	S 34'33'08" E
C-66	129.01	275.00'	127.83'	S 57°24'37" E
C-67	37.38'	25.00'	34.00'	S 28°00'45" E
C-68	126.34'	475.00'	125.97'	N 23"12'49" E
C-69	117.29'	425.00'	116.92'	N 22'43'54" E
C-70	52.36' 56.90'	425.00' 475.00'	52.33 <b>'</b> 56.87'	N 34"10'03" E N 34"15'55" E
C-71 C-72	56.90 65.61'	4/5.00 225.00'	55.87 65.38	N 3415 55 E N 29°20'36" E
C-72	75.76	275.00	75.52 <sup>2</sup>	N 29 20 36 E N 28 52 55 E
C-74	236.49'	225.83	225.83'	N 51°06'43" E
C-75	254.37	275.00'	245.40'	N 55'41'12" E
C-76	39.35	275.00'	39.32'	N 25°05'20" E
C-77	6.37	475.00'	6.37	N 15'12'34" E
C-78	4.43'	275.00'	4.43'	N 37"14'08" E
C-79	151.09'	1717.19'	151.05'	N 75°03'04" W
C-80	147.01	584.26	146.62'	N 65'52'59" W
C-81	148.57	1192.70'	148.47'	N 52°54'56" W
C-82	203.61	7751.75	203.60'	N 50°03'13" W
C-83	120.79'	904.49'	120.70'	N 46°26'06" W
C-84	137.57	799.79'	137.41'	N 39"15'16" W
C-85	161.24'	1702.00'	161.18'	N 32'05'23" W
C-86	198.77 <b>'</b> 159.64 <b>'</b>	6632.69' 7597.34'	198.76 <b>'</b> 159.64'	N 28'57'36" W N 27'41'17" W
C-87 C-88	159.64	1698.77'	162.03	N 274117 W N 29'24'33" W
C-89	214.95	2853.35	214.90'	N 29 24 33 W N 34'35'41" W


LINE TABLE					
LINE	BEARING	DISTANCE			
L-1	S 89°36'39" W	171.27'			
L-2	N 49°06'00" W	158.07			
L-3	N 2718'13" W	154.42'			
L-4	N 36°27'35" W	96.47			
L-5	N 37'04'45" W	72.77			
L-6	N 38°23'55" W	94.04'			
L-7	N 55°36'45" E	372.95'			
L-8	N 03°54'05" W	186.69'			
L-9	S 03'32'41" E	139.74			
L-10	N 55*37'35" E	264.89'			
L-11	N 03°54'05" W	193.29'			
L-12	N 89°34'29" E	102.73			
L-13	S 11°34'24" W	35.17'			
L-14	S 45°22'35" W	104.09'			
L <b>–</b> 15	S 30°44'48" W	130.03			
L-16	S 64'41'48" W	50.65'			
L-17	N 20°59'23" E	38.27'			
L-18	N 20°59'22" E	38.27'			
L-19	N 14°49'31" E	102.16'			
20	N 14°49'31" E	19.91'			
L-21	N 64°45'02" W	52.57'			
22	N 70°54'33" E	80.84			
23	N 7710'14" W	34.14'			
24	N 49°06'00" W	158.32'			
25	N 27'18'13" W	154.15'			
L-26	N 36*27'35" W	95.30'			

## **NOTES:**

- AREA COMPUTED BY COORDINATE METHOD. THERE IS NO NCGS MONUMENT WITHIN 2000' OF THIS PROPERTY. THIS PROPERTY MAY BE SUBJECT TO NEUSE RIVER RIPARIAN BUFFER RULES. CALL N.C. DIVISION OF WATER QUALITY TO VERIFY
- (919-791-4200). 4) THE LANDSCAPING PLAN WILL BE IN ACCORDANCE WITH ARTICLE 6.5
- 5) THERE IS A 10' UTILITY EASEMENT ENVELOPE ALONG ALL STREET
- RIGHT-OF-WAYS, INTERIOR OF LOTS. 6) KETTLE CREEK SUBDIVISION HOA WILL BE RESPONSIBLE FOR
- ) THE NCDOT ASSUMES NO RESPONSIBILITY FOR THE OPERATION, MAINTAINANCE OR LIABILITY OF THE SIDEWALKS OR WHEELCHAIR RAMPS. THE DEVELOPER OR HOMEOWNERS ASSOCIATION SHALL BE RESPONSIBLE FOR THE OPERATION, MAINTAINANCE AND LIABILITY OF THE SIDEWALK
- MAINTENANCE OF THE PUBLIC DRAINAGE EASEMENTS ARE THE RESPONSIBILITY OF THE UNDERLYING PROPERTY OWNER(S). THE EASEMENT ALLOWS NCDOT THE RIGHT TO ACCESS THE DRAINAGE EASEMENT AND PREFORM WORK IT DEEMS NECESSARY OR PRUDENT TO ALLEVIATE ANY ISSUES JEOPARDIZING THE INTEGRITY OF THE ROADWAY. IT IS THE UNDERLYING FEE OWNER(S) RESPONSIBILITY TO MAINTAIN THE EASEMENT TO ALLOW POSITIVE CONVEYANCE OF STORM WATER.
- ENCROACHMENT AGREEMENT FROM NCDOT.
- 12) SIGHT DISTANCE TRIANGLES TAKE PRECEDENCE OVER ALL OTHER
- MAINTAINED BY THE DEVELOPER UNTIL THE NORTH CAROLINA DEPARTMENT OF TRANSPORTATION ASSUMES RESPONSIBILITY FOR MAINTENANCE OF SUCH ROADS. DEVELOPER SHALL ENSURE ALL ROADS ARE INCORPORATED INTO THE NORTH CAROLINA DEPARTMENT OF TRANSPORTATION SECONDARY ROAD MAINTENANCE PROGRAM PRIOR TO TERMINATION OF DEVELOPER CONTROL PERIOD.
- THE PROPERTY TO MEET THE COUNTY AND STATE STORM WATER REGULATIONS. PROPERTY OWNER MAY BE SUBJECT TO ENFORCEMENT ACTIONS IF THE MAINTENANCE EASEMENT IS OBSTRUCTED OR THE STORM WATER CONTROL MEASURE IS REMOVED, RELOCATED, OR
- ALTERED WITHOUT PRIOR COUNTY APPROVAL. 15) NO STRUCTURES, FENCES, WALLS, HVAC EQUIPMENT, TREES, SHRUBS, MAY BE INSTALLED WITHIN ACCESS EASEMENTS. PER THE OPERATION MONITORING, ETC., THE STORMWATER CONTROL MEASURE IS NEEDED. NOTE THAT THE MAINTENANCE OF THE DRAINAGE EASEMENT IS THE RESPONSIBILITY OF THE UNDERLYING PROPERTY OWNERS, WHO SHALL MAINTAIN THE EASEMENT TO ALLOW POSITIVE CONVEYANCE OF

# L-20 | N 30 27 35 W | 95.30

- LANDSCAPING OF THE FRANKLIN COUNTY UNIFIED DEVELEOPMENT
- ORDINANCE.
- MAINTENANCE OF ANY MAIL KIOSKS AND MAIL KIOSK EASEMENTS.
- PROPERTY FRONTAGES SHALL NOT BE PIPED WITHOUT AN APPROVED 10) ONLY APPROVED NCDOT STRUCTURES CAN BE PLACED WITHIN THE
- RIGHT-OF-WAY. 11) ALL LOTS MUST BE SERVED INTERNALLY. NO LOTS SHALL HAVE DIRECT ACCESS ONTO PILOT-RILEY ROAD N.C.S.R. 1103.
- 13) ROADS CONSTRUCTED IN ALL PHASES OF THIS DEVELOPMENT SHALL BE
- 14) THE DRAINAGE EASEMENT MEASURES SHOWN HEREON ARE REQUIRED ON
- HARDSCAPES. OR OTHER ITEMS THAT OBSTRUCT MAINTENANCE VEHICLES THE PROPERTY OWNERS GRANT THE COUNTY THE RIGHT, PRIVILEGE, AND
- 16) THE DISTURBANCE OF RIPARIAN BUFFERS AND WETLANDS WITHOUT THE PRIOR WRITTEN APPROVAL FROM NCDEQ OR COE IS PROHIBITED. 17) ALL STUB ROADS/STREETS HAVE BEEN BUILT/CONSTRUCTED TO THE ADJOINING PROPERTY LINE.



EIB - EXISTING IRON BAR CM - CONCRETE MONUMENT

EPK - EXISTING PK NAIL SPK - SET PK NAIL O - NEW IRON PIPE SET R/W - RIGHT OF WAY

CATV - CABLE TV BOX EB - ELECTRIC BOX TEL - TELEPHONE PEDESTAL PP - POWER POLE OHL - OVERHEAD LINE

LP - LIGHT POLE WM - WATER METER WV - WATER VALVE

CO - SEWER CLEAN-OUT XXXX - ADDRESS

# OWNER/DEVELOPER:

PILOT DEVELOPMENT, LLC PO BOX 610 YOUNGSVILLE, NC 27596

### TYPICAL 100 LF PLANTING SECTION SCALE: 1" = 20'

FRANKLIN COUNTY

ZONED R-30


MINIMUM BUILDING SETBACKS

LINE TYPE LEGEND

---- RIGHT-OF-WAY

- PROPERTY LINE - LINE SURVEYED

ADJOINING LINE — LINE NOT SURVEYED



FINAL PLAT FOR

# KETTLE CREEK SUBDIVISION

REF: D.B. 2272, PAGE 2028-2031 REF: M.B. 2022, PAGE 16

REF: PRF 3, SLIDE 95-E DUNN TOWNSHIP

FRANKLIN COUNTY, NORTH CAROLINA

SCALE 1"=100' FEBRUARY 23, 2022 ZONED R-30

PIN# 1799-32-6773 SHEET 4 OF 4

(TYP.)


∕−80.00**'** 

*∕*−20.00'

TURNAROUND DETAIL NTS

R 28.00'-





(2 REGULAR PARKING SPACES, HANDICAP SPACE, 3 PARKING



SPACES TOTAL) PROFESSIONAL LAND SURVEYORS, C-1525, 333 S. WHITE STREET, P.O. BOX 1253, WAKE FOREST N.C., 27588, (919) 556-3148

2853.35'

214.95

N 34°35'41" W