

West Virginia Department of Health & Human
Resources
Morgan County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Warm Springs Family Diner	Facility Type Food Service Establishment	
Licensee Name (Owner Not Set)	Facility Telephone #	
Facility Address 495 South Washington St Berkeley Springs, WV	Licensee Address	
Inspection Information		
Inspection Type Routine	Inspection Date May 26, 2017	Total Time Spent 1.05

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Sliding Freezer	3.5
Cooler	35
Chest Freezer - Silver	-15
Chest Freezer - White	-4.5
Walk in Cooler	33
Milk cooler	29

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Dishwasher	Solution		200		

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 2 Repeated # 2</p> <p>3-302.11 - PACKAGED AND UNPACKAGED FOOD - SEPARATION, PACKAGING, AND SEGREGATION <i>Observation: Raw meat stored above ready to eat food or above food with a lower final cooking temperature.</i> <i>Corrective Action(s):</i></p> <p>6-501.111 - CONTROLLING PESTS <i>Observation: Pests/insects in kitchen area.</i> <i>Corrective Action(s):</i></p>

Observed Non-Critical Violations
<p>Total # 14 Repeated # 2</p>

4-602.12 - COOKING AND BAKING EQUIPMENT - NOT CLEANED

Observation: Underneath stove needs cleaned.

Corrective Action(s):

4-602.12 - COOKING AND BAKING EQUIPMENT - NOT CLEANED

Observation: Fryer needs cleaned.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Ice machine seal needs cleaned.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Walk-in cooler shelves, floors, vents, needs cleaned.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Downstairs chest freezer (white) needs defrosted.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION Food residue in sliding chest freezer.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION Sliding chest freezer needs defrosted.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Food residue in condiment cooler seal.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Downstairs chest freezer (silver) needs defrosted.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Shelf for drinking glasses needs cleaned.

Corrective Action(s):

4-903.11 - EQUIPMENT, UTENSILS, LINENS, AND SINGLE-SERVICE AND SINGLE USE ARTICLES

Observation: Invert silverware.

Corrective Action(s):

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

Observation: Kitchen floor tile needs repaired.

Corrective Action(s):

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

Observation: Kitchen floors need cleaned.

Corrective Action(s):

6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION

Observation: Hood vents need cleaned.

Corrective Action(s):


Inspection Outcome

Comments

Instead of a quick repair, replacing the entire kitchen floor tile is recommended.

Disclaimer

Person in Charge



Sanitarian

Tim Zeigler