

West Virginia Department of Health & Human
Resources
Morgan County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Lighthouse Latte, LLC	Facility Type Food Service Establishment	
Licensee Name (Owner Not Set)	Facility Telephone #	
Facility Address 114 N. Mercer St. Berkeley Springs, WV	Licensee Address	
Inspection Information		
Inspection Type Routine	Inspection Date November 20, 2018	Total Time Spent 1.50

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Cooler	40
Condiment Cooler	41
Freezer	-7
Cooler	37
Freezer (Back Left)	6
Freezer (Back Right)	-4

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 0

Observed Non-Critical Violations
Total # 3
Repeated # 0
4-602.12 - COOKING AND BAKING EQUIPMENT - NOT CLEANED Observation: Food residue in toaster needs cleaned. Corrective Action(s):
4-602.13 - NONFOOD CONTACT SURFACES Observation: Food residue in utensil tray. Corrective Action(s):
4-602.13 - NONFOOD CONTACT SURFACES Observation: Food residue in cooler. Corrective Action(s):

Inspection Outcome

--

Comments

Disclaimer

Person in Charge

Jickie Bishop

Sanitarian

Tim Zeigler