

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Weis Market-Deli	Facility Type Food Service Establishment	
Licensee Name Weis Markets Inc.	Facility Telephone # 304 263-1515	
Facility Address 1102 N Queen Square Martinsburg , WV	Licensee Address ,	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 02/15/2018	Total Time Spent 3.50

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Meat display case	21
Cheese display	31-33
Deli Salad display	34-36
Rotisserie Hot box	160
Walk-in cooler	40
Deli reach	38
Grab and go meal unit	30
Grab and go bunker	30
Cheese Bunker	23
Deli cheese/meat	31-33

<b>Food Temperatures</b>	
Description	Temperature (Fahrenheit)
pizza sauce	40
mac cheese salad	34
ham salad	36

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
ThreebaysinkSanitizerbucket	ChemicalChemical		400200		

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<p><b>Total # 1</b> <b>Repeated # 0</b></p> <p><b>3-501.17 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DATE-MARKING</b> <b>This is a critical violation</b> <b>OBSERVATION: (CORRECTED DURING INSPECTION):</b> Lacy cheese past discard date-opened 1/11</p>

**ObservedNon-CriticalViolations**

**Total # 12**

**Repeated # 0**

**3-602.11 - PROPERLY LABELED PACKAGE IN FOOD ESTABLISHMENT - UNPACKAGED, BULK**

**OBSERVATION:** Label flour bin

**4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION**

**OBSERVATION:** New caulk needed at 3 bay sink (deli side)

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Shelving needs cleaned-unit holding sandwiches/sushi

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** 3 bay sink needs detailed cleaning (deli)

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Tracks of pizza unit and long unit need cleaned

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Ceiling tile hanging (pizza side next to cooler)

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Vent at 3 bay sink needs cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Wall at 3 bay sink needs cleaned (pizza side)

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Wall needs cleaned beside pizza unit (splash).

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Ceiling and light shields need cleaned in walk-in

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Drains at both 3 bays need cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Light fixtures need cleaned.

**Inspection Outcome**

Facility will be re-evaluated at the next routine inspection.

**Comments**

Disclaimer

Person in Charge

on file

Sanitarian

C. Harding RS

**Cara N Harding**