Optimizing Performance of Search Engines Based on User Behavior

Dr. JKRSastry, R. Srinivas, G Yeshwanth, M. Vamsi

Department of electronics and computer science and engineering, KLEF (Deemed to be University)

Abstract- WEB clients use the WEB for searching the content that they are looking for through inputting keywords or snippets as input to the search engines. Search Engines follows a process to collect the content and provide the same as output in terms of URL links. One can observe that only 20% of the outputted URLS are of use to the end user. 80% of output is unnecessarily surfed leading to wastage of money and time.

Customers have surfing characteristics which can be collected as the user keep surfing. The search process can be made efficient by including the user characteristics / Behaviors as part and parcel of search process.

This paper is aimed at improving the search process through integration of the user behavior in indexing and ranking the web pages.

Keywords- Search Engine, Information retrieval, User behavior, Search Strings, Snippets

I. INTRODUCTION

Information decimations is being done using WEB. Information is made available to users in just few seconds through search engines. Many search engines have been introduced quite recently and all of these almost behave in similar fashion.

The search engines follow a process, starting from accepting snippets from end user and then looking for the URLs at which the content has the snippet words. A crawl is a moving agent that is made to visit the WEB sites based on the Meta directory maintained for each of the WEB site. The Crawler when finds an URL having the desired content writes the URLs to a database as it moves.

The databases of URLS are indexed based on the snippet words using which the URLs are retrieved. The URLs in the indexed database are then ranked based on some criteria as recommended by a ranking algorithm. The URLS as per the ranking in the ascending order displayed for the end user. It becomes the responsibility of the end user to visit the URLs reported to find where the content for which they are looking is resident. A kind of mini search is required within the list of URLs displayed. At times the users land up to read the content to find if it is of use to them

The search process described above leads to 20% of the effective URLS needed by the user and the remaining URLs are of no use. Effort expended for fetching and processing remaining 80% of the URLs is a waste leading to too many wastages including ineffective use of bandwidth.

Search engine optimization is achieved through adding more aspects to the search process. Many methods to improve the performance of the search engine all of which aim at reducing the URLs to be displayed to the end users are not quite effective.

The process of searching for the content must be optimized considering the user behavior so that the URLs that are exactly required can be fetched and displayed to the user. Search engine optimization will improve the page profile by natural results. It helps in fulfilling the user needs and improves rank position of the URLS which are fetched by the search engines. User behavior can be captured in many ways and one of the most important method is to capture search tends / history of the user concerned by capturing the negation characteristics and filter the fetched URLs based on the history either before indexing or after ranking. This paper presents a method of capturing the user behavior and also using the same as an additional process in-built within the search process.

RELATED WORK

II.

Google Scholar is one of the search engines that is quite frequently used for providing search on publications. The algorithm being used by them has not been published. A reverse engineering technique [1] has been found to determine the kind of indexing and ranking process used by Google to develop Google scholar search engine. It has been found that Citation count of the papers published is being used for ranking the publications. Highly cites papers are more often found when a search is made. It has been found that the snippet words influence more in the search compared to number of citations.

With the advent of internet more and more information is being hosted on the WEB. While some information hosted on the WEB is useful and correct, some information is useless. Sometimes incorrect information is being hosted on the WEB. No control as such exists in this case. Search engines generally fetch the information required and also not required as the search is generally undertaken using snippet words. It has been found that considering user behavior profile / behavior as a part of search process will fetch exact information required by the users. Many ideas have been floated [2] that can be considered for building the user behavior within the search process.

The traditional algorithms that have been in existence for web searching and caching have not been quite effective especially when the speed of information addition to the WEB is quite rapid and high. Clicking through data analysis which is an inverted file replacement algorithm has been presented [3] which do efficient web caching. A new cache policy has been used which is based on poison arrival model. It has been found that the retrieved information organised as inverted file which enhance the speed of searching quite rapidly.

INTERNATIONAL JOURNAL OF RESEARCH IN ELECTRONICS AND COMPUTER ENGINEERING

A UNIT OF I2OR

Mining algorithms are being used for web searching. A deep extraction tools have been presented that uses clustering technique for web searching[4]. The presentation by the authors is limited to information related to researchers and scientists. A group of information is identified as a cluster and the users will make a choice on the cluster using which the content encapsulated into the cluster will be displayed.

Most of the algorithms meant for doing web searching are based on the number of back links that a site has. The algorithm involves in safe building of the links with each of the link weighted with velocity No compromise on page optimisation as such is made. One of the important strategies is to rank a page on a keyword [5]. Every organisation can find the keywords and link the URLS/pages to the keyword and rank the pages bases on the frequency of usage of a keyword for searching. The techniques eliminate the sandboxing of the search into already available search engines. A tutorial has been made present on the WEB [6] that identifies the participants for WEB surfing system. They have expressed that keywords must be recognized considering the customer requirements and the competitors choices and design the WEB pages that are in-built with keywords. A search engine uses the keywords for indexing and ranking

Finding the exact required information from WEB is tough due to existence of extensive information on the WEB. Search engine optimization has become enormously important for this reason [7]. Search engine optimization involves analyzing the WEB data from the perspective of different users and handling the WEB based on the analysis results. Web logs contain information to certain extent logging the information related to different queries that have been processed. The info log includes the times stamps, URLs processed, User identification etc. The user's experiences can be analyzed through analysis of query logs / web logs. The history contained within the web logs can be used effectively for understanding the user behavior and accordingly uses the same for query optimization. The history contained in the WEB log can be grouped dynamically and in an automated manner. The Groups can be then used for optimization through query alteration, re-ranking, query replacement etc. A method [7] has been proposed that links the query groups with URLs that are related over general information needs. It has been proposed to combine word similarity measures with document similarity measures and form into a combined similarity measure. Other measures also are considered that include query reformulation, clicked URLs etc.

Search engines are being used for querying the information required by web sufferers. The users of the Web require only the top most of the results they require. The web sites designed are more bothered about promoting the WEB site for access by search engines. Search engine optimisation has become very important and sometimes the techniques used might break the rules and regulations followed by the search engines. A user for instance might be clicking on the same URL several times misleading the rule that the URLs with high clicked count be ranked on the Top. To avoid this Ranking Algorithm that uses the IP address of the users to track the clicking on the URLs has been presented [8]

Trend related queries can be found when users interact with the WEB. A context search engine considers query trends which can be traced from different types of domains. The requirements of the users can be represented as a series of queries based on the search intentions of the user. The context search engines helps in providing search results as required by the end users [9].

Web mining is actually carried for providing the query results. Both web structure mining and web content mining are usually carried for web searching. Page ranking algorithms are used for web structure mining and some algorithms that include HITS and page content ranking are used for mining both WEB structure and WEB content. A new method has been proposed based on the weighted pages and content ranking which uses all web mining techniques (structure, content, usage mining) [10].

Search engines are the only means available to locate and make available the information required. A combination of manually edited directories, automated algorithms and advertisements on the WEB for generatingsearch results. A new algorithm [11] has been presented that implements a modified page rank algorithm that allocates weights to the inlinked web pages. The weights are distributed to all outbound pages based on the popularity of those pages. This kind of algorithm is called Weightage in-link rage rank algorithm. The algorithm calculates score of every individual web page and the score is used for ranking.

WEB logs provide a source for analyzing the user behavior while transaction on site especially the e-commerce sites. Data mining techniques can be applied to WEB log data for revealing interesting patterns. The user's behavior as such is modelled using web log in most static way. The sequence of operations carried by the user generally is dynamic and the static data is not good enough to depict dynamic behavior of the users. Capturing the behavior of the users while interacting through the WEB site in terms of the process followed is more complex and interesting.

A linear-temporal logic model checking approach has been presented for analyzing the e-commerce web logs [12]. The web log records if can be related to event logs dynamic behaviors of the user can be traced.

Driving traffic on the WEB sites has become quite complicated as the completion is increasing to find the data related to an establishment to be right on the top of search results. It is usual that the internet users navigate through the pages which are on the top of the list. Indexing and ranking of the searched pages are usually done, to order the fetched pages in ascending of their ranking. Some of the WEB site owners apply search engine optimisation techniques for optimising the content to ensure that their pages are reflected on top of the search results. Serval methods [13] have been presented in the literature for optimising the search process.

Google SEO On-page and Off-page techniques are one such technique that can be used for search engine optimisation. The

INTERNATIONAL JOURNAL OF RESEARCH IN ELECTRONICS AND COMPUTER ENGINEERING

A UNIT OF I2OR

performance of a search engine can be computed by using the SEERP metric.

III. INVESTIGATIONS AND FINDINGS

The search process that is generally followed includes a web crawler which is made to visit every web site and find the pages if it contains the desired content by the users. The URLs fetched are stored in a database as it crawls various WEB sites. One optimization technique used is to match the key words entered by the users with the meta words stored within a web site. Only when the key words and Meta words matches, the content checking is done fetching the URLs of the documents that has the content matching the keyword entered. All the URLS that are fetched are indexed into the database using the Key words. The URLs are ranked based on the importance of the URLS by following some criteria, for instance, the clicked count on the URLs.

Many algorithms exist in literature for ranking the URLs means the WEB pages. The URLs are weighted based on some criteria. Page rank algorithm has been selected for this work as it weighs the URLs based on the number of clicks made by the user on its hyperlink. Clicked counts on each of the URLs are processed using the WEB log. The URLs and the related clicked count are fetched by theWEB Clawer. The process followed is shown in Figure 1. The searching is done in the lines of abovementioned process using sample key words and just browsing through a Known WEB site




Fig.1: Searching WEB and reporting using Page Ranking Algorithm

Table 1 shows the keywords used, Table 2 shows the fetched URLs with clicked counts, Table 3 indexed URLs based on the keywords.

Tabl	e 1	Search	process outc	omes
1		1 '	D 11' C	<u><u> </u></u>

Keywords	Research	Academic	Publications	Citations	h-
-		research			factor

Keyword	URL fetched	Clicked count
Research	www.kluniversity.in/resrecah	7218
Academic Research	www.kluniversity.in/resrecah/AcademicResearc h	5008
Publications	www.kluniversity.in/resrecah/AcademicResearc h/publications	5008
Citations	www.kluniversity.in/resrecah/AcademicResearc h/citations	2001
h-factor	www.kluniversity.in/resrecah/AcademicResearc h/h-fcator	209
Research	www.kluniversity.in/resrecah/sponsoredResearc	2218
Research	www.kluniversity.in/resrecah/sponsoredResearc h/MinorProjects	1500
Research	www.kluniversity.in/resrecah/sponsoredResearc h/MajorProjects	400
Research	www.kluniversity.in/resrecah/sponsoredResearc h/KLUProjects	200
Research	www.kluniversity.in/resrecah/sponsoredResearc h/NGOprojects	118

Table 2 Fetched URLs with Clicked Count

Index word	Related URLs	Clicke	Total	Page
		d count	Clicke	Ran
			d	k
			Count	
Research	www.kluniversity.in/resre cah	7218	9436	1
	www.kluniversity.in/resre	1500		2
	cah/sponsoredResearch/Mi			
	norProjects			
	www.kluniversity.in/resre	400		3
	cah/sponsoredResearch/M			
	ajorProjects			
	www.kluniversity.in/resre	200		4
	cah/sponsoredResearch/K			
	LUProjects			
	www.kluniversity.in/resre	118		5
	cah/sponsoredResearch/N			
	GOprojects			
Academic	www.kluniversity.in/resre	5008	5008	6
Research	cah/AcademicResearch			
Publications	www.kluniversity.in/resre	5008	5008	7
	cah/AcademicResearch/pu			
	blications			
Citations	www.kluniversity.in/resre	2001	2001	8
	cah/AcademicResearch/cit			
	ations			
h-factor	www.kluniversity.in/resre	209	209	9
	cah/AcademicResearch/h-			
	fcator			

The URLS are displayed to the end user in the ascending order of the page ranks. The user behavior in this case is recognized through the clicked count which sometimes gives wrong results when the users behave in erratic manner clicking on the same link several times without any use or purpose.

ISSN: 2393-9028 (PRINT) | ISSN: 2348-2281 (ONLINE)

Table 5Fetched URLs with Clicked Count

PROPOSED ALGORITHMS IV

The user behavior is recognized through the navigation paths to the elementary level that the user navigates rather than the number of clicks that the users makes in the normal courses or erratically in the abnormal course. The rank of a navigation path is fixed based on the number of users who navigates to the same path.

The process flow followed for the revised search process is shown in Figure 2.




Fig.2: Revised search flows

The experimentation on the Known WEB site using the above process has been done and experimental results are shown in the following Tables. Table 4 shows the keywords used and table 5 shows the URLS fetched along with the user counts. Table 6 shows the indexed URLs along with page ranks derived out of user counts on the navigation paths.

Table 4 Search process outcomes					
Keywor	Researc	Academ	Publicatio	Citatio	h-
ds	h	ic	ns	ns	facto
		research			r

The URLS are displayed to the end user in the ascending order of the page ranks. The user behavior in this case is recognized through the user counts. The URLS are displayed in the ascending of the page ranks as shownin table7. It can be seen from table 7 keywords loses its significance once the user counts are known. From the table 7 it can also be seen that most of the users are interested in academic research followed by publications and then on to citations when compared to the projects. Even it comes to the projects users more interested in NGO projects than other types of projects.

Keyword	URL fetched	User Counts
Research	www.kluniversity.in/resrecah	4218
Academic	www.kluniversity.in/resrecah/AcademicRes	2008
Research	earch	
Publications	www.kluniversity.in/resrecah/AcademicRes	2008
	earch/publications	
Citations	www.kluniversity.in/resrecah/AcademicRes	1508
	earch/citations	
h-factor	www.kluniversity.in/resrecah/AcademicRes	300
	earch/h-fcator	
Research	www.kluniversity.in/resrecah/sponsoredRes	3008
	earch	
Research	www.kluniversity.in/resrecah/sponsoredRes	780
	earch/MinorProjects	
Research	www.kluniversity.in/resrecah/sponsoredRes	800
	earch/MajorProjects	
Research	www.kluniversity.in/resrecah/sponsoredRes	1200
	earch/KLUProjects	
Research	www.kluniversity.in/resrecah/sponsoredRes	208
	earch/NGOprojects	

Table 6 Indexed URLs with User Counts and Page Ranks

Index word	Related URLs	User Count	Page Rank
Research	www.kluniversity.in/resrecah	4218	1
	www.kluniversity.in/resrecah/sponsoredRes earch/MinorProjects	780	7
	www.kluniversity.in/resrecah/sponsoredRes earch/MajorProjects	800	6
	www.kluniversity.in/resrecah/sponsoredRes earch/KLUProjects	200	9
	www.kluniversity.in/resrecah/sponsoredRes earch/NGOprojects	1200	5
Academic Research	www.kluniversity.in/resrecah/AcademicRes earch	2008	2
Publicatio ns	www.kluniversity.in/resrecah/AcademicRes earch/publications	2008	3
Citations	www.kluniversity.in/resrecah/AcademicRes earch/citations	1508	4
h-factor	www.kluniversity.in/resrecah/AcademicRes earch/h-fcator	300	8

Table 7 Revised search results

Index word	Related URLs	User Coun t	Pag e Ran k
Research	www.kluniversity.in/resrecah	4218	1
Academic Research	www.kluniversity.in/resrecah/AcademicRes earch	2008	2
Publication s	www.kluniversity.in/resrecah/AcademicRes earch/publications	2008	3
Citations	www.kluniversity.in/resrecah/AcademicRes earch/citations	1508	4
Research	www.kluniversity.in/resrecah/sponsoredRes earch/NGOprojects	1200	5
Research	www.kluniversity.in/resrecah/sponsoredRes earch/MajorProjects	800	6
Research	www.kluniversity.in/resrecah/sponsoredRes earch/MinorProjects	780	7
h-factor	www.kluniversity.in/resrecah/AcademicRes earch/h-fcator	300	8
Research	www.kluniversity.in/resrecah/sponsoredRes earch/KLUProjects	200	9

INTERNATIONAL JOURNAL OF RESEARCH IN ELECTRONICS AND COMPUTER ENGINEERING

IJRECE VOL. 6 ISSUE 2 APR.-JUNE 2018

ISSN: 2393-9028 (PRINT) | ISSN: 2348-2281 (ONLINE)

V. COMPARATIVE ANALYSIS

Both the approaches above are compared to find the effective ness of the algorithm so as to arrive at overall view of the approaches. Table 8 shows the Comparison of the above mentioned approaches.

Table-8 Comparison of the two basic approaches	Table-8	Comparison	of the two	basic ar	proaches
--	---------	------------	------------	----------	----------

Parameters	Approch-1	Approch-2
Number of Keywords used	5	5
Number of URLS fetched	9	9
Number of WEB Log	21662	13022
operations made		
Index size (Inverted Tree)	12700KB	100523KB
Number of ranks generated	9	9
% of ranks conformity	65	95
	a 1	

From Table 8 it can be seen number of operations to be carried on WEB LOGS get reduced resulting in saving in time of search processing and also the amount of space required to store the indexed will also get reduced reasonably. More than these the ranks confirm to the usual navigation that is normally followed by the users.

VI. CONCLUSIONS

Page ranking algorithm uses the clicked counts as the user behavior which does take the reality of the user surfing as there could be some abnormality exhibited by the user in the normal course. User behavior as well be exhibited through number of users clicking on the same path, The process presented follows the normal course that happen when the users starts surfing the WEB sites are initiates a search process for want of information.

VII. REFERENCES

- JoeranBeel, Bela Gipp, Google Scholar's Ranking Algorithm: An Introductory Overview International Conference on Scientometrics and Informatics (ISSI'09), volume 1, pages 230– 241, (Brazil), July 2009
- [2]. P. R. Chinagongjun, Analysis the idea of personalized search engine based on user behavior International Conference on Computer Application and System Modeling (ICCASM 2010)

- [3]. Zhang Feng and LiXia-Long, Research in Automatic Search Engine Replacement Algorithm For Web Caching Based on User Behaviour, International conference on WEB information systems and applications, 2010, pp. 142-145
- [4]. BidishaRoy, Joy Machado, Melicia raj, Gnana Sonica Nadar, Exploiting Web Search to Access IEEE papers, International Journal of Computer Applications, (IJCA), 2012.
- [5]. Saravankumar S, Ramanath K, Ranjitha R, Ghokul V G, A new methodology for search engine optimization without getting sand boxed, International journal of advanced research in computer and communication engineering, Vol. 1, Iss. 7, 2012.
- [6]. JOHN B. KILLORAN, How to Use Search Engine Optimization Techniques to Increase Website Visibility IEEE transactions on professional communication, VOL. 56, NO. 1, 2013
- [7]. Jayasree M , Analyzing and Classifying User Search Histories for Web Search Engine Optimization International Conference on Eco-friendly Computing and Communication Systems-IEEE DOI 10.1109/ICECCS.2014.19, 2014
- [8]. Roop Kaur, Development of a Ranking Algorithm for Search Engine Optimization, International Journal of Engineering Research & Technology (IJERT) ISSN: 2278-0181 IJERTV3IS041023Vol. 3 Issue 4, April – 2014
- [9]. Shogo Kori, Yanjun Zhu, Koichi Yamaguchi, Satoru Takiguchi, YasufumiTakama, Analysis of User's Behaviour Based on Search Intentions for Information Retrieval Using Search Engines, TAAI2015 Tainan, Taiwan Nov. 20-22, 2015
- [10].Ekta Bhardwaj1, Shiv Kumar2, Kuldeep Tomar3, Enhancing Page Rank Algorithm, International Journal on Recent and Innovation Trends in Computing and Communication, Volume: 3 Issue: 5, 2015
- [11].RekhaSinghal, Enhancing the Page Ranking for Search Engine Optimization Based on Weightage of In-Linked Web Pages IEEE International Conference on Recent Advances and Innovations in Engineering (ICRAIE-2016), December 23-25, 2016
- [12].Pedro A´ lvarez, Analysis of users' behavior in structure decommerce websites, IEEE, DOI 10.1109/ACCESS-2017
- [13].DukagjinSadrijaj, Investigating Search Engine Optimization Techniques for Effective Ranking: A Case Study of an Educational Site, Mediterranean conference on embedded computing (MECO), 11-15 JUNE 2017

INTERNATIONAL JOURNAL OF RESEARCH IN ELECTRONICS AND COMPUTER ENGINEERING