

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Weis Market- Meat Dept.	Facility Type Food Service Establishment	
Licensee Name Weis Markets Inc.	Facility Telephone # 304 263-1515	
Facility Address 1102 N Queen Square Martinsburg , WV	Licensee Address ,	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 02/15/2018	Total Time Spent 3.05

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Meat room	57
Walk in cooler	
Beef cooler	39
chicken cooler	39
Pork cooler	40
Deli cooler	38
Fish cooler	39

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3baysink,	chem		200		

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<b>Total # 0</b>
<b>Repeated # 2</b>

**Observed Non-Critical Violations**

**Total # 5**

**Repeated # 2**

**4-601.11(C) - NON-FOOD CONTACT SURFACES**

**OBSERVATION:** Speed racks need cleaned

**4-901.11 - EQUIPMENT AND UTENSILS, AIR DRYING REQUIRED**

**OBSERVATION:** Clean pans, trays and utensils are being stored or stacked without being air-dried first..

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

REPEAT OBSERVATION Coving in the walk in cooler needs repaired

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Coving in the meatroom needs repaired

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

REPEAT OBSERVATION Floors under the racks in the walk in cooler needs cleaned

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge

Sanitarian



chad henry



Glenn GCO Ondick