

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Boys and Girls of Eastern Panhandle	Facility Type Food Service Establishment	
Licensee Name Boys and Girls of Eastern Panhandle-Martinsburg/Berkeley County Unit	Facility Telephone # 304 263-2696	
Facility Address 105 W John St Martinsburg , WV	Licensee Address ,	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 04/13/2018	Total Time Spent 1.50

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
3 door cooler	35
Out side cooler 1	39
Outside cooler 2	40

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3bayfaucet					

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<p><b>Total # 3</b> <b>Repeated # 1</b></p> <p><b>3-501.17 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DATE-MARKING</b> <b>This is a critical violation</b> <b>OBSERVATION: (CORRECTED DURING INSPECTION):</b> When receiving the bread donated from a company needs dated from when the company made the bread, no longer than 7 days</p> <p><b>3-501.18 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DISPOSITION</b> <b>This is a critical violation</b> <b>OBSERVATION: (CORRECTED DURING INSPECTION):</b> cut pita bread out of date 3-15-18</p> <p><b>4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS</b> <b>This is a critical violation</b> REPEAT OBSERVATION Several utencils, pots pans need recleaned</p>

**ObservedNon-CriticalViolations**

**Total # 7**

**Repeated # 1**

**3-305.12 - FOOD STORED IN PROHIBITED AREAS.**

**OBSERVATION:** Paper products and coolers need stored off the floor by 6 inches

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Inside the 3 door cooler needs bottom cleaned

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Mixer stored need cleaned

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Buscart needs cleaned

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Piping leaking under the 3 bay sink

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

REPEAT OBSERVATION Floors need cleaned in the kitchen

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Walls need cleaned in the kitchen in several areas in the kitchen

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge



**Keleigh Taylor**

Sanitarian



**Glenn GCO Ondick**