

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b><i>Establishment Information</i></b>		
Facility Name <b>Trula B's</b>	Facility Type <b>Food Service Establishment</b>	
Licensee Name <b>B &amp; R Enterprises, LLC</b>	Facility Telephone # <b>304</b>	
Facility Address <b>Williamsport Pike Rd Martinsburg , WV</b>	Licensee Address <b>,</b>	
<b><i>Inspection Information</i></b>		
Inspection Type <b>Routine</b>	Inspection Date <b>02/27/2018</b>	Total Time Spent <b>0.95</b>

<b><i>Equipment Temperatures</i></b>	
Description	Temperature (Fahrenheit)
Whirlpool cooler	<b>41</b>
Sandwich cooler	<b>39</b>
Beer and wine cooler	<b>39</b>

<b><i>Food Temperatures</i></b>	
Description	Temperature (Fahrenheit)
Soups	<b>157</b>
Peppers	<b>41</b>

<b><i>Warewashing Info</i></b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3baysink	Chem		<b>300</b>		

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b><i>Observed Critical Violations</i></b>
<b>Total # 0</b>
<b>Repeated # 1</b>

**Observed Non-Critical Violations**

**Total # 4**

**Repeated # 1**

**3-305.12 - FOOD STORED IN PROHIBITED AREAS.**

REPEAT OBSERVATION Bibs of soda stored under 3 bay sink

**4-302.12 - TEMPERATURE MEASURING DEVICES**

**OBSERVATION:** No thermometer in the kitchen refrigerator

**4-601.11(C) - NON-FOOD CONTACT SURFACES**

**OBSERVATION:** Kitchen table bottom rack needs cleaned

**6-301.12 - HAND DRYING PROVISION**

**OBSERVATION:** No paper towels at the kitchen hand sink

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge

Sanitarian



**angela kent**



**Glenn GCO Ondick**