

West Virginia Department of Health & Human
Resources
Morgan County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Softball	Facility Type Food Service Establishment	
Licensee Name (Owner Not Set)	Facility Telephone #	
Facility Address 149 Concrd Ave Berkeley Springs, WV	Licensee Address	
Inspection Information		
Inspection Type Routine	Inspection Date November 08, 2017	Total Time Spent 0.75

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Cooler	35
Chest Freezer	N/A
Freezer	-14

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 0

Observed Non-Critical Violations
Total # 1
Repeated # 0
4-301.14 - VENTILATION HOOD SYSTEMS, ADEQUACY
Observation: The grill/fryer in the concession stand is not adequately covered by a ventilation hood system.
Corrective Action(s): Provide adequate number and capacity of ventilation hoods or devices to prevent grease and condensation from collecting on walls and ceilings.

Inspection Outcome

Comments

Disclaimer

Person in Charge

A handwritten signature in black ink, consisting of two large, stylized, overlapping loops.

Sanitarian

Tim Zeigler