



Providing recreation opportunities through:

The Meridian Public Swimming Pool
Fuller Park and
Settlers Village Neighborhood Park

FULLER PARK SHELTER RESERVATION FORM

PAYMENT IS REQUIRED PRIOR TO DATE OF RESERVATION OR NO RESERVATION SIGN WILL BE POSTED. PLEASE MAIL
CHECK AND COMPLETED FORM TO:
WESTERN ADA RECREATION DISTRICT, PO BOX 566, MERIDIAN, ID 83680

Fees, Times and Shelter Size Information:

- \$30.00 for 1-50 people (per time slot)
- \$30.00 for each additional 50 people (or less)
- \$3.00 for 2 additional tables
- \$10.00 for bounce houses
- \$25.00 clean-up fee (if necessary)
- Repair fee – You will be billed for actual District costs (if necessary)
- 150 people maximum capacity per shelter
- Shelter #1 and #2 each hold 8 tables
- Shelter #3 and #4 each hold 6 tables
- 3 time slots available
 - 10am-3pm
 - 4pm-9pm
 - 10am-9pm (double the normal fee because you are taking both time slots)

Please fill in the information below to secure your reservation:

Reservation Date:		# of People:		Shelter #	
Time (check one):		<input type="checkbox"/> 10am-3pm		<input type="checkbox"/> 4pm-9pm	
		<input type="checkbox"/> 10am-9pm			
(Time includes 5 hours, set-up and basic clean-up. Remember: all day is double the fee noted above)					
Organization &/or Contact Person:					
Full Mailing Address:					
Phone:					
Email:					
Bounce House:	<input type="checkbox"/> Yes <input type="checkbox"/> No	Vendor:			
Alcohol:	<input type="checkbox"/> Yes <input type="checkbox"/> No	Note that there are additional rules & requirements for alcohol in the park.			

Restrictions:

1. Amplified sound equipment is NOT allowed in the park without a valid permit from the City of Meridian. Copy of permit must be provided.
2. Dunk tanks are NOT allowed in the park.
3. Large inflatable toys (bounce houses) are allowed under the following conditions:
 - a. You must indicate you will be having a bounce house on your reservation form.
 - b. Only one bounce house is permitted per shelter.
 - c. Water jugs are preferable to metal stakes to secure the bounce house; but if stakes are to be used, they must be shorter than 6" long & park staff will help locate where they can be used.
 - d. Vendor must submit certificate of liability insurance to the District prior to the reservation date.
4. Maximum allowed total electrical load at each shelter is 20 amps.

I have read, understand and agree to reimburse the District for clean-up and damages, if necessary, and abide by all park rules and regulations. Failure to operate with the guidelines may cause revocation of this permit. I also agree to indemnify and hold Western Ada Recreation District and its employees harmless from any liability, loss, cost or expense that I may incur while holding a function under this permit at Fuller Park.

Signature of Responsible Party: _____ **Date:** _____