

FAIRCHILD

RACE TIRES



2018 Canadian Price List

info@fcracetires.com (905)641-8633 www.fcracetires.com

GENERAL INFORMATION

No Warranty

Due to the conditions under which they operate, Goodyear MAKES NO WARRANTY AND SPECIFICALLY DISCLAIMS ANY WARRANTY (INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE), EITHER EXPRESSED OR IMPLIED, with respect to Goodyear racing tires, tubes, safety spares or air containers and shall not be liable for any damages whatsoever including, without limitation, consequential or special damages, arising out of their use. Goodyear racing tires are designed and compounded solely for racing purposes and are not tested or labeled to meet FMVSS/ECE Regulations. It is therefore not only dangerous, but also illegal to sell for use or use race tires on public streets or highways.

Pressure Recommendations

Consult your Goodyear Racing Tire Distributor for specific recommendations for your local track.

Tire changing should be done by trained personnel using proper tools and procedures. NEVER attempt to install and inflate a tire of one diameter on a rim or wheel of another diameter. All Goodyear racing tires are designed to be used on wheels or rims that are manufactured to Tire and Rim Association (T&RA) specifications and tolerances. Use of Goodyear racing tires on damaged or improper rims can cause the assembly to explode with force sufficient to cause injury or death. When inflating, always lock wheel on mounting machine or place in safety cage and use extension gauge and hose with clip on air chuck.

STAND BACK. NEVER EXCEED 35 PSI TO SEAT BEADS.

Tire Care

Goodyear racing tires should not be stored near high temperatures, in direct sunlight, around welding areas, in overhead garage areas or around high-voltage electric motors.

NEVER attempt to patch or repair a Goodyear racing tire.

NEVER attempt to chemically or physically treat or alter a Goodyear racing tire.

NEVER re-use a Goodyear racing tire involved in a vehicle fire under ANY circumstances.

Tire Specifications

Size designations on Goodyear racing tires show nominal outside diameter, tread width and bead diameter (ie. 27.0x 9.0 -15). All dimensions are taken from an inflated tire under no load conditions.

Our comprehensive line of Goodyear racing tires brings versatility to the racing fraternity. Each type of racing activity is provided with a choice of tires affording the ultimate in performance during acceleration, cornering and braking.

The increasing successes of the Goodyear racing tires in worldwide competition give testimony to the effort in development, design and production of this extensive line.

A choice of compounds is available for some types of racing to best suit given track conditions. Consult your nearest Goodyear Racing Tire Distributor for specific recommendations for any particular vehicle or track in your area.

Additional Information

Additional information can be found at www.racegoodyear.com or by contacting Fairchild Race Tires at www.fcracetires.com.

***Prices in this catalogue are subject to change without notice based on exchange rates.**

Eagle Dragway Special

Eagle Dragway Special



TOP FUEL, FUNNY CAR

Size	Product Code	Tire Code Matl No.	Compound	Comments	Rim	Overall Diam.	Avg. Circum.	Section Width	Tread Width	Weight (lbs)	2018 CDN Price
36.0x17.5-16	808-018-081	2747 231233	D-2H		16.0	36.6	115.0	21.8	17.3	48.0	\$1,105.00

PRO STOCK

33.5x17.0-16	808-043-081	2433 233411	D-4A	SS, BL	16.0	33.4	105.0	21.5	17.7	43.0	\$805.00
--------------	-------------	-----------------------	------	--------	------	------	-------	------	------	------	-----------------

PRO MOD, ALCOHOL

34.5x17.0-16	808-117-081	3122 229258	D-2G		16.0	34.8	109.0	21.3	17.0	43.0	\$645.00
36.0x17.0-16	808-495-081	3036 230875	D-2G		16.0	35.3	111.0	21.8	17.0	42.5	\$600.00
36.0x17.0-16	808-276-081	1230 164841	D-2A	BL	16.0	36.3	114.0	21.4	17.0	49.1	\$750.00

SUPER GAS, SUPER STREET

32.0x14.0-15	808-178-081	1984 23556	D-5	MS	14.0	32.4	101.0	17.0	14.4	39.3	\$475.00
32.0x14.5-15	808-163-081	1672 23540	D-5	MS	14.0	32.8	103.0	17.7	14.8	39.4	\$475.00
32.0x16.0-15	808-184-081	1408 23558	D-5	MS	15.0	32.5	102.0	18.4	16.0	39.6	\$480.00
33.0x15.0-15	808-260-081	2078 192212	D-5	MS	14.0	33.2	104.0	17.5	15.0	40.6	\$480.00
33.0x17.0-15	808-031-081	2053 191202	D-4A	SS	15.0	32.5	102.0	20.6	17.3	42.9	\$550.00

COMP, SUPER COMP

31.0x12.0-15	808-095-081	2585 206637	D-3		12.0	30.8	96.5	15.2	12.0	22.6	\$450.00
32.0x14.5-15	808-163-081	1911 193992	D-1		14.0	32.2	101.0	17.7	15.0	34.1	\$470.00
33.0x12.0-15	808-921-081	1288 23654	D-7	HG	12.0	32.4	102.0	16.5	12.3	28.8	\$465.00
33.0x14.5-15	808-164-081	2070 190163	D-6		14.0	32.8	104.0	18.9	14.9	34.1	\$470.00
33.0x16.0-15	808-942-081	2533 215174	D-2A		15.0	32.4	106.0	19.9	16.3	39.6	\$445.00
33.0x16.0-15	808-942-081	2052 190167	D-6		15.0	32.8	102.0	19.6	16.1	38.0	\$490.00

Eagle Dragway Special

COMP, SUPER COMP CONT.

Size	Product Code	Tire Code Matl No.	Compound	Comments	Rim	Overall Diam.	Avg. Circum.	Section Width	Tread Width	Weight (lbs)	2018 CDN Price
33.0x17.0-15	808-031-081	2534 215232	D-2A		15.0	32.4	104.0	20.5	17.4	39.5	\$460.00
33.0x17.0-15	808-031-081	2051 190102	D-4A	LW,SS	15.0	32.5	100.0	20.8	17.2	41.1	\$550.00
33.5X17.0-16	808-391-081	2775 227639	D-2A	BL	16.0	33.5	105.0	21.1	16.8	40.3	\$560.00
33.5X17.0-16	808-393-081	2776 235137	D-2A	BL, SS	16.0	33.5	105.0	21.1	16.8	45.1	\$570.00

STOCK, SUPER STOCK

28.0x9.0-15	808-735-081	2790 210598	D-5		8.0	28.0	88.0	10.7	9.0	21.3	\$260.00
28.0x10.0-15	808-736-081	2791 210599	D-5		10.0	28.0	88.0	12.0	10.0	23.1	\$265.00
29.0x11.0-15	808-174-081	2796 210596	D-5		10.0	29.0	91.0	12.8	10.9	25.1	\$310.00
29.0x12.0-15	808-188-081	2797 210597	D-5		11.0	29.0	91.0	13.9	11.8	25.1	\$320.00
31.0x13.0-15	808-096-081	2018 190161	D-5	MS	12.0	30.6	96.0	15.6	12.8	33.4	\$440.00
31.0x14.0-15	808-097-081	2019 190162	D-5	MS	12.0	31.0	97.0	16.2	14.0	35.8	\$445.00
32.0x14.0-15	808-178-081	1984 23556	D-5	MS	14.0	32.4	101.0	17.0	14.4	39.3	\$475.00
32.0x14.5-15	808-163-081	1672 23540	D-5	MS	14.0	32.8	103.0	17.7	14.8	39.4	\$475.00
33.0x14.5-15	808-164-081	2070 190163	D-6		14.0	32.8	104.0	18.9	14.9	34.1	\$470.00

EAGLE FRONTRUNNER

22.0x2.5-17	808-102-089	1445 177193	Hard	ET	2.5	22.2	69.9	2.5	1.5	4.5	\$235.00
22.0x4.0-17	808-130-089	2904 215560	Hard		2.5	22.9	72.0	3.4	3.1	5.2	\$325.00
23.0x5.0-15	808-243-089	1961 189891	Hard		4.0	23.0	72.7	6.8	5.0	12.2	\$285.00
24.0x5.0-15	808-730-089	1962 189955	Hard		4.0	24.0	75.8	6.8	5.0	11.3	\$245.00
25.0x4.5-15	808-028-089	2991 215499	Hard	LW	4.0	25.0	78.5	6.5	4.5	11.6	\$250.00
26.0x4.5-15	808-062-089	1964 190130	Hard		4.0	26.0	81.2	6.3	4.5	10.8	\$250.00
27.0x4.5-15	808-181-089	1965 197495	Hard		4.0	27.0	84.8	7.9	4.5	13.5	\$250.00
28.0x4.5-15	808-729-089	1966 189822	Hard		4.0	28.0	89.1	7.7	5.1	12.4	\$250.00

DRAG RADIAL

30.0x9.0-15	388-717-097	4827 233899	D-1A	R, LW	9.0	29.5	92.5	11.8	9.0	22.7	\$340.00
33.0x14.5-15	388-164-097	4463 220522	D-8		#	#	#	#	#	#	\$820.00

Eagle Dragway Special

MOTORCYCLE DRAG

Size	Product Code	Tire Code Matl No.	Compound	Comments	Rim	Overall Diam.	Avg. Circum.	Section Width	Tread Width	Weight (lbs)	2018 CDN Price
25.0x7.0-18	808-891-919	2980 103310	D-6		6.0	25.4	80.0	7.0	6.6	11.3	\$250.00

EAGLE LANDSPEED

			Rim	Width	Overall	Diam.	Section Width	Tread Width	Weight (lbs)	Min. Inflation (psi)	Max Load (lbs)	Max Speed (MPH)	
21.0x5.0-15	808-975-090	2952 234517	4.5		21.3	5.4	4.1	10.0	50.0	1200	300		\$750.00
23.0x5.0-15	808-243-090	2953 234515	4.5		23.1	7.0	5.0	12.0	70.0	1700	300		\$775.00
25.0x4.5-15	808-028-090	2954 234514	4.5		24.8	6.7	4.0	12.0	70.0	1700	300		\$790.00
28.0x4.5-15	808-682-089	2286 196215	4.5		27.8	7.7	4.5	13.0	70.0	1700	300		\$820.00
30.0x9.0-18	808-425-090	2870 233188	6.5		30.0	8.5	3.0	16.5	70.0	2300	320		\$870.00

LIFEGUARD SAFETY SPARE

PR-16	185-244-515	2912 230874	#	#	#	#	#	#	#	#	#	\$220.00
-------	-------------	----------------	---	---	---	---	---	---	---	---	---	----------

DRAG TIRE COMPOUND DATA

Listed in order from softest to hardest.

Note that in some cases, a softer compound is not necessarily more tractive due to the nature of Goodyear's drag racing compounds.

- D-2** For Pro Mod. Slightly more starting line hook than D-2A.
- D-2A** For Pro Mod, TAD, TAFC, Pro Stock and other high horsepower applications
- D-2E** For TF/FC and other high horsepower applications.
- D-11** For TAD.
- D-1** For use on Dragsters and other lightweight cars.
- D-9** For use on Motorcycles
- D-4B** For Stock Eliminator. Slightly more tractive than D-4A.
- D-4A** Good for hot and/or slick track conditions.
- D-4** Excellent wear/longevity for heavy applications, +3,000 lbs.
- D-6** Works well on Dragsters and 1,500 - 2,500 lbs. cars.
- D-5** Works well on 2,000 - 3,200 lbs. cars.
- D-7** Limited application compound. Can help eliminate shake.
- D-3** For heavier manual and automatic cars, +3,000 lbs.

COMMENT KEY

R - Radial, **HG** - High Growth, **LW** - Lightweight, **MS** - Medium Stiff Sidewall, **SS** - Stiff Sidewall,
ET - Extended Tread Life, **MC** - Motorcycle Front, **BL** - Beadlock Wheel Required, **SQ** - Square Corner Profile

Eagle Sports Car Special



GT AND PRODUCTION

Size	Product Code	R160	R250	R255	R430	R475	Application/ Tread Design	Rim	Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)	2018 CDN Price
20.0x8.0-13	807-434-307				1705 229096		Cantilever	6.0	20.2	20.2	9.3	8.2	14.3	\$300.00
20.0x9.5-13	807-685-307				1711 229907		Cantilever	7.0	20.1	20.1	10.5	9.5	16.0	\$305.00
23.0x9.0-15	807-409-308				1782 221722		Cantilever	7.0	23.0	23.0	10.4	9.3	18.0	\$365.00
23.5x10.5-16	807-220-308				1651 221579			11.0	23.3	23.3	11.8	10.1	18.0	\$525.00
25.0x13.0-16	807-322-318 807-322-308		1980 221721		1570 221561			12.0	24.5	24.5	13.7	12.4	22.5	\$550.00
27.0x14.0-16	807-764-318 807-764-308		1981 221804		1571 221562			14.0	26.6	26.6	15.9	13.7	26.5	\$580.00

FORMULA

		R160	R250	R255	R430	R470								
20.0x7.0-13	807-299-366			2756 234776				6.0-8.0	20.5	20.5	9.0	7.2	9.5	\$295.00
20.0x7.0-13	807-299-342				2659 228938			6.0-8.0	20.5	20.5	9.0	7.2	9.5	\$290.00
20.0x9.5-13	807-961-315		2640 221592				Formula ATL	10.0	20.3	20.3	10.9	9.1	11.9	\$315.00
21.0x8.0-13	807-293-068				2769 235086			#	#	#	#	#	#	\$355.00
22.0x9.0-13	807-684-366			2757 234777				8.0-10.0	22.5	22.5	11.3	9.2	11.9	\$340.00
22.0x9.0-13	807-684-340				2660 228985			8.0-10.0	22.5	22.5	11.3	9.2	11.9	\$335.00
22.0x11.0-13	807-136-068				2770 235085			#	#	#	#	#	#	\$380.00
23.0x13.0-13	807-915-315		2453 221813				Formula ATL	14.0	23.0	23.0	16.1	12.3	19.3	\$395.00

FORMULA - RAIN

		R065 G-18	R085 F1											
20.0x6.5-13	807-089-341		2661 226343				G-18 Rain	6.0-8.0	21.0	21.0	7.7	5.9	10.5	\$300.00
22.0x9.0-13	807-684-341		2662 226351				G-18 Rain	8.0-10.0	22.4	22.4	11.1	8.8	13.0	\$355.00
20.5x7.5-13	807-743-325			1079 221803			Cantilever Eagle F1 Rain	6.0-7.0	20.7	20.7	8.2	6.6	11.3	\$325.00
23.0x8.0-15	807-889-325			1275 221807			Cantilever Eagle F1 Rain	7.0	22.7	22.7	10.0	8.3	14.9	\$385.00

Eagle Sports Car Special



VINTAGE EAGLE & BLUE STREAK SPECIAL

Size	Product Code	R250	R310	R655	Firm	Application	Rim	Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)	2018 CDN Price
6.00-15	807-052-309 807-052-310			1724 221563	1725 221565	Blue Streak G-7		8.0	25.5	10.6	8.4	17.0	\$410.00
26.5x8.0-15	807-073-309			2546 221811		Cobra 15M	G	8.0	26.5	11.0	7.9	17.8	\$385.00
26.5x10.0-15	807-481-320			2547 221580		Cobra 15M	G	10.0	27.0	12.9	10.2	22.3	\$390.00
7.00-15	807-118-309			1756 221564		Blue Streak G-7		9.0	26.8	12.0	8.7	18.7	\$415.00
8.00-15	807-289-309			1758 221581		Blue Streak G-7		10.0	26.8	13.1	10.1	19.7	\$420.00
23.5x10.5-15	807-410-318	2225 221728				Can Am G-19		10.0	23.4	11.8	10.4	16.9	\$520.00
27.0x14.0-15	807-048-318	2226 221730				Can Am G-19		17.0	27.0	18.5	14.8	25.8	\$580.00
25.5x12.0-18	387-313-301		4535 232432			Radial 19	G	13.0	25.6	13.5	12.3	23.0	\$590.00
25.5x12.5-18	387-011-351		4575 234480			Radial 19	G	13.5	25.6	14.3	12.8	24.0	\$600.00
28.5x14.5-18	387-349-301		4536 232433			Radial 19	G	14.5	28.5	16.0	14.5	30.0	\$620.00

SPORTS CAR RADIAL

Size	Product Code	R250	R430	R465	Firm	Application	Rim	Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)	2018 CDN Price
25.5x14.0-16	387-160-334 387-160-308		4331 221858	4333 221577		GT1		12.0	25.4	15.2	14.0	24.5	\$630.00
28.5x14.5-16	387-132-318 387-132-308		6898 221582	4265 221574		GT1		13.0	28.5	15.4	14.8	28.5	\$675.00
21.5x8.0-13	387-063-343			4540 226363		WS		9.0	21.6	9.8	8.2	13.2	\$460.00
22.5x11.0-13	387-061-343			4541 226364		WS		11.0	22.6	12.2	10.6	16.4	\$485.00

SPORTS CAR RADIAL RAIN

Size	Product Code	R065	R085	Firm	Application	Rim	Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)	2018 CDN Price
25.5x14.0-16	387-160-325		6672 221837		GT1 Eagle F1 Rain		12.0	25.5	14.1	14.0	30.0	\$675.00
28.5x14.5-16	387-132-325		6673 221838		GT1 Eagle F1 Rain		13.0	28.5	15.4	15.4	36.6	\$720.00
21.5x8.0-13	387-063-314	4286 221576			WS Eagle F1 Rain		9.0	21.6	9.8	8.2	13.1	\$495.00
22.5x11.0-13	387-061-314	4287 221575			WS Eagle F1 Rain		11.0	22.6	12.2	10.6	16.5	\$515.00

FORMULA SAE

Size	Product Code	DRY	WET	Firm	Application	Rim	Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)	2018 CDN Price
22.0x7.0-13	807-299-317	2704 221573			FSAE G-19		7.0	20.4	7.9	6.9	#	\$295.00
22.0x7.0-13	807-299-321		2703 221594		FSAE Rain F-1 Carved		7.0	20.4	7.9	6.9	#	\$300.00