

**icanCLAVE<sup>®</sup>**

Focus On Autoclave



Icancalve Model D

B<sub>class</sub>

## About ICANCLAVE D

ICANCLAVE model D Series is a Class B autoclave in complete compliance with European Standard EN13060. This series includes 8L(normal and quick version), 12L(normal and quick version) , 18L , 23L and 29L(super long chamber version). They are appropriate for the sterilization of all non-wrapped or wrapped solid, hollow and porous products as represented by the test loads in this standard. ICANCLAVE Model D has been widely used in dentistry, medical, laboratory, beauty, veterinary, pedicure and tattoo industry.



### Efficiency

Utilisation of an intelligent systems and high performance components (such as instantaneous steam generator and high efficient vacuum pump ), which provide a fast sterilization cycle.



### Multi protection

Utilizes mechanical and electronic safety mechanisms for pressure & temperature overload protection and safety door locking system.



### Optional internal printer

Allows sterilization cycle reports simply printed on thermal paper after cycle end.



### Reliability and safety

Full compliance with the European sterilizer standard and certified quality. Ensure a completed safety sterilization result.



### For any load type

Class B steam sterilizer can be used to sterilize any load, such as the instruments of hollow, porous or solid.



### Data export

Standard equipped with an internal memory able to store 10000+ cycles, and the cycle reports can be automatically saved via the USB driver.




safety lock

safety valve

circuit breaker

bacteria filter



flash water tank

stainless steel chamber

USB port

LCD Screen



water filter




draining connector  
for used water tank

draining connector  
for flash water tank



# D229---Steam Sterilizer for Extra-long instruments

D229 is specially designed for ultra-long instrument. The depth of the sterilizer is up to 620mm, which effectively solves the problem that ultra-long instruments such as laparoscope can not be sterilized in the ordinary benchtop sterilizers.




Depth of Chamber  
up to 620mm



## Tray Dimensions of D229

3 Trays total.  
Tray #1: 185x570mm  
Tray #2: 213x570mm  
Tray #3: 227x570mm

# Dimension



Order Code	Chamber Size	W	H	D	L1	L2	Td	Tw
------------	--------------	---	---	---	----	----	----	----

D229	mm	490mm	355mm	875mm	690mm	403mm	*	*
------	----	-------	-------	-------	-------	-------	---	---

\*There are three different trays for D229, please refer to the dimension on previous page.

