

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of Priority items and 10 calendar days for Priority Foundation items or HACCP Plan deviations. (§ 64 C.S.R. 17-3.1.j.)

OBSERVATION TOTALS

PRIORITY: 12
CORE: 67


PRIORITY FOUNDATION: 4
TOTAL: 83

ESTABLISHMENT:	KFC - Edwin Miller Blvd		PERMIT NO.:		DATE:	8/4/2021	
ADDRESS:	1501 Edwin Miller Blvd		CITY:	Martinsburg	STATE:	WV	ZIP: 25401
PERSON IN CHARGE/TITLE:	x Jenna Carter		TELEPHONE:	304-263-8824			
RECEIVED BY (SIGNATURE):	x Jenna Carter		SANITARIAN (SIGNATURE):	[Signature]			
INSPECTION TYPE:	ROUTINE	<input checked="" type="checkbox"/> FOLLOW-UP	<input type="checkbox"/> COMPLAINT	<input type="checkbox"/> OTHER:	TIME: 11:15		

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
	✓		4-602.11	Soda fountain ice dispenser needs cleaned. Slime & Mold observed
			6-501.12	Under buffet bar needs cleaned.
			4-602.13	Buffet bar countertop needs cleaned. Food debris observed
			6-301.12 PF	Soap & paper towels not available at handsink
	✓		4-602.11	Ice scoop holder needs cleaned. Old soda & grease observed on surface
			6-501.12	Under drive through soda fountain needs cleaned
			6-501.12	Fry seasoning shelf needs cleaned
x			3-602.11 PF	Fry seasoning container needs labeled on the container
			4-602.13	Bottom of Traulsen 4-door freezer needs cleaned
			6-501.13	Floor throughout entire kitchen needs cleaned. Underneath equipment too.
			6-501.12	Shelving at pack line needs cleaned
	✓		4-602.11	Unclean pans left out on food assembly line. Need to change once pans are empty
			6-501.14	Vents throughout establishment need cleaning
			6-501.11	Cold well needs repair. Observed an ice bath being used.
			6-501.12	Walls throughout kitchen need cleaning
			4-602.13	Backs & sides off all equipment needs cleaned. Ovens, Fridges.
			4-602.13	Grease buildup observed on trays at the hot holding shelves. Clean or replace.
			4-602.13	Rubbermaid cart needs cleaned
			6-501.11	Mop sink has no hot water. Knob missing
			6-501.12	Mop room needs cleaned. Floors, walls,

Beyond Cleaning

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
Traulsen Freezer	17°	Henry Penny Chicken Hot Hold	145°	Gravy (Hot Hold Pack Line)	150°		
Henry Penny Hot Hold	173°	Chicken (Hot Hold)	145°	Chicken (Hot Hold shelves)	198°		
Employee Fridge	41°	Mashed Potatoes (Hot Hold)	173°	Chicken (Smart Hold unit)	161°		
Traulsen 4-door Freezer	7.5°	Cheese (Cold Hold Pack Line)	38°	Chicken (2nd Smart Hold unit)	150°		



West Virginia Department of Health & Human Resources
Berkeley County Health Department

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of Priority items and 10 calendar days for Priority Foundation items or HACCP Plan deviations. (§ 64 C.S.R. 17-3.1.j.)

OBSERVATION TOTALS PRIORITY: 12 PRIORITY FOUNDATION: 4
 CORE: 67 TOTAL: 83

ESTABLISHMENT: KFC -Edwin Miller Blvd PERMIT NO.: DATE: 8/4/2021
 ADDRESS: 1501 Edwin Miller Blvd CITY: Martinsburg STATE: WV ZIP: 25401
 PERSON IN CHARGE/TITLE: Anna Carter TELEPHONE: 263-8824
 RECEIVED BY (SIGNATURE): [Signature] SANITARIAN (SIGNATURE): [Signature]
 INSPECTION TYPE: ROUTINE FOLLOW-UP COMPLAINT OTHER: TIME: 11:15

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
			6-501.11	Mop room door frame needs repair
			4-501.18	Sanitizer bucket up front needs changed. Old sanitizer in bucket
			6-501.11	Ceiling throughout kitchen needs repair.
			6-501.11	Vent above 3-Bay needs repair.
			6-501.18	Under 3-Bay, top of food grinder ^{grease} old food debris observed & Plumbing pipes need clean ^{cleaned}
			4-602.13	Condiment shelves need cleaned doesn't work
			5-501.113	Dumpster lid left open
			5-501.115	Area around dumpster needs cleaned. scattered boxes & overgrown weeds observed
			6-501.11	Wall behind Men's toilet needs repair.
			6-501.11	Broken floor & wall tile in Men's room needs repaired
	✓		4-602.11	Ice bucket ^{scoop holder} by ice machine, has standing water & debris inside (3 bars)
			6-301.11 ^{PF}	Soap not available at handsink
			6-501.11	Corners of ceiling vents bent downward

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of Priority items and 10 calendar days for Priority Foundation items or HACCP Plan deviations. (§ 64 C.S.R. 17-3.1.j.)

OBSERVATION TOTALS

PRIORITY: 12
CORE: 67

PRIORITY FOUNDATION: 4
TOTAL: 83

ESTABLISHMENT: KFC PERMIT NO.: _____ DATE: August 4, 2021
 ADDRESS: 1501 Edwin Miller Blvd CITY: Mt Gay STATE: WV ZIP: 25401
 PERSON IN CHARGE/TITLE: Jenna Carter TELEPHONE: 304-263-8824
 RECEIVED BY (SIGNATURE): Jenna Carter SANITARIAN (SIGNATURE): Dr. Edwards DS
 INSPECTION TYPE: ROUTINE FOLLOW-UP COMPLAINT OTHER: Back of house TIME: 11:30 am

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
			4501.18	Chicken area - sanitizer bucket from previous night - dirty H ₂ O - still reading 200ppm
			6501.114	Unused hot holding box, in back corner, needs cleaned + repaired or removed
			6501.134	Food vents + ansul system need cleaned
			6501.13	Floor needs cleaned behind fryers
			6501.12	Walls need cleaned behind fryers
			4602.13	Sides + wheels of fryers - need cleaned (+ underneath) <u>GREASE</u>
			6501.11	Several hood lights out + ceiling bulb out in back corner near sink - several bulbs out elsewhere
			6501.11	Wall ceiling damaged by back sink + throughout
			6501.12	Floor drains need cleaned <u>throughout</u> - full of food debris
			6501.11	hood ansul system does not work per staff
			4602.13	chicken walkin door coat needs cleaned + walkin
	X		4602.11	chicken walk - <u>stagnant</u> traps + carts need cleaned - drippage
			6501.13	chicken walkin floor needs cleaned
			6501.11	chicken cart, located between fryers, needs wheel <u>repaired</u>
			4602.13	chicken walkin - damage racks need cleaned
		X	6501.11	freezer - concrete floor outside freezer deteriorating
			6501.11	freezer - wall ceiling broken in numerous <u>places</u>

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
3 bay sink	40	alky bucket	30				
(150-400) quat		chicken walkin	38				

Berkeley Co

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of Priority items and 10 calendar days for Priority Foundation items or HACCP Plan deviations. (§ 64 C.S.R. 17-3.1.i.)

OBSERVATION TOTALS

PRIORITY: 12
CORE: 67

PRIORITY FOUNDATION: 4
TOTAL: 83

ESTABLISHMENT: WFC PERMIT NO.: _____ DATE: August 4, 2021
 ADDRESS: 1501 Edwin Miller CITY: Mt Hope STATE: WV ZIP: 25401
 PERSON IN CHARGE/TITLE: Jenna Carter TELEPHONE: 304 263-8924
 RECEIVED BY (SIGNATURE): [Signature] SANITARIAN (SIGNATURE): [Signature]
 INSPECTION TYPE: ROUTINE FOLLOW-UP COMPLAINT OTHER: Back of house TIME: 11:15

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
			4501.11	Freezer - ice hanging off combats on shelf + top
			6501.11	old air curtain over back door not working
			6501.11	main walk in - wall covering deteriorating, crumbling
			4501.11	colostan tub lids broken
			2501.17	2 tubs of colostan not date marked
	X		4602.11	walk in shelves - dried food debris observed
	X		3302.11	2 pickle buckets not covered - walking
			4602.13	walk in - thawing rack needs cleaned
			6501.13	walk in floor needs cleaned
			6501.11	cover plate needed over wall switches by back door
			4602.13	paper storage - wall, floor + ^{ceiling} need cleaned
			6501.12	paper storage ceiling vent needs cleaned
			4602.13	paper storage - All shelving needs cleaned
		X	6501.11	previously repaired flooring separating + allowing water to seep underneath ^{beneath} dish + other areas
			6501.12	mold on plumbing pipes - prep sink
			6501.111	buggy roach observed near ice machine ^{on floor}
			4602.13	outside of chicken table needs cleaned
			6501.11	prep sink - faucet dripping + sprayer needs cleaned
			4901.11	pans stored wet on dish shelving

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
walk in	39						

Beekley

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of Priority items and 10 calendar days for Priority Foundation items or HACCP Plan deviations. (§ 64 C.S.R. 17-3.1.j.)

OBSERVATION TOTALS

PRIORITY: 12
CORE: 67

PRIORITY FOUNDATION: 4
TOTAL: 83

ESTABLISHMENT: <u>HFC</u>		PERMIT NO.:		DATE: <u>August 4, 2021</u>	
ADDRESS: <u>1501 Edwin Miller</u>		CITY: <u>Mingo</u>		STATE: <u>WV</u> ZIP: <u>25401</u>	
PERSON IN CHARGE/TITLE: <u>Jenna Carter</u>		TELEPHONE: <u>304 263-8824</u>			
RECEIVED BY (SIGNATURE): <u>[Signature]</u>		SANITARIAN (SIGNATURE): <u>[Signature]</u>			
INSPECTION TYPE: ROUTINE <input checked="" type="checkbox"/>		FOLLOW-UP <input type="checkbox"/>		COMPLAINT <input type="checkbox"/>	
		OTHER: <u>Back of House</u>		TIME: <u>11:15</u>	

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
	X		4602.11	<u>Dishes - pan storage shelving not clean</u>
			3304.12	<u>utensils in bucket need to be inverted</u>
	X		4602.11	<u>inside utensil bucket not clean - bottom</u>
			4602.13	<u>stored chicken trays have grease buildup on outside edge</u>
	X		4602.11	<u>Racks stored on lower shelf greasy</u>
	X		4602.11	<u>pens sitting on top of ice machine not clean</u>
	X		4602.11	<u>inside ice machine needs cleaned</u>
			4602.13	<u>3 bay faucet + sprayer needs cleaned</u>
			4602.13	<u>around & behind ^{ice} machine needs cleaned</u>
				<u>(roach trap located behind machine w/ dead + 1 live roach)</u>
			6501.11	<u>Women's restroom - door handle broken + door stays ajar - not self-closing</u>
			6501.12	<u>Women's toilet - base needs cleaned</u>
			6501.11	<u>Women's restroom - ceiling damage</u>
			6501.12	<u>Old mop closet - needs cleaned</u>
			6501.11	<u>Booths in dining area in poor repair (Lobby currently closed)</u>
* Establishment must close immediately due to excessive violations + uncorrected priority violations				

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM

** Lobby closed + remodel postponed + priority foundation*
*Signs * All priorities must be corrected to be open +*
placed on doors + windows + AS MANY REPAIRS AS POSSIBLE 304-267-7130