

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Kitzies	Facility Type Food Service Establishment	
Licensee Name Cottle Chrisiti, LLC	Facility Telephone # 304 263-5797	
Facility Address 1545 Rock Cliff Drive Martinsburg , WV	Licensee Address 1545 Rock cliff Drive Martinsburg , WV 25401	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 05/16/2018	Total Time Spent 1.62

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Sandwich case	40
Walk in cooler	39
True cooler	38
Beer cooler avg	39
Hot passover	185
Traulsen cooler	39
Fry warmer	172

<b>Food Temperatures</b>	
Description	Temperature (Fahrenheit)
Soups	143
Bacon	152
Steamtable food	139

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3baysinkBar3bays inkDISHMACHINE	chemchemical		50	bleach	

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

**Observed Critical Violations**

**Total # 5**

**Repeated # 0**

**3-501.18 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DISPOSITION**

**This is a critical violation**

**OBSERVATION: (CORRECTED DURING INSPECTION):** Container of milk dated 5-14, oj dated 5-12 out of date

**4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS**

**This is a critical violation**

**REPEAT OBSERVATION (CORRECTED DURING INSPECTION):** Multiple spatulas, scrapers ladles and scoops need recleaned, stored unclean

**4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS**

**This is a critical violation**

**REPEAT OBSERVATION (CORRECTED DURING INSPECTION):** Can opener needs cleaned including the blade

**4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS**

**This is a critical violation**

**REPEAT OBSERVATION** Walk in cooler racks need cleaned

**4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS**

**This is a critical violation**

**REPEAT OBSERVATION** Inside the ice machine needs cleaned, mold

**ObservedNon-CriticalViolations**

**Total # 9**

**Repeated # 0**

**4-501.12 - CUTTING SURFACES**

**OBSERVATION:** Sandwich cutting board needs bleached or resurfaced

**4-502.11 - GOOD REPAIR AND CALIBRATION**

**OBSERVATION:** Gaskets need repaired on the long cold case, torn

**4-502.11 - GOOD REPAIR AND CALIBRATION**

**OBSERVATION:** Plastic utencil drawer needs replaced, cracked

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Stainless steel drink rack holder needs cleaned

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Black tub for lids need cleaned inside

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Tops of the microwave and pan rack needs dusted

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Speed rack needs cleaned in the kitchen

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Wall needs repaired next to the speed rack in the kitchen.

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Walk in floors need cleaned].

**Inspection Outcome**

**Comments**

If you are going to use the sanitized 3 bay sink to wash food in, then that sink needs to be air gapped

Disclaimer

Person in Charge

Sanitarian



**Michael //gavin**



**Glenn GCO Ondick**