

West Virginia Department of Health & Human  
Resources  
Morgan County Health Department



**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Mountaineer Sports Bar & Grill	Facility Type Food Service Establishment	
Licensee Name (Owner Not Set)	Facility Telephone #	
Facility Address 48 North Washington St. Berkeley Springs, WV	Licensee Address	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date March 30, 2018	Total Time Spent 2.00

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Cooler	32
Freezer	10
Cooler	41
Condiment Cooler	41
Chest Freezer	11.5
Bar Cooler	34

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<b>Total # 1</b>
<b>Repeated # 1</b>
<b>4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE</b>
Observation: Food residue on stored plates.
Corrective Action(s):

<b>Observed Non-Critical Violations</b>
<b>Total # 12</b>
<b>Repeated # 1</b>
<b>4-301.14 - VENTILATION HOOD SYSTEMS, ADEQUACY</b>
REPEAT OBSERVATION The fryer and stove in kitchen is not adequately covered by a ventilation hood system.
Corrective Action(s): Provide adequate number and capacity of ventilation hoods or devices to prevent grease and condensation from collecting on walls and ceilings.
<b>4-602.12 - COOKING AND BAKING EQUIPMENT - NOT CLEANED</b>
Observation: Fryer needs cleaned.
Corrective Action(s):

**4-602.13 - NONFOOD CONTACT SURFACES**

Observation: Bar ice machine needs cleaned.

Corrective Action(s):

**4-602.13 - NONFOOD CONTACT SURFACES**

Observation: Soda machine needs cleaned.

Corrective Action(s):

**4-602.13 - NONFOOD CONTACT SURFACES**

Observation: Food residue in both microwaves.

Corrective Action(s):

**4-602.13 - NONFOOD CONTACT SURFACES**

Observation: Food residue in coolers.

Corrective Action(s):

**4-602.13 - NONFOOD CONTACT SURFACES**

Observation: Food residue in condiment cooler.

Corrective Action(s):

**4-903.11 - EQUIPMENT, UTENSILS, LINENS, AND SINGLE-SERVICE AND SINGLE USE ARTICLES**

Observation: Spoons not inverted.

Corrective Action(s):

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

Observation: Cutting board needs replaced.

Corrective Action(s):

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

Observation: Chest freezer needs defrosted.

Corrective Action(s):

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

Observation: Wall behind fryer needs cleaned.

Corrective Action(s):

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

Observation: Floors underneath cooking equipment need cleaned.

Corrective Action(s):

***Inspection Outcome***

***Comments***

Disclaimer

Person in Charge



Sanitarian

**Tim Zeigler**