

MSDS Number: BRICK HOUSE

Revision Date: 1/13/2016

Page 1 of 4

**1 PRODUCT AND COMPANY IDENTIFICATION**

**Manufacturer**

Cajun Kleen Products, LLC  
608 Grantham Ave  
West Monroe, LA 71292

**Phone:** (318)323-4244  
**Fax:** (318)323-4299  
**Email:** info@cajunkleenproducts.com  
**Web:** www.cajunkleenproducts.com

**Product Name:** BRICK HOUSE  
**Revision Date:** 08/23/17  
**Version:** 1  
**Product Use:** Red Clay Remover

Emergency Contact: CHEMTEL 1(800) 255-3924

**2 HAZARDS IDENTIFICATION**

GHS Signal Word:  
DANGER

GHS Hazard Pictograms:



GHS Classifications:  
Health, Acute toxicity, 3 Oral  
Health, Skin corrosion/irritation, 2  
Health, Serious Eye Damage/Eye Irritation, 2 A

GHS Phrases:  
H301 - Toxic if swallowed  
H315 - Causes skin irritation  
H319 - Causes serious eye irritation

GHS Precautionary Statements:  
P102 - Keep out of reach of children.  
P103 - Read label before use.  
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

MSDS Number: **BRICK HOUSE** Revision Date: 1/13/2016  
 Page 2 of 4

### 3 COMPOSITION/INFORMATION ON INGREDIENTS

**Ingredients:**

Cas #	Percentage	Chemical Name
79-14-1	5-10%	Glycolic acid

### 4 FIRST AID MEASURES

**Inhalation:** If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention. Give oxygen or artificial respiration if needed. Get immediate medical attention.

**Skin Contact:** Wash with soap and water. If irritation develops, seek medical attention. Remove contaminated clothing immediately. Get medical attention if needed. Remove contaminated clothing and wash before reuse.

**Eye Contact:** Flush with large amounts of water. Remove contact lenses at once. Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate irrigation. Get immediate medical attention.

**Ingestion:** Do NOT induce vomiting or attempt chemical neutralization. Seek immediate medical attention.

### 5 FIRE FIGHTING MEASURES

**Flash Point:** 199 F  
**LEL:** N/A  
**UEL:** N/A

Wear self contained breathing apparatus and other protective clothing. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry powder, foam, carbon dioxide.

### 6 ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in section 8.  
 Do not discharge into drains.  
 Pick up excess with inert absorbant material and place into separate waste container.  
 Ventilate area and wash spill site after material pickup is complete.

### 7 HANDLING AND STORAGE

**Handling Precautions:** Avoid breathing vapors or mist. Use adequate ventilation. Keep material out of reach of children. Wash thoroughly after handling. Launder contaminated clothing.

**Storage Requirements:** If container temperature exceeds boiling point, cool the container before opening. Store in cool/dry area. Suitable packing materials.

### 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:** All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94).

**Personal Protective Equip:** Chemical resistant gloves; Chemical safety glasses; Chemical splash goggles;

MSDS Number: BRICK HOUSE Revision Date: 1/13/2016  
Page 3 of 4

## 9 PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Colorless to slightly yellow oil.	<b>Odor:</b>	Mild
<b>Physical State:</b>	Liquid	<b>Solubility:</b>	Completely miscible
<b>Odor Threshold:</b>	N/A		

## 10 STABILITY AND REACTIVITY

<b>Stability:</b>	Product is stable under normal conditions.
<b>Materials to Avoid:</b>	Strong Oxidizing Agents.
<b>Hazardous Decomposition:</b>	Will not occur
<b>Hazardous Polymerization:</b>	Will not occur.

## 11 TOXICOLOGICAL INFORMATION

Irritant to skin and mucous membranes.  
Irritant to eyes.

No toxicity to reproduction.

Inhalation 4 h LC50: 3.6mg/l, Rat (dust)  
Dermal Acute toxicity estimate: >5,000 mg/kg, human  
Oral LD50: 2,040 mg/kg, Rat

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

## 12 ECOLOGICAL INFORMATION

Water hazard class 1

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.  
Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH values. A low pH value harms aquatic organisms.

## 13 DISPOSAL CONSIDERATIONS

Dispose of in accordance with local regulations. Recommendation: consultation with the disposal agency and the relevant authorities; cleansing agent is water.  
Do not allow to reach waterways or storm sewers.

## 14 TRANSPORT INFORMATION

DOT Class: Corrosive (8) #8  
UN #: UN 3265, Class: 8, III, Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s.

ADR: Corrosive liquid, acidic, organic, n.o.s. (urea hydrochloride)  
IMDG, IATA: Corrosive liquid, acidic, organic, n.o.s (urea hydrochloride)

Corrosive to Aluminum

MSDS Number:

BRICK HOUSE

Revision Date: 1/13/2016

Page 4 of 4

**15**

**REGULATORY INFORMATION**

COMPONENT / (CAS/PERC) / CODES

-----  
\* (0 n/a%) REACH

\* (0 n/a%) REACH

\*Acetic acid, hydroxy- (79141 5-10%) TSCA

REGULATORY KEY DESCRIPTIONS

-----  
REACH = REACH List of Substances of Very High Concern (RSL)

TSCA = Toxic Substances Control Act

**16**

**OTHER INFORMATION**

**Author: JNM**

This information is given in good faith and based on our current knowledge of the product. No guarranty of accuracy is made. Purchasers should make their own test to detemine the suitability of such products for their particular purpose.