

West Virginia Department of Health & Human Resources

Berkeley County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information	
Facility Name Heritage Hall	Facility Type Food Service Establishment
Licensee Name Bonnie Butler	Facility Telephone # 304
Facility Address Route 11 Inwood , WV	Licensee Address ,

Inspection Information		
Inspection Type Routine	Inspection Date 06/01/2017	Total Time Spent 1.50

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Superior cooler 1	
Superior cooler 2	40
Victory cooler	36

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Dishmachine	Chemical				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 2

ObservedNon-CriticalViolations
Total # 4
Repeated # 2
4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION <i>OBSERVATION: Superior 1 refrigerator needs repaired/replaced</i>
4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION <i>REPEAT OBSERVATION Chemical shelving needs replaced/repared (rusting)</i>
6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR <i>REPEAT OBSERVATION Floor by hot water heater needs repaired (tiles pulling up and water damage).</i>
6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR <i>OBSERVATION: Ceiling in many areas needs repaired (water damage?)</i>

Inspection Outcome

Comments


Disclaimer

Person in Charge



Bonnie Butler

Sanitarian



Keith Allison