

Dr. Frank's Typical Vaccination & Testing Schedule

1 Month Old

Hepatitis B (Liver Infection & Cancer)

2 Months Old

Pentacel (Diphtheria, Tetanus, Whooping Cough, Hib (Meningitis), & IPOL (Polio))
Rotavirus (Stomach Flu)

3 Months Old

Pevnar (Meningitis)

4 Months Old

Pentacel (Diphtheria, Tetanus, Whooping Cough, Hib (Meningitis), & IPOL (Polio))
Rotavirus (Stomach Flu)

5 Months Old

Pevnar (Meningitis)

6 Months Old

Pentacel (Diphtheria, Tetanus, Whooping Cough, Hib (Meningitis), & IPOL (Polio))
Rotavirus (Stomach Flu)

7 Months Old

Pevnar (Meningitis)
Hepatitis B (Liver Infection & Cancer)
Hemoglobin (Check For Anemia)
Lead Level

9 Months Old

PPD (TB Test)

12 Months Old

Pevnar (Meningitis)
Hepatitis A (Stomach Flu)
Varivax (Chicken Pox)

15 Months Old

MMR (Measles, Mumps, & Rubella)
Hib (Meningitis)

18 Months Old

DaPT (Diphtheria, Tetanus, & Whooping Cough)
Hepatitis A (Stomach Flu)

Between 4 Years Old & Starting Kindergarten

DaPT (Diphtheria, Tetanus, & Whooping Cough)

I POL (Polio)

MMR (Measles, Mumps, & Rubella)

Varivax (Chicken Pox)

PPD (TB Test)

10 Years Old

PPD (TB Test)

11 Years Old

Menactra (Meningitis)

Adacel (Diphtheria, Tetanus, & Whooping Cough)

Gardasil (HPV Virus) – second dose at least 6 months later

Fasting Lipid Profile (Cholesterol Screening) – repeat as indicated by the result

16 Years Old

Menactra (Meningitis)

Trumenba (Meningitis)

second dose at least 2 months later

third dose at least 4 months after the second dose

**** Yearly Influenza Vaccination Starting After 6 Months Of Age**

**** Yearly Urinalysis (Urine Evaluation) Once Toilet Trained**