



## **ATX GRIP Super Peewee** **3 Plus Dolly**

**Austin Office:**  
9201 Brown Ln Suite 290  
Austin, Tx 78754  
**Austin Office Phone:**  
512-537-4201  
832-651-3053  
**Austin Office Email:**  
Rentals@atxgrip.com

**Carrying Weight**            280 lb 127 kg  
**Maximum Payload**        250 lb 113 kg  
**Maximum camera mount height (position 1 - 90° mode)**  
4 ft. 11 3/4 in. 1.51 m  
**Minimum camera mount height (position 1 - 90° mode)**  
29 1/2 in. 74.93 cm  
**Vertical boom travel (position 1 - 90° mode)**  
30 1/4 in. 77 cm  
**Maximum camera mount height (position 2 - 45° mode)**  
4 ft. 9 1/2 in. 1.46 m  
**Minimum camera mount height (position 2 - 45° mode)**  
25 1/2 in. 65 cm  
**Vertical boom travel (position 2 - 45° mode)**  
32 in. 81 cm  
**Maximum camera mount height (position 3 - low mode)**  
4 ft. 2 1/2 in. 1.28 m  
**Minimum camera mount height (position 3 - low mode)**  
19 1/4 in. 48 cm  
**Vertical boom travel (position 3 - low mode)**  
31 1/4 in. 79 cm  
**Maximum camera mount height (position 4 - extender mode)**  
4 ft. 11 in. 1.49 m  
**Minimum camera mount height (position 4 - extender mode)**  
20 3/4 in. 53 cm  
**Vertical boom travel (position 4 - extender mode)**  
38 1/4 in. 97 cm  
**Minimum camera mt height (low bar/lowest 4-way leveling head)**  
5 in. 12 cm  
**Maximum camera mt height (low bar/lowest 4-way leveling head)**  
36 in 91 cm

**Maximum payload with high post kit**

**1,100 lb 499 kg**

**Maximum Boom Lifts (fully charged)**

**4 Lifts**

**Chassis Maximum Length (wheels fully extended)**

**43 in. 1.09 m**

**Chassis Minimum Length (wheels fully retracted)**

**34 1/2 in. 88 cm**

**Minimum chassis height for transportation**

**43 in. 1.09 m**

**Chassis width - legs at 0° position**

**34 1/2 in. 88 cm**

**Chassis width - legs at 17° position      16 in.    41 cm**

**Chassis width - legs at 45° position      20 in.    51 cm**

**Chassis width - legs at 90° position      32 in.    81 cm**

**Steering post height      35 in.    89 cm**

**Minimum turn radius      24 in.    61 cm**

**Minimum door width PeeWee can be carried through**

**16 in. 41 cm**

**Accumulator charging time (empty to full)**

**60 sec.**

**Operational weight**

**329 lb 149 kg**

**Operational Weight w/ High Post Kit (no payload)**

**386 lb 175 kg**

**Dolly Shipping Weight w/Crate**

**475 lb 215.4 kg**

**Dolly Shipping Crate Dimensions**

**L 43 in. x W 27 in. x H 36 in.**

**Dolly Accessory Cart Shipping Weight w/Crate**


**346 lb 156.9 kg**

**Dolly Accessory Cart Crate Shipping Dimensions**

**L 44 in. x W 35 in. x H 28 in.**

**\*Payload includes All Items (i.e. Man, Camera, Platform, Turret, Crane Arm, etc.) on Arm**

**\*\*Payload includes All Items (i.e. Man, Camera, Platform, Turret, Crane Arm, etc.) on Base Mount.**



Carrying Weight = 295 lb (134 kg)  
 Maximum Payload = 250 lb (113 kg)

