

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b><i>Establishment Information</i></b>		
Facility Name Everything Cheesecake LLC	Facility Type Food Service Establishment	
Licensee Name Everything Cheesecake LLC	Facility Telephone # 304 268-5309	
Facility Address 324 West Stephen St Martinsburg , WV	Licensee Address ,	
<b><i>Inspection Information</i></b>		
Inspection Type Routine	Inspection Date 02/06/2019	Total Time Spent 0.75

<b><i>Equipment Temperatures</i></b>	
Description	Temperature (Fahrenheit)
Refrigerator	40
Pepsi	40
Saturn Refrigerator	36
Cheesecake Case	40

<b><i>Warewashing Info</i></b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3- BaySinkSanitizer Bottle	Chemical		100	Quat	

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b><i>Observed Critical Violations</i></b>
<b>Total # 0</b>
<b>Repeated # 1</b>

**Observed Non-Critical Violations**

**Total # 4**

**Repeated # 1**

**3-304.12 - IN-USE UTENSILS, BETWEEN USE STORAGE**

REPEAT OBSERVATION (*CORRECTED DURING INSPECTION*): Mixer blades stored on paper towels (non-cleanable surface)

**4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION**

OBSERVATION: Gasket on True freezer needs replaced (torn)

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

OBSERVATION: Light covers in bathrooms need cleaned (bulbs also need replaced)

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

OBSERVATION: Vent above ovens needs cleaned

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge



**Amber Gibson**

Sanitarian



**Keith Allison**