

**West Virginia Department of Health & Human
Resources
Berkeley County Health Department**



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information	
Facility Name Inwood Primary School	Facility Type Food Service Establishment
Licensee Name Berkeley Co. Board of Education	Facility Telephone # 304
Facility Address 7864 Winchester Ave Inwood , WV	Licensee Address ,

Inspection Information		
Inspection Type Routine	Inspection Date 03/02/2017	Total Time Spent 1.25

Equipment Temperatures	
Description	Temperature (Fahrenheit)
True Refrigerator	Scan 36-41
Hot Point Refrigerator	Probe 38
Crescor Hot Hold	Scan 141
Milk Cooler	Scan 33-41

Food Temperatures	
Description	Temperature (Fahrenheit)
Beans	148

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Hobart3-Bay	Heat	160			Heat

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0 Repeated # 0

Observed Non-Critical Violations
Total # 1 Repeated # 0 6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR OBSERVATION: Floor tile in poor repair under reach in fridge, loose.

Inspection Outcome
Facility will be re-evaluated at the next routine inspection.

Comments

Disclaimer

Person in Charge



Ruth Marpoole

Sanitarian



Robert RAD Deener