

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of Priority items and 10 calendar days for Priority Foundation items or HACCP Plan deviations. (§ 64 C.S.R. 17-3.1.j.)

OBSERVATION TOTALS: _____ PRIORITY: 1 PRIORITY FOUNDATION: 0
CORE: _____ TOTAL: 2

ESTABLISHMENT: 5 Spot # 3 PERMIT NO.: _____ DATE: 1-28-20
ADDRESS: 4717 Shepherdston Rd CITY: Netley STATE: WV ZIP: _____
PERSON IN CHARGE/TITLE: X Juanita Banks-Largent TELEPHONE: _____
RECEIVED BY (SIGNATURE): Juanita Banks-Largent SANITARIAN (SIGNATURE): [Signature]
INSPECTION TYPE: ROUTINE FOLLOW-UP COMPLAINT OTHER: _____ TIME: 2:15

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
	✓		5102.12	No chlorine in the water - Sample taken - unit must close - water must have chlorine in water to operate.
			6-501.12	Spider webs need cleaned in unit
				- unit must close until water is tested & chlorine is in the water \$75 reinspection fee must be paid prior to coming out.
				- must have food safety mgr level cert turned in yearly starting June 2020
				- must post a sign for customers to read inspection upon request or use sign provided.

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM