

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Travers Country Store	Facility Type Retail Food Store	
Licensee Name Travers Country Store LLC	Facility Telephone # 304 754-3352	
Facility Address 8885 Hedgesville Rd Hedgesville , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 11/28/2018	Total Time Spent 1.25

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 1

Observed Non-Critical Violations
Total # 3
Repeated # 1
 4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION OBSERVATION: Gasket on small energy drink refrigerator needs replaced (torn)
 4-602.13 - NONFOOD CONTACT SURFACES OBSERVATION: Bottom on Yuengling cooler needs cleaned (rust)
 6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR REPEAT OBSERVATION Carpet throughout establishment needs replaced (fraying) Tape not approved as repair

Inspection Outcome


Comments

Disclaimer

Person in Charge

Sanitarian





Kristy Shirley

Keith Allison

