

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

<i>Establishment Information</i>		
Facility Name Spring Mills High Baseball Concession	Facility Type Food Service Establishment	
Licensee Name Spring Mills High Baseball Concession	Facility Telephone # 304	
Facility Address 409 Campus Drive Martinsburg , WV	Licensee Address 409 S Queen S St Martinsburg , WV 25404	
<i>Inspection Information</i>		
Inspection Type Routine	Inspection Date 03/28/2018	Total Time Spent 1.00

<i>Equipment Temperatures</i>	
Description	Temperature (Fahrenheit)
soda cooler	40
refrigerator	40
back refrigerator	40

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<i>Observed Critical Violations</i>
Total # 0
Repeated # 5

Observed Non-Critical Violations

Total # 8

Repeated # 5

4-302.12 - TEMPERATURE MEASURING DEVICES

REPEAT OBSERVATION Probe thermometer needed (0-220) one that is provided read 40-180

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

REPEAT OBSERVATION Ice machine not working (opening inspection)

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION Top of all refrigeration/freezers need cleaned

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION Inside of microwave needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Inside of cabinets and drawers need cleaned

6-301.12 - HAND DRYING PROVISION

REPEAT OBSERVATION Paper towels needed at handsink

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Ceiling vent above 3-Bay sink needs cleaned.

6-501.16 - DRYING MOPS

OBSERVATION: Mop needs to air dry

Inspection Outcome

Comments

Disclaimer

Person in Charge

Dan Comer

Sanitarian



Keith Allison