

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Pizza Tonight	Facility Type Food Service Establishment	
Licensee Name Pizza Tonight LLC	Facility Telephone # 304 262-1515	
Facility Address 460 Hack Wilson Way Martinsburg , WV	Licensee Address ,	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 04/05/2018	Total Time Spent 1.83

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Soda case	40
Sandwich cooler	45
Pizza cooler	39
Small cashier cooler	40
Dessert cooler	45
Walk in cooler	38

<b>Food Temperatures</b>	
Description	Temperature (Fahrenheit)
Desserts	45
Sauces	139

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3baysinkKitchenbucket	chemchem		50-100		

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<p><b>Total # 2</b> <b>Repeated # 0</b></p> <p><b>3-501.16 (Cold) - POTENTIALLY HAZARDOUS FOOD, COLD HOLDING</b> <b>This is a critical violation</b> <b>OBSERVATION:</b> All the desserta in the cooler 45F</p> <p><b>3-501.19 - TIME AS A PUBLIC HEALTH CONTROL</b> <b>This is a critical violation</b> <b>OBSERVATION: (CORRECTED DURING INSPECTION):</b> Operator has no plan for using time as a public health control. for pizza, must hold only 4 hours and keep a log of this</p>

**ObservedNon-CriticalViolations**

**Total # 9**

**Repeated # 0**

**4-302.12 - TEMPERATURE MEASURING DEVICES**

**OBSERVATION:** Need a thermometer in the small dining room cooler

**4-502.11 - GOOD REPAIR AND CALIBRATION**

**OBSERVATION:** Wood shelf in the walk in cooler needs sealed by stain or paint

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Pizza cooler gaskets needs cleaned

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Floor in the front of the pizza cooler needs repaired

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Back storage room off the dining-room needs cleaned, all objects on the floor needs to be off the floor 6 inches

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Diningroom mens room needs ceiling tile repaired or replaced.

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** All products in the front storage rooms need to be stored off the floor by 6 inches so you can easily clean under them. All paper products must be kept on sometime of shelf

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Floor in the walk in cooler needs cleaned under the shelves.

**6-501.16 - DRYING MOPS**

**OBSERVATION:** Wet mop sitting in wringer in the mop sink, needs hung to dry.

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge



**mateo martinez santiago**

Sanitarian



**Glenn GCO Ondick**