

<u>Trip Report: Argentina (January 2015)</u> Buenos Aires and Entre Ríos Provinces

This report summarises some mid-summer birding around the Reserva Ecológica Costanera Sur, located within the city of Buenos Aires (see previous trip reports for more details on this site), and a full day's birding in the vicinity of Perdices and Ceibas in southern Entre Ríos province, where Marcelo Gavensky was again my guide (see http://www.birdingbuenosaires.com).

Although the start to our day in Entre Ríos was inauspicious (our 2WD vehicle was unable to pass through the muddy roads en-route to our intended target habitat in the vicinity of Perdices) and the very warm and sunny weather somewhat suppressed bird activity (and sapped our energy levels) during the middle of the day, we saw many interesting species during some 8 hours of birding from local dirt roads. The roads cut through marginally higher and drier country then I had visited with Marcelo in December and highlights included a Glaucous-blue Grosbeak (encountered as be turned back from our failed mission to reach Perdices), 5 Greater Rhea (seen in open country west of Ceibas), large numbers of Southern Screamer and storks (including one Jabiru - a first for Marcelo in Entre Ríos, and apparently one of few records in the province), several Firewood-gatherers (the bird itself is not as spectacular as its unusual name) and three species of pipit. On the way back to Buenos Aires we wrapped up with a late-afternoon bonus stop at the Reserva Natural Otamendi in Buenos Aires province. Highlights there included views of a pair of Rufouscapped Antshrikes and a Freckle-breasted Thornbird, however we could not locate the Straight-billed Reedhaunters that finally started singing at dusk.



Greater Rhea [near to Ceibas, Entre Ríos]

Casual birding at Costanera Sur added no lifers, with activity appearing to be generally lower than on my visits before Christmas. Nonetheless, I enjoyed photographing the more common water bird families including the young birds that had grown up significantly since I first saw them back in November last year.



Fulvous Whistling-Ducks (juveniles) [Costanera Sur, Buenos Aires]

Overall, I identified a combined total of 114 species in Buenos Aires city together with Buenos Aires and Entre Ríos provinces. 103 of these were encountered without use of playback during the day trip to Entre Ríos (coincidentally exactly the same number of species as identified there during my December visit) including 14 lifers, and 46 during my visits to Costanera Sur (all but 11 of which were also seen on the day trip outside the city). A combined trip list is included at the end of this report.



Gaucho riding through the water logged fields [near to Ceibas, Entre Ríos]



Chotoy Spinetail [near to Ceibas, Entre Ríos]




Fork-tailed Flycatcher [near to Ceibas, Entre Ríos]



Burrowing Owl [near to Ceibas, Entre Ríos]



Masked Yellowthroat (f) [Reserva Natural Otamendi, Buenos Aires]



Limpkin [Costanera Sur, Buenos Aires]



Great Kiskadee [Costanera Sur, Buenos Aires]

1. Bird Trip List¹

Confirmed personal sightings only for DJS – excludes birds heard only unless otherwise indicated. As field guide I used 'Birds of Southern South America and Antarctica' by Martín de la Peña and Maurice Rumboll (Princeton University Press, 1998). Some names have been updated since this guide was published, so birds in the trip list are identified as per 'The Clements Checklist of Birds of the World', Cornell, 2007 with updates through December 2010 (online version 6.5).

Locations where species were seen, in order of travel:

BA = Buenos Aires city, principally the Reserva Ecológica Costanera Sur ("Costanera Sur") adjacent to Puerto Madero in downtown Buenos Aires (on various early-mornings and late-afternoons between January 6th and 24th). The mid-summer weather in Buenos Aires was variable, with several cool and rainy days mixed in amongst the more common blue-sky days. Maximum temperatures varied between 25 and 35°C. Altitude ~ 0 to 5m ASL.

ER = Entre Ríos province, including roadsides near to Perdices and Ceibas (full day January 23rd). Altitude ~ 0 to 20m ASL.

 \mathbf{O} = Reserva Natural Otamendi in Buenos Aires province between the city and Entre Ríos province (a short, late-afternoon visit on January 23rd). Altitude ~ 0 to 5m ASL.

RHEAS Rheidae

Greater Rhea Rhea americana [ER]:

TINAMOUS Tinamidae

Red-winged Tinamou Rhynchotus rufescens heard only [ER]:

SCREAMERS Anhimidae

Southern Screamer *Chauna torquata* [ER] *:

DUCKS, GEESE & SWANS Anatidae

White-faced Whistling Duck Dendrocygna viduata [BA; ER] *:

Fulvous Whistling Duck *Dendrocygna bicolor* [**BA**; **ER**] *:

Brazilian Teal Amazonetta brasiliensis [BA; ER]:

Ringed Teal Callonetta leucophrys [BA; ER]:

Yellow-billed Teal Anas flavirostris [ER]:

Silver Teal *Anas versicolor* [**BA**; **ER**]:

Rosy-billed Pochard *Netta peposaca* [BA; ER]:

GREBES Podicipedidae

White-tufted Grebe Podilymbus podiceps [BA]:

STORKS Ciconiidae

Maguari Stork Ciconia maguari [ER]:

Jabiru Jabiru mycteria [ER]:

Wood Stork Mycteria americana [ER]:

IBISES, SPOONBILLS Threskiornithidae

White-faced Ibis Plegadis chihi [BA; ER] *:

Roseate Spoonbill Platalea ajaja [ER]:

HERONS, BITTERNS Ardeidae

Black-crowned Night Heron Nycticorax nycticorax [ER]:

Cocoi Heron Ardea cocoi [BA; ER]:

Great Egret Ardea alba [BA; ER]:

Whistling Heron Syrigma sibilatrix [ER]:

Snowy Egret *Egretta thula* [ER]:

First sighting ever for DJS; E = Argentina endemic species; * = photo available

CORMORANTS, SHAGS Phalacrocoracidae

Neotropic Cormorant *Phalacrocorax brasilianus* [ER]:

NEW WORLD VULTURES Cathartidae

Black Vulture Coragyps atratus [ER]:

KITES, HAWKS & EAGLES Accipitridae

Snail Kite Rostrhamus sociabilis [ER]:

Long-winged Harrier Circus buffoni [ER]:

Roadside Hawk Buteo magnirostris [O]:

White-tailed Hawk Buteo albicaudatus [ER]:

CARACARAS, FALCONS Falconidae

Southern [Crested] Caracara Caracara plancus [ER]:

Chimango Caracara Milvago chimango [ER]:

American Kestrel Falco sparverius [ER]:

RAILS, CRAKES & COOTS Rallidae

Gray-necked Wood Rail Aramides cajanea [BA]:

Plumbeous Rail Pardirallus sanguinolentus [O]:

Common Moorhen Gallinula chloropus [BA; ER]:

Red-gartered Coot Fulica armillata [BA]:

LIMPKIN Aramidae

Limpkin Aramus guarauna [BA] *:

STILTS, AVOCETS Recurvirostridae

Black-necked (White-backed) Stilt Himantopus mexicanus melanurus [ER]:

PLOVERS Charadriidae

Southern Lapwing *Vanellus chilensis* [ER]:

American Golden-Plover Pluvialis dominica [ER]:

JACANAS Jacanidae

Wattled Jacana Jacana jacana [BA; ER]:

SANDPIPERS, SNIPES Scolopacidae

Lesser Yellowlegs Tringa flavipes [ER]:

Buff-breasted Sandpiper Tryngites subruficollis [ER]:

PIGEONS, DOVES Columbidae

Rock Pigeon Columba livia [BA]:

Picazuro Pigeon Patagioenas picazuro [BA; ER]:

Eared Dove *Zenaida auriculata* [BA; ER]:

Picui Ground Dove *Columbina picui* [**BA**; **ER**; **O**]:

White-tipped Dove Leptotila verreauxi chalcauchenia [ER]:

PARROTS Psittacidae

Monk Parakeet Myiopsitta monachus [BA; ER; O]:

CUCKOOS Cuculidae

Guira Cuckoo Guira guira [BA; ER]:

Dark-billed Cuckoo Coccyzus melacoryphus [ER]:

OWLS Strigidae

Burrowing Owl Athene cunicularia [ER] *:

HUMMINGBIRDS Trochilidae

Glittering-bellied Emerald Chlorostilbon aureoventris [BA; ER]: Gilded Hummingbird (Sapphire) Hylocharis chrysura [ER; O]:

KINGFISHERS Alcedinidae

Ringed Kingfisher *Megaceryle torquate* [O]:

WOODPECKERS Picidae

White Woodpecker Melanerpes candidus [ER]:

Checkered Woodpecker Veniliornis mixtus [BA] *:

Green-barred Woodpecker Colaptes melanochloros [BA; ER]:

Campo Flicker Colaptes campestris [ER]:

OVENBIRDS AND WOODCREEPERS Furnariidae

Rufous Hornero *Furnarius rufus* [**BA**; **ER**]:

Straight-billed Reedhaunter Limnoctites rectirostris beard only [O]:

Chotoy Spinetail *Schoeniophylax phryganophilus* [ER] *:

Spix's Spinetail Synallaxis spixi [O]:

Freckle-breasted Thornbird *Phacellodomus striaticollis* **[O]**:

Firewood-gatherer Anumbius annumbi [ER] *:

Brown Cacholote Pseudoseisura lophotes heard only [ER]:

Narrow-billed Woodcreeper Lepidocolaptes angustirostris [BA]:

TYPICAL ANTBIRDS Thamnophilidae

Rufous-capped Antshrike *Thamnophilus ruficapillus* [O]:

TYRANT FLYCATCHERS Tyrannidae

Warbling Doradito Pseudocolopteryx flaviventris [ER]:

Large Elaenia Elaenia spectabilis [**BA**; **O**]:

Small-billed Elaenia Elaenia parvirostris [BA; O]:

Southern Beardless Tyrannulet *Camptostoma obsoletum* [O]:

White-crested Tyrannulet Serpophaga subcristata [ER]:

Bran-colored Flycatcher Myiophobus fasciatus [ER; O]:

Vermilion Flycatcher *Pyrocephalus rubinus* [**ER**]:

Spectacled Tyrant *Hymenops perspicillatus* [ER]:

White Monjita Xolmis irupero [ER]:

Swainson's Flycatcher Myiarchus swainsoni [ER]:

Great Kiskadee *Pitangus sulphuratus* [**BA**; **ER**]:

Streaked Flycatcher *Myiodynastes maculatus* [BA; ER]:

Tropical Kingbird *Tyrannus melancholicus* [**ER**; **O**]:

Fork-tailed Flycatcher Tyrannus savanna [ER]:

VIREOS, GREENLETS Vireonidae

Red-eyed Vireo Vireo olivaceus [BA]:

SWALLOWS, MARTINS Hirundinidae

White-rumped Swallow Tachycineta leucorrhoa [ER]:

Brown-chested Martin *Progne tapera* [ER]:

Cliff Swallow Petrochelidon pyrrhonota [ER]:

WRENS Troglodytidae

House Wren Troglodytes aedon [BA; ER; O]:

GNATCATCHERS Polioptilidae

Masked Gnatcatcher Polioptila dumicola [BA; ER; O]:

MOCKINGBIRDS, THRASHERS Mimidae

Chalk-browed Mockingbird Mimus saturninus [BA; ER]:

STARLINGS Sturnidae

European Starling *Sturnus vulgaris* [BA]:

THRUSHES Turdidae

Rufous-bellied Thrush *Turdus rufiventris* [**BA**]:

Creamy-bellied Thrush Turdus amaurochalinus [BA]:

OLD WORLD SPARROWS Passeridae

House Sparrow *Passer domesticus* [**BA**; **ER**]:

FINCHES Fringillidae

Hooded Siskin Carduelis magellanica [BA; ER; O]:

WAGTAILS & PIPITS Motacillidae

Yellowish Pipit Anthus lutescens [ER]:

Short-billed Pipit Anthus furcatus beard only [ER]:

Hellmayr's Pipit Anthus hellmayri [ER]:

NEW WORLD WARBLERS Parulidae

Masked Yellowthroat *Geothlypis aequinoctialis* [O]:

TANAGERS & ALLIES Thraupidae

Sayaca Tanager Thraupis sayaca [O]:

Black-and-rufous Warbling Finch Poospiza nigrorufa [BA; O]:

Saffron Finch Sicalis flaveola [ER] *:

Grassland Yellow Finch Sicalis luteola [ER]:

Great Pampa Finch *Embernagra platensis* [ER]:

Red-crested Cardinal Paroaria coronata [BA; ER]:

Double-collared Seedeater Sporophila caerulescens [BA; ER]:

Golden-billed Saltator *Saltator aurantiirostris* [BA; ER]:

BUNTINGS, NEW WORLD SPARROWS & ALLIES Emberizidae

Grassland Sparrow *Ammodramus humeralis* [ER]:

Rufous-collared Sparrow Zonotrichia capensis [BA; ER]:

CARDINALS & ALLIES Cardinalidae

Glaucous-blue Grosbeak Cyanoloxia glaucocaerulea [ER] *:

OROPENDOLAS, ORIOLES & BLACKBIRDS Icteridae

White-browed Blackbird Sturnella superciliaries [ER] *:

Scarlet-headed Blackbird Amblyramphus holosericeus [ER; O]:

Yellow-winged Blackbird Agelasticus thilius [ER]:

Chestnut-capped Blackbird *Chrysomus ruficapillus* [ER]:

Brown-and-yellow Marshbird *Pseudoleistes virescens* [ER]:

Baywing Cowbird Agelaioides badius [BA; O]:

Shiny Cowbird Molothrus bonariensis [BA; ER]:

Total 114 confirmed species for the trip (including no Argentina endemics as per http://avibase.bsc-eoc.org and 4 heard only), of which 14 were 'lifers' for DJS.

2. Mammal Trip List

Coypu *Myopotamus coypus bonariensis* [**ER**]:

Pampas Cavy Cavia aperea [ER; BA]: