

West Virginia Department of Health & Human Resources

Berkeley County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

| Establishment Information | |
|--|---|
| Facility Name St. John's and the Mustard Seed | Facility Type Food Service Establishment |
| Licensee Name St. John's Lutheran Church | Facility Telephone # 304 263-9291 |
| Facility Address 101 W Martin St Martinsburg, WV | Licensee Address , |

| Inspection Information | | |
|-------------------------------|-------------------------------|--------------------------|
| Inspection Type Routine | Inspection Date 06/14/2017 | Total Time Spent 1.00 |

| Equipment Temperatures | |
|---------------------------------|--------------------------|
| Description | Temperature (Fahrenheit) |
| Double door cooler-St. John's | 38 |
| Continental cooler-Mustard Seed | 39 |

| Warewashing Info | | | | | |
|-------------------------|---------------------|--------------|-----|----------------|----------------|
| Machine Name | Sanitization Method | Thermo Label | PPM | Sanitizer Name | Sanitizer Type |
| ThreeBaySink | Chemical | | 100 | Quat | |

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

| Observed Critical Violations |
|-------------------------------------|
| Total # 0 |
| Repeated # 0 |

| Observed Non-Critical Violations |
|--|
| Total # 2 |
| Repeated # 0 |
| 4-602.13 - NONFOOD CONTACT SURFACES <i>OBSERVATION: Inside of microwave needs cleaned</i> |
| 4-903.11 - EQUIPMENT, UTENSILS, LINENS, AND SINGLE-SERVICE AND SINGLE USE ARTICLES <i>OBSERVATION: Utensils in drawer need to be stored one way.</i> |

| Inspection Outcome |
|---------------------------|
| |

| Comments |
|-----------------|
| |

Disclaimer

Person in Charge

Sanitarian

Michelle Seidel

Keith Allison