

**West Virginia Department of  
Health & Human Resources  
Berkeley County Health  
Department**



**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>	
Facility Name Dominos Pizza	Facility Type Food Service Establishment
Licensee Name MPizza, Inc	Facility Telephone # 304
Facility Address 65-D Cordial Court Falling Waters, WV	Licensee Address 65-D Cordial Court Falling Waters, WV 25419

<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date January 30, 2019	Total Time Spent 1.25

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
pizza prep-bottom	34
pizza prep-top products	34-38
walkin	32
Soda refrigerator only	40
Coke refrig-delivery area	34

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3 bay sink	chemical		200	quat	

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<p><b>Total # 3</b> <b>Repeated # 0</b></p> <p><b>2-301.14 - WHEN TO WASH</b> This is a critical violation <b>OBSERVATION: (CORRECTED DURING INSPECTION):</b> Employee observed not washing hands before starting work</p> <p><b>3-501.17 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DATE-MARKING</b> This is a critical violation <b>OBSERVATION:</b> several stacks of pans of dough with use by of January 29</p>

**7-102.11 - COMMON NAME**

This is a critical violation

**OBSERVATION:** (*CORRECTED DURING INSPECTION*): 2 spray bottles of chemical not labeled

***Observed Non Critical Violations***

**Total # 11**

**Repeated # 2**

**4-101.11 - CHARACTERISTICS - FOOD CONTACT SURFACES EQUIPMENT AND UTENSILS**

**OBSERVATION:** cloth drying mat not approved-not cleanable surface

**4-202.16 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** black crates not cleanable-holding bagged food product

**5-501.113 - COVERING RECEPTACLES**

**OBSERVATION:** dumpster lids need to be kept closed when not in use

**5-501.115 - MAINTAINING REFUSE AREAS AND ENCLOSURES**

**OBSERVATION:** dumpster area needs cleaned-broken glass and oil dispenser

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** restrooms-new caulk needed behind handsinks

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** handsink by 3 bay sink leaking

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**REPEAT OBSERVATION** ceiling vents(by ovens)

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** spray nozzle at 3 bay sink needs cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** restroom ceiling vents need cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** mens restroom-base of toilet needs cleaned

**6-501.13 - CLEANING FLOORS, DUSTLESS METHODS**

**REPEAT OBSERVATION** floor needs cleaned beneath: 3 bay sink, behind washer/dryer; and dunnage racks at back door

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge



Sanitarian



Amy ARE Edwards

